
THE CITY OF ROCHELLE
Ogle County, Illinois

RESOLUTION
NO. _____

**A RESOLUTION WAIVING COMPETITIVE BIDDING REQUIREMENTS AND
AUTHORIZING THE PURCHASE OF AN ALTEC AT40-G BUCKET TRUCK
THROUGH ENTERPRISE FLEET MANAGEMENT**

JOHN BEARROWS, Mayor
ROSE HUERAMO, City Clerk

**TOM
MCDERMOTT BIL
HAYES
KATE SHAW-
DICKEY DAN
McDERMOTT
ROSAELIA ARTEAGA
BEN VALDIVIESO**

City Council

Published in pamphlet form by authority of the Mayor and City Council of the City of Rochelle
Peterson, Johnson, and Murray, LLC, City Attorneys
1301 W. 22nd Street – Ste. 500 Oak Brook, Illinois 60523

CITY OF ROCHELLE
Ogle County, Illinois

RESOLUTION NO. ____

**A RESOLUTION WAIVING COMPETITIVE BIDDING REQUIREMENTS AND
AUTHORIZING THE PURCHASE OF AN ALTEC AT40-G BUCKET TRUCK
THROUGH ENTERPRISE FLEET MANAGEMENT**

WHEREAS, Section 7 of Article VII of the 1970 Constitution of the State of Illinois provides that a municipality that is not a home rule unit shall only have the powers granted to them by law and as such the City of Rochelle, Ogle County, Illinois being a non-home rule unit pursuant to the provisions of said Section 7 of Article VII, and may exercise only the powers expressly granted by law; and

WHEREAS, the Illinois General Assembly granted non-home rule municipalities broad authority to “pass all ordinances and make all rules and regulations proper or necessary, to carry into effect the powers granted to municipalities.” 65 ILCS 5/1-2-1; and

WHEREAS, while “non-home rule municipalities have the authority to enact ordinances, such ordinances may in no event conflict with state law or prohibit what a state statute expressly permits . . . A local ordinance may impose more rigorous or definite regulations in addition to those enacted by the state legislature so long as they do not conflict with the statute.” (*Village of Wauconda v. Hutton*, 291 Ill. App. 3d 1058, 1060 (1997)); and

WHEREAS, the City, through the Public Works Department maintains various assets and provides services to City residents; and

WHEREAS, the Public Works Department utilizes bucket trucks to perform a significant amount of its day-to-day operations; and

WHEREAS, the Public Works Department has utilized a Telco 55’ bucket truck and a Altec 28’ bucket truck for its operations since 1996 and 2000, respectively, and both trucks have reached the end of their useful life; and

WHEREAS, the Telco 55’ bucket truck and a Altec 28’ bucket trucks can be used for trade-in value to reduce the overall purchase price on a new bucket truck; and

WHEREAS, Public Works Department staff was recently advised that newly ordered bucket trucks may not be delivered until sometime in 2026, without a guarantee of delivery; and

WHEREAS, Altec has one new Altec AT40-G bucket truck in stock and available for immediate purchase through the Enterprise Fleet Management Program for \$168,649.16, which includes full factory warranty (a copy of the quote is attached herein as Exhibit A); and

WHEREAS, the City may waive competitive bidding requirements by a two-thirds vote of the City Council pursuant to 65 ILCS 5/8-9-1 of the Illinois Municipal Code and Section 2-371 of the Rochelle Municipal Code; and

WHEREAS, it has been determined by the Corporate Authorities of the City of Rochelle that it is in the best interest of the City and its residents to waive competitive bidding and approve the purchase of one Altec AT40-G bucket truck through Enterprise Fleet Management, as set forth in the quote attached hereto as Exhibit A.

BE IT RESOLVED BY THE MAYOR AND CITY COUNCIL OF THE CITY OF ROCHELLE, ILLINOIS:

SECTION ONE: That the City hereby incorporates all of the recitals above into this Resolution as if fully set forth herein.

SECTION TWO: The Mayor and City Council of the City of Rochelle hereby waive the competitive bidding requirements and approve the purchase of one Altec AT40-G Bucket Truck through Enterprise Fleet Management, as set forth in the quote attached hereto as Exhibit A. The City Manager is hereby authorized to execute said purchase orders, subject to review and revision as to form by the City Attorney.

SECTION THREE: If any provision of this Resolution or application thereof to any person or circumstance is ruled unconstitutional or otherwise invalid, such invalidity shall not affect other provisions or applications of this Resolution that can be given effect without the invalid application or provision, and each invalid provision or invalid application of this Resolution is severable.

SECTION FOUR: Where the conditions imposed by any provisions of this Resolution are more restrictive than comparable provisions imposed elsewhere in any other local law, ordinance, resolution, rule or regulation, the regulations of this Resolution will govern.

SECTION FIVE: The City Clerk shall publish this Resolution in pamphlet form.

SECTION SIX: This Resolution shall be in full force and effect from and after its passage, approval and publication in pamphlet form as provided by law.

APPROVED THIS 13th day of May 2024

MAYOR

ATTEST:

CITY CLERK

EXHIBIT A



Quote Number: 1100386 - 2
Altec, Inc.

March 13, 2024
Our 95th Year

Ship To:
GLOBAL RENTAL CO INC
33 INVERNESS CENTER PKWY STE 250
(DO NOT MAIL INVOICES)
BIRMINGHAM, AL 35242
US

Bill To:
GLOBAL RENTAL CO INC
33 INVERNESS CENTER PKWY STE 250
(DO NOT MAIL INVOICES)
BIRMINGHAM, AL 35242
US

Attn:
Phone: 816-676-4098
Email:

Altec Sales Order: 6625455
Altec Quotation Number: 1100386 - 2
Run Number: 1416926
Account Manager: Jared E. Braswell
Technical Sales Rep: Leslie J Handley
Reference WO: Start From-84969973
Customer Inspection:
Customer Truck Number:

X7 Discrete Job: 92302096
X7 Configured Item: 970150000-20620101
Quantity: 1
X4 Discrete Job: 92348115
X4 Configured Item: 970149508-20620091
System Engineer: Madison Swan
Structural Engineer: Marc Czulewicz
Line Set Date: 06/09/2023

<u>Item</u>	<u>Description</u>	<u>Qty</u>
	<u>Unit</u>	
1.	AT40G Unit Model	1
2.	ALTEC Model AT40-G telescopic articulating Aerial device with ISO-Boom.	1
3.	Poly Hydraulic Reservoir, Pedestal Mounted, 7 Gallon (Includes Sight Gauge)	1
4.	Post style pedestal mounting	1
5.	Single One-Man End-Mounted Platform With 180 Degree Rotator, 24 X 30 X 42. Platform is rated at 400 pounds, Control panel on platform dashboard provides controls for auxilliary functions. Includes emergency stop (push-pull) switch and rocker switches, which operate platform leveling, platform rotation, tools, and battery selector (for fiber-optic controls system). Composite fiberglass platform mounting bracket. (AT40G)	1
6.	Platform Leveling At Lower Controls. AT40-G	1
7.	Two (2) Platform Steps	1
8.	Soft nylon reinforced vinyl platform cover for a 24 x 30 inch platform	1
9.	Platform liner for a 24 x 30 x 42 inch platform	1
10.	4-Function Single Handle Fiber-Optic Controller.	1
11.	Manual lowering valve located at the boomtip. For use in emergency situations to allow the operator to lower the boom to the ground	1
12.	Engine Start/Stop at the upper controls actuated through the Fiber-Optic controls system with Secondary Stowage System (AT40G)	1



Quote Number: 1100386 - 2
Altec, Inc.

<u>Item</u>	<u>Description</u>	<u>Qty</u>
13.	Powder coat unit Altec White.	1
<u>Unit and Hydraulic Acc.</u>		
14.	HVI-22 Hydraulic Oil (Standard).	9
15.	Standard Pump For PTO	1
16.	Hot shift PTO for automatic transmission	1
<u>Body</u>		
17.	108 Inch Universal Small Aerial Body for a 60 Inch CA Chassis with 38 Inch Long Side Access Tailshelf to Meet the Following Specifications:	1
	A. Basic body fabricated from A40 grade 100% zinc alloy coated steel	
	B. All doors are full, double paneled, self-sealed with built-in drainage.	
	C. Stainless steel hinge rods extend full length of door.	
	D. Door hinges are zinc alloy material attached with rivets	
	E. All doors contain stainless steel, flush mounted, paddle activated rotary style latches with two-stage locking, including keyed locks and adjustable strikers.	
	F. Heavy-gauge welded steel frame construction with smooth galvaneal floor.	
	G. Possible contact edges are folded for safety.	
	H. Door header drip rail at top for maximum weather protection.	
	I. Neoprene or rolled fenders on wheel fender panels.	
	J. Steel treated for improved primer bond and rust resistance.	
	K. Automotive underseal applied to body.	
	L. Automotive type non-porous door seals fastened to the door facing.	
	M. 108 Inch Body Length	
	N. 40 Inch Body Height (Standard)	
	O. 94 Inch Body Width (Standard)	
	P. 20 Inch Body Compartment Depth (Standard)	
	Q. 8 Inch Body crossmembers (Standard)	
	R. No Treadplate On Compartment Tops	
	S. 6 Inch tall wooden tailboard installed at the rear of body cargo area	
	T. Stainless Steel Rotary Paddle Latch With Lock (Standard)	
	U. Master Body Locking System (Standard)	
	V. One (1) wheel chock holder installed in fender panel on each side of body.	
	W. Gas Shock Type Rigid Door Holders For Vertical Doors (Standard)	
	X. Chains On Horizontal Doors	
	Y. Hotstick shelf extending full length of body on Curbside.	
	Z. Drop-Down Hot Stick Door For One (1) Shelf (Right Side)	
	AA. Two (2) Hot Stick Brackets	
	AB. 1st Vertical Streetside (LH) - Two (2) Adjustable Shelves With Removable Dividers On 4 Inch Centers	
	AC. 1st Horizontal Streetside (LH) - One (1) Fixed Shelf With Removable Dividers On 8 Inch Centers	
	AD. Rear Vertical Streetside (LH) - Six (6) Adjustable Locking Swivel Hooks	
	AE. 1st Vertical Curbside (RH) - Seven (7) Adjustable Locking Swivel Hooks, Louvered Panel Installed in Cargo Wall	
	AF. 1st Horizontal Curbside (RH) - Vacant	
	AG. Rear Vertical Curbside (RH) - Two (2) Adjustable Shelves With Removable Dividers On 4 Inch Centers	
	AH. One (1) Small Bolt-On Grab Handle Installed At Rear Of Curbside Compartments	
	AI. 38 Inch Tailshelf with Integrated Side Access Steps and Smooth Galvaneal Floor Installed at Rear of Body. Includes One (1) U-Shaped Grab Handle.	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You
UTILITY EQUIPMENT AND BODIES SINCE 1929

Page 2 of 7



Quote Number: 1100386 - 2
Altec, Inc.

<u>Item</u>	<u>Description</u>	<u>Qty</u>
<u>Body and Chassis Accessories</u>		
18.	ICC Underride Protection	1
19.	Combination 2 Inch Ball (10,000 LB MGTW) And Pintle Hitch (16,000 LB MGTW)	1
20.	Set Of Eye Bolts for Trailer Safety Chain, installed one each side of towing device mount.	1
21.	Rear Torsion Bar Installed On Chassis	1
22.	Appropriate counterweight added for stability.	1
23.	Platform Rest, Rigid with Rubber Tube	1
24.	Platform to be side stowed	1
25.	Boom Rest for a Telescopic Unit	1
26.	Mud Flaps With Altec Logo (Pair)	1
27.	Wheel Chocks, Rubber, 9.75" L x 7.75" W x 5.00" H, with 4" L Metal Hairpin Style Handle (Pair)	1
28.	U-Shaped Grab Handle	1
29.	Small Grab Handle Installed At Rear	1
30.	Slope Indicator Assembly For Machine Without Outriggers	1
31.	Safety Harness And 4.5' Lanyard (Fits Medium To Xlarge) Includes Pouch and Placards	1
<u>Sales Text: Shipped loose</u>		
<u>Last Updated By: Leslie J Handley on 03-JAN-2023 11:33</u>		
32.	5 LB Fire Extinguisher With Light Duty Bracket, Installed (In Cab or Inside Compartment Only)	1
<u>Sales Text: inside cab</u>		
<u>Last Updated By: Leslie J Handley on 03-JAN-2023 11:33</u>		
33.	Triangular Reflector Kit (Contains 3 Reflectors), Shipped Per DEPS-0042	1
34.	Vinyl manual pouch for storage of all operator and parts manuals	1
35.	Rock Guards, Lexan, Installed Each Front Corner Of Body	1
<u>Electrical Accessories</u>		
36.	Lights and reflectors in accordance with FMVSS #108 lighting package. (Complete LED, including LED reverse lights)	1
37.	Altec Standard Amber LED Strobe Light with Brush Guard	1
<u>Sales Text: Post mounted on the streetside front of the body visible above the chassis cab with master switch in cab.</u>		
<u>Last Updated By: Leslie J Handley on 03-JAN-2023 11:33</u>		

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You
UTILITY EQUIPMENT AND BODIES SINCE 1929

Page 3 of 7



Quote Number: 1100386 - 2
Altec, Inc.

<u>Item</u>	<u>Description</u>	<u>Qty</u>
38.	Strobe Lights Wired Battery Hot	1
39.	Single tone back up alarm installed between the chassis frame rails at the rear of the chassis. To work in conjunction with chassis reverse drive system	1
40.	6-Way Trailer Receptacle (Pin Type) Installed At Rear	1
41.	Ford Upfitter Switches (Supplied with Chassis)	1
42.	Power Distribution Module (PDM-6) is a compact self-contained electronic system that provides a standardized interface with the chassis electrical system. (Includes Operator's Manual)	1
43.	Install secondary stowage system.	1
44.	PTO Indicator Light Installed In Cab	1
<u>Finishing Details</u>		
45.	Powder Coat Unit Altec White	1
46.	Altec Standard; Components mounted below frame rail shall be coated black by Altec. i.e. step bumpers, steps, frame extension, pintle hook mount, dock bumper mounts, D-rings, receiver tubes, accessory mounts, light brackets, under-ride protection, etc. Components mounted to under side of body shall be coated black by Altec. i.e. Wheel chock holders, mud flap brackets, pad carriers, boxes, lighting brackets, steps, and ladders.	1
47.	Apply Non-Skid Coating to all walking surfaces	1
48.	Apply Non-Skid Coating to Curbside Compartment Top for use as a Non-Walking Surface	1
49.	Apply Non-Skid Coating to Streetside Compartment Top for use as a Non-Walking Surface	1
50.	English Safety And Instructional Decals	1
51.	Vehicle Height Placard - Installed In Cab	1
52.	Globalization includes Unit Condition Report and Placards	1
53.	Placard, HVI-22 Hydraulic Oil	1
54.	Dielectric test unit according to ANSI requirements,	1
55.	DOT Certification Required	1
<u>Sales Text: 33 Inverness Center Parkway</u> <u>Birmingham AL 35242</u> <u>Last Updated By: Leslie J Handley on 03-JAN-2023 11:33</u>		
56.	Stability test unit according to ANSI requirements,	1
57.	Focus Factory Build	1
58.	Delivery Of Completed Unit	1
59.	Globalized Per Global Rental's Specification To Include Following:	1

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You
UTILITY EQUIPMENT AND BODIES SINCE 1929



Quote Number: 1100386 - 2
Altec, Inc.

<u>Item</u>	<u>Description</u>	<u>Qty</u>
	A. Global Key Rings Installed on Keys	
	B. Global Decal Kit	
	C. Full Discrete Job Numbers Located on Front Streetside and Curbside Rear of Vehicle	
	D. Fuse Kit in the Manual Pouch	
	E. Completed Service Sticker Located Next to the DOT Sticker	
	F. Weight Slip	
	G. Signed/Dated Dielectric and Stability Test	
	H. Completed Unit Condition Reports	
	I. Four (4) Pictures Showing the Front, Rear, Curbside and Streetside of the Full Truck	
	J. Temp Tag	
60.	Inbound Freight	1
61.	As Built Electrical and Hydraulic Schematics to be Included In the Manual Pouch (Deps 024)	1
62.	Completed Test Forms To Be Included In The Manual Pouch: -Stability Test Form -Dielectric Test Form (For Insulated Units)	1
63.	AT40G FA Installation	1
	<u>Chassis</u>	
64.	Altec Supplied Chassis	1
65.	Chassis	1
66.	2024 Model Year	1
67.	Ford F550	1
68.	Dual Rear Wheel	1
69.	4x4	1
70.	Chassis Cab	1
71.	Extended Cab (Larger Cab With Half-Length Rear Doors Or No Rear Doors)	1
72.	Chassis Color - White	1
73.	AM/FM Radio	1
74.	Block Heater	1
75.	Air Conditioning	1
76.	Cruise Control	1
77.	60 Clear CA (Round To Next Whole Number)	1
78.	Chassis Wheelbase Length - 168 inch	1
79.	GVWR 19,500 LBS	1

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You
UTILITY EQUIPMENT AND BODIES SINCE 1929

Page 5 of 7



Quote Number: 1100386 - 2
Altec, Inc.

<u>Item</u>	<u>Description</u>	<u>Qty</u>
80.	7,000 LBS Front GAWR	1
81.	14,706 LBS Rear GAWR	1
82.	Spring Suspension	1
83.	Ford 6.7L Power Stroke Diesel	1
84.	Diesel	1
85.	Ford Torqshift 10-Speed Automatic Transmission (w/PTO Provision)	1
86.	Ford 40 Gallon Fuel Tank (Rear)	1
87.	Ford 7.2 Gallon DEF Tank (Mid Mount)	1
88.	Ford E/F250-550 Single Horizontal Right Side Exhaust	1
89.	No Clean Idle Certification Required	1
90.	EPA Emissions	1
91.	No Idle Engine Shut-Down Required	1
92.	225/70R19.5 Front Tire (Traction)	1
93.	225/70R19.5 Rear Tire (Traction)	1
94.	Hydraulic Brakes	1
95.	Park Brake In Rear Wheels	1
96.	98R - Operator Commanded Regeneration (OCR)	1
97.	Vinyl Split Bench Seat	1
<u>Additional Pricing</u>		
98.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1

Altec Industries, Inc.

BY _____

Leslie J Handley , Technical Sales Representative

<u>Item Number</u>	<u>Unselected Items</u> <u>Description</u>
970763958-	2023 Model Year

Unselected By:Leslie J Handley on 08-FEB-2024 08:58

<u>Item Number</u>	<u>New Selected Items</u> <u>Description</u>
970763959-	2024 Model Year

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You
UTILITY EQUIPMENT AND BODIES SINCE 1929



Quote Number: 1100386 - 2
Altec, Inc.

Created By: Leslie J Handley on 08-FEB-2024 08:58

Notes:

STATE OF ILLINOIS)
)
COUNTY OF OGLE) SS.

CERTIFICATE

I, Rose Huéramo, City Clerk of the City of Rochelle, County of Ogle and State of Illinois, DO HEREBY CERTIFY that the foregoing is a true and correct copy of Resolution No._____, “A RESOLUTION WAIVING COMPETITIVE BIDDING REQUIREMENTS AND AUTHORIZING THE PURCHASE OF AN ALTEC AT40-G BUCKET TRUCK THROUGH ENTERPRISE FLEET MANAGEMENT” which was adopted by the Mayor and City Council of the City of Rochelle on May 13, 2024.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the corporate seal of the City of Rochelle this 13th day of May 2024.

CITY CLERK