





## ADDITIONAL TERMS AND CONDITIONS

1. AS USED IN THIS ORDER THE TERMS (A) "DEALER" SHALL MEAN THE AUTHORIZED DEALER TO WHOM THIS ORDER IS ADDRESSED AND WHO SHALL BECOME A PARTY HERETO BY ITS ACCEPTANCE HEREOF, (B) "PURCHASER" SHALL MEAN THE PARTY EXECUTING THIS ORDER SUCH ON THE FACE HEREOF, AND (C) "MANUFACTURER" SHALL MEAN THE CORPORATION THAT MANUFACTURED THE VEHICLE OR CHASSIS, IT BEING UNDERSTOOD BY PURCHASER AND DEALER THAT DEALER IS IN NO RESPECT THE AGENT OF MANUFACTURER, THAT DEALER AND PURCHASER ARE THE SOLE PARTIES TO THIS ORDER AND THAT REFERENCE TO MANUFACTURER HEREIN IS FOR THE PURPOSE OF EXPLAINING GENERALLY CERTAIN CONTRACTUAL RELATIONSHIPS EXISTING BETWEEN DEALER AND MANUFACTURER WITH RESPECT TO NEW MOTOR VEHICLES.
2. PURCHASE AGREES TO DELIVER TO DEALER SATISFACTORY EVIDENCE OF TITLE TO ANY USED MOTOR VEHICLE TRADED IN AS A PART OF THE CONSIDERATION FOR THE MOTOR VEHICLE ORDERED HEREUNDER OF THE TIME OF DELIVERY OF SUCH USED MOTOR VEHICLE TO DEALER. PURCHASER WARRANTS ANY SUCH USED MOTOR VEHICLE TO BE HIS PROPERTY FREE AND CLEAR OF ALL LIENS AND ENCUMBRANCES EXCEPT AS OTHERWISE NOTED HEREIN.
3. MANUFACTURER HAS RESERVED THE RIGHT TO CHANGE THE DESIGN OF ANY NEW MOTOR VEHICLE, CHASSIS, ACCESSORIES OR PARTS THEREOF AT ANY TIME WITHOUT NOTICE AND WITHOUT OBLIGATION TO MAKE THE SAME OR ANY SIMILAR CHANGE UPON ANY MOTOR VEHICLE, CHASSIS, ACCESSORIES OR PARTS THERE OF PREVIOUSLY PURCHASED BY OR SHIPPED TO DEALER OR BEING MANUFACTURED OR SOLD IN ACCORDANCE WITH DEALER'S ORDERS CORRESPONDINGLY, THE EVENT OF ANY SUCH CHANGE BY MANUFACTURER, DEALER SHALL HAVE NO OBLIGATION TO PURCHASER TO TAKE THE SAME OR ANY SIMILAR CHANGE IN ANY MOTOR VEHICLE, CHASSIS, ACCESSORIES OR PARTS THEREOF COVERED BY THIS ORDER EITHER BEFORE OR SUBSEQUENT TO DELIVERY THEREOF TO PURCHASER.
4. DEALER SHALL NOT BE LIABLE FOR FAILURE TO DELIVER OR DELAY IN DELIVERING THE MOTOR VEHICLE COVERED BY THIS ORDER WHERE SUCH FAILURE OR DELAY IS DUE, IN WHOLE OR IN PART, TO ANY CAUSE BEYOND THE CONTROL OF WITHOUT THE FAULT OF NEGLIGENCE OF DEALER.
5. THE PRICE FOR THE MOTOR VEHICLE SPECIFIED ON THE FACE OF THIS ORDER INCLUDES REIMBURSEMENT FOR FEDERAL EXCISE TAXES, BUT DOES NOT INCLUDE SALES TAXES, USE TAXES OR OCCUPATIONAL TAXES BASED ON SALES VOLUME, (FEDERAL, STATE, OR LOCAL) UNLESS EXPRESSLY SO STATED. PURCHASER ASSUMES AND AGREES TO PAY, UNLESS PROHIBITED BY LAW, ANY SUCH SALES, USE OR OCCUPATIONAL TAXES IMPOSED ON OR APPLICABLE TO THE TRANSACTION COVERED BY THIS ORDER, REGARDLESS OF WHICH PARTY MAY HAVE PRIMARY TAX LIABILITY THEREFORE.
6. FACTORY WARRANTY: ANY WARRANTY ON ANY NEW VEHICLE OR USED VEHICLE STILL SUBJECT TO A MANUFACTURER'S WARRANTY IS THAT MADE BY THE MANUFACTURER ONLY. THE SELLER HEREBY DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.  
  
**USED VEHICLE WHETHER OR NOT SUBJECT TO MANUFACTURER'S WARRANTY:** UNLESS A SEPARATE WRITTEN INSTRUMENT SHOWING THE TERMS OF ANY DEALER WARRANTY OR SERVICE CONTRACT IF FURNISHED BY DEALER TO BUYER. THIS VEHICLE IS SOLD "AS IS - NOT EXPRESSLY WARRANTED OR GUARANTEED" **AND** THE SELLER HEREBY DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
7. PURCHASER SHALL NOT BE ENTITLED TO RECOVER FROM DEALER ANY CONSEQUENTIAL DAMAGES, DAMAGES TO PROPERTY, DAMAGES FOR LOSS OF USE, LOSS OF TIME, LOSS OF PROFITS, OR INCOME, OR ANY OTHER INCIDENTAL DAMAGES.
8. THE PURCHASER, BEFORE OR AT THE TIME OF DELIVERY OF THE MOTOR VEHICLE COVERED BY THIS ORDER WILL EXECUTE SUCH FORMS OF AGREEMENT OR DOCUMENTS AS MAY BE REQUIRED BY THE TERMS AND CONDITIONS OF PAYMENT INDICATED ON THE FRONT OF THIS ORDER.





CIT TRUCKS - ROCKFORD (C260)  
4301 N. BELL SCHOOL ROAD  
LOVES PARK, Illinois 61111

Stock

Jeff Heiser  
Cell Phone:  
Office Phone: 815-639-2000  
Email: jheiser@citrucks.com

Stock Order

## Vehicle Summary

	Unit		Chassis
Model:	T480 Series Conventional	Fr Axle Load (lbs):	14600
Type:	FULL TRUCK	Rr Axle Load (lbs):	40000
Description 1:	TANDEM PLOW T480 PLOW	G.C.W. (lbs):	54601
Description 2:	TANDEM PLOW CITY OF ROCHELLE		
	<b>Application</b>	Road Conditions:	
Intended Serv.:	Snowplow: Vehicles which are configured	Class A (Highway)	90
Commodity:	Rock.	Class B (Hwy/Mtn)	10
		Class C (Off-Hwy)	0
		Class D (Off-Road)	0
	<b>Body</b>	Maximum Grade:	6
Type:	Flatbed.	Wheelbase (in):	188
Length (ft):	14	Overhang (in):	70
Height (ft):	13	Fr Axle to BOC (in):	69.5
Max Laden Weight (lbs):	4000		
		Cab to Axle (in):	118.5
		Cab to EOF (in):	188.5
		Overall Comb. Length (in):	322
	<b>Trailer</b>		
No. of Trailer Axles:	0		
Type:			
Length (ft):	0		
Height (ft):	0		
Kingpin Inset (in):	0		
Corner Radius (in):	0		
		<b>Special Req.</b>	
		U.S. Domestic registry, 50-state.	
	<b>Restrictions</b>		
Length (ft):	75		
Width (in):	102		
Height (ft):	13.5		

Approved by:

Date:

Note: All sales are F.O.B. designated plant of manufacture.

Sales Code	Std/ Opt	Description	\$ List	Weight
<b>Model</b>				
0000480	S	<b>T480 Series Conventional</b>	108,636	10,386
0071001	O	<b>T480 Vocational Hood</b>	0	0
0080075	O	<b>Dealer/Customer declines engine w/CARB Idle Emissions Reduction Feature.</b>	0	0
0090162	O	<b>T480 Tandem</b>	0	0
0098413	O	<b>State of Registry: Illinois</b>	0	0
<b>Engine &amp; Equipment</b>				
0130210	O	<b>PX-9 370 370@1600 1250@1200, 2021</b> With Turbo Exhaust Brake (VGT Brake). N09420 C333 0.....Reserve Speed Limit Offset ( N09380 C334 0.....Maximum Cycle Distance (N202 N09360 C400 252...Reserve Speed Function Reset N09200 C399 120...Standard Maximum Speed Limit N09400 C401 10....Maximum Active Distance (N20 N09220 C402 0.....Expiration Distance (N207) N09540 C395 0.....Expiration Distance (N209) N09260 C121 68....Max Vehicle Speed in Top Gea N09440 C234 YES...Engine Protection Shtdwn N09460 C231 NO....Gear Down Protection N09580 C133 5.....Idle Shtdwn Time N09680 C233 NO....Idle Shtdwn Override N09480 C132 1400..Max PTO Speed N09300 C128 64....Max Cruise Control Speed N09500 C239 NO....Cruise Control Auto Resume N09520 C238 NO....Auto Engine Brake in Cruise N09780 C190 80....High Ambient Temperature Thr N09740 C188 40....Low Ambient Temperature Thre N09760 C189 60....Intermediate Ambient Tempera N09720 C382 YES...Enable Hot Ambient Automatic N09600 C396 YES...Enable Impending Shutdown Wa N09620 C397 60....Timer For Impending Shutdown N09640 C206 35....Engine Load Threshold N09560 C225 YES...Enable Idle Shutdown Park Br	8,446	0
1000046	O	<b>EPA Compliant Engine</b>	0	0
1000151	S	<b>PremierSpec</b>	0	0
1000243	O	<b>Gearing Analysis: Performance</b> power before economy results.	0	0
1000255	O	<b>Customer's Typical Operating Spd: 68 mph.</b>	0	0
1000684		<b>Effective VSL Setting NA</b>	0	0



<b>Sales Code</b>	<b>Std/ Opt</b>	<b>Description</b>	<b>\$ List</b>	<b>Weight</b>
1000858	O	<b>Engine Idle Shutdown Timer Disabled</b>	0	0
1000859	O	<b>Enable EIST Ambient Temp Override</b>	0	0
1000891		<b>Eff EIST NA Expiration Miles</b>	0	0
1002060	S	<b>Air compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.</b>	0	0
1041399	S	<b>Air Cleaner: MD Composite Engine Mounted</b>	0	0
1093120	O	<b>Inside/Outside Air Intake for Engine Mounted Air Cleaner</b>	877	16
1105232	O	<b>Fan Hub: Horton Variable Speed</b> For use with PX engines, L9N or B6.7N natural gas engines on 2.1M only.	350	0
1121234	O	<b>Cooling Module: 2.1M MD Vocational Hood, Clog Resistant, 1000 Square Inches</b>	538	10
1160205	O	<b>Bugscreen</b> Front of grille on 2.1M MD, C500, T800, T880, and W900. Behind grille on T680 and 1.9M MD.	147	2
1247234	O	<b>EXH: 2021 RH Under DPF/SCR with RH SOC Vertical tailpipe. Not 2.1m high roof sleepers</b>	365	0
1290136	O	<b>Tailpipe: 5 in. single 36 in. 45 degree curved.</b>	195	15
1321102	S	<b>Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9</b> Fuel/water separator for 2021 and later engines.	0	0
1321205	O	<b>Run Aid:Fuel Heat</b> *For Fuel Filter	45	0
1321305	O	<b>Start Aid:12V Heat</b> *For Fuel Filter	22	1
1500029	O	<b>Kenworth Fuel Cooler</b> Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	168	0
1504006	O	<b>Block heater: PACCAR 750 watt 120V for PX-7</b> 1000 watt for PX-9 and ISL9 engines.	22	2
1816200	O	<b>Alternator: SEG 200 amp, brush type</b> Formerly Bosch.	-103	0
1821210	O	<b>Batteries: 3 PACCAR GP31 threaded post (700-730)</b> 2100-2190 CCA dual purpose.	153	62
1836106	S	<b>Mitsubishi 105P55 12V Starter with Cummins and PX</b> PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	0	0
1840066	O	<b>Cab Power Cutoff SW on Cab Floor</b> NFPA Compliant - Engine Shut off	314	2

Price Level: April 1, 2021

100% Complete

Date: December 15, 2021

Deal: TANDEM PLOW T480 PLOW

Quote Number: QUO-809822-M3L0X0

Printed On: 12/15/2021 3:02:30 PM

Sales Code	Std/ Opt	Description	\$ List	Weight
1900996	O	Jump start terminals under hood.	72	0
1901020	O	Remote PTO/Throttle, 12-Pin, 500K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	108	0

### Transmission & Clutch

2011205	O	<b>Transmission: Allison 3000RDS 6-speed</b> w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models.	5,835	399
2406453	O	<b>Driveline: 2 Dana SPL250XL 1 centerbearing</b> requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	366	54
2410018	O	<b>Torque converter included w/Allison Transmission.</b>	0	0
2410153	O	<b>Push Button Shifter Controls, Center Console</b> Mounted for Allison Transmission. 2.1m Medium Duty only.	0	0
2410204	O	<b>Allison Fuel Sense: Delete</b>	0	0
2410244	O	<b>J1939 Park Brake Auto Neutral</b>	0	0
2410311	U	<b>Decline Allison Neutral at Stop Stand-Alone</b>	0	0
2429358	O	<b>Rear transmission support springs for</b> transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	68	0
2429378	O	<b>Customer installed transmission PTO in the LH</b> Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.	0	0
2460069	O	<b>Transmission Cooler: Automatic Transmission</b> For use with 2.1M MD with Vocational Hood. Includes cooler protector.	895	38

### Front Axle & Equipment

2506181	O	<b>Dana Spicer D2000 Front Axle rated 20K</b> standard track.	1,723	120
2641137	O	<b>Front Brakes: 20K Meritor Q-Plus 16.5x6 in.</b>	606	0
2690035	O	<b>Front Brake Drum: 22,000 lbs. 16-1/2x6 in. Cast.</b>	-227	104
2702500	S	<b>Front Hub: iron hub pilot 14,600 lbs.</b> 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	0	0
2741970	S	<b>ConMet PreSet Plus Hub package; front axle.</b>	0	0
2750001	S	<b>Hubcap: front vented.</b>	0	0

Price Level: April 1, 2021

100% Complete

Date: December 15, 2021

Deal: TANDEM PLOW T480 PLOW

Quote Number: QUO-809822-M3L0X0

Printed On: 12/15/2021 3:02:30 PM



<b>Sales Code</b>	<b>Std/ Opt</b>	<b>Description</b>	<b>\$ List</b>	<b>Weight</b>
2765001	S	<b>Front Auto Slack Adjuster.</b>	0	0
2865025	O	<b>Front Springs: Taperleaf 20K w/shock absorbers w/ maintenance-free elastomer spring pin bushings.</b>	146	76
2895305	O	<b>Dual power steering gears: 18/20K</b>	977	75
2899336	O	<b>Power Steering Cooler:Radiator Mounted Air-to-Oil</b>	324	11
2900055	O	<b>5 mm front suspension spacer block.</b>	0	0
2900612	O	<b>Threaded front spring bushings in place of elastomeric.</b>	59	0
<b>Rear Axle &amp; Equipment</b>				
3121181	O	<b>Dual Dana Spicer D40-172P rear axle rated at 40K. (Super 40) w/ 11mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.</b>	10,532	2,195
3200538	O	<b>Rear Axle Ratio - 5.38.</b>	0	0
3354004	O	<b>Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q-Plus S-cam stamped spider.</b>	36	16
3392005	O	<b>Dual Rear Brake Drums: cast.</b>	0	0
3403460	O	<b>Dual Rear Hubs: Iron hub pilot 11-1/4 in. BC.</b>	28	104
3441972	O	<b>ConMet PreSet Plus Hub package; dual rear axle.</b>	0	0
3465002	O	<b>Dual Rear axle automatic slack adjusters.</b>	0	0
3485207	O	<b>Spring Brake: 3030 long stroke dual 30 square inches travel. Helps keep brakes in adjustment longer.</b>	104	4
3495230	O	<b>Bendix 6S/6M anti-lock brake system w/ air traction control (ATC).</b>	920	6
3500057	O	<b>Interaxle Driveline: 1 Dana SPL170XL</b>	453	96
3532194	O	<b>Wheel Differential Lock for Dana Spicer axles D40-170(P)/D46-170(H)(P)(WT) forward rear axle &amp; rear rear axle.</b>	2,139	112
3732104	O	<b>Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing, 8.8 in. ride height. Steel crossmember and gussets. With shocks. Includes air suspension dump valve. For use with rear air disc brakes only.</b>	4,325	431
3830510	O	<b>Dual leveling valves for tandem air suspension.</b>	161	2
3832313	O	<b>Bolted rear suspension crossmembers for HAS 210/210L or 230/230L. Replaces medium duty standard.</b>	0	0
<b>Tires &amp; Wheels</b>				
4038678	O	<b>Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.</b>	834	78

Price Level: April 1, 2021

100% Complete

Date: December 15, 2021

Deal: TANDEM PLOW T480 PLOW

Quote Number: QUO-809822-M3L0X0

Printed On: 12/15/2021 3:02:30 PM

Sales Code	Std/ Opt	Description	\$ List	Weight
4277495	O	<b>Rear tires: Bridgestone M770 11R22.5 16PR.</b> 42.2 in. diameter, drive. 19.6 in. SLR. Code is priced per pair of tires.	2,416	136
4900008	O	<b>Rear Tire Quantity: 8</b>	0	0
5045280	O	<b>Front Wheel: Alcoa 89U64 22.5X9 AL</b> Ultra One High Polish Wheel.	486	0
5243363	O	<b>Rear Wheel: Alcoa 88267 22.5x8.25 aluminum with</b> Level One [TM] finish, hub-pilot mount. 7400 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	1,564	-184
5859010	O	<b>Single Front Axle: 2 wheels Dura-Bright Mirror</b> Polish Dura-Bright outboard surface of aluminum wheels.	236	0
5859012	O	<b>Dual Rear Axle Wheels: 4 wheels Dura-Bright</b> Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	729	0
5900008	O	<b>Rear Wheel/Rim Quantity: 8</b>	0	0

### Frame & Equipment

6056400	O	<b>Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in.</b> to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in.-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	433	253
6309910	O	<b>Delete bumper: Requires a bumper setting code.</b>	-184	-27
6319064	O	<b>64 in. Bumper setting. Requires a bumper code.</b>	0	0
6321010	S	<b>Front tow loops: Two</b>	0	0
6390034	O	<b>24 in. frame rail extensions. Vocational hoods only.</b>	101	36
6391201	O	<b>Custom Frame Layout: one chassis</b> CFL F/T: CUSTOMER WANTS	1,380	0
6400645	O	<b>Battery box cantilever aluminum BOC with full polish.</b>	457	19
6409210	O	<b>Rubber battery pad in bottom of battery box.</b> For cantilever-style or between the rails battery boxes.	7	0
6409902	S	<b>Battery box location: RH Side.</b>	89	15
6451126	O	<b>DPF/SCR box polished end plates and polished cover.</b>	194	0
6490139	S	<b>Heavy-duty one-pc aluminum intermediate/fill-in crossmember.</b>	0	0
6490433	S	<b>Heavy-duty 5-piece rear cab support, hucked assembly. Huck fastened to frame.</b>	0	0
6721102	S	<b>Rear mudflap arms: Betts B-25 standard-duty,</b>	0	0

Price Level: April 1, 2021

100% Complete

Date: December 15, 2021

Deal: TANDEM PLOW T480 PLOW

Quote Number: QUO-809822-M3L0X0

Printed On: 12/15/2021 3:02:30 PM



<b>Sales Code</b>	<b>Std/ Opt</b>	<b>Description</b>	<b>\$ List</b>	<b>Weight</b>
		straight. Includes B1732 mounting brackets as standard.		
6722000	S	<b>Rear mudflap shields: White plastic antisail w/ Kenworth logo.</b>	0	0
6742009	S	<b>Square end-of-frame w/o crossmember; non-towing.</b>	0	0
<b>Fuel Tanks &amp; Equip</b>				
7140080	O	<b>80 US gallon D-Shape rectangular aluminum under fuel tank, replace. With non-slip step.</b>	241	52
7722173	O	<b>Large DEF tank, 15 gallons.</b>	117	26
7839006	O	<b>Polished fuel tank steps.</b>	29	0
7840015	O	<b>Polish only one aluminum tank.</b>	141	0
7840038	O	<b>Polished cover for 1 DEF tank any size.</b>	229	3
7889061	O	<b>Polished stainless steel tank straps for 1 tank.</b>	71	0
7889203	O	<b>DEF to fuel fill ratio 2:1 or greater.</b>	0	0
7889614	O	<b>DEF tank location is LH BOC. For 2.1M medium duty</b>	0	0
7920080	O	<b>Location: 80 gal fuel tank LH under cab</b>	0	0
<b>Cab &amp; Equipment</b>				
8024311	S	<b>Cab: Stamped aluminum with curved windshield LED markers. Requires separate roof code.</b>	0	0
8090153	O	<b>Hood: Sloped Vocational w/ Stationary Grille w/ Chrome Crown</b>	1,308	-24
8108002	O	<b>Fine particulate filter for cabin air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.</b>	35	0
8108011	S	<b>Cab HVAC - Day Cab and 40in Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.</b>	0	0
8201013	S	<b>Steering wheel: 18 in. 4-spoke.</b>	0	0
8201200	S	<b>Adjustable telescoping tilt steering column.</b>	0	0
8203060	O	<b>5 sets of keys. Replaces standard 2 sets of keys.</b>	38	0
8205177	O	<b>Dash Switch: 1st Allison-mntd PTO.</b>	166	0

Sales Code	Std/ Opt	Description	\$ List	Weight
		Electric switch and wiring are factory-installed to control the 1st Allison Trans mounted PTO.		
8208495	O	<b>Two spare switches: Wired to power.</b>	51	0
8222405	O	<b>Gauge: DD Virtual Gauge - Fuel Filter Restriction</b>	79	0
8222409	O	<b>Gauge: DD Virtual Gauge - Air Filter Restriction</b>	59	0
8222413	O	<b>Gauge: DD Virtual Gauge - Manifold Pressure Boost</b>	0	0
8222414	O	<b>Gauge: DD Virtual Gauge - Engine Percent Torque</b>	0	0
8222419	O	<b>Gauge: DD Virtual Gauge - Volts Instrument Cluster</b>	0	0
8282024	S	<b>Main Instrument Package: 7" Digital Display Cluster.</b> Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	0	0
8330591	S	<b>Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor &amp; Seat Color</b> Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	0	0
8410217	O	<b>Driver Seat: KW Premium Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater</b>	527	0
8480207	O	<b>Rider Seat: KW Toolbox Seat HB Tough Cloth w/o Armrests</b>	8	0
8601432	O	<b>Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth</b>	384	0
8698965	O	<b>Speaker Package For Cab: (2) Speakers B-Pillar</b>	50	0
8699933	O	<b>CB Installation Kit: C/I Center Mtd of Header w/ Dual Antenna on LH/RH mirrors. One Jumper Harness.</b>	178	2
8700091	O	<b>Ashtray insert: W/cigar lighter located in center console. Deletes 1 12V outlet &amp; 1 cupholder.</b>	32	0
8700154	O	<b>Self cancelling turn signal: W/head light dimmer switch .</b>	21	0
8700283	S	<b>LH and RH Trip Ledge Rain Deflectors</b>	0	0
8800260	O	<b>Long grabhandle RH side mounted to side-of-cab exhaust.</b>	23	2
8800402	S	<b>Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles</b>	0	0

Price Level: April 1, 2021

100% Complete

Date: December 15, 2021

Deal: TANDEM PLOW T480 PLOW

Quote Number: QUO-809822-M3L0X0

Printed On: 12/15/2021 3:02:30 PM



Sales Code	Std/Opt	Description	\$ List	Weight
8832113	S	<b>Kenworth Daylite Door with standard LH/RH</b> electric door locks and LH/RH electric window controls.	0	0
8841642	O	<b>Air Horn: Dual Round 26" LH/RH Roof</b> Incl Air Horn Cover	157	0
8850139	S	<b>Look-Down, Pass. Door, Black 11x6</b>	0	0
8850831	O	<b>Mirror: RH Hood Mounted, Dual View, Round CX</b> Chrome	99	4
8850841	O	<b>Mirror Shell: Dual Aero Chrome</b>	150	0
8860852	O	<b>Mirror: Dual KW Aero Rear View</b> Motor, heated with Integral CX	67	0
8871446	S	<b>Rear cab stationary window 19in x 36in</b>	0	0
8879917	O	<b>Two additional outboard windows 19in x 12in</b>	107	10
8890101	S	<b>One-piece bonded-in windshield with curved glass.</b> Standard.	0	0
8890135	O	<b>Exterior stainless steel sunvisor.</b>	700	11
8890874	O	<b>Kenworth Cab Air Suspension.</b>	103	0
8891009	O	<b>Thermal/Sound Insulation Package</b>	244	0
8891011	O	<b>Roof: Raised Profile, Stamped Aluminum w/</b> Additional Head Room & Interior Overhead Storage	43	0
<b>Lights &amp; Instruments</b>				
9010813	O	<b>Headlamps: Single Halogen Complex Reflector w/</b> Turn Indicator, Reflector and w/o DRL. Fender Mtd.	-8	0
9010951	O	<b>Daytime Running Lights Located in Bumper.</b> Driven by Chassis Height.	288	0
9022137	S	<b>Marker Lights: Five, rectangular, LED</b>	0	0
9030052	S	<b>LED Stop,Turn,Tail: With Two LED</b> Backup Lights and With An LED License Plate.	0	0
9058085	O	<b>SW/WIRE/IND LT: C/I FLOOD 1ST SW THRU</b> GROMMET UNDER CAB	127	0
9080135	O	<b>Stainless Steel Brackets, Switch &amp; Wiring:</b> Customer-installed dual beacon lights mounted over door of cab.	217	4
9090058	O	<b>Switch &amp; Wiring: For customer-installed plow</b> light. Includes circuit breaker.	175	0
9090142	O	<b>Wiring Only: For customer-installed backup</b> alarm.	46	0
9090151	O	<b>Wiring:Cust. Install Trlr Elec. Brake Controller.</b> Class 8/T4 Content Includes Dash Signals: Ignition Power (20A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To EOF Junction Box. These Signals Are Located Near The NavPlus HD Area.	153	4

Price Level: April 1, 2021

100% Complete

Date: December 15, 2021

Deal: TANDEM PLOW T480 PLOW

Quote Number: QUO-809822-M3L0X0

Printed On: 12/15/2021 3:02:30 PM

Sales Code	Std/ Opt	Description	\$ List	Weight
		No Need To Code For An Additional End of Frame Junction Box. EOF Junction Box Signals Are: Ground, Tail Lamp, Marker Lamp, Left Turn, Right Turn, Stop Lamp and Electric Trailer Brake Controller Wired To Dash. Medium Duty (not T4) Content Includes A MP 280 Series Connector In Dash Near Driver Door Connections With Signals: Battery Power (40A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To Chassis Connector. Medium Duty (not T4) 2 Way Deutsch Chassis Connector Located Near Back of Cab, With Signals: Ground and Electric Trailer Brake Controller Wired To Dash Connector.		
9090312	O	<b>Body Builder Lighting Harness Coiled End Of Frame</b> For Additional Customer Installed Exterior Lighting. Harness Includes Circuits for Additional Customer Installed Tail Lamps, Turn Lamps, Stop Lamps, and Marker Lamps.	133	0
9090849	O	<b>Polyswitches replacing fuses. Switch will</b> automatically reset after removal of excess load.	44	0
<b>Air Equipment</b>				
9101219	O	<b>Air Dryer: Bendix AD-HF Extended Purge Heated</b> With Puraguard	24	0
9108001	S	<b>Moisture ejection valve w/ pull cable drain.</b>	0	0
9110020	O	<b>Full Truck Kit</b> Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	903	15
9140020	S	<b>Nylon air tubing in frame &amp; cab, excluding hoses</b> subject to excessive heat or flexing.	0	0
9140252	O	<b>Locate air dryer inside LH rail BOC.</b> This code requires the use of a custom frame layout code.	0	0
9140328	O	<b>Trailer ABS electric supply through SAE J560</b> 7-pin connector per TMC RP137).	0	0
9150170	O	<b>Air tanks: aluminum replacing steel all tanks.</b> *Not air tanks on lift axles.	370	-44
<b>Extended Warranty</b>				
9200008	S	<b>Base Warranty - PACCAR PX-9 Engine</b> 24 months / 250,000 miles / 402,336 km / 6250 hours.	0	0
9200021	S	<b>Base Warranty - Standard Service Heavy Duty</b> 12 months / 100,000 miles / 160,000 km.	0	0
9220001	O	<b>Base Warranty: Emissions</b> 5YR/100K MI - EPA Engine (Does not include CARB Clean Idle sticker)	0	0
<b>Miscellaneous</b>				
9409852	O	<b>GHG Secondary Manufacturer: Does Not Apply</b>	0	0
9490206	O	<b>Warning triangle reflector kit: Shipped loose.</b> Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	41	4
9490404	O	<b>One 5 lb. dry chemical type fire extinguisher</b>	117	11

Price Level: April 1, 2021

100% Complete

Date: December 15, 2021

Deal: TANDEM PLOW T480 PLOW

Quote Number: QUO-809822-M3L0X0

Printed On: 12/15/2021 3:02:30 PM





Sales Code	Std/ Opt	Description	\$ List	Weight
		mounted outboard of driver seat. Class ABC.		
9490645	O	<b>Zinc Phosphate frame rail paint processing.</b> Requires frame rail code. Code is for 1 pair of rails.	304	0
9491659	S	<b>VMUX Architecture</b>	0	0

## Promotions

### Paint

9700000	O	<b>Paint color number(s).</b>  N9702 A - L0006 WHITE N9720 FRAME N0001 BLACK	0	0
9943050	S	<b>Day Cab Standard Paint</b>	0	0
9944820	S	<b>1 - Color Paint - Day Cab</b> Color will be White if no other color is specified.	0	0
9965510	S	<b>Base coat/clear coat.</b> The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0	0

## Order Comments

<b>Total List Price (W/O Freight &amp; Warranty &amp; Surcharges)</b>	\$166,958
<b>Marketing and Service Support Fee</b>	\$815
<b>Prepaid Freight</b>	\$2,625
<b>Total Surcharge/Options Not Subject To Discount</b>	\$0
<b>Total Weight</b>	14,745

## Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in CRM.

### PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from

Price Level: April 1, 2021

100% Complete

Date: December 15, 2021

Deal: TANDEM PLOW T480 PLOW

Quote Number: QUO-809822-M3L0X0

Printed On: 12/15/2021 3:02:30 PM



*the reliance upon information from these materials. Please check your order prebills to confirm your pricing information*



**Shipping Destinations****Intermediate Destination:** NONE

Final Destinations	Quantity
--------------------	----------



1385 Franklin Grove Rd  
Dixon, IL 61021  
815-284-3819 \* 815-284-8815 Fax  
800-851-9664  
www.bonnell.com \* info@bonnell.com

## Quote

Order Number: 0154208  
Order Date: 11/29/2021



**Delivery Ticket only do not  
remit from the Sales Order.  
Invoice will arrive in the mail.**

**Bill To:** 0009562  
CIT TRUCKS, LLC  
4301 N BELL SCHOOL RD  
LOVES PARK, IL 61111

**Ship To:** 4155  
CITY OF ROCHELLE  
420 N 6TH ST  
ROCHELLE, IL 61068

Phone: (815) 639-2000 Fax: (815) 639-0100 kreed@cittrucks.com  
**Confirm To:** OZZY Comment:

Phone:  
Fax:

Customer P.O.	Ship VIA	F.O.B.	Terms
			Net 10 Days

Ordered	Unit	Item Number	D/S	Each Price	Extended Price
1.00	EACH	TRUCK PACKAGE		120,516.00	120,516.00

APPLICATION: ONE NEW KENWORTH T470H TANDEM CLASS 8 SNOW AND ICE TRUCK WITH A 118" CAB TO TRUNNION MEASUREMENT. AUTOMATIC TRANSMISSION WITH LIVE PTO PROVISIONS, FACTORY SNOW PLOW PREP PACKAGE, FACTORY GROUND SPEED CONNECTION POINT. FACTORY FRAME EXTENSIONS ARE REQUIRED.

INCLUDES INSTALLATION OF THE FOLLOWING EQUIPMENT:

- DUMP BODY
- CAB SHIELD INSTALLED ON BODY
- ELECTRIC TARP SYSTEM
- HYDRAULIC SYSTEM
- ELECTRICAL & LIGHTING
- CONSOLE AND CONTROLS
- REAR TOWING HITCH
- PLOW HITCH
- SNOW PLOW
- WING, (FRONT MOUNTED PATROL)
- UNDER TAILGATE SPEADER
- PREWET SYSTEM, (MOUNTED BEHIND CAB)

THE FOLLOWING ADDITIONAL ITEMS ARE INCLUDED:

- VIBRATOR INSTALLED (NEW VIBRATOR)
- FRAME COATING, (NOX-RUST 1523 UNDERCOATING)
- EXTRA LOAD SUPPORT, FRONT CURB SIDE AIR BAG
- GREASE BANK AT REAR OF BODY OR FRAME TO GREASE ALL HINGE POINTS OF BODY

INSTALLED EQUIPMENT DETAILS ARE LISTED BELOW:

1.00	EACH	/PRODUCTS SURCHARGE		186.47	186.47
------	------	---------------------	--	--------	--------

### BASE TRUCK PACKAGE SURCHARGE

1.00	EACH	DUMP BODY			
<ul style="list-style-type: none"> <li>- DURACCLASS 13'-6" 201-2B STAINLESS DUMP BODY</li> <li>- CROSSMEMBERLESS</li> <li>- DOUBLE ACTING INV TRUNNION HEADLIFT HOIST</li> <li>- 10" I-BEAM LONGSILLS OF CARBON STEEL</li> <li>- 1/4" AR450 ABRASION RESISTANT FLOOR</li> </ul>					

Continued





1385 Franklin Grove Rd  
Dixon, IL 61021  
815-284-3819 \* 815-284-8815 Fax  
800-851-9664  
www.bonnell.com \* info@bonnell.com

## Quote

Order Number: 0154208  
Order Date: 11/29/2021



**Delivery Ticket only do not  
remit from the Sales Order.  
Invoice will arrive in the mail.**

**Bill To:** 0009562  
CIT TRUCKS, LLC  
4301 N BELL SCHOOL RD  
LOVES PARK, IL 61111

**Ship To:** 4155  
CITY OF ROCHELLE  
420 N 6TH ST  
ROCHELLE, IL 61068

Phone: (815) 639-2000 Fax: (815) 639-0100 kreed@citrucks.com  
Confirm To: OZZY Comment:

Phone:  
Fax:

Customer P.O.	Ship VIA	F.O.B.	Terms
			Net 10 Days

Ordered	Unit	Item Number	D/S	Each Price	Extended Price
		- 38" 10 GA 201-2B STAINLESS SIDES-(ONE HORIZONTAL BRACE) - 56" 10 GA 201-2B STAINLESS FRONT - 46" 10 GA 201-2B STAINLESS VERTICAL TAILGATE-(6 PANEL DESIGN) - 201-2B STAINLESS CORNER POST - ELECTRIC OVER AIR T-GATE LATCH - UN-PAINTED STAINLESS TO BE CLEANED AND PASSIVATED - GREASABLE TAILGATE LINKAGE INCLUDING UPPER HINGE - TAILGATE LATCH MANUAL OVERRIDE INSTALLED - STAINLESS STEEL TAILGATE LATCH LINKAGE - LABOR TO INSTALL CUSTOM CAB SHIELD - 3 RUNG FOLDING LADDER INSTALLED - RIGID REAR RUBBER MUD FLAPS INSTALLED - RUBBER FRONT MUD FLAPS INSTALLED - STAINLESS CHAIN HOOKS ON LOWER CENTER OF T-GATE - (2) OBLONG LIGHT HOLE CUTOUPS IN EACH CORNER POST - CONDUIT FOR WIRING CAB SHIELD LIGHTS - 1/4X2 FLAT BAR SIDE RAIL INSTALLED - PREPPED FOR NEW TAILGATE SPREADER - 12" WIDE STAINLESS SPILL PAN INSTALLED - VIBRATOR INSTALLED - 2X10 OAK SIDE BOARDS (RAW OAK) INSTALLED - CENTER SIDE BOARD SUPPORTS INSTALLED - INCLUDES ROLL RITE ELECTRIC TARP SYSTEM - TARP MOUNTED ON BULKHEAD BEHIND CAB SHIELD			
1.00	EACH	/PRODUCTS SURCHARGE		705.83	705.83
		<b>DUMP BODY SURCHARGE</b>			
1.00	EACH	<b>CAB SHIELD</b> CAB SHIELD - CUSTOM FABRICATED FOR SPECIFIED TRUCK AND BODY. CONFIGURED AS FOLLOWS:  *MATERIAL IS TO BE 201 STAINLESS STEEL. *PAN WIDTH- 18". *WIDTH- DETERMINED. *HEIGHT TO BE DETERMINED TO BOTTOM OF PAN. *4 FRONT FACING EVENLY SPACED OBLONG LIGHT HOLES. *4 REAR FACING OBLONG LIGHT HOLES. *1 SIDE FACING OBLONG LIGHT HOLE IN EACH SIDE FACING OUT. *UNPAINTED. *STAINLESS STEEL TO BE ELECTROCHEMICALLY CLEANED AND PASSIVATED. **LIGHTING CODE: 44112			
1.00	EACH	/PRODUCTS SURCHARGE		64.98	64.98

Continued



1385 Franklin Grove Rd  
Dixon, IL 61021  
815-284-3819 \* 815-284-8815 Fax  
800-851-9664  
www.bonnell.com \* info@bonnell.com

# Quote

Order Number: 0154208  
Order Date: 11/29/2021



**Delivery Ticket only do not  
remit from the Sales Order.  
Invoice will arrive in the mail.**

**Bill To:** 0009562  
CIT TRUCKS, LLC  
4301 N BELL SCHOOL RD  
LOVES PARK, IL 61111

**Ship To:** 4155  
CITY OF ROCHELLE  
420 N 6TH ST  
ROCHELLE, IL 61068

Phone: (815) 639-2000 Fax: (815) 639-0100 kreed@cittrucks.com  
**Confirm To:** OZZY **Comment:**

Phone:  
Fax:

<b>Customer P.O.</b>	<b>Ship VIA</b>	<b>F.O.B.</b>	<b>Terms</b>
			Net 10 Days

Ordered	Unit	Item Number	D/S	Each Price	Extended Price
---------	------	-------------	-----	------------	----------------

**CAB SHIELD SURCHARGE**

1.00	EACH	/CAB SHIELD LEAD TIME 28 DAYS AFTER DATA RECEIPT			
------	------	---	--	--	--

1.00	EACH	<b>HYDRAULIC SYSTEM</b>			
------	------	-------------------------	--	--	--

- PTO: OMFB 278 SERIES
- PUMP: TXV92
- ADD-A-STACK HYDRAULIC VALVE TO OPERATE:  
HOIST, PLOW , WING, PREWET, AUGER, SPINNER
- APSCO AIR CONTROLS
- "FORCE" 5100EX ELECTRONIC SPREADER CONTROLLER
- "FORCE" VT35 STAINLESS STEEL TANK AND LID
- LOW OIL/HIGH TEMP AUTO SHUTDOWN SYSTEM
- EATON HP171 SERIES HIGH PRESSURE FILTER
- CLOSED LOOP PREWET CABLE
- CLOSED LOOP GRANULAR SENSOR

- BONNELL CONSOLE TO INCLUDE LEVERS:  
- HOIST -- SINGLE AXIS LEVER W INTERLOCK  
- PLOW LIFT -- SINGLE AXIS LEVER  
- PLOW ANGLE -- SINGLE AXIS LEVER  
- WING TOE -- SINGLE AXIS LEVER  
- WING HEEL -- SINGLE AXIS LEVER  
- WING BUFFER -- SINGLE AXIS LEVER

1.00	EACH	/PRODUCTS SURCHARGE		496.63	496.63
------	------	---------------------	--	--------	--------

**HYDRAULICS SURCHARGE**

1.00	EACH	<b>ELECTRICAL</b>			
------	------	-------------------	--	--	--

- ALL LED LIGHTING UNLESS OTHERWISE NOTED
- BONNELL IGNITION ACTIVATED BATTERY RELAY DISCONNECT SYSTEM
- InPOWER STANDARD 8 SWITCH PANEL WITH 4 WARNING LAMPS AND 16  
OUTPUTS
- DATA SHEET REQUIRED
- BODY UP SWITCH WITH INDICATOR LAMP
- BONNELL WIRE HARNESSSES
- ELECTRIC BRAKE CONTROLLER INSTALLED





1385 Franklin Grove Rd  
 Dixon, IL 61021  
 815-284-3819 \* 815-284-8815 Fax  
 800-851-9664  
 www.bonnell.com \* info@bonnell.com

## Quote

Order Number: 0154208  
 Order Date: 11/29/2021



**Delivery Ticket only do not  
 remit from the Sales Order.  
 Invoice will arrive in the mail.**

**Bill To:** 0009562  
 CIT TRUCKS, LLC  
 4301 N BELL SCHOOL RD  
 LOVES PARK, IL 61111

**Ship To:** 4155  
 CITY OF ROCHELLE  
 420 N 6TH ST  
 ROCHELLE, IL 61068

Phone: (815) 639-2000 Fax: (815) 639-0100 kreed@cittrucks.com  
 Confirm To: OZZY Comment:

Phone:  
 Fax:

Customer P.O.	Ship VIA	F.O.B.	Terms
			Net 10 Days

Ordered	Unit	Item Number	D/S	Each Price	Extended Price
---------	------	-------------	-----	------------	----------------

#### CAB ROOF LIGHTING AND ACCESSORIES

- FACTORY SUPPLIED ROOF BRACKET
- CAB MOUNTED PLOW LIGHTS AND WORK LIGHTS - WORK LIGHT TO COME ON WITH HIGH BEAM ONLY
- HEATED WIPERS INSTALLED

#### PLOW LIGHTING

- ABL-3830-0080 LED PLOW LIGHTS ON BODY LIGHTING
- FOUR FRONT FACING OBLONG AMBER FLASHERS ON CABSHIELD, EVENLY SPACED
- ONE PAIR REAR FACING OBLONG STT ON CABSHIELD
- ONE PAIR REAR FACING OBLONG AMBER/WHITE FLASHERS ON CABSHIELD
- ONE AMBER/WHITE FLASHER ON EACH END OF CABSHIELD
- ONE PAIR OBROUND STT IN REAR POSTS
- ONE PAIR OBLONG AMBER/WHITE FLASHERS IN REAR POSTS
- MARKER LIGHTS PER FMVSS STANDARDS

#### REAR HITCH AND CHASSIS LIGHTING

- ONE PAIR 4" ROUND STT LIGHTS ON REAR HITCH
- ONE CENTER OBROUND BACKUP LIGHT ON REAR HITCH
- PM-290C LICENSE PLATE LIGHT ON REAR HITCH
- ICC THREE LIGHT CLUSTER ON REAR HINGE OF BODY
- VEL-697112 BACK UP ALARM ON REAR HITCH OR FRAME

#### EQUIPMENT WORK LIGHTS AND FLASHERS

- ABL WORK LIGHT MOUNTED UNDER CORNER POST ON DRIVERS SIDE AIMED AT SPINNER
- ABL WING WORK LIGHT MOUNTED ON FRONT POST
- ABL WING WORK LIGHT MOUNTED ON WING BOX

1.00	EACH	/PRODUCTS SURCHARGE		175.37	175.37
------	------	---------------------	--	--------	--------

#### ELECTRICAL SURCHARGE

1.00	EACH	REAR HITCH			
------	------	------------	--	--	--

- REAR HITCH TYPE: CUSTOM REAR HITCH PER BELOW
- 3/4" CARBON STEEL PLATE



1385 Franklin Grove Rd  
Dixon, IL 61021  
815-284-3819 \* 815-284-8815 Fax  
800-851-9664  
www.bonnell.com \* info@bonnell.com

## Quote

Order Number: 0154208  
Order Date: 11/29/2021



**Delivery Ticket only do not  
remit from the Sales Order.  
Invoice will arrive in the mail.**

**Bill To:** 0009562  
CIT TRUCKS, LLC  
4301 N BELL SCHOOL RD  
LOVES PARK, IL 61111

**Ship To:** 4155  
CITY OF ROCHELLE  
420 N 6TH ST  
ROCHELLE, IL 61068

Phone: (815) 639-2000 Fax: (815) 639-0100 kreed@cittrucks.com  
**Confirm To:** OZZY **Comment:**

Phone:  
Fax:

Customer P.O.	Ship VIA	F.O.B.	Terms
			Net 10 Days

Ordered	Unit	Item Number	D/S	Each Price	Extended Price
		- 60K PH30 PINTLE HITCH-DIRECT MOUNTED - STD PINTLE MTG HEIGHT - TRAILER PLUG: 7 FLAT PIN RV STYLE - CUTOUTS FOR (2) 4" ROUND STT & (1) BACKUP - 2-BOLT TOW HOOKS INSTALLED - 5/8" CARBON STEEL D-RINGS - SEE CUSTOM DRAWING FOR HITCH MEASUREMENTS TO CLEAR PAVER			
1.00	EACH	/PRODUCTS SURCHARGE		30.83	30.83
		<b>REAR HITCH SURCHARGE</b>			
1.00	EACH	<b>PLOW HITCH</b> HITCH FOR SNOW PLOW PLOW HITCH FOR A KENWORTH T470H 2009 INSTALLED ON NEW TRUCK PACKAGE			
1.00	EACH	<b>HFF-QX</b> Heavy Front Frame Side Plate Hitch with QX Front Frame and Offset Lift Arm. (QAC Drop Pin Receiver with built in Two Pin Hookup.)			
1.00	EACH	<b>H10170</b> 4in X 10in Double Acting Cylinder W/Nitrided Rod			
1.00	EACH	<b>H10401</b> 5/8in Side Plates in Lieu of 1/2in (Not available on Utility)			
1.00	EACH	<b>H10420</b> Cross Over Relief Valve Kit (Installed or Not Installed)			
1.00	EACH	<b>H10435</b> Steel Channel Bumpers			
1.00	EACH	/PRODUCTS SURCHARGE		260.44	260.44
		<b>PLOW HITCH SURCHARGE</b>			
1.00	EACH	/PLOW HITCH LEAD TIME 21 DAYS AFTER DATA RECEIPT			

Continued





1385 Franklin Grove Rd  
Dixon, IL 61021  
815-284-3819 \* 815-284-8815 Fax  
800-851-9664  
www.bonnell.com \* info@bonnell.com

## Quote

Order Number: 0154208  
Order Date: 11/29/2021



**Delivery Ticket only do not  
remit from the Sales Order.  
Invoice will arrive in the mail.**

**Bill To:** 0009562  
CIT TRUCKS, LLC  
4301 N BELL SCHOOL RD  
LOVES PARK, IL 61111

**Ship To:** 4155  
CITY OF ROCHELLE  
420 N 6TH ST  
ROCHELLE, IL 61068

Phone: (815) 639-2000 Fax: (815) 639-0100 kreed@cittrucks.com  
**Confirm To:** OZZY Comment:

Phone:  
Fax:

Customer P.O.	Ship VIA	F.O.B.	Terms
			Net 10 Days

Ordered	Unit	Item Number	D/S	Each Price	Extended Price
In the event that the truck Make/Model is not known at the time of this bid, Bonnell Ind. reserves the right to modify the price or type of hitch, if need be, to accomodate the specific truck once it is known.					
1.00	EACH	<b>PLOW</b>			
		CONFIGURED AS FOLLOWS: YES PAINTED: ORANGE POLYURETHANE ENAMEL NO EXTRA RIBS EXTRA RIBS			
1.00	EACH	<b>12ST49TT7</b>			
		Base Model 12ST49TT7 Straight Steel Snow Plow 12'-0" Cutting Edge X 49" Straight Height Torsion Trip Cutting Edge (4) 7/8" Round Wire Trip Springs Metropolitan Table/A-Frame Assembly (2) 3X10 Reversing Cylinders (5) Table To Moldboard Hookup Points			
1.00	EACH	<b>P10130</b>			
		Level Raise Lift System with Lift Chains for High Country Plows (MX1 & MC1)			
1.00	EACH	<b>P10210</b>			
		Quick attach loop (plow section installed)			
1.00	EACH	<b>P10400</b>			
		3/4" Bottom Angle (ILO Standard)-Moldboard Weldment Angle			
1.00	EACH	<b>P10401</b>			
		3/4" Bottom Angle (ILO Standard) Trip Edge Angle (for trip edge plows)			
1.00	EACH	<b>P10425</b>			
		3/8" x 12" Rubber flap kit installed			
1.00	EACH	<b>P10465</b>			
		Plow stand - installed ( to hold hook up point @ desired height when detached)			
1.00	EACH	<b>P10470</b>			
		36" Blaze orange markers			

Continued



1385 Franklin Grove Rd  
Dixon, IL 61021  
815-284-3819 \* 815-284-8815 Fax  
800-851-9664  
www.bonnell.com \* info@bonnell.com

## Quote

Order Number: 0154208  
Order Date: 11/29/2021



**Delivery Ticket only do not  
remit from the Sales Order.  
Invoice will arrive in the mail.**

**Bill To:** 0009562  
CIT TRUCKS, LLC  
4301 N BELL SCHOOL RD  
LOVES PARK, IL 61111

**Ship To:** 4155  
CITY OF ROCHELLE  
420 N 6TH ST  
ROCHELLE, IL 61068

Phone: (815) 639-2000 Fax: (815) 639-0100 kreed@cittrucks.com  
**Confirm To:** OZZY Comment:

Phone:  
Fax:

Customer P.O.	Ship VIA	F.O.B.	Terms
			Net 10 Days

Ordered	Unit	Item Number	D/S	Each Price	Extended Price
1.00	EACH	<b>P10527</b> PolarFLEX Carbide Cutting Edge System, Front Mount. (Installed on plow)			
1.00	EACH	<b>P10555</b> 1/2" Quick Couplers installed (one set/per plow) pioneer PHD-4000-4			
1.00	EACH	<b>/PRODUCTS SURCHARGE</b>		936.91	936.91
		<b>PLOW SURCHARGE</b>			
1.00	EACH	<b>WING</b> BONNELL WING PLOW - WING PLOW PAINTED ORANGE, CONFIGURED AS FOLLOWS:			
1.00	EACH	<b>9TEWFMP</b> Front Mounted Patrol Wing 9'-0" Long At The Cutting Edge Torsion Trip Cutting Edge Utilizing Four 7/8" Diameter Round Wire Torsion Trip Springs Leading Edge Height 28" Discharge End Height 34" Painted as Specified			
1.00	EACH	<b>W10100</b> 24in Hydraulic telescoping push bar/buffer (ILO Manual buffer)			
1.00	EACH	<b>W10117</b> 24in Stroke on Front post cylinder (Toe) (20in benching height) (Patrol wing only)			
1.00	EACH	<b>W10160</b> Wing lock valve - installed to cylinder			
1.00	EACH	<b>W10190</b> 24in Jumbo blade guide on discharge end with bolt on bracket			
1.00	EACH	<b>W10270</b> 3/4in bottom angle on Moldboard weldment			

Continued





1385 Franklin Grove Rd  
Dixon, IL 61021  
815-284-3819 \* 815-284-8815 Fax  
800-851-9664  
www.bonnell.com \* info@bonnell.com

## Quote

Order Number: 0154208  
Order Date: 11/29/2021



**Delivery Ticket only do not  
remit from the Sales Order.  
Invoice will arrive in the mail.**

**Bill To:** 0009562  
CIT TRUCKS, LLC  
4301 N BELL SCHOOL RD  
LOVES PARK, IL 61111

**Ship To:** 4155  
CITY OF ROCHELLE  
420 N 6TH ST  
ROCHELLE, IL 61068

Phone: (815) 639-2000 Fax: (815) 639-0100 kreed@cittrucks.com  
**Confirm To:** OZZY Comment:

Phone:  
Fax:

Customer P.O.		Ship VIA	F.O.B.	Terms	
				Net 10 Days	
Ordered	Unit	Item Number	D/S	Each Price	Extended Price
1.00	EACH	<b>W10280</b> 3/4in Trip cutting edge angle. (Trip Cutting Edges only)			
9.00	EACH	<b>W10500</b> Standard 3/4in x 6in C1084 Steel Cutting Edge			
1.00	EACH	<b>W10532</b> 3/4" x 6" Tapered Wing curb shoe (Installed on Leading end of Plow) (Standard on all wings)			
1.00	EACH	<b>/PRODUCTS SURCHARGE</b>		786.62	786.62
		<b>WING SURCHARGE</b>			
1.00	EACH	<b>UT SPREADER</b>  - UNDER TAILGATE SPREADER CONFIGURED AS FOLLOWS:			
1.00	EACH	<b>U696-DD-S2</b> Under Tailgate Spreader 6" Auger X 4" Pitch X 96" Overall length Direct Drive Motor with 22.6 CI displacement 201 Stainless Steel Includes Mounting Kit and Tailgate Shields Unpainted unless Otherwise Specified			
1.00	EACH	<b>U10100</b> Single Drop Port 24in From Left End Of The Spreader. Standard On A 6in Spreader. Reverse Flighted Auger			
1.00	EACH	<b>U10200</b> Single Spinner Assembly Mounted At Standard Drop Port. (Standard On All Spreaders). 18" Poly Spinner with 2.8 Cubic Inch Spinner Motor			
1.00	EACH	<b>U10390</b> 72" Spray Bar Installed In Spreader Body			
1.00	EACH	<b>/PRODUCTS SURCHARGE</b>		206.78	206.78

Continued



1385 Franklin Grove Rd  
Dixon, IL 61021  
815-284-3819 \* 815-284-8815 Fax  
800-851-9664  
www.bonnell.com \* info@bonnell.com

## Quote

Order Number: 0154208  
Order Date: 11/29/2021



**Delivery Ticket only do not  
remit from the Sales Order.  
Invoice will arrive in the mail.**

**Bill To:** 0009562  
CIT TRUCKS, LLC  
4301 N BELL SCHOOL RD  
LOVES PARK, IL 61111

**Ship To:** 4155  
CITY OF ROCHELLE  
420 N 6TH ST  
ROCHELLE, IL 61068

Phone: (815) 639-2000 Fax: (815) 639-0100 kreed@cittrucks.com  
**Confirm To:** OZZY Comment:

Phone:  
Fax:

Customer P.O.	Ship VIA	F.O.B.	Terms
			Net 10 Days

Ordered	Unit	Item Number	D/S	Each Price	Extended Price
UNDER TAILGATE SPREADER SURCHARGE					
1.00	EACH	PREWET SYSTEM			
		BONNELL CONFIGURED PREWET SYSTEM - PREWET SYSTEM CONFIGURED AS FOLLOWS:			
1.00	EACH	BC-120P-1-150			
		Behind the Cab Prewet System with one 120 Gallon Poly Tank, Stainless Steel Tank Brackets, and 1-1/2in Plumbing.			
1.00	EACH	L10120			
		Hydraulic Prewet Pump in a Stainless Enclosure to Operate a Closed Loop System. Includes an IP68 Wire Connection for Feedback Signal.			
1.00	EACH	L10315			
		2in Male Quick Fill Kit Installed.			
1.00	EACH	L10355			
		Flush Kit. (Includes small poly flush tank) Installed.			
1.00	EACH	/PRODUCTS SURCHARGE		298.78	298.78
PREWET SYSTEM SURCHARGE					
	EACH	*OPTION		12,500.00	
UPGRADE CONTROLLER TO A 6100 ULTRA					

15% RESTOCKING FEE ON RETURNED ITEMS

NO RETURNS ON ELECTRICAL ITEMS

BS1

Please Pay From Invoice

1-1/2% Per Month (18% Annual Rate) Finance Charge Will Be Added to Past Due Accounts

Salesperson: 0005 TOM MASSEY

Net Order:	124,665.64
Less Discount:	0.00
Freight:	0.00
Sales Tax:	0.00
<b>Order Total:</b>	<b>124,665.64</b>
Less Deposit:	0.00
<b>Order Balance:</b>	<b>124,665.64</b>