



Universal Utility Supply Co.

395 Industrial Drive Units A & B
West Chicago, Illinois 60185
Phone (630) 231-1680 Fax (630) 231-1688

March 11, 2026

Attn: Andy Rogde

Re: Padmount Transformers RFQ

UUSCO is pleased to offer the following for your consideration and confidentiality to be purchased by Rochelle Municipal Utilities only.

ITEM #1 – Three Phase 2500 KVA Pad Mount – (QTY 1)

Product Type: Reconditioned

Specifications:

KVA: 2500

Phase: 3

Warranty: 36 Month Guarantee

HV: 13800GRDy/7970

LV: 480Y/277

TAPS: 2 x 2 1/2 % +/-

Accessories:

- o Primary Bushings, Dead Front, Loop Feed
- o Secondary Bushings, Standard Spade Connectors
- o Oil Level Gauge
- o Temperature Gauge
- o Pentahead Entry Assembly
- o Non-PCB Label
- o Bell Green Paint
- o 8.3/14.4 KV Wells with Inserts
- o Bayonet Fusing
- o Pressure/Vacuum Gauge
- o Pressure Relief Device
- o Mineral Oil (standard)
- o Drain Valve with Sampler
- o Undercoating

Notes:

AL WINDINGS

Electrical Tests:

1. Transformer Turns Ratio Test
2. Polarity and Phase Relation Test
3. DC HYPOT TEST
 - Performed at Two Times Rated Line Voltage Plus 1000 Volts
 - a. HV to LV
 - b. HV to Ground
 - c. LV to Ground
4. Core Loss and Excitation Test
5. Load and No Load Testing
6. Induced Potential Test at 400 Hertz for 7200 Cycles

Estimated lead time 10-12 weeks ARO

PRICE: \$69,200.00 EA.

ITEM #2 – Three Phase 2500 KVA Pad Mount – (QTY 2)

Product Type: Rewind

Specifications

KVA: 2500	Phase: 3	Warranty: 36 Month Guarantee
HV: 13800GRDy/7970	LV: 480Y/277	
TAPS: 2 x 2 1/2 % +/-		

Accessories:

- o Primary Bushings, Dead Front, Loop Feed
- o Secondary Bushings, Standard Spade Connectors
- o Oil Level Gauge
- o Temperature Gauge
- o Pentahead Entry Assembly
- o Non-PCB Label
- o Bell Green Paint
- o 8.3/14.4 KV Wells with Inserts
- o Bayonet Fusing
- o Pressure/Vacuum Gauge
- o Pressure Relief Device
- o Mineral Oil (standard)
- o Drain Valve with Sampler
- o Undercoating

Notes:

NEW COPPER WINDINGS

Electrical Tests:

1. Transformer Turns Ratio Test
2. Polarity and Phase Relation Test
3. DC HYPOT TEST
 Performed at Two Times Rated Line Voltage Plus 1000 Volts
 - a. HV to LV
 - b. HV to Ground
 - c. LV to Ground
4. Core Loss and Excitation Test
5. Load and No Load Testing
6. Induced Potential Test at 400 Hertz for 7200 Cycles

Estimated lead time 38-40 weeks ARO

PRICE: \$116,600.00 EA.

ITEM #3 – Three Phase 1500 KVA Pad Mount – (QTY 2)

Product Type: Reconditioned

Specifications:

KVA: 1500	Phase: 3	Warranty: 36 Month Guarantee
HV: 13800GRDY/7970	LV: 480/277	
TAPS: 2 x 2 1/2 % +/-		

Accessories:

- o Primary Bushings, Dead Front, Radial Feed
- o Secondary Bushings, Standard Spade Connectors
- o Oil Level Gauge
- o Temperature Gauge
- o Pentahead Entry Assembly
- o Non-PCB Label
- o Bell Green Paint
- o 8.3/14.4 KV Wells with Inserts
- o Bayonet Fusing
- o Pressure/Vacuum Gauge
- o Pressure Relief Device
- o Mineral Oil (standard)
- o Drain Valve with Sampler
- o Undercoating

Notes:

AL WINDINGS

Electrical Tests:

1. Transformer Turns Ratio Test
2. Polarity and Phase Relation Test
3. DC HYPOT TEST
 - Performed at Two Times Rated Line Voltage Plus 1000 Volts
 - a. HV to LV
 - b. HV to Ground
 - c. LV to Ground
4. Core Loss and Excitation Test
5. Load and No Load Testing
6. Induced Potential Test at 400 Hertz for 7200 Cycles

Estimated lead time 10-12 weeks ARO

PRICE: \$48,650.00 EA.

Terms & Conditions

This proposal is in accordance with supplier's standard terms and conditions.

Freight is included in quoted price to ship via next available truck coming to your area. Units can ship immediately upon completion for additional charge via common carrier.

Pricing is valid for 15 days.

Terms: Net 30 days with approved credit.

Please give me a call if you have any questions.

Sincerely,

Colton Guy
UUSCO of Illinois
630-231-1680



Sunbelt Solomon remanufactured (REMAN) transformers are BABA Certified

Consult with your sales rep to confirm if this applies to the unit(s) within your quote

Andy Rogde
Rochelle Municipal Utilities
arogde@rmu.net

Dana Allen
Inside Sales
dana.allen@sunbeltsolomon.com | +1 4235068823

PRODUCT	QTY	EACH
Three Phase Pad Mount 1500 KVA KVA: 1500 KVA @ 65°C 60Hz Impedance: Standard HV: 13800GrdY/7970 (95 KV BIL) Loop Feed LV: 480Y/277 (30 KV BIL) Primary Taps: 2-2.5% FCAN & BN 200 A Dead Front Wells & 15 kV Inserts 6-Hole Spade LV Bushing Bayonet Fusing Bayonet Drip Guard Liquid Temperature Gauge Liquid Level Gauge Pressure Vacuum Gauge Drain Valve + Sampler IFD Non-PCB Mineral Oil Exterior labels stating the KVA, Primary Voltage, Secondary Voltage, and Three Phase IC# 125089643,125125986	2	\$42,000

Exception to DOE Efficiency Standards. No guarantee to meet and nameplates will not be labeled as complying.
 Exception to vacuum processing of all core and coils.
 Exception to tank requirement. Using units previously manufactured by various OEMS. May not meet all aspects of tank construction requirements.
 Exception to guaranteed losses. Average loss data available
 General Exceptions.
 Impulse, Temperature Rise, Partial Discharge and Sound Level testing not available.
 No guarantee transformers will meet NEMA TR-1 Sound level standards

All REMAN Units are Completely Reconditioned to Nameplate Specifications

Ask your sales rep about volume discounts

Destination: | **FOB:** Origin | **Shipping & Handling:** Prepaid & Allowed
Shipment: 5 Weeks | **Warranty:** 3 Years | **Terms:** Net 30 with approved credit.

Offer to sell valid for 30 days. Price is subject to re-evaluation after 15 days. Units subject to availability.

Please note any changes to the specifications on this quotation form and reference the quotation number on your Purchase Order. Sunbelt Solomon ("Supplier") will use your Purchase Order to proceed with manufacturing when terms and conditions are finalized. Please note that changes made after the manufacturing process begins may result in additional charges and potential delays in production. Production of units that are contingent on the approval/receipt of drawings will begin the manufacturing process after the final sign off on the specified drawings by the customer. Please contact your sales representative for the estimated drawing lead time associated with this quote.

All sales, rental and services are subject to Supplier's Terms and Conditions for Sales and Rentals of Equipment and/or Services ("Terms and Conditions") unless otherwise mutually agreed in writing by officer of Supplier as evidenced by such



1922 S. MLK Jr. Drive
Temple, TX 76504



+01 800.433.3128



info@sunbeltsolomon.com
sunbeltsolomon.com

officer's signature. Acceptance of a Buyer purchase order by Supplier does not constitute acceptance of Buyer terms and conditions. As orders are time sensitive and it is cost prohibitive to review and negotiate terms and conditions between parties, Supplier Terms and Conditions apply to quotes/orders: 1) with a value before tax of \$25,000 or less, 2) emergency services or services completed before issuance of a purchase order, and 3) rush orders for sales and rental that are to ship within three (3) days regardless of submission of terms and conditions by Buyer. If the Quotation is for Company to perform evaluation services on Customer-owned equipment (e.g. for Company to determine how/if the piece of equipment failed and/or whether it can be repaired), then the provisions of terms and conditions will apply which include (among other provisions) risk of loss remaining with Customer and Company only being liable for damage to this equipment to the extent of its gross negligence or willful misconduct. In no event does Supplier accept consequential damages or agree to Prime/Owner contract terms and conditions.

Price does not include tax. If applicable, tax will be added to the invoice. If order is tax exempt, please provide a copy of your exemption certificate. Unit(s) quoted are for normal service conditions as defined by ANSI/IEEE Standards. Notify Supplier at time of quotation should the unit(s) be subject to harmonics, motor starting, shovel duty, or other special service conditions.

Schedules

All Delivery dates are estimates and under no circumstances does Company guarantee date of delivery. Company shall not be responsible or liable for any damage or loss which occurs during transportation and/or shipment of the Equipment. Company is not liable or responsible for any costs of Customer caused by any delays in transportation or delivery.

Company reserves the right to manufacture and ship any items in advance of the acknowledged shipping schedule, unless expressly forbidden by the Customer at the time of the order entry.

Cancellation or Revision of Order

Any Purchase Order may be cancelled or revised by Customer only upon written approval by an authorized representative of the Company, and at the Company's sole discretion. Should Company approve cancellation or revision of a Purchase Order, Customer shall pay the cancellation or revision charges specified in said approval. Cancellation or revision charges will include expenses previously incurred, commitments made pursuant to or in reliance upon such Purchase Order, whether or not such commitments are legally binding on Company, and any other factors considered relevant by Company. In the event that Company does not approve cancellation or revision, Customer shall remain liable to Company for the full price of the Equipment, Rental and/or Services ordered.

Cancellation charges are calculated for each unit cancelled per its individual status.

Standard Cancellation Charges:

Cancellation Charges:	% of PO Price
Upon Purchase Order acceptance	25
After materials are ordered	50
After production begins for Equipment	75
Once production is complete for Equipment	100

Company reserves the right to re-quote both price and lead time for any request to revise an order. If it is determined that a revision will incur an additional revision charge, charges are calculated for each unit revised per its individual status.

Standard Revision Charges:

Revision Charges:	% of Selling Price
Before Engineering Review / Scheduling	0
Before Production Begins	35
After Production Begins	100



Sunbelt Solomon remanufactured (REMAN) transformers are BABA Certified

Consult with your sales rep to confirm if this applies to the unit(s) within your quote

Andy Rogde
Rochelle Municipal Utilities
arogde@rmu.net

Dana Allen
Inside Sales
dana.allen@sunbeltsolomon.com | +1 4235068823

PRODUCT	QTY	EACH
Three Phase Pad Mount 2500 KVA	2	\$86,500

AL/AL Units

Misc. Taps 13800 Delta

(14100,13800,13500,13200,12900)

KVA: 2500 KVA @ 65°C | 60Hz | Impedance: Standard

HV: 13800GrdY/7970 (95 KV BIL) | Loop Feed | LV: 480Y/277 (30 KV BIL)

Primary Taps: w/ Taps

200 A Dead Front Wells & 15 kV Inserts HV Bushings

10-Hole Spade LV Bushings w/ Support

Bayonet Fusing w/ Drip Shield

Liquid Temperature Gauge

Liquid Level Gauge

Pressure Vacuum Gauge

Drain Valve + Sampler

IFD

Non-PCB Mineral Oil

Exterior labels stating the KVA, Primary Voltage, Secondary Voltage, and Three Phase

IC 125152979, 125170481,125152978

PRODUCT	QTY	EACH
Three Phase Pad Mount 2500 KVACopper/Copper Windings	2	\$94,200

KVA: 2500 KVA @ 65°C | 60Hz | Impedance: Standard

HV: 13800GrdY/7970 (95 KV BIL) | Loop Feed | LV: 480Y/277 (30 KV BIL)

Primary Taps: 2-2.5% FCAN & BN

200 A Dead Front Wells & 15 kV Inserts HV Bushings

10-Hole Spade LV Bushings w/ Support

Bayonet Fusing w/ Drip Shield

Bayonet Drip Guard

Standard Tap Changer

Liquid Temperature Gauge

Liquid Level Gauge

Pressure Vacuum Gauge

Drain Valve + Sampler

IFD

Non-PCB Mineral Oil

Exterior labels stating the KVA, Primary Voltage, Secondary Voltage, and Three Phase

Exception to DOE Efficiency Standards. No guarantee to meet and nameplates will not be labeled as complying.

Exception to vacuum processing of all core and coils.

Exception to tank requirement. Using units previously manufactured by various OEMS. May not meet all aspects of tank construction requirements.

Exception to guaranteed losses. Average loss data available

General Exceptions.





Impulse, Temperature Rise, Partial Discharge and Sound Level testing not available.
No guarantee transformers will meet NEMA TR-1 Sound level standards

All REMAN Units are Completely Reconditioned to Nameplate Specifications

Ask your sales rep about volume discounts

Destination: | **FOB:** Origin | **Shipping & Handling:** Prepaid & Allowed
Shipment: See Above | **Warranty:** 3 Years | **Terms:** Net 30 with approved credit.

Offer to sell valid for 30 days. Price is subject to re-evaluation after 15 days. Units subject to availability.

Please note any changes to the specifications on this quotation form and reference the quotation number on your Purchase Order. Sunbelt Solomon ("Supplier") will use your Purchase Order to proceed with manufacturing when terms and conditions are finalized. Please note that changes made after the manufacturing process begins may result in additional charges and potential delays in production. Production of units that are contingent on the approval/receipt of drawings will begin the manufacturing process after the final sign off on the specified drawings by the customer. Please contact your sales representative for the estimated drawing lead time associated with this quote.

All sales, rental and services are subject to Supplier's Terms and Conditions for Sales and Rentals of Equipment and/or Services ("Terms and Conditions") unless otherwise mutually agreed in writing by officer of Supplier as evidenced by such officer's signature. Acceptance of a Buyer purchase order by Supplier does not constitute acceptance of Buyer terms and conditions. As orders are time sensitive and it is cost prohibitive to review and negotiate terms and conditions between parties, Supplier Terms and Conditions apply to quotes/orders: 1) with a value before tax of \$25,000 or less, 2) emergency services or services completed before issuance of a purchase order, and 3) rush orders for sales and rental that are to ship within three (3) days regardless of submission of terms and conditions by Buyer. If the Quotation is for Company to perform evaluation services on Customer-owned equipment (e.g. for Company to determine how/if the piece of equipment failed and/or whether it can be repaired), then the provisions of terms and conditions will apply which include (among other provisions) risk of loss remaining with Customer and Company only being liable for damage to this equipment to the extent of its gross negligence or willful misconduct. In no event does Supplier accept consequential damages or agree to Prime/Owner contract terms and conditions.

Price does not include tax. If applicable, tax will be added to the invoice. If order is tax exempt, please provide a copy of your exemption certificate. Unit(s) quoted are for normal service conditions as defined by ANSI/IEEE Standards. Notify Supplier at time of quotation should the unit(s) be subject to harmonics, motor starting, shovel duty, or other special service conditions.

Schedules

All Delivery dates are estimates and under no circumstances does Company guarantee date of delivery. Company shall not be responsible or liable for any damage or loss which occurs during transportation and/or shipment of the Equipment. Company is not liable or responsible for any costs of Customer caused by any delays in transportation or delivery.

Company reserves the right to manufacture and ship any items in advance of the acknowledged shipping schedule, unless expressly forbidden by the Customer at the time of the order entry.

Cancellation or Revision of Order

Any Purchase Order may be cancelled or revised by Customer only upon written approval by an authorized representative of the Company, and at the Company's sole discretion. Should Company approve cancellation or revision of a Purchase Order, Customer shall pay the cancellation or revision charges specified in said approval. Cancellation or revision charges will include expenses previously incurred, commitments made pursuant to or in reliance upon such Purchase Order, whether or not such commitments are legally binding on Company, and any other factors considered relevant by Company. In the event that Company does not approve cancellation or revision, Customer shall remain liable to Company for the full price of the Equipment, Rental and/or Services ordered.

Cancellation charges are calculated for each unit cancelled per its individual status.

Standard Cancellation Charges:

Cancellation Charges:	% of PO Price
-----------------------	---------------



Upon Purchase Order acceptance	25
After materials are ordered	50
After production begins for Equipment	75
Once production is complete for Equipment	100

Company reserves the right to re-quote both price and lead time for any request to revise an order. If it is determined that a revision will incur an additional revision charge, charges are calculated for each unit revised per its individual status.

Standard Revision Charges:

Revision Charges:	% of Selling Price
Before Engineering Review / Scheduling	0
Before Production Begins	35
After Production Begins	100



QUOTE

Anixter Inc.
 51 Prairie Pkwy
 Gilberts, IL 60136
 Phone: (800) 323-6606
 Fax:

ORDERED BY	QUOTE DATE	QUOTE NO.
	03/30/26	6730929-00
P.O. DATE	P.O. NUMBER	PAGE NO.
03/30/26	3 ph pads	1 of 1
SALES REP	TAKEN BY	FREIGHT OUT
MAXF	MYXH	NO

REL/JOB#: Sourcewell 091422-WES



CUST #: 3100601

BILL TO: CITY OF ROCHELLE
 ACCOUNTS PAYABLE
 PO BOX 456
 ROCHELLE, IL 61068-0456

SHIP TO: CITY OF ROCHELLE
 1030 S SEVENTH ST.
 ROCHELLE, IL 61068-0456

INSTRUCTIONS	SHIP POINT	VIA	SHIPPED	TERMS
	Anixter - MWPP/2143	Frt Allowed		Net 30

LINE NO.	PRODUCT AND DESCRIPTION	ORDERED	BO	SHIPPED	UM	PRICE	NET AMOUNT
Rel/Job# Sourcewell 091422-WES							
Terms & Conditions:							
. Rubber goods, grounds and jumpers are non-returnable.							
. All other material is non-returnable unless an approved RMA document is provided and is subject to a 25% restock fee or the fee direct from the manufacturer.							
. Freight: Prepaid and charge. Unless otherwise noted.							
. Bulk put-ups: Cuts are subject to an additional charge. Tolerances may apply.							
. Quotes valid for 7 days, subject to metals escalation and de-escalation.							
. Building Wire (THHN, XHHW, and Bare Copper) are subject to daily pricing adjustments.							
. Stock levels and availability are subject to change prior to sale.							
. Customer is responsible for reviewing all plans and specs to fulfill the job requirements as Wesco may not be able to quote all material required to complete the job in its entirety.							
. Cut/spec sheets are available upon request.							
. Copper Base: \$ ___ / lb. Prices are subject to the price of metals at time of order placement.							
1	QRKE689 PAD MOUNT TRANS 2500KVA 13800/7970GRY	2		2	each	78788.48	157576.96
	LEAD TIME 24 WEEKS						
2	QRKE690 PAD MOUNT TRANS 1500KVA 13800/7970GRY	2		2	each	37003.14	74006.28
	LEAD TIME 24 WEEKS						
2	Lines Total		Qty Shipped Total	4		Total	231583.24
						Invoice Total	231583.24

Last Page

All sales are subject to the Anixter Terms & Conditions of Sale found at www.anixter.com/termsandconditions. Product safety data sheets may be found on the same website. Wesco may charge you storage and transportation fees if you do not take possession or accept delivery of the above products within ninety (90) days or agreed upon time from such products being available for delivery or pick-up. BY ACCEPTING THIS QUOTE, YOU AGREE TO THE WESCO TERMS & CONDITIONS PUBLISHED AT WWW.WESCO.COM/TERMSOFSALE ARE EXPRESSLY INCORPORATED INTO AND GOVERN THIS TRANSACTION. Storage & transport fees may apply if delivery isn't accepted w/in 90 days of availability. Price subject to change based on duties, freight, tariffs, or supplier increases.