

---

---

**THE CITY OF ROCHELLE**  
**Ogle County, Illinois**

---

---

**ORDINANCE**  
**NO. \_\_\_\_\_**

---

---

**AN ORDINANCE WAIVING COMPETITIVE BIDDING REQUIREMENTS AND  
AUTHORIZING AN EMERGENCY REPAIR OF THE CITY'S VACTOR TRUCK BY  
STANDARD EQUIPMENT**

---

---

**JOHN BEARROWS, Mayor**  
**ROSE HUERAMO, City Clerk**

**TOM McDERMOTT**  
**BIL HAYES**  
**KATE SHAW-DICKEY**  
**DAN McDERMOTT**  
**ROSAELIA ARTEAGA**  
**BEN VALDIVIESO**

**City Council**

---

---

CITY OF ROCHELLE  
Ogle County, Illinois

ORDINANCE NO. \_\_\_\_\_

**AN ORDINANCE WAIVING COMPETITIVE BIDDING REQUIREMENTS AND  
AUTHORIZING AN EMERGENCY REPAIR OF THE CITY'S VACTOR TRUCK BY  
STANDARD EQUIPMENT**

**WHEREAS**, Section 7 of Article VII of the 1970 Constitution of the State of Illinois provides that a municipality that is not a home rule unit shall only have the powers granted to them by law and as such the City of Rochelle, Ogle County, Illinois being a non-home rule unit pursuant to the provisions of said Section 7 of Article VII, and may exercise only the powers expressly granted by law; and

**WHEREAS**, the Illinois General Assembly granted non-home rule municipalities broad authority to "pass all ordinances and make all rules and regulations proper or necessary, to carry into effect the powers granted to municipalities." 65 ILCS 5/1-2-1; and

**WHEREAS**, while "non-home rule municipalities have the authority to enact ordinances, such ordinances may in no event conflict with state law or prohibit what a state statute expressly permits . . . A local ordinance may impose more rigorous or definite regulations in addition to those enacted by the state legislature so long as they do not conflict with the statute." (*Village of Wauconda v. Hutton*, 291 Ill. App. 3d 1058, 1060 (1997)); and

**WHEREAS**, the City's Vactor Truck is a heavy-duty vehicle utilized by the Water Department, Streets Department, and Electric Department to maintain and repair critical municipal infrastructure; and

**WHEREAS**, the Vactor Truck experienced performance issues and was taken to Standard Equipment for inspection; and

**WHEREAS**, upon inspection and disassembly it was determined that the fluid coupler failed and compromised both cooling fans which now require replacement; and

**WHEREAS**, the repairs to the Vactor Truck need to be made in a timely manner in order to avoid interruption of the services provided by the Water Department, Streets Department and Electric Department and avoid additional expenses or costs to the City; and

**WHEREAS**, Standard Equipment has provided a quote for the repair of the Vector Truck in the amount of \$41,104.76 (a copy of which is attached herein as Exhibit A); and

**WHEREAS**, pursuant to the City Ordinance, "contracts for emergency services" are exempt from competitive bidding "when the delay in seeking competitive bids would result in damage or additional cost to the city." Rochelle Municipal Code, Sec. 2-373(1).

**WHEREAS**, the City may waive competitive bidding requirements by a two-thirds vote of the City Council pursuant to 65 ILCS 5/8-9-1 of the Illinois Municipal Code and Section 2-371 of the Rochelle Municipal Code; and

**WHEREAS**, it has been determined by the Corporate Authorities of the City of Rochelle that it is in the best interest to waive competitive bidding and authorize the emergency repair of the Vector Truck by Standard Equipment in the amount of \$41,104.76 in order to avoid additional expenses or costs to the City.

**BE IT ORDAINED BY THE MAYOR AND CITY COUNCIL OF THE CITY OF ROCHELLE, ILLINOIS:**

SECTION ONE: That the City hereby incorporates all of the recitals above into this Ordinance as if fully set forth herein.

SECTION TWO: The Mayor and City Council of the City of Rochelle hereby waive competitive bidding requirements and approve the emergency repair of the Vector Truck by Standard Equipment in the amount of \$41,104.76.

SECTION THREE: If any provision of this Ordinance or application thereof to any person or circumstance is ruled unconstitutional or otherwise invalid, such invalidity shall not affect other provisions or applications of this Ordinance that can be given effect without the invalid application or provision, and each invalid provision or invalid application of this Ordinance is severable.

SECTION FOUR: Where the conditions imposed by any provisions of this Ordinance are more restrictive than comparable provisions imposed elsewhere in any other local law, ordinance, resolution, rule or regulation, the regulations of this Ordinance will govern.

SECTION FIVE: The City Clerk shall publish this Ordinance in pamphlet form.

SECTION SIX: This Ordinance shall be in full force and effect from and after its passage, approval and publication in pamphlet form as provided by law.

APPROVED THIS 27<sup>th</sup> day of April 2026.

---

MAYOR

ATTEST:

---

CITY CLERK

Exhibit A



Please Remit To:  
 4519 Old Charlotte Hwy  
 Monroe, NC 28110  
 Email: ar@standardequipment.com  
 Website: www.standardequipment.com

**Ship To:** IN STORE PICKUP

**Invoice To:** CITY OF ROCHELLE/WATER DEPT  
 888 TREATMENT PLANT RD.  
 ROCHELLE IL 61068  
 United States

Branch 08 - CHICAGO		
Date 04/03/2026	Time 11:00:49 (O)	Page 1
Account No. ROCHE010	Phone No. 8155622494	Est. No. 04 007673
Ship Via	Purchase Order P.O.#REQ.	
E9994137601		
Salesperson	Salesperson ID NBO	

ESTIMATE EXPIRY DATE: 04/06/2026

**SERVICE ESTIMATE • Not An Invoice** Estimate will be honored for 30 days from the date of the Estimate

The Purchase Price is subject to change at anytime without notice by SE to the extent that SE has incurred increased costs between the date hereof and the delivery date due to changes in government regulations and other reasons beyond SE s control.

\*\*\*\*\* Segment 01 \*\*\*\*\*

Stock #: US007529 2008 VT 2112-J6 MS #: 08-07V-11282  
 Make: VA Model: 2112-J6  
 Is to have the following work done

BOTH FANS ARE WORN AND NEED TO BE REPLACED

<u>Part#</u>	<u>Description</u>	<u>Qty</u>	<u>PRICE</u>	<u>AMOUNT</u>
25975S-30	IMPELLER ASSEMB	2	9743.99	19487.98
16314S-30	SEAL TAPE, 50FT	30	9.44	283.20
MISCELLANEOUS CHARGES:				
	<u>Description</u>		<u>PRICE</u>	<u>AMOUNT</u>
	SHOP SUPPLIES		492.80	492.80
	ENVIRO FEE		123.20	123.20
			Parts:	19771.18
			Labor:	6160.00
			Miscellaneous:	616.00
			Subtotal:	26547.18

Authorization: \_\_\_\_\_

\*\*\*\*\* Segment 02 \*\*\*\*\*

FLUID COUPLER IS DAMAGED AND NEEDS REPLACEMENT

<u>Part#</u>	<u>Description</u>	<u>Qty</u>	<u>PRICE</u>	<u>AMOUNT</u>
47827-30	FLUID COUPLING,	1	7307.28	7307.28
1130	HOUGHTON SAFE 1	3	227.10	681.30

**\*\*ALERT: If you are requested to modify any payment instructions, please do not act on the request. Contact the Standard Equipment Credit department via a known/verified phone number.\*\***

In the event of cancellation, I agree to reimburse Standard Equipment for any work performed (labor, parts and supplies) up to the date that Standard Equipment is notified of any intention to cancel.  
 If you require clarification of your shop supply charges please contact your service writer.

RECEIVED THE ABOVE IN GOOD CONDITION \_\_\_\_\_ DATE \_\_\_\_\_

PRINT NAME \_\_\_\_\_

<b>ALBANY</b> 518.407.3154	<b>BILLINGS</b> 406.206.1491	<b>CHICAGO</b> 312.829.1919	<b>COLORADO</b> 720.399.0095	<b>MONROE</b> 704.289.6488	<b>ROCHESTER</b> 585.254.7700	<b>VIRGINIA</b> 804.200.4910	<b>CANADIAN LOCATIONS</b> www.jjei.com
-------------------------------	---------------------------------	--------------------------------	---------------------------------	-------------------------------	----------------------------------	---------------------------------	---



Please Remit To:  
 4519 Old Charlotte Hwy  
 Monroe, NC 28110  
 Email: ar@standardequipment.com  
 Website: www.standardequipment.com

Ship To:

IN STORE PICKUP

Invoice To:

CITY OF ROCHELLE/WATER DEPT  
 888 TREATMENT PLANT RD.  
 ROCHELLE IL 61068  
 United States

Branch 08 - CHICAGO		
Date 04/03/2026	Time 11:00:49 (O)	Page 2
Account No. ROCHE010	Phone No. 8155622494	Est. No. 04 007673
Ship Via E9994137601	Purchase Order P.O.#REQ.	
Salesperson	Salesperson ID NBO	

ESTIMATE EXPIRY DATE: 04/06/2026

**SERVICE ESTIMATE • Not An Invoice**

Estimate will be honored for 30 days from the date of the Estimate

MISCELLANEOUS CHARGES:	<u>Description</u>	<u>PRICE</u>	<u>AMOUNT</u>
	SHOP SUPPLIES	61.60	61.60
	ENVIRO FEE	15.40	15.40

Parts: 7988.58  
 Labor: 770.00  
 Miscellaneous: 77.00  
 Subtotal: 8835.58

Authorization: \_\_\_\_\_

\*\*\*\*\* Segment 03 \*\*\*\*\*

OIL ON COTTA BOX. NEEDS TO BE REPLACED

<u>Part#</u>	<u>Description</u>	<u>Qty</u>	<u>PRICE</u>	<u>AMOUNT</u>
626SHC	FLUID/OIL COTTA	2	100.59	201.18
MISCELLANEOUS CHARGES:	<u>Description</u>		<u>PRICE</u>	<u>AMOUNT</u>
	SHOP SUPPLIES		35.20	35.20
	ENVIRO FEE		8.80	8.80

Parts: 201.18  
 Labor: 440.00  
 Miscellaneous: 44.00  
 Subtotal: 685.18

Authorization: \_\_\_\_\_

\*\*\*\*\* Segment 04 \*\*\*\*\*

SMALL BEARING THAT GOES INSIDE BELL HOUSING & FREEZE PLUG

<u>Part#</u>	<u>Description</u>	<u>Qty</u>	<u>PRICE</u>	<u>AMOUNT</u>
47746-30	PILOT BEARING	1	34.02	34.02

**\*\*ALERT: If you are requested to modify any payment instructions, please do not act on the request.**

**Contact the Standard Equipment Credit department via a known/verified phone number.\*\***

In the event of cancellation, I agree to reimburse Standard Equipment for any work performed (labor, parts and supplies) up to the date that Standard Equipment is notified of any intention to cancel.  
 If you require clarification of your shop supply charges please contact your service writer.

RECEIVED THE ABOVE IN GOOD CONDITION DATE

PRINT NAME

ALBANY 518.407.3154	BILLINGS 406.206.1491	CHICAGO 312.829.1919	COLORADO 720.399.0995	MONROE 704.289.6488	ROCHESTER 585.254.7700	VIRGINIA 804.200.4910	CANADIAN LOCATIONS www.jjei.com
------------------------	--------------------------	-------------------------	--------------------------	------------------------	---------------------------	--------------------------	------------------------------------



Please Remit To:  
 4519 Old Charlotte Hwy  
 Monroe, NC 28110  
 Email: ar@standardequipment.com  
 Website: www.standardequipment.com

Ship To: IN STORE PICKUP

Invoice To: CITY OF ROCHELLE/WATER DEPT  
 888 TREATMENT PLANT RD.  
 ROCHELLE IL 61068  
 United States

Branch 08 - CHICAGO		
Date 04/03/2026	Time 11:00:49 (O)	Page 3
Account No. ROCHE010	Phone No. 8155622494	Est. No. 04 007673
Ship Via E9994137601	Purchase Order P.O.#REQ.	
Salesperson	Salesperson ID NBO	

ESTIMATE EXPIRY DATE: 04/06/2026

**SERVICE ESTIMATE • Not An Invoice** Estimate will be honored for 30 days from the date of the Estimate

MISCELLANEOUS CHARGES:	Description	PRICE	AMOUNT
	SHOP SUPPLIES	35.20	35.20
	ENVIRO FEE	8.80	8.80
	Parts:		34.02
	Labor:		440.00
	Miscellaneous:		44.00
	Subtotal:		518.02

Authorization: \_\_\_\_\_

\*\*\*\*\* Segment 05 \*\*\*\*\*

LABOR TO DATE

CORRECTION:

818 3-27-26

- I CHECKED THE LEVEL ON THE FLUID COUPLER, THE LEVEL WAS FULL. THERE WAS A LOT OF OIL AROUND FLUID COUPLER AND COTTO BOX. I CHECKED THE FLUID ON COTTO BOX , THE FLUID WAS AT LEVEL. I RAN THE FAN FOR A QUICK SECOND TO SEE IF IT KICKED ON, THE FAN WAS WORKING.
- ACCORDING TO MY SERVICE WRITER, THE PERSON WHO DROPPED OFF THE UNIT, WAS NO SURE OF THE ISSUE WITH THE UNIT . THEY JUST TOLD HIM IT WAS SOMETHING WITH FLUID COUPLER. I REACHED OUT TO CUSTOMER TO GET MORE INFORMATION. THE UNIT HAD BLOWN THE PLUG OUT OF THE FLUID COUPLER AND LEAK ALL THE OIL OUT. THEY FILLED THE UNIT BACK UP AND IT WAS STILL LEAKING OIL. WE TOLD THE CUSTOMER WE HAD TO TEAR IT APART TO LOOK FOR THE ISSUE.
- I REMOVED THE SIDE TOOL BOX, THE FAN INTAKE WELDMENT AND SECURED IT ON PALLET.
- I SECURED THE FRONT COVER ON OVERHEAD CRANE AND REMOVED IT FROM THE HOUSING. I REMOVED THE OUTER FAN, THE FAN IS WORN OUT AND NEEDS TO BE REPLACED. I SECURED THE OUTER FAN HOUSING ON OVER HEAD CRANE AND REMOVED IT FROM THE UNIT. THE OUTER FAN HOUSING, FAN, AND COVER WERE LABELED AND PLACED ON A PALLET.

**\*\*ALERT: If you are requested to modify any payment instructions, please do not act on the request. Contact the Standard Equipment Credit department via a known/verified phone number.\*\***

In the event of cancellation, I agree to reimburse Standard Equipment for any work performed (labor, parts and supplies) up to the date that Standard Equipment is notified of any intention to cancel.  
 If you require clarification of your shop supply charges please contact your service writer.

RECEIVED THE ABOVE IN GOOD CONDITION DATE

PRINT NAME

ALBANY 518.407.3154	BILLINGS 406.206.1491	CHICAGO 312.829.1919	COLORADO 720.399.0095	MONROE 704.289.6488	ROCHESTER 585.254.7700	VIRGINIA 804.200.4910	CANADIAN LOCATIONS www.jjei.com
------------------------	--------------------------	-------------------------	--------------------------	------------------------	---------------------------	--------------------------	------------------------------------



Please Remit To:  
 4519 Old Charlotte Hwy  
 Monroe, NC 28110  
 Email: ar@standardequipment.com  
 Website: www.standardequipment.com

**Ship To:** IN STORE PICKUP

**Invoice To:** CITY OF ROCHELLE/WATER DEPT  
 888 TREATMENT PLANT RD.  
 ROCHELLE IL 61068  
 United States

Branch 08 - CHICAGO		
Date 04/03/2026	Time 11:00:49 (O)	Page 4
Account No. ROCHE010	Phone No. 8155622494	Est. No. 04 007673
Ship Via E9994137601	Purchase Order P.O.#REQ.	
Salesperson	Salesperson ID NBO	

ESTIMATE EXPIRY DATE: 04/06/2026

**SERVICE ESTIMATE • Not An Invoice** Estimate will be honored for 30 days from the date of the Estimate

- THE INNER FAN HOUSING COUPLER WILL NOT COME OFF. I HAD TO MAKE A SPECIAL TOOL TO PULL OUT FAN HUB OFF FAN. THE FAN IS ALSO WORN OUT AND NEEDS TO BE REPLACED. I SECURED THE INNER FAN HOUSING ON OVERHEAD CRANE AND REMOVED IT FROM THE UNIT. I PLACE THE INNER FAN HOUSING AND FAN ON A PALLET AND LABELED IT.
- I SECURED THE COTTA BOX ON OVER HEAD CRANE AND REMOVED IT FROM AUX ENGINE.
- I DRAINED THE FLUID COUPLER, THE OIL WAS MILKY WITH METAL SHAVINGS. I REMOVED THE FLUID COUPLER FROM AUX ENGINE AND PLACED IN THE BENCH. I TOOK THE FLUID COUPLER APART AND FOUND DAMAGE INSIDE FROM OVERHEATING. THE FLUID COUPLER WILL NEED TO BE REPLACED.
- THE FLUID COUPLER AND COTTO BOX ARE ON A PALLET AND LABELED.
- THE UNIT WAS DEWATERD AND WINTERIZED.

MISCELLANEOUS CHARGES:	Description	PRICE	AMOUNT
	LABOR TO DATE	4518.80	4518.80

Authorization: \_\_\_\_\_

Miscellaneous:	4518.80
Subtotal:	4518.80
Parts:	27994.96
Labor:	7810.00
Miscellaneous:	5299.80
<b>TOTAL:</b>	<b>41104.76</b>

**\*\*ALERT: If you are requested to modify any payment instructions, please do not act on the request. Contact the Standard Equipment Credit department via a known/verified phone number.\*\***  
 In the event of cancellation, I agree to reimburse Standard Equipment for any work performed (labor, parts and supplies) up to the date that Standard Equipment is notified of any intention to cancel.  
 If you require clarification of your shop supply charges please contact your service writer.

RECEIVED THE ABOVE IN GOOD CONDITION \_\_\_\_\_ DATE \_\_\_\_\_

PRINT NAME \_\_\_\_\_

ALBANY 518.407.3154	BILLINGS 406.206.1491	CHICAGO 312.829.1919	COLORADO 720.399.0095	MONROE 704.289.6488	ROCHESTER 585.254.7700	VIRGINA 804.200.4910	CANADIAN LOCATIONS www.jjei.com
------------------------	--------------------------	-------------------------	--------------------------	------------------------	---------------------------	-------------------------	------------------------------------

CERTIFICATE

I, Rose Huéramo, City Clerk of the City of Rochelle, County of Ogle and State of Illinois, DO HEREBY CERTIFY that the foregoing is a true and correct copy of Ordinance No.\_\_\_\_\_, “AN ORDINANCE WAIVING COMPETITIVE BIDDING REQUIREMENTS AND AUTHORIZING AN EMERGENCY REPAIR OF THE CITY’S VACTOR TRUCK BY STANDARD EQUIPMENT,” which was adopted by the Mayor and City Council of the City of Rochelle on April 27, 2026.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the corporate seal of the City of Rochelle this 27<sup>th</sup> day of April 2026.

---

CITY CLERK