

VILLAGE OF ROSCOE MAIN STREET ZONING DISTRICTS

Public Hearing
October 8, 2025




MAIN STREET
DISTRICT
PLAN

A BLUEPRINT TO SHAPE THE HEART OF ROSCOE



PLACE
foundry

PLAN RECOMMENDATION – CREATE TWO NEW ZONING DISTRICTS

- **Main Street Core District:** Focused on creating a vibrant, mixed-use environment that encourages pedestrian activity, commerce, and community gathering.
- **Main Street Edge District:** A transition zone between the high-density core and surrounding residential neighborhoods, offering a mix of housing types and small-scale commercial uses.




PROPOSED ZONING DISTRICTS



PROPOSED ZONING MAP

 VANDEWALLE &
ASSOCIATES INC.



MIXED USE AND RESIDENTIAL LAND USES



Main Street – Core:

- Mixed-use buildings (S)
- Multifamily dwellings (S)
- Townhouse (S)
- Accessory Dwelling Unit (S)

Main Street – Edge:

- Mixed-use buildings (S)
- Multifamily dwellings (S)
- Townhouse (S)
- Cottage Court (S)
- Two Family (P)
- Accessory Dwelling Unit (S)

S = Permitted by Special Use

P = Permitted by right

 VANDEWALLE &
ASSOCIATES INC.







PLACE
foundry

NONRESIDENTIAL LAND USES



Main Street – Core:

- Restaurant (S)
- Retail use (P)
- Salon/Barber (P)
- Bar (S)
- Office (P)
- Accessory Commercial Unit (S)

Main Street – Edge:

- Restaurant (S)
- Retail use (S)
- Salon/Barber (P)
- Bar (S)
- Office (P)
- Accessory Commercial Unit (S)

See draft code for a complete list of uses

DOWNTOWN BUILDINGS






BUILDING HEIGHTS AND LOT COVERAGE

Building Heights

- Main Street – Core:
 - Minimum 2 stories
 - Maximum 4 stories, step back from street
- Main Street – Edge:
 - Maximum 3 stories
- Lot Coverage: 75-80%



BUILDING SETBACKS

- | | |
|--|--|
| <ul style="list-style-type: none">• Main Street – Core:<ul style="list-style-type: none">- Front: Buildings must be located between 0-15 feet from front lot line- Minimum Side Setbacks: 0-10 feet- Minimum Rear Setbacks: 0 feet | <ul style="list-style-type: none">• Main Street – Edge:<ul style="list-style-type: none">- Front: Buildings must be located between 5-15 feet from front lot line- Minimum Side Setbacks: 0-10 feet- Minimum Rear Setbacks: 15feet |
|--|--|

DESIGN STANDARDS

DESIGN STANDARDS – MAIN STREET CORE

- **Transparency (windows and doors):**
 - Minimum 25% for ground floor commercial/nonresidential
 - Minimum 15% for ground floor residential
 - Minimum 15% for upper floors
- **No flat, unadorned walls**
- All sides of building with at least **50% high-quality materials**



DESIGN STANDARDS – MAIN STREET CORE



- Development at the intersection of **Main Street and Bridge Street** must be a mixed-use building with at least **50% ground level commercial space**
- **Primary entrances oriented to Main Street or Bridge Street** (where possible)
- **Pedestrian access**

DESIGN STANDARDS – MAIN STREET EDGE

- **No flat, unadorned walls**
- All sides of building with at least **50% high-quality materials**
- **Clearly defined entrance**
- **Single family** – garage at rear or side, porch or stoop on front



PARKING

- May count on-street parking spaces within 50 feet of the main customer entrance
- Reduced parking requirements for residential development*
 - Two-Family: 2 spaces per dwelling unit
 - Multifamily, studio: 1 space per dwelling unit
 - Multifamily, 1-2 bedroom: 1.5 spaces per dwelling unit
 - Multifamily, 3+ bedrooms: 2 spaces per dwelling unit
- Nonresidential uses over 3,000 sq. ft.: 1 space per 500 sq. ft.

**Other zoning districts require 2 or 2.5 spaces per dwelling unit)*



LANDSCAPING STANDARDS

- Building foundation planters or in-ground plantings
- Parking lot perimeters
- Screening of mechanical equipment, loading docks, and waste receptacles
- Species diversity requirements
- Do not apply to single or two family development



HIGH-QUALITY MATERIALS

Exterior siding materials that are durable, aesthetically pleasing, and designed to withstand environmental factors such as weather, temperature fluctuations, and UV exposure. Including:

- Brick, brick veneer
- Stone, stone veneer
- Stucco, stucco panels
- Engineered wood-look panels
- Decorative metal paneling

ACCESSORY DWELLING UNITS (ADUS)

- Dwelling unit that is located on the same lot as a single-family or two-family residence
- Either attached or detached to the principal building



ACCESSORY COMMERCIAL UNITS (ACUS)

- Commercial unit that is located on the same lot as a single-family or two-family residence
- Either attached or detached to the principal building



STANDARDS FOR ADUS AND ACUS

- Design Review required; design must complement the design and aesthetic of the principal building, including the color and material of exterior siding and moldings
- Minimum exterior building materials requirements
- The principal building must be residential in use.
- At least one window on each façade facing a public street
- May be in front yard if attached to principal building
- Must comply with the base zoning requirements, overlay zoning requirements, and accessory building requirements of the municipal code.
 - 10-foot setbacks from side and rear lot lines

PRE-APPROVED PLANS

- Develop and approve pre-approved building plans to streamline the development process
- To be developed in the future – starting with ADUs and ACUs
- Example:



SOUTH BEND NEIGHBORHOOD INFILL

Pre-approved, ready-to build housing

NEXT STEPS

1. Zoning Board of Appeals – Public Hearing for zoning text – **tonight!**
2. Zoning Board of Appeals – Public Hearing for zoning map
3. Village Board – Consider Adoption of zoning text and map