
### **EXHIBIT G**

Goldrenrod	Curry	Farmhouse Ochre	English Bartlett	Gable Green	Danish Pine	Canyon Gold	Barrett Quince	York Bisque	Lyman Camellia	Woodstock Rose	Tailor's Buff
Historic	Historic	Historic	Historic	Historic	Historic	Historic	Historic	Historic	Historic	Historic	Historic
listoric Morning D	ewMelville	Coral Springs	Bristol Green	Longfellow	Viscaya	Venetian Glass	Green Bonnet	Wainscot Green	Whispering Willow	Brookside	Veranda Blue
listoric	Historic	Historic	Historic	Historic	Historic	Historic		Historic	Historic	Historic	Historic
Vinter Meadow	Coastal Sand	Britches	Toffee	Ginger Root	Maple	Bean Pot	Palomino	Portobello	Tankard Gray	Hitching Post	Cummings Oa
Iistoric	Historic	Historic	Historic	Historic	Historic	Historic	Historic	Historic	Historic	Historic	Historic

# COUNTRY LEDGESTONE



Country Ledgestone is easy to install and offers an extensive color palette that helps differentiate one ledgestone from another.

Dimensions (approx): 1.5" - 6.5" H x 4.25" - 22" L

### SKYLINE

### stone to be used a base of shelter










































### A CLASSIC DESIGN FEATURING VALUE AND BEAUTY

Horizon 16 brings value, beauty and performance together while offering a superior roofing choice for residential and light commercial applications. The value is clear in the substrate and finish, featuring 26 gauge high strength Galvalume steel, ENERGY STAR® approved standard colors and 10 layers of protection provided by the Enduracote® paint system. Performance stands out with the proven snap together design, standard shadow lines and standard factory applied sealant.

Applications	Commercial & Residential
Finish	<ul><li>Enduracote SMP paint system</li><li>Horizon 16 available in 12 colors</li></ul>
Warranty	<ul> <li>Lifetime film integrity warranty for walls and roofs</li> <li>30-year warranty against fade and chalk for walls and roofs</li> <li>20-year non-perforation warranty</li> </ul>



#### PANEL SPECIFICATIONS

- Minimum pitch recommended 3:12
- 16" coverage with 1" seam height
- 26 gauge high strength Galvalume steel
- UL 790 Class A Fire Resistance Rating
- UL 2218 Class 4 Hail Impact Resistance
- UL 580 Class 90 Uplift Test Rating
- Nail flange system for faster installation
- Stiffening ribs standard
- Custom cut to lengths up to 40
- Must be installed over solid decking
- Standard fastening pattern, 12" on center
- Strippable film for protection in shipping
- To reduce the likelihood of oil canning, install an ethofoam backer rod under the center of the panels prior to installation



## **ENDURACOTE®**COLOR CHART - SMP PAINT SYSTEM

Brite White 824 IR=.60

White 899 IR=.54

Ivory 883 IR=.62

Light Stone 887 IR=.51

Tan 855 IR=.38

Hickory Moss 870 IR=.36

Cocoa Brown 856 IR=.35

Dark Brown 859 IR=.30

Antique Bronze 854 IR=.29

Patina Green 893 IR=.38









PRIMER COAT SEALER COAT PRE-TREATMENT I GALVANIZED/GALVALUME

Colors shown are as close to actual colors as allowed by the printing process. Actual metal samples are available. Colors may appear different when viewed at different angles & under different lighting conditions.

Due to product improvements, changes  $\ensuremath{\mathfrak{k}}$  other factors, we reserve the right to change or delete information herein without prior notice.

IR = Initial Reflectivity



Hartford Green 821 IR=.29

Caribbean Blue 881 IR=.27

Gallery Blue 826 IR=.29

Brick Red 898 IR=.31

Brite Red 845 IR=.32

Classic Burgundy 853 IR=.26

Ash Grav 848 IR=.38

Light Gray 889 IR=.31

Charcoal Gray 851 IR=.35

True Black 882 IR=.30



Copper Penny 939 \*\* IR=.48 \*\* Subject to premium pricing.



### **ENDURACOTE®**COLOR CHART - SMP PAINT SYSTEM

<ul> <li>Available in 29 gauge</li> <li>■ Available in 26 gauge</li> <li>Available in 24 gauge</li> <li>not painted</li> </ul>		Grandrib 3® Plus	Grandrib 3®	GR <sup>6</sup>	Mighti-Rib®	Prime Rib®	ProClad®	StrongClad®	7/8" Corrugated	2 ½" Corrugated	Ultra-Loc 16	Delta Rib	1 ½" SSR	1 ½" SSR-150	Horizon S®	Horizon S-100	Horizon® 16
Availability																	
Northeast / Mid-Atlantic		Х	Х	Х	Х								Х		Х		
Midwest		Х	Х	Х	Х	Х	Х	Х		Х				Х	Х	Х	
Western		Х	Х	Х	Х				Х	Х	Х	Х					Х
Color																	
Brite White	824	•	• =	724 ●		•	•	•		• =		•					
White	899	•	• =	799 •	•	•	•	•					<b>A</b>	<b>A</b>	•		
lvory	883	•	• =	783 ●		•	•	•		•		•					
Light Stone	887	•	• =	787 ●	•	•	•	•	-	-							
Tan	855	•	•	755 ●		•	•	•									
Hickory Moss	870	•	• =	770 ●	•	•	•	•		• =		•	<b>A</b>	<b>A</b>	•	•	•
Cocoa Brown	856	•	•	756 ●		•	•	•		• =		•					
Dark Brown	859	•	•	759 ●			•			• •		•					
Antique Bronze	854	•	• =	754 ●		•	•	•	•	•	•		<b>A</b>	<b>A</b>	•		•
Patina Green	893	•	•	793 ●			•										
Evergreen	875	•	• =	775 ●		•	•	•		• =	-	•	<b>A</b>	<b>A</b>	-		-
Hartford Green	821	•	•	721 ●			•			• =	-	•					
Caribbean Blue	881	•	• =	781 ●	•	•	•	•		-	-		<b>A</b>	<b>A</b>	-	-	-
Gallery Blue	826	•	•	726 ●			•										
Brick Red	898	•	• =	798 ●		•	•	•	-	• =	-	•	<b>A</b>	<b>A</b>	-		-
Brite Red	845	•	•	745 ●			•										
Classic Burgundy	853	•	•	753 ●		•	•	•			-		<b>A</b>	<b>A</b>	-	-	-
Ash Gray	848	•	•														
Light Gray	889	•	• =	789 ●		•	•	•		• =	-	•		<b>A</b>	-		
Charcoal Gray	851	•	• =	751 ●	-	•	•	•		-	-		<b>A</b>	<b>A</b>	-		•
True Black	882	•	•	782 ●		•	•	•					<b>A</b>	<b>A</b>	-	•	•
Copper Penny 939			•								-		<b>A</b>	<b>A</b>	-		-

Not all colors are available at all locations. Offering subject to change without notice.

#### **Enduracote Warranty**

- Lifetime film integrity warranty for walls & roofs
- 30-year warranty against fade & chalk for walls & roofs
- 10-year edge rust warranty against acid rain (Galvanized only)

#### Grandrib 3 PLUS Warranty

- Lifetime film integrity warranty for walls & roofs
- 30-year warranty against fade & chalk for walls & roofs
- 15-year edge rust warranty against acid rain (Galvanized only)
- 25-year non-perforation warranty against acid rain for walls;
   20-year warranty for roofs

### GRG Warranty

- 40-year film integrity warranty for walls & roofs
- 30-year prorated fade & chalk for walls & roofs

**SHERWIN-WILLIAMS.** Coil Coatings

