

June 03, 2025 AVO 37449.004

Ms. Ramie Hammonds Development Services Director/Building Official City of Sanger 201 Bolivar Street P.O. Box 1729 Sanger, Texas 76266

Re: Lois Road Estates Filing No. 2 Final Plat - Review #2

Dear Ms. Hammonds,

Halff was requested by the City of Sanger to review the <u>Final Plat Filing No. 2</u> and <u>Filings No. 1 & 2</u> <u>Construction Plans</u> for Lois Road Estates. The submittal was prepared by Atwell, LLC. and was received May 19, 2025.

We have completed our review and offer the following comments:

Please address comments on attached markups and provide annotated responses on markups. Please note, not all comments are written on letter since some comments are easier to show and explain on the markups. Please annotate markup with responses. Please refer to the Filing 1 comments review letter for Filing 2 Construction Plans review comments. Please address all Hydrology and Hydraulics comments provided in a separate letter.

Final Plat Comments

Clearly indicate the Point of Beginning on the plat per Ordinance § 10.104(d)(10)(D)
 Response: The Point of Beginning has been shown on the plat per the ordinance.

 2nd Review: Addressed

2 Review. Hadressed

2. Please clearly label all the tracts referred to in the final plat. Response: Tract labels have been clearly labeled on the plat.

2nd Review: Addressed

3. Provide 3" x 3" recording box at the lower right-hand corner per §10.104(d)(10)(N) Response: This has been implemented and shown on the cover sheet (page 1).

2nd Review: Provide Recording Box for all sheets

- 4. 2nd Review: Provide ROW acreage in title block on all sheets if any per §10.104(d)(10)(O)(vi)
- 5. 2nd Review: Please update block numbers to ensure consistency with plans and overall utility layouts.
- 6. 2nd Review: Review and update drainage easements on Filing 2 plat to match updated grading sheets.



7. 2nd Review: Provide closure report that matches acreage per § 10.104(d)(10)(B).

If you have any questions or need additional information, please do not hesitate to call me at (817) 764-7498.

Sincerely,

Samson Lotigo, PE

HALFF

Firm No. 0312

Attachments: Final Plat markups

LOIS ROAD ESTATES SUBDIVISION PLAT FILING NO. 2

BEING 29.228 ACRES OF LAND (1,273,156 SQUARE FEET) **OUT OF THE REUBEN BEBEE SURVEY, ABSTRACT NUMBER 29** IN THE CITY OF SANGER, DENTON COUNTY, TEXAS

CERTIFICATION OF OWNERSHIP:

STATE OF TEXAS COUNTY OF DENTON

I (WE), THE UNDERSIGNED, OWNER(S) OF THE LAND SHOWN ON THIS PLAT WITHIN THE AREA DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

LEGAL DESCRIPTION:

BEING A 29.228 ACRE TRACT OF LAND (1,273,156 SQUARE FEET), SITUATED IN THE REUBEN BEBEE SURVEY, ABSTRACT NUMBER 29, SITUATED IN THE CITY OF SANGER, DENTON COUNTY, TEXAS, AND BEING A PORTION OF THAT CERTAIN 202.49 ACRE TRACT OF LAND DESCRIBED IN A GENERAL WARRANTY DEED CONVEYED TO JST HOLDINGS 04 BUSINESS, LLC, A NEW MEXICO LIMITED LIABILITY COMPANY, RECORDED IN DOCUMENT NUMBER 2024-74411 OF THE OFFICIAL RECORDS OF DENTON COUNTY, TEXAS; SAID 29.228 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT A MAG NAIL FOUND, BEING THE NORTHWESTERN CORNER OF SAID JST HOLDINGS 202.49 ACRE TRACT, BEING ON OR NEAR THE CENTERLINE OF LOIS ROAD EAST AND ON THE EASTERN RIGHT-OF-WAY LINE OF THE GULF COAST AND SANTA FE RAILROAD, (100' RIGHT-OF-WAY WIDTH):

THENCE, ALONG THE WESTERN LINE OF SAID JST HOLDINGS 202.49 ACRE TRACT AND ALONG THE EASTERN LINE OF SANTA FE RAILROAD, S10°00'55"W. A DISTANCE OF 651.07 FEET TO A CALCULATED POINT. FOR THE NORTHERNMOST CORNER AND POINT OF BEGINNING OF THE HEREIN DESCRIBED TRACT:

THENCE, CROSSING THROUGH SAID JST HOLDINGS 202.49 ACRE TRACT, THE FOLLOWING THIRTY-NINE (39) COURSES AND DISTANCES:

- 1. S79°59'09"E, A DISTANCE OF 164.98 FEET TO A CALCULATED POINT
- 2. S10'00'51"W, A DISTANCE OF 75.00 FEET TO A CALCULATED POINT;
- S79°59'09"E, A DISTANCE OF 394.52 FEET TO A CALCULATED POINT, AT A POINT OF CURVATURE TO THE RIGHT; 4. WITH SAID CURVE TO THE RIGHT, HAVING A RADIUS OF 175.00 FEET, AN ARC LENGTH OF 40.66 FEET, A CENTRAL ANGLE OF 1318'42",
- A CHORD BEARING AND DISTANCE OF S86°38'30"E, 40.57 FEET TO A CALCULATED POINT; N86°42'09"E, A DISTANCE OF 94.19 FEET TO A CALCULATED POINT, AT A POINT OF CURVATURE TO THE LEFT;
- 6. WITH SAID CURVE TO THE LEFT, HAVING A RADIUS OF 125.00 FEET, AN ARC LENGTH OF 9.78 FEET, A CENTRAL ANGLE OF 04°29'03", A CHORD BEARING AND DISTANCE OF N88°56'41"E, 9.78 FEET TO A CALCULATED POINT;
- S88'48'48"E, A DISTANCE OF 34.56 FEET TO A CALCULATED POINT;
- S43°48'48"E, A DISTANCE OF 18.38 FEET TO A CALCULATED POINT;
- 9. S88°48'48"E, A DISTANCE OF 50.00 FEET TO A CALCULATED POINT; 10. S01"11'12"W, A DISTANCE OF 12.00 FEET TO A CALCULATED POINT;
- 11. S88°48'48"E, A DISTANCE OF 127.72 FEET TO A CALCULATED POINT;
- 12. S00°40'28"W, A DISTANCE OF 50.96 FEET TO A CALCULATED POINT;
- 13. S05°43'32"W, A DISTANCE OF 281.10 FEET TO A CALCULATED POINT
- 14. S15°32'17"W, A DISTANCE OF 241.45 FEET TO A CALCULATED POINT, AT A POINT OF CURVATURE TO THE RIGHT; 15. WITH SAID CURVE TO THE RIGHT, HAVING A RADIUS OF 845.00 FEET, AN ARC LENGTH OF 130.34 FEET, A CENTRAL ANGLE OF 08°50'16", A CHORD BEARING AND DISTANCE OF S65°35'08"E, 130.21 FEET TO A CALCULATED POINT, AT A POINT OF CURVATURE TO THE RIGHT;

 16. WITH SAID CURVE TO THE RIGHT, HAVING A RADIUS OF 775.00 FEET, AN ARC LENGTH OF 2.93 FEET, A CENTRAL ANGLE OF 00°12'59", A
- CHORD BEARING AND DISTANCE OF N29°03'52"E, 2.93 FEET TO A CALCULATED POINT;
- 17. S29"19'49"W, A DISTANCE OF 4.26 FEET TO A CALCULATED POINT;
- 18. S73°33'27"W, A DISTANCE OF 18.19 FEET TO A CALCULATED POINT
- 19. S29°50'40"W, A DISTANCE OF 50.03 FEET TO A CALCULATED POINT;
- 20. S16'30'14"E, A DISTANCE OF 18.60 FEET TO A CALCULATED POINT 21. S61°04'15"E, A DISTANCE OF 50.00 FEET TO A CALCULATED POINT
- 22. N74°10'22"E, A DISTANCE OF 18.38 FEET TO A CALCULATED POINT
- 23. S60°49'38"E, A DISTANCE OF 290.00 FEET TO A CALCULATED POINT
- 24. N29°10'22"E, A DISTANCE OF 50.00 FEET TO A CALCULATED POINT;
- 25. S60°49'38"E, A DISTANCE OF 230.01 FEET TO A CALCULATED POINT, FOR THE EASTERNMOST CORNER OF THE HEREIN DESCRIBED TRACT; 26. S29"11'06"W, A DISTANCE OF 50.00 FEET TO A CALCULATED POINT;
- 27. S74°10'22"W, A DISTANCE OF 18.38 FEET TO A CALCULATED POINT;
- 28. S29°10'22"W, A DISTANCE OF 214.00 FEET TO A CALCULATED POINT
- 29. S15'49'38"E, A DISTANCE OF 18.38 FEET TO A CALCULATED POINT;
- 30. S2910'22"W, A DISTANCE OF 50.00 FEET TO A CALCULATED POINT;
- 31. S74"10'22"W. A DISTANCE OF 18.38 FEET TO A CALCULATED POINT:
- 32. S2910'22"W, A DISTANCE OF 107.00 FEET TO A CALCULATED POINT, FOR THE SOUTHERNMOST CORNER OF THE HEREIN DESCRIBED TRACT; N60°49'38"W, A DISTANCE OF 542.22 FEET TO A CALCULATED POINT, AT A POINT OF CURVATURE TO THE RIGHT
- 34. WITH SAID CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET, AN ARC LENGTH OF 167.19 FEET, A CENTRAL ANGLE OF 19°09'31",
- A CHORD BEARING AND DISTANCE OF N70°24'23"W, 166.41 FEET TO A CALCULATED POINT;
- 35. N79°59'09"W, A DISTANCE OF 471.33 FEET TO A CALCULATED POINT: 36. S10°00'51"W, A DISTANCE OF 120.00 FEET TO A CALCULATED POINT;
- 37. N79°59'09"W, A DISTANCE OF 49.00 FEET TO A CALCULATED POINT, AT A POINT OF CURVATURE TO THE LEFT;
- 38. WITH SAID CURVE TO THE LEFT, HAVING A RADIUS OF 70.00 FEET, AN ARC LENGTH OF 20.28 FEET, A CENTRAL ANGLE OF 16°35'52", A
- CHORD BEARING AND DISTANCE OF N71°41'13"W, 20.21 FEET TO A CALCULATED POINT, AT A POINT OF CURVATURE TO THE RIGHT; 39. WITH SAID CURVE TO THE RIGHT, HAVING A RADIUS OF 50.00 FEET, AN ARC LENGTH OF 104.90 FEET, A CENTRAL ANGLE OF 12012'14",
- A CHORD BEARING AND DISTANCE OF S56°30'37"W, 86.69 FEET TO A CALCULATED POINT; 40. N77°38'37"W, A DISTANCE OF 151.94 FEET TO A CALCULATED POINT, AT A POINT OF CURVATURE TO THE RIGHT, RETURNING TO THE WESTERN LINE OF SAID JST HOLDINGS 202.49 ACRE TRACT, AND ALSO BEING THE EASTERN LINE OF SANTA FE RAILROAD, FOR THE WESTERNMOST CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE, ALONG SAID WESTERN LINE OF JST HOLDINGS 202.49 ACRE TRACT AND SAID EASTERN LINE OF SANTA FE RAILROAD, THE FOLLOWING TWO (2) COURSES AND DISTANCES:

- WITH SAID CURVE TO THE RIGHT, HAVING A RADIUS OF 6737.93 FEET, AN ARC LENGTH OF 348.24 FEET, A CENTRAL ANGLE OF 02°57'40", A CHORD BEARING AND DISTANCE OF NO8'28'56"E, 348.20 FEET TO A 1/2 INCH CAPPED IRON ROD FOUND WITH PLASTIC CAP STAMPED
- 2. N10°00'55"E, A DISTANCE OF 897.48 FEET TO THE POINT OF BEGINNING.

CONTAINING 29.228 ACRES (1,273,156 SQUARE FEET), MORE OR LESS.

rovide the owner's name per

not match plat

NOW, THEREFORE, KNOW ALL PERSONS BY THESE PRESENTS: THAT, ACTING HEREIN BY AND THROUGH ITS DULY AUTHORIZED OFFICER, DOES HEREBY ADOPT THIS PLAT DESIGNATING THE HEREIN ABOVE DESCRIBED PROPERTY AS LOIS ROAD ESTATES SUBDIVISION, AN ADDITION TO THE CITY OF SANGER, TEXAS, AND DOES HEREBY DEDICATE TO THE PUBLIC USE FOREVER BY FEE SIMPLE TITLE, FREE AND CLEAR OF ALL LIENS AND ENCUMBRANCES, ALL STREETS, THOROUGHFARES, ALLEYS, FIRE LANES, DRIVE AISLES, PARKS, AND WATERCOURSES, AND TO THE PUBLIC USE FOREVER EASEMENTS FOR SIDEWALKS, STORM DRAINAGE FACILITIES, UTILITIES AND ANY OTHER PROPERTY NECESSARY TO SERVE THE PLAT AND TO IMPLEMENT THE REQUIREMENTS OF THE SUBDIVISION REGULATIONS AND OTHER CITY CODES AND DO HEREBY BIND OURSELVES, OUR HEIRS, SUCCESSORS AND ASSIGNS TO WARRANT AND TO FOREVER DEFEND THE TITLE ON THE LAND SO DEDICATED. FURTHER, THE UNDERSIGNED COVENANTS AND AGREES THAT HE/SHE SHALL MAINTAIN ALL EASEMENTS AND FACILITIES IN A STATE OF GOOD REPAIR AND FUNCTIONAL CONDITION AT ALL TIMES IN ACCORDANCE WITH CITY CODES AND REGULATIONS. NO BUILDINGS, FENCES, TREES, SHRUBS, OR OTHER IMPROVEMENTS OR GROWTHS SHALL BE CONSTRUCTED OR PLACED UPON, OVER, OR ACROSS THE EASEMENTS AS SHOWN, EXCEPT THAT LANDSCAPE IMPROVEMENTS MAY BE INSTALLED, IF APPROVED BY THE CITY OF SANGER. THE CITY OF SANGER AND PUBLIC UTILITY ENTITIES SHALL HAVE THE RIGHT TO ACCESS AND MAINTAIN ALL RESPECTIVE EASEMENTS WITHOUT THE NECESSITY AT ANY TIME OF PROCURING PERMISSION FROM ANYONE.

WITNESS MY HAND THIS DAY OF _____, 20____

"STATE OF TEXAS COUNTY OF DENTON

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE/SHE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED.


TITLE AND COMPANY

GIVEN UNDER MY HAND AND SEAL OF OFFICE THIS______ DAY OF_____, 20 _____

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS

TYPE OR PRINT NOTARY'S NAME

MY COMMISSION EXPIRES



BENCHMARKS AND CONTROLS:

NO. 1 - AN "X" CUT IN CONCRETE LOCATED WITHIN THE INTERSECTION OF LOIS ROAD EAST AND THE GULF COAST AND SANTA FE RAILROAD RIGHTS-OF-WAY, HAVING AN ELEVATION OF 729.3 FEET, A NORTHING COORDINATE VALUE OF 7,192,162.0, AND AN EASTING COORDINATE VALUE OF 2,374,666.1

NO. 2 - AN MAG NAIL IN ASPHALT LOCATED IN THE NORTHWEST INTERSECTION OF LOIS ROAD EAST AND MELTON ROAD, HAVING AN ELEVATION OF 693.8 FEET, A NORTHING COORDINATE VALUE OF 7,192,151.4, AND AN EASTING COORDINATE VALUE OF 2,376,790.5.

BASIS OF BEARING:

pears to be curve

o the left. Please

BEARINGS AND ELEVATIONS SHOWN HEREON ARE BASED ON NAD 83 TEXAS STATE PLANE COORDINATES. NORTH CENTRAL ZONE, NAVD 88.

GENERAL NOTES

- 1. ALL LOTS COMPLY WITH THE MINIMUM SIZE REQUIREMENTS OF THE PLANNED DEVELOPMENT
- THIS PROPERTY MAY BE SUBJECT TO CHARGES RELATED TO IMPACT FEES. AND THE APPLICANT SHOULD CONTACT THE CITY REGARDING ANY APPLICABLE FEES DUE.
- ALL COMMON AREAS, DRAINAGE EASEMENTS, AND DETENTION FACILITIES WILL BE OWNED AND MAINTAINED BY THE HOA/POA. ANY COMMON AREA WITHIN THE CITY'S RIGHT-OF-WAY WILL REQUIRE A FACILITIES AGREEMENT, TO BE REVIEWED AND APPROVED BY THE CITY.
- 4. NOTICE SELLING A PORTION OF THIS BY METES AND BOUNDS IS A VIOLATION OF CITY ORDINANCE AND STATE LAW AND IS SUBJECT TO FINES AND WITHHOLDING OF UTILITIES AND BUILDING PERMITS.
- 5. THIS PLAT DOES NOT ALTER OR REMOVE EXISTING DEED RESTRICTIONS, IF ANY, ON THIS PROPERTY.
- MINIMUM FINISHED FLOOR ELEVATIONS ARE AT LEAST 2 FEET ABOVE THE 100 YEAR FLOOD PLAIN.
- 7. THE SUBJECT PROPERTY DOES NOT LIE WITHIN A 100 YEAR FLOODPLAIN ACCORDING TO COMMUNITY PANEL NO. 48121C0070G, DATED APRIL 18, 2011, OF THE NATIONAL FLOOD INSURANCE RATE MAPS FOR DENTON COUNTY, TEXAS.
- 8. THE PURPOSE OF THIS PLAT IS TO CREATE NEW FOR SALE SINGLE-FAMILY LOTS.
- BEARINGS ARE BASED ON THE STATE PLANE COORDINATE SYSTEM, TEXAS NORTH CENTRAL ZONE (4202), NORTH AMERICAN DATUM OF 1983 (NAD '83)
- 10. UTILITIES SERVICE PROVIDED BY CITY OF SANGER - WATER & SANITARY SEWER ADDRESS: P.O. BOX 1729, SANGER, TEXAS 76266 CONTACT: JIM BOLZ PHONE NUMBER: (940) 458-2571
- COSERV ELECTRIC AND GAS ADDRESS: 202 RAILROAD AVE, SANGER, TEXAS 76266 PHONE NUMBER: (800) 274-4014

| SHEET LIST TABLE | |
|------------------|---------------|
| SHEET NUMBER | SHEET TITLE |
| 01 | COVER |
| 02 | OVERALL SHEET |
| 03 | FINAL PLAT |
| 04 | FINAL PLAT |
| 05 | FINAL PLAT |

PROJECT TEAM

OWNER/DEVELOPER/APPLICANT:

CONTACT: LEE EISENHEIM

KALTER CAPITAL 10268 W, CENTENNIAL RD., UNIT 200 F LITTLETON, CO 80127

PH: 303.324.1771 LEE.EISENHEIM@KALTERCAPITAL.COM

ENGINEERING & SURVEY: ATWELL, LLC 143 UNION BOULEVARD SUITE 700

LAKEWOOD, CO 80228 CONTACT: KEVIN BLUMHARDT PH: 303.842.9191 KBLUMHARDT@ATWELL.COM

| RESIDENTIAL LOT INFORMAITON | |
|-----------------------------|----------------|
| LOT SIZE | NUMBER OF LOTS |
| 50' | 74 |
| 60' | 42 |
| TOTAL | 116 |

AREA TABLE AREA (AC OWNER/MAINTENANCE TRACT NAME AREA (SF) LAND USE TRACT B 60631 1.39 OPEN SPACE, UTILITIES OWNER/HOA TRACT D 4916 0.11 OPEN SPACE OWNER/HOA TRACT E 6554 0.15 OPEN SPACE OWNER/HOA OWNER/HOA TRACT F 7719 0.18 OPEN SPACE TRACT G 2915 0.07 OPEN SPACE OWNER/HOA OWNER/HOA TRACT H 5831 0.13 OPEN SPACE JST HOLDINS 04 BUSINESS LLC OWNER: 88,566 TOTAL 10.32 LOIS ROAD ESTATES

SURVEYOR CERTIFICATE

I, RANDALL R. HAGER, A DULY LICENSED PROFESSIONAL LAND SURVEYOR IN THE STATE OF TEXAS, DO HEREBY CERTIFY THAT THIS FINAL PLAT REPRESENTS THE RESULT OF A SURVEY MADE BY ME OR UNDER MY DIRECT SUPERVISION AND COMPLETED ACCORDING TO APPLICABLE STATE OF TEXAS REQUIREMENTS.

RANDALL R. HAGER, RPLS NO. 6471 FOR AND ON BEHALF OF ATWELL, LLC

APPROVED AND ACCEPTED

CHAIRMAN, PLANNING & ZONING COMMISSION CITY OF SANGER, TX

CITY OF SANGER, TX

ATTESTED BY

Show the plat type ("Final") on all sheets / title blocks per § 10.104(d)(10)(0)(i).

vide closure report per § 10.104(d)(10)(B).

CITY SECRETARY CITY OF SANGER, TX

RECORDING BOX

24007256

REVISIONS TN II CH. AS

05/13/2025

SHEET 01 OF 05

