

117 S. Main Street
Monticello, UT 84535
Ph: 435-587-3225




Vendor Name Generac
Street Address
City, State, Zip
Phone:
Attention To :


Deliver To Name Tammy Gallegos
Street Address 881 E Center
Monticello Utah, 84535
Phone: 435-587-3225
Attention To :

P. O. No# SHSP 2023 225
Date:
Your Ref#
Our Ref#
Credit Terms

Product ID	Description	Quantity	Unit Price	Amount
MLT6SLDS-STD3	Diesel 6KW LED Light Tower Frieght	1	\$10,450.50	\$10,450.50
		1	\$1,738.00	\$1,738.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
			Sub Total	\$12,188.50
			Tax	
			Freight	
			Balance Due	\$12,188.50

Approval

Department Head: 

County Admin: 

Sub Total

Tax

Freight

Balance Due

San Juan County should be tax exempt. Please make sure anything you submit has no t



January 30, 2025

Tammy Gallegos
San Juan County
881 E Center Street
Monticello UT 84535
Sourcewell Member 167227
Generac Sourcewell Contract 020923-GNR

Reference: MLT6SKDS, Generac Quote 20952480

We are pleased to offer the following quote for the above project:

Quantity 1 - MLT6SKDS-STD3: Diesel 6kW LED Light Tower, brushless, capacitor regulated, Kubota engine, vertical mast, manual winch, 6kW export power

Total investment for the above equipment (Not including any applicable tax or freight):	\$10,450.50
Freight from factory to Monticello UT:	\$ 1,738.00

Notes

Estimated Delivery: 1-2 weeks ARO, subject to change
Prices valid for 90 days from above date
FOB: Ex-works factory. Unit arrives on flatbed trailer. Forklift/crane needed to offload. Offloading is customer responsibility.

Terms and Conditions

Net 30 days, subject to review and approval by our Credit Dept. Payment obligations are not dependent or contingent upon the manner in which purchaser may receive payment from others. No retainage against this order will be permitted unless agreed to ahead of time.

Sincerely,

Lynn S Jones
Account Manager II - Government Sales
Generac
920-230-1280
lynn.jones@generac.com

SPECIFICATIONS

ENGINE SYSTEM

- Kubota® D1005
- Diesel fueled
- EPA Final Tier 4
- 3 cylinder
- 1.0 L displacement
- Liquid cooled
- Power @ 1,800 rpm – HP (kW):
 - Prime: 11.7 (8.7)
 - Standby: 13.1 (9.8)
- Air filter: Dry type cartridge

Fuel System

- Polyethylene tank – 39.9 gal (151.04 L) capacity
- Run time – hr:
 - Lights only: 180*
 - 100% load: 59*
- Fuel consumption – gph (Lph):
 - Lights only: 0.2 (0.9)*
 - 100% load: 0.7 (2.6)*
- Exterior fill port diameter: 3.5 in (89 mm)

Cooling System

- Liquid Cooled

Lubrication System

- Oil filter: Full flow, spin-on type
- 1,000-hr service interval

**Data based on engine manufacturer and field test data after 100-hr engine break-in period. Actual results may vary, according to factors such as age and maintenance of equipment, environmental conditions, and fuel density. For fuel and maintenance recommendations, see owner's manual.*

GENERATOR

- 60 Hz engine/generator
- Marathon Electric® brushless
- Up to 6 kW output
- 120/240 VAC, 20/30 A
- $\pm 6\%$ capacitor voltage regulation

CONTROLS

- External, illuminated control panel with sealed switches
- 4-position key activated switch (OFF, RUN, GLOW PLUG, START)
- Digital hour meter
- Automatic shutdown for low oil pressure and high coolant temperature
- One switch controls all light fixtures



Picture shown may not reflect actual configuration.

ENCLOSURE

- Hood:
 - Injection-molded with UV protected colorant
 - Flip-up design for ease of service
- Sound rating: 68 dB(A) at 23 ft (7 m) @ prime power
- Lifting point and fork pockets
- Multi-lingual operating and safety decals
- Illuminated license plate holder
- Document holder with owner's manual – includes AC and DC wiring diagrams

TRAILER

- Tubular steel frame
- 2 in (50 mm) ball hitch
- Three 1,200 lb (544 kg) leveling jacks – lockable in stowed positions
- 7,800 lb (3,538 kg) safety chains with spring loaded safety hooks
- DOT approved LED lights: Tail, side, brake, and directionals
- 2,200 lb (998 kg) leaf spring axle
- Molded polyethylene fenders
- Tires: ST175/80D, 13 in. rim
- Track width: 47 in (119.4 cm)

OPTIONS

- | | | |
|------------------------------|--------------------------|---|
| • Electric winch | • Battery charger | • Fuel filter heater |
| • Positive air shutdown | • Battery disconnect | • Combination hitch (2 in. ball/2.5 in. pintle) |
| • 720 CCA AGM Optima battery | • Power Zone® controller | • 2 in. Bulldog® hitch |
| • Tandem tow | • Engine block heater | • 3 in. pintle hitch |

AMBIENT CLIMATE RATINGS

- Maximum wind speed: 65 mph (105 km/h)
- Maximum air temperature – °F (°C):
 - Lights only: 120 (49)
 - 100% load: 104 (40)

WARRANTY

- Tower: 1 year, unlimited hours/2 years, 2,000 hours
- LED modules and drivers: 5 year limited warranty

CERTIFICATIONS

CSA approved, listed

FOR MORE INFORMATION

Owner's manual is available at www.generacmobileproducts.com/resources-tools/manuals.

Generac Mobile Limited Warranty for Light Towers

For the period of warranty noted below, and beginning on the shipment date, Generac Mobile (GMP) warrants that its products, specified below, will be free from defects in material and workmanship for the items and period set forth in this statement. GMP will, at its discretion, repair or replace any part(s) that, upon examination, inspection, and testing by GMP or a GMP Authorized Service Dealer (ASD), or branch thereof, is found to be defective under normal use and service, in accordance with the warranty schedule set forth below. Repair or replacement pursuant to this limited warranty shall not renew or extend the original warranty period. Any repaired product shall be warranted for the remaining original warranty period only. Any equipment that the purchaser/owner claims to be defective must be examined by the nearest GMP ASD, or branch thereof. It is highly recommended that scheduled maintenance, as outlined by the owner's manual and any component documentation, be performed by a GMP ASD, or branch thereof. This will verify service has been performed on the unit throughout the warranty period. Emissions warranty coverage, if applicable, is detailed in a separate emissions warranty statement.

Warranty Coverage: Warranty coverage starts at the ship date from Generac Mobile.

Product Group	Warranty Period
MLC - Mobile Light Cart	1 year / unlimited hours 2 years / 2000 hours
MLT - Mobile Light Tower	
PLT - Portable Light Tower	2 years

Guidelines:

1. All warranty repairs, must be performed and/or addressed by a GMP ASD, or branch thereof.
2. Damage to any covered components or consequential damages caused by the use of a non-OEM part will not be covered by the warranty.
3. Block heater controls and circulating pumps are only covered during the first year of the warranty provision.
4. GMP may choose to repair, replace, or refund a piece of equipment.
5. LED lights and drivers are covered under warranty 2 years for parts and labor and an additional 3 years for parts only.
6. Batteries are warranted by the battery manufacturer.
7. Verification of required maintenance may be required for warranty coverage.
8. Engines and alternators used in GMP light towers carry a separate manufacturer's (OEM) warranty (the "OEM Warranties"), unless otherwise expressly stated. All warranty claims for defects in material and/or workmanship on GMP product OEM components should be directed through the OEM distributor/dealer network. OEM Warranties may vary and are subject to change. GMP shall have no liability under OEM warranties.

The following will NOT be covered by this warranty:

1. Any failed components warranted by the OEM (i.e., engine, generator, starting battery, etc.).
2. Costs of normal maintenance (i.e. tune-ups, associated part(s), adjustments, loose/leaking clamps, installation and start-up).
3. Any failure caused by contaminated fuels, oils, coolants/antifreeze or lack of proper fuels, oils or coolants/antifreeze.
4. Failures caused by any act of God or external cause such as, but not limited to, collision, fire, theft, freezing, vandalism, riot or wars, lightning, earthquake, windstorm, hail, volcanic eruption, water or flood, tornado, hurricane, terrorist acts or nuclear holocaust, or any other matters which are reasonably beyond the manufacturer's control.
5. Products that are modified or altered in a manner not authorized by GMP in writing.
6. Failures due, but not limited to, normal wear and tear, accident, misuse, abuse, negligence, or improper installation or sizing.
7. Any incidental, consequential or indirect damages caused by defects in materials or workmanship, or any delay in repair or replacement of the defective part(s).
8. Damage related to rodent and/or insect infestation.
9. Failure due to misapplication, misrepresentation, or bi-fuel conversion.
10. Telephone, facsimile, cellular phone, satellite, internet, or any other communication expenses.
11. Rental equipment used while warranty repairs are being performed (i.e. rental generators, cranes, etc.).
12. The warranty does not cover sales tax or any incidental costs including, without limitation, shipping or associated transportation charges, travel to and from repair sites, damages related to the loss of use, lost rentals, rental expenses and damages to property or equipment.
13. Any and all expenses incurred investigating performance complaints unless defective GMP materials and/or workmanship were the direct cause of the problem.
14. Overnight freight costs for replacement part(s).
15. Normal maintenance and/or wear items (i.e. bearings, brakes, belts, bulbs, filters, fluids, fuses, hoses, tires, etc.).

THIS WARRANTY SUPERSEDES ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. SPECIFICALLY, GMP MAKES NO OTHER WARRANTIES AS TO THE MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ANY IMPLIED WARRANTIES WHICH ARE ALLOWED BY LAW, SHALL BE LIMITED IN DURATION TO THE TERMS OF THE EXPRESS WARRANTY PROVIDED HEREIN. SOME JURISDICTIONS DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. PURCHASER'S SOLE AND EXCLUSIVE REMEDY AND GMP'S ONLY LIABILITY SHALL BE THE REPAIR OR REPLACEMENT OF PART(S) AS STATED ABOVE. IN NO EVENT SHALL GMP BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, EVEN IF SUCH DAMAGES ARE A DIRECT RESULT OF GMP'S NEGLIGENCE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS UNDER APPLICABLE LAW.

FOR AUSTRALIA ONLY: Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

FOR NEW ZEALAND ONLY: Nothing in this warranty statement excludes, restricts or modifies any condition, warranty right or remedy which pursuant to the New Zealand Legislation (Commonwealth or State) including the Fair Trading Practices Act of 1986 or the Consumer Guarantees Act 1993 ("CGA") applies to this limited warranty and may not be so excluded, restricted or modified. Nothing in this statement is intended to have the effect of contracting out of the provisions of the CGA, except to the extent permitted by that Act, and these terms are to be modified to the extent necessary to give effect to that intention. If you acquire goods from Generac Power Systems or any of its authorized resellers and distributors for the purposes of a business, then pursuant to section 43(2) of the CGA, it is agreed that the provisions of the CGA do not apply.

GENERAC MOBILE PRODUCTS, LLC - 215 POWER DRIVE, BERLIN, WI. 54923-2420

Ph: (800) 926-9768 • Fax: (920) 361-2214

To locate the nearest GMP ASD and to download schematics, exploded parts views and parts lists visit our website:

www.generacmobileproducts.com