
Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

A proposal for SAN JUAN COUNTY LANDFILL

Prepared by FREIGHTLINER OF UTAH David Wangsgard

Jan 03, 2025

2026 Freightliner 114SD Plus



Components shown may not reflect all spec'd options and are not to scale



Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level	AND THE RESIDENCE AND A SECOND RESIDENCE AND A SECOND RESIDENCE.			
PRL-27D	SD PRL-27D (EFF:MY24 ORDERS)		musical production of a contraction of	CONTROL OF THE STATE OF THE STA
Data Version				
DRL-045	SPECPRO21 DATA RELEASE VER 045			e a su Constantino de la Nova de Nova d
Vehicle Configurat	tion			
001-177	114SD PLUS CONVENTIONAL CHASSIS	7,934	6,476	
004-224	2024 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK	480	-480	
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION	SCALLER PERSONNELS SCALLER SCA	MODERNA DE LA CASA DEL CASA DE LA CASA DEL CASA DE LA C	A SECTION OF THE SECT
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-001	REFUSE SERVICE			
A84-1GM	GOVERNMENT BUSINESS SEGMENT			
AA4-010	DIRT/SAND/ROCK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-1AE	FREIGHTLINER LEVEL II WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 18180.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 40000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 58180.0 lbs			
A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs			



Data Code	Description	Weight Front	Weight Rear	
Truck Service				
AA3-010	ROLL OFF/ROLL ON BODY	The second second second	CANDON CONTRACTOR OF THE CONTRACTOR OF THE	SELECTION OF SELEC
A88-99D	EXPECTED TRUCK BODY LENGTH: 0.0 ft			
A89-99D	BRAKING-EXPECTED CAB TO BODY CLEARANCE: 15.78 in			
AF3-1P4	CRYSTEEL TRUCK EQUIPMENT			
Tractor Service				
AA2-005	FLATBED TRAILER	THE PARTY OF THE PROPERTY OF THE PARTY OF TH	ANCESTRALITY (A THE SERVICE A THE SELECTION OF	CONTROL STATEMENT (SERVED SAN
AH6-001	SINGLE (1) TRAILER			
Engine				
101-3FE	CUM X12 500V HP @ 1900 RPM, 1700 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC	-390	-45	
Electronic Paramete	ers			
79A-075	75 MPH ROAD SPEED LIMIT			
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
79K-009	PTO MODE ENGINE RPM LIMIT - 1200 RPM			
79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
80G-002	PTO MINIMUM RPM - 700			
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
80V-100	PTO MODE SPEED CONTROL ACTIVATION REQUEST FOR REMOTE ENGINE INTERFACE			
Engine Equipment				
99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			
99D-010	NO 2008 CARB EMISSION CERTIFICATION			
RNZ-001	OPTIONAL SELECTION OF CARB BASE WARRANTY/CERTIFICATION. DEALER CONFIRMS REGISTRATION IN OTHER THAN CALIFORNIA OR CARB OPT-IN STATES			
13E-001	STANDARD OIL PAN			
105-001	ENGINE MOUNTED OIL CHECK AND FILL			
014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10		



Data Code	Description	Weight Front	Weight Rear	
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	•		
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES			
290-1CD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL	15		
281-001	STANDARD BATTERY JUMPERS			
282-042	LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 60 INCHES BACK OF CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-001	NON-POLISHED BATTERY BOX COVER			
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2		
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH			
183-008	TORQUE LIMITING CLUTCH BRAKE			
181-001	ZERK FITTING AT CLUTCH RELEASE BEARING			
182-002	MECHANICAL CLUTCH CONTROL			
107-048	CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE			
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			



Data	a Code	Description	Weight Front	Weight Rear
43X	-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
43Y	-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
273-	-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH		
276-	-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-	-003	CUMMINS SPIN ON FUEL FILTER		
118-	-008	COMBINATION FULL FLOW/BYPASS OIL FILTER		
266-	-057	1500 SQUARE INCH ALUMINUM RADIATOR		
103-	-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-	-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-	-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-	-016	RADIATOR DRAIN VALVE		
360-	-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
138-	-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4	
140-	-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
155-	-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45	
Transmissi	on			
342-	-1BP	EATON FULLER RTLO-18918B TRANSMISSION	150	60
Transmissi	on Equip	oment		
347-	-002	ALUMINUM CLUTCH HOUSING	- U.S. Sandard & Marchael We	
341-	-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN		
345-	-001	PAINTED SHIFT LEVER, SOLID LINKAGE		
370-	-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	-15	
35T-	-003	SYNTHETIC TRANSMISSION LUBE		
Front Axle	and Equ	ipment		
400-	-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190	
402-	-075	BENDIX ADB22X AIR DISC FRONT BRAKES	30	
403-	-002	NON-ASBESTOS FRONT BRAKE LINING		
419	-004	FRONT DISC BRAKE ROTORS		

Application Version 12.0.105 Data Version PRL-27D.045 San Juan County Landfill 10-wheeler Hook...



Prepared by: David Wangsgard FREIGHTLINER OF UTAH 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone: 801-978-8000

	Data Code	Description	Weight Front	Weight Rear
	427-001	FRONT BRAKE DUST SHIELDS	5	
	409-006	FRONT OIL SEALS		
	408-017	SKF SCOTSEAL TF VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
	405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS		
	406-001	STANDARD KING PIN BUSHINGS		
	536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130	
	539-003	POWER STEERING PUMP		
	534-003	4 QUART POWER STEERING RESERVOIR		
	533-001	OIL/AIR POWER STEERING COOLER		
	40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		
Front S	uspension			
	620-025	20,000# TAPERLEAF FRONT SUSPENSION	200	AND ACT OF THE WAY TO SEE THE SEE SEE
	619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION		
	410-001	FRONT SHOCK ABSORBERS		
Rear Ax	le and Equi	pment	ALC: NOTE:	
	420-074	RT-40-160 40,000# R-SERIES TANDEM REAR AXLE		370
	421-391	3.91 REAR AXLE RATIO		
	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
	386-067	RPL25SD MERITOR MAIN DRIVELINE	100	100
	388-039	RPL20 MERITOR INTERAXLE DRIVELINE		
	452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30
	878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE		
	87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH		
	87B-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
	423-075	BENDIX ADB22X AIR DISC REAR BRAKES		-60
	433-002	NON-ASBESTOS REAR BRAKE LINING		
	434-003	STANDARD BRAKE CHAMBER LOCATION		
	451-005	REAR DISC BRAKE ROTORS		

Application Version 12.0.105 Data Version PRL-27D.045 San Juan County Landfill 10-wheeler Hook...



Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear
440-006	REAR OIL SEALS		
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		
Rear Suspension			
622-199	AIRLINER 46,000# REAR SUSPENSION	100 (120 A 2 - 204 (30 - 24 (30 - 7 (30 (30)	420
621-007	AIRLINER HIGH POSITION RIDE HEIGHT		
431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP		
624-016	51 INCH AXLE SPACING		
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
623-002	TRANSVERSE CONTROL RODS		
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		
Brake System			
490-100	WABCO 4S/4M ABS	C. CO-STREET SHOWING STAY IT THE LE	ADBERTIK, PORTE KONES PRESENSE EN DEZETES EN PERFEKTIONERE STOLEN MENTEUR VER
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER		
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL		
460-001	STEEL AIR BRAKE RESERVOIRS		
477-011	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)		
Trailer Connections			
914-025	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND DUST COVERS	AND MAKE THE SECOND	
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION		

Application Version 12.0.105 Data Version PRL-27D.045 San Juan County Landfill 10-wheeler Hook...




01/03/2025 11:54 AM

Data Code	Description	Weight Front	Weight Rear	
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			
Wheelbase & Frame				
545-640	6400MM (252 INCH) WHEELBASE	267、 1028年 1576年 日本日本人		"我又是我们的证据是不是有一个。" 第1
546-1B2	1/2X3.64X11-7/8 INCH STEEL FRAME (12.7MMX301.6MM/0.5X11.88 INCH) 120KSI	850	100	
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			
552-004	1550MM (61 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 186.42 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 170.64 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 343,09 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 82.94 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 81.72 in			
553-001	SQUARE END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	
Chassis Equipment				
556-1E5	14 INCH PAINTED STEEL BUMPER	20	新劇的 的 1979年1975年2月1日日本語中3月	
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
551-002	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS			
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
583-056	STAINLESS STEEL QUARTER FENDERS WITH LOGO		40	
607-004	CLEAR FRAME RAIL 36 INCHES FROM BACK OF CAB OUTBOARD OF RH FRAME RAIL			
Fuel Tanks				
204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	20		
218-006	25 INCH DIAMETER FUEL TANK(S)			



	Data Code	Description	Weight Front	Weight Rear
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-001	FUEL TANK CAP(S)		
	122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR	15	
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
	221-001	FUEL COOLER	10	
Tires				
	093-16M	CONTINENTAL HSR3 11R22.5 14 PLY RADIAL FRONT TIRES	70	
	094-12P	CONTINENTAL HDR2+ 11R22.5 14 PLY RADIAL REAR TIRES		184
Hubs				
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	A STATE OF THE STA	
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels				
10 8 8 8 9 2 2 9 8 8 1 2 2 2	502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66	
	505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		104
	496-011	FRONT WHEEL MOUNTING NUTS		
	497-011	REAR WHEEL MOUNTING NUTS		
	498-011	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES		
Cab Ex	terior	en de la companya de		
	829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
	650-008	AIR CAB MOUNTING		
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
	667-004	FRONT FENDERS SET-BACK AXLE		
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10	
	678-001	LH AND RH GRAB HANDLES		
	645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL		





Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

Data Code	Description	Weight Front	Weight Rear	
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS			
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			
644-004	FIBERGLASS HOOD			
690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5		
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK			
726-001	SINGLE ELECTRIC HORN			
728-001	SINGLE HORN SHIELD			
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
327-012	SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS			
312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS			
302-047	LED AERODYNAMIC MARKER LIGHTS			
294-042	FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS		5	
300-015	STANDARD FRONT TURN SIGNAL LAMPS			
744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE			
797-001	DOOR MOUNTED MIRRORS			
796-001	102 INCH EQUIPMENT WIDTH			
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
74B-1B4	RH AND LH 8 INCH HEATED STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS	12		
729-001	STANDARD SIDE/REAR REFLECTORS			
677-053	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN SHIELDING			
768-043	63X14 INCH TINTED REAR WINDOW			
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4	4	
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD			
659-020	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, FRAME MOUNTED			
647-001	WHITE WINTERFRONT	2		
	THE STATE OF COUNTY AND ADDRESS OF THE STATE	US 4 ST C POPA TO E TALL 2 1/2/2 TS 4 SE	WHITE BY THE POST OF THE LABOR FOR T	PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF

Cab Interior



Data Code	Description	Weight Front	Weight Rear	
055-019	RUGGED TRIM PACKAGE		<u> </u>	
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"			
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)			
706-013	MOLDED PLASTIC DOOR PANEL			
708-013	MOLDED PLASTIC DOOR PANEL			
772-006	BLACK MATS WITH SINGLE INSULATION			
785-025	(1) 12V DASH MOUNTED POWER OUTLET			
691-001	FORWARD ROOF MOUNTED CONSOLE			
696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	20		
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
742-007	(2) CUP HOLDERS LH AND RH DASH			
680-029	M2/SD DASH			
720-003	5 LB. FIRE EXTINGUISHER	10		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER	-2		
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE			
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
170-015	STANDARD HEATER PLUMBING			
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-034	PREMIUM INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-1B3	STANDARD LED CAB LIGHTING			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-002	KEY QUANTITY OF 2			
655-005	LH AND RH ELECTRIC DOOR LOCKS			
756-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		
760-337	BASIC ISRINGHAUSEN HIGH BACK NON SUSPENSION TOOL BOX PASSENGER SEAT			



Data Code	e Description	Weight Front	Weight Rear
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4	
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-143	RUGGED CLOTH DRIVER SEAT		
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER		
763-101	BLACK SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10	
540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
Instruments & C	ontrols		
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY	n in Chini ann an Airean a thair e d	
106-002	ELECTRONIC ACCELERATOR CONTROL		
732-998	NO INSTRUMENT PANEL-DRIVER		
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS		
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK		
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS		
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS		
721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		



Data Code	Description	Weight Front	Weight Rear	
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			
48H-004	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH BLUNTCUTS			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY			
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE	•		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
679-022	LEFTHAND/RIGHTHAND OVERHEAD INSTRUMENT PANEL BLANK			
746-135	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939	10		
747-001	DASH MOUNTED RADIO			
750-002	(2) RADIO SPEAKERS IN CAB			
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			
78C-003	INTEROPERABLE SDAR ANTENNA			
74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS			
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
817-001	STANDARD VEHICLE SPEED SENSOR			
812-001	ELECTRONIC 3000 RPM TACHOMETER			
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
8D1-303	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT			
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			



Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

	Data Code	Description	Weight Front	Weight Rear
	264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		
	482-001	BW TRACTOR PROTECTION VALVE		
	883-001	TRAILER HAND CONTROL BRAKE VALVE		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	660-025	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY PROGRAMMED TO SLOWEST SPEED WITH PARK BRAKE SET		
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		
Design				
	065-000	PAINT: ONE SOLID COLOR		PARTIES AND PROPERTY OF THE PROPERTY OF THE PARTIES.
Color				
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY	CANER OF SURE EXPERIENCE	STATUTA SELECTRO DE PLESONES ES SEREN ALMON ASELANDAS SES
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	964-020	STANDARD BLACK BUMPER PAINT		
	969-998	NO CAB/BODY EXTERIOR DECALS		
	963-003	STANDARD E COAT/UNDERCOATING		
Certific	ation / Com	pliance		
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		and the employee of the control of t

Weight Summary





TOTAL VEHICLE SUMMARY

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	10040 lbs	7361 lbs	17401 lbs
Total Weight [†]	10040 lbs	7361 lbs	17401 lbs

If weight is critical, contact Customer Application Engineering.



⁽⁺⁾ Weights shown are estimates only.

^(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared by:
David Wangsgard
FREIGHTLINER OF UTAH
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone: 801-978-8000

QUOTATION

114SD PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK
CUM X12 500V HP @ 1900 RPM, 1700 LB-FT @ 1000
RPM, 2000 GOV RPM, VOC
EATON FULLER RTLO-18918B TRANSMISSION
RT-40-160 40,000# R-SERIES TANDEM REAR AXLE
AIRLINER 46,000# REAR SUSPENSION
DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3,74 DROP
SINGLE FRONT AXLE
20,000# TAPERLEAF FRONT SUSPENSION

114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
6400MM (252 INCH) WHEELBASE
1/2X3.64X11-7/8 INCH STEEL FRAME
(12.7MMX301.6MM/0.5X11.88 INCH) 120KSI
1550MM (61 INCH) REAR FRAME OVERHANG
TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT
FRAME MOUNTED EQUIPMENT

	PER UNIT		TOTAL
UNITS (1) \$	129,715	\$	129,715
\$	0	\$	0
\$	0	\$	0
\$	129,715	\$	129,715
\$	(253)	\$	(253)
\$	0	\$	0
\$	0	\$	0
\$	(0)	\$	(0)
RRENCY) \$	129,462	\$	129,462
ed before/	_/		
w:			
	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	UNITS (1) \$ 129,715 \$ 0 \$ 0 \$ 129,715 \$ 0 \$ 0 \$ 129,715 \$ 0 \$ 0 \$ 129,715 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 129,462 \$	UNITS (1) \$ 129,715 \$ 0 \$ 0 \$ 0 \$ 129,715 \$ 129,715 \$ 129,715 \$ 129,715 \$ 129,715 \$ 129,462 \$ 12

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

Application Version 12.0.105 Data Version PRL-27D.045 San Juan County Landfill 10-wheeler Hook...



01/03/2025 11:54 AM