Prepared by: Skylar Dyreng PREMIER TRUCK GROUP 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone:

A proposal for **SANTAQUIN CITY**

Prepared by PREMIER TRUCK GROUP Skylar Dyreng

Jul 10, 2025

Freightliner 114SD Plus

STATE OF UTAH COOPERATIVE CONTRACT # MA4778



Components shown may not reflect all spec'd options and are not to scale



Prepared by: Skylar Dyreng PREMIER TRUCK GROUP 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone:

SPECIFICATION PROPOSAL

	Data Code	Description	Retail Price
Price Le	evel		
	PRL-29D	SD PRL-29D (EFF:MY26 ORDERS)	STD
Data Ve	rsion		
	DRL-047	SPECPRO21 DATA RELEASE VER 047	N/C
Vehicle	Configurat	tion	
	001-177	114SD PLUS CONVENTIONAL CHASSIS	\$170,379.00
	004-226	2026 MODEL YEAR SPECIFIED	STD
	002-003	SET FORWARD AXLE - TRUCK	STD
	019-004	STRAIGHT TRUCK PROVISION, NON-TOWING	STD
	003-001	LH PRIMARY STEERING LOCATION	STD
General	Service		
	AA1-002	TRUCK CONFIGURATION	STD
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)	STD
	99D-027	EPA CLEAN IDLE LABEL FOR INITIAL REGISTRATION IN EPA OR ACT STATES - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)	STD
	A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE	N/C
	A84-1GM	GOVERNMENT BUSINESS SEGMENT	N/C
	AA4-002	LIQUID BULK COMMODITY	N/C
	AA5-006	TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS	N/C
	AB1-012	MAXIMUM 12% EXPECTED GRADE	N/C
	AB5-003	MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE	N/C
	995-1AE	FREIGHTLINER LEVEL II WARRANTY	N/C
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 22000.0 lbs	
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs	
	A67-99D	EXPECTED PUSHER AXLE(S) LOAD: 0.0 lbs	



	Data Code	Description	Retail Price
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 68000.0 lbs	
Truck S	Service		
	AA3-034	SEWER/INDUSTRIAL VACUUM BODY	N/C
	AF4-99D	EXPECTED EMPTY BODY WEIGHT: 0.0 lbs	
	A88-99D	EXPECTED TRUCK BODY LENGTH: 20.0 ft	
	AF3-2BP	VAC CON	N/C
Engine			
	101-3C1	DETROIT DD13 GEN 5 12.8L 505 HP @ 1625 RPM, 1900 GOV RPM, 1850 LB/FT @ 975 RPM	\$2,320.00
Electro	nic Paramet	ters	
	79A-069	69 MPH ROAD SPEED LIMIT	N/C
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT	N/C
	79F-013	FLEET MANAGEMENT - DAILY ENGINE USAGE ENABLED	N/C
	79K-025	PTO MODE ENGINE RPM LIMIT - 1250 RPM	N/C
	79L-008	PTO MODE THROTTLE OVERRIDE - LIMIT TO 1250 RPM	N/C
	79M-001	PTO ENGINE SPEED CONTROL DEACTIVATED BY SERVICE BRAKE LIGHTLY APPLIED (STATIONARY APPLICATIONS)	N/C
	79P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES	N/C
	79Q-009	PTO RPM WITH CRUISE RESUME SWITCH - 1200 RPM	N/C
	79R-001	PTO MODE COOLING FAN ENABLE	N/C
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH	N/C
	79T-002	PTO MODE RPM INCREMENT - 50 RPM	N/C
	79U-006	PTO GOVERNOR RAMP RATE - 200 RPM PER SECOND	N/C
	79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY	N/C
	79W-021	ONE CLUSTER MENU PTO SPEED AND ONE REMOTE PTO SPEED	N/C
	79X-009	PTO SPEED 1 SETTING - 1200 RPM	N/C
	80P-998	CUSTOM FLEET SPEC. PARAMETERIZATION	N/C
	80G-021	PTO MINIMUM RPM - 725	N/C
	80L-003	ENABLE DPF REGEN ZONE 1 WITH AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE	N/C



Data Code	Description	Retail Price
80S-003	PTO 1, DASH SWITCH, ENGAGE BEFORE DRIVING	N/C
80T-018	PTO 2, WITH SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, NO INTERLOCKS	N/C
87W-014	PTO 2 MODE ENGINE RPM LIMIT - 1250 RPM	N/C
Engine Equipment		
99C-024	EPA 2010/GHG 2024 CONFIGURATION	STD
13E-001	STANDARD OIL PAN	STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL	STD
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED	\$25.00
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	STD
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES	STD
290-017	BATTERY BOX FRAME MOUNTED	STD
281-001	STANDARD BATTERY JUMPERS	STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB	N/C
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN	STD
289-001	NON-POLISHED BATTERY BOX COVER	STD
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	\$206.00
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	\$88.00
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	STD
107-046	BW MODEL FE-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	STD
128-002	JACOBS COMPRESSION BRAKE	STD
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	\$816.00



Data Code	Description	Retail Price
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER	STD
239-200	INTEGRATED STACK AND B-PILLAR PIPE WITH MINIMUM STACK PROTRUSION ABOVE CAB	\$131.00
233-017	STANDARD CURVE BRIGHT UPPER STACK(S)	\$123.00
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP	N/C
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL	STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING	STD
23Z-002	NON-POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	\$144.00
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION	STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP	STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD	\$48.00
273-059	ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE	\$212.00
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED	\$10.00
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR	STD
118-001	FULL FLOW OIL FILTER	STD
120-998	NO COOLANT FILTER	STD
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR	STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT	STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT	STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES	STD
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE	STD
168-002	LOWER RADIATOR GUARD	\$116.00
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	\$30.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR	N/C



Data Code	Description	Retail Price
155-076	DELCO 12V MOD 3.175-39MT+ STARTER WITH ENGINE ECU SOFTWARE PROTECTION AND INTEGRATED MAGNETIC SWITCH	STD
Transmission		
342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	\$13,690.00
Transmission Equi	ipment	
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV	STD
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES	N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	STD
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	STD
84E-017	S5 PERFORMANCE LIMITING PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	N/C
84F-016	S5 PERFORMANCE LIMITING SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	N/C
84G-009	1800 RPM PRIMARY MODE SHIFT SPEED	N/C
84H-009	1800 RPM SECONDARY MODE SHIFT SPEED	N/C
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	STD
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY	STD
84N-004	FUEL SENSE 2.0 PLUS - DYNACTIVE: PERFORMANCE, NEUTRAL AT STOP: ACTIVE	\$721.00
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES	STD
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS	STD
84W-001	AUXILIARY FUNCTION RANGE INHIBIT WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS	N/C
353-076	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH BLUNTCUTS	\$200.00



Data Code	Description	Retail Price
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR	\$125.00
362-1Y2	(2) CUSTOMER INSTALLED MUNCIE CS10 SERIES PTO'S	N/C
363-010	PTO MOUNTING, LH SIDE AND TOP RH SIDE OF MAIN TRANSMISSION ALLISON	N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN	STD
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED	\$254.00
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013	STD
370-011	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED	STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK	STD
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)	STD
Front Axle and Equi	pment	
400-1EB	MERITOR MFS-20-133A 22,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	\$4,224.00
402-078	MERITOR 16.5X6 Q+ HIGH CAPCITY CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	N/C
403-002	NON-ASBESTOS FRONT BRAKE LINING	STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS	\$8.00
427-001	FRONT BRAKE DUST SHIELDS	\$102.00
409-006	FRONT OIL SEALS	STD
408-022	STEMCO SERIES 350 ALUMINUM FRONT HUB CAPS WITH WINDOW AND REMOVABLE BLUE SENTINEL ESP VENT PLUGS - OIL	\$31.00
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES	STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	STD
406-001	STANDARD KING PIN BUSHINGS	STD
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	N/C
539-003	POWER STEERING PUMP	STD
534-003	4 QUART POWER STEERING RESERVOIR	N/C
533-004	OIL/AIR POWER STEERING COOLER MOUNTED ABOVE FRONT CLOSING CROSSMEMBER	\$43.00
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE	\$17.00



Data Code	Description	Retail Price
Front Suspension		
620-068	23,000# FLAT LEAF FRONT SUSPENSION	\$898.00
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION	N/C
410-001	FRONT SHOCK ABSORBERS	\$121.00
Rear Axle and Equi	pment	
420-111	MERITOR RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE WITH PUMP	\$4,398.00
421-456	4.56 REAR AXLE RATIO	N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING	STD
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	\$709.00
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES	STD
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	\$1,317.00
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE	N/C
87A-017	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH, DISENGAGE INTERAXLE LOCK WITH IGNITION OFF	N/C
87B-023	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS 5 MPH PR LESS, DISENGAGE W/IGN OFF OR SPEEDS EXCEEDING 25 MPH	N/C
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	STD
433-002	NON-ASBESTOS REAR BRAKE LINING	STD
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS	\$87.00
425-002	REAR BRAKE DUST SHIELDS	\$130.00
440-006	REAR OIL SEALS	STD
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS	STD
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS	\$93.00
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE	STD
42T-001	STANDARD REAR AXLE BREATHER(S)	STD



Data Code	Description	Retail Price
622-298	TUFTRAC GEN2 46,000# REAR SPRING SUSPENSION	\$3,904.00
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)	N/C
431-003	AXLE CLAMPING GROUP	N/C
624-025	55 INCH AXLE SPACING	N/C
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS	N/C
439-001	REAR SHOCK ABSORBERS - ONE AXLE	N/C
Pusher / Tag Equip	pment	
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS	STD
Brake System		
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH	\$232.00
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES	STD
904-001	FIBER BRAID PARKING BRAKE HOSE	STD
412-001	STANDARD BRAKE SYSTEM VALVES	STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM	STD
413-002	STD U.S. FRONT BRAKE VALVE	STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE	STD
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER	STD
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER	\$11.00
479-006	AIR DRYER MOUNTED OUTBOARD ON RH RAIL	N/C
460-108	(1) 12 INCH DIAMETER STEEL AIR TANK MOUNTED ABOVE AND ACROSS FRAME RAILS WITH 10 FT EXTRA COILED AIRLINES, 20 IN MAX BOC PROTRUSION	\$301.00
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS	STD
485-045	METAL AIR MANIFOLD MOUNTED TO BACK OF CAB CROSSMEMBER WITH SIX 1/4 INCH PUSH TO CONNECT FITTINGS AND TWO 3/8 INCH FPT PORTS	\$172.00
Trailer Connection	s	
481-998	NO TRAILER AIR HOSE	STD
476-998	NO AIR HOSE HANGER	STD
310-998	NO TRAILER ELECTRICAL CABLE	STD
Wheelbase & Fram	le	



Prepared by: Skylar Dyreng PREMIER TRUCK GROUP 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone:

Data Code	Description	Retail Price
545-673	6725MM (265 INCH) WHEELBASE	N/C
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	\$1,700.00
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	\$1,500.00
552-054	2275MM (90 INCH) REAR FRAME OVERHANG	N/C
55W-008	FRAME OVERHANG RANGE: 81 INCH TO 90 INCH	N/C
549-036	12 INCH INTEGRAL FRONT FRAME EXTENSION	\$639.00
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 181.3 in	
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 178.3 in	
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 394.05 in	
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 115.09 in	N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 114.89 in	N/C
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 0.0 in	
553-001	SQUARE END OF FRAME	STD
550-001	FRONT CLOSING CROSSMEMBER	STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER	STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)	STD
572-001	STANDARD REARMOST CROSSMEMBER	STD
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER	N/C
Chassis Equipment	t	
556-1AG	16.5 INCH PAINTED STEEL STRAIGHT BUMPER	STD
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE	STD
585-998	NO MUDFLAP BRACKETS	STD
590-998	NO REAR MUDFLAPS	STD
551-017	GRADE 8/CLASS 10.9 THREADED HEX HEADED FRAME FASTENERS INSTALLED WITH BOLT HEADS ON OUTSIDE OF FRAME	N/C
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE	STD
607-026	CLEAR FRAME RAILS (EXCEPT AIR DRYER) OUTBOARD BOTH RAILS BACK OF CAB TO REAR SUSPENSION	\$218.00
Fifth Wheel		
578-998	NO FIFTH WHEEL	STD

Application Version 12.0.303
Data Version PRL-29D.047
SANTAQUIN 114SD+ 6X4 DD13
ALLISON VACCON MY26



07/10/2025 3:59 PM

Data Code	Description	Retail Price
Fuel Tanks		
204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	\$429.00
218-006	25 INCH DIAMETER FUEL TANK(S)	STD
215-007	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS	\$155.00
212-007	FUEL TANK(S) FORWARD	STD
664-001	PLAIN STEP FINISH	STD
205-001	FUEL TANK CAP(S)	STD
122-998	NO FUEL/WATER SEPARATOR	STD
216-020	EQUIFLO INBOARD FUEL SYSTEM	STD
20E-016	2 FORWARD & 2 REAR AUXILIARY FUEL SUPPLY AND RETURN PORTS LOCATED ON LH FUEL TANK	\$58.00
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE	STD
213-001	INSULATION FOR FUEL LINES	\$45.00
221-001	FUEL COOLER	\$252.00
Tires		
093-10D	CONTINENTAL INTELLIGENT HAC3 425/65R22.5 20 PLY RADIAL FRONT TIRES	\$1,120.00
094-12V	CONTINENTAL HDR2+ 11R22.5 16 PLY RADIAL REAR TIRES	\$624.00
Hubs		
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	STD
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS	STD
Wheels		
502-091	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	\$636.00
505-736	ACCURIDE 43644 ACCU-LITE 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS	\$1,224.00
496-011	FRONT WHEEL MOUNTING NUTS	STD
497-011	REAR WHEEL MOUNTING NUTS	STD
498-011	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES	\$68.00
Cab Exterior		



Prepared by: Skylar Dyreng PREMIER TRUCK GROUP 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone:

Data Code	Description	Retail Price
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	STD
650-008	AIR CAB MOUNTING	STD
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	STD
667-001	FRONT FENDERS	STD
754-002	3-1/2 INCH FENDER EXTENSIONS	\$169.00
678-018	LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT	\$54.00
646-041	STATIONARY BLACK GRILLE	STD
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE	STD
644-006	FIBERGLASS HOOD WITH ACCESS HATCHES	\$682.00
652-001	FREIGHTLINER NAME PLATES	STD
690-002	TUNNEL/FIREWALL LINER	STD
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	(\$23.00)
726-001	SINGLE ELECTRIC HORN	STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME	STD
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS	STD
302-047	LED AERODYNAMIC MARKER LIGHTS	STD
311-998	NO DAYTIME RUNNING LIGHTS	(\$21.00)
294-1A6	GROTE #54332 LED STOP/TAIL/TURN LIGHTS GROMMET MOUNTED WITH SEPARATE GROTE #62401 LED BACKUP LIGHTS	\$311.00
300-015	STANDARD FRONT TURN SIGNAL LAMPS	STD
744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE	STD
797-001	DOOR MOUNTED MIRRORS	STD
796-001	102 INCH EQUIPMENT WIDTH	STD
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	STD
74A-001	RH DOWN VIEW MIRROR	\$21.00
729-001	STANDARD SIDE/REAR REFLECTORS	STD
677-054	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER	\$87.00
768-043	63X14 INCH TINTED REAR WINDOW	STD
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS	(\$117.00)
654-011	RH AND LH ELECTRIC POWERED WINDOWS	STD
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD	STD



ALLISON VACCON MY26

07/10/2025 3:59 PM

Data Code	Description	Retail Price
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR	\$15.00
Cab Interior		
055-019	RUGGED TRIM PACKAGE	STD
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"	STD
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)	STD
706-013	MOLDED DOOR PANEL	STD
708-013	MOLDED PLASTIC DOOR PANEL	STD
772-006	BLACK MATS WITH SINGLE INSULATION	STD
785-026	(1)DASH MOUNTED 12V POWER OUTLET, (1)DASH MOUNTED DUAL USB-C OUTLET	\$42.00
691-001	FORWARD ROOF MOUNTED CONSOLE	STD
696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	\$26.00
693-035	LH AND RH KICKPLATES	\$131.00
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY	STD
742-007	(2) CUP HOLDERS LH AND RH DASH	STD
680-029	M2/SD DASH	STD
720-003	5 LB. FIRE EXTINGUISHER	\$60.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER	STD
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE	\$31.00
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH	STD
170-015	STANDARD HEATER PLUMBING	STD
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR	STD
702-002	BINARY CONTROL, R-134A	STD
739-034	PREMIUM INSULATION	\$145.00
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES	STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM	STD
324-1B2	PREMIUM LED CAB LIGHTING	\$50.00
787-998	NO SECURITY DEVICE	N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME	STD
78G-004	KEY QUANTITY OF 4	\$18.00
655-005	LH AND RH ELECTRIC DOOR LOCKS	STD
740-998	NO MATTRESS	STD



Data Code	Description	Retail Price
756-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	\$414.00
760-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	\$255.00
759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	\$138.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	STD
758-143	RUGGED CLOTH BLACK WITH GRAY DRIVER SEAT	STD
761-143	RUGGED CLOTH BLACK WITH GRAY PASSENGER SEAT	STD
763-103	BLACK SEAT BELTS WITH DRIVER INDICATOR LIGHT AND AUDIBLE ALARM	\$30.00
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	STD
540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS	STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS	STD
Instruments & Cor	ntrols	
106-002	ELECTRONIC ACCELERATOR CONTROL	STD
732-998	NO INSTRUMENT PANEL-DRIVER	STD
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS	STD
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS	STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM	STD
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE	STD
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	\$25.00
721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM	\$77.00
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES	STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY	STD
157-007	MANUAL REMOTE ENGINE STOP/START WITH PTO RE-ENGAGE	\$81.00



Data Code	Description	Retail Price
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY	STD
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY	STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH	STD
844-001	2 INCH ELECTRIC FUEL GAUGE	STD
845-011	FUEL FILTER RESTRICTION INDICATOR	STD
148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE	\$134.00
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS	\$79.00
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR	N/C
866-019	DIGITAL DUAL REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELDS	\$90.00
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	STD
854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY	STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE	STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	\$30.00
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER	STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	STD
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE	\$60.00
736-998	NO OBSTACLE DETECTION SYSTEM	(\$4,324.00)
72J-998	NO DR ASSIST SYSTEM	(\$32.00)
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL	(\$1,019.00)
73B-998	NO LANE DEPARTURE WARNING SYSTEM	(\$1,080.00)
679-998	NO OVERHEAD INSTRUMENT PANEL	STD
1U1-005	RAM MOUNT OVERHEAD CONSOLE WITHOUT POWER AND GROUND	\$46.00
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE	STD
747-001	DASH MOUNTED RADIO	STD
750-002	(2) RADIO SPEAKERS IN CAB	STD



Data Code	Description	Retail Price
753-998	NO AM/FM RADIO ANTENNA	STD
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD	N/C
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION	N/C
752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD	\$53.00
75W-002	SHARKFIN MULTI-BAND ANTENNA, RIGHT HAND BIAS ROOF MOUNTING LOCATION: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS	STD
78C-003	INTEROPERABLE SDAR ANTENNA	STD
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER	STD
817-001	STANDARD VEHICLE SPEED SENSOR	STD
812-001	ELECTRONIC 3000 RPM TACHOMETER	STD
813-1C8	DETROIT CONNECT PLATFORM HARDWARE	STD
8D1-213	3 YEARS DETROIT CONNECT BASE PACKAGE(FEATURES VARY BY MODEL) DETROIT CONNECT PLATFORM	STD
6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE	\$40.00
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP	STD
329-127	TWO EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT	\$105.00
4C1-025	HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER	\$15.00
4C2-025	HARDWIRE SWITCH #2, ON/OFF LATCHING, 20 AMPS IGNITION POWER	\$15.00
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY	\$43.00
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN	STD
883-998	NO TRAILER HAND CONTROL BRAKE VALVE	STD
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY	STD
660-001	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES	\$17.00
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS	N/C



Prepared by: Skylar Dyreng PREMIER TRUCK GROUP 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone:

D	Data Code	Description	Retail Price
8	82-018	ONE VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR	\$39.00
2	99-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT	STD
2	98-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY	STD
8	7T-998	NO WRG/SW-OPTL #2,CHAS,AIR	STD
Design			
0	65-000	PAINT: ONE SOLID COLOR	STD
Color			
9	80-5F6	CAB COLOR A: L0006EY WHITE ELITE EY	STD
9	86-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	STD
9	64-020	STANDARD BLACK BUMPER PAINT	STD
9	63-003	STANDARD E COAT/UNDERCOATING	STD
Certificat	ion / Compl	iance	
9	96-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS	STD
Secondar	ry Factory C	Options	
9	98-001	CORPORATE PDI CENTER IN-SERVICE ONLY	N/C

Adjusted List Price

Adjusted List Price ** \$212,116.00

I T E M S N O T I N C L U D E D I N A D J U S T E D L I S T P R I C E

TOTAL VEHICLE SUMMARY

Other Factory Charges

RD1-213 3 YEARS DETROIT CONNECT BASE PACKAGE(FEATURES VARY BY

MODEL) DETROIT CONNECT PLATFORM

PAT-025 STEEL, ALUMINUM, AND CHINA TARIFF IMPACT FEE 108/114 SD

AND M2 106/112



07/10/2025 3:59 PM

STD

\$1,500.00

Prepared by:
Skylar Dyreng
PREMIER TRUCK GROUP
2240 SOUTH 5370 WEST
SALT LAKE CITY, UT 84120
Phone:

 R26-001
 MY26 ESCALATOR
 \$3,750.00

 P73-2FT
 STANDARD DESTINATION CHARGE
 \$3,375.00

Extended Warranty

WAG-074 TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING
COVERAGE \$750 CAP FEX APPLIES

\$230.00

0 1 2 1 0 1 0 1 0 1 1 2 1 7 1 1 2 1 2 0


Currency Exchange Rate 1.0000
Total Extended Warranty (Local Currency) \$230.00

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Prepared by: Skylar Dyreng PREMIER TRUCK GROUP 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone:



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model	114SD
Wheelbase (545)	6725MM (265 INCH) WHEELBASE
Rear Frame Overhang (552)	2275MM (90 INCH) REAR FRAME OVERHANG
Fifth Wheel (578)	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
Amount of Slide Travel (in)	0
Slide Increment (in)	0
Desired Slide Position (in)	0.0
Cab Size (829)	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016)RH OUTBOARD UNDER STEP WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY
Cab to Body Clearance (in)	3.0

TABLE SUMMARY - DIMENSIONS



Prepared by: Skylar Dyreng PREMIER TRUCK GROUP 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone:

Dimensions	Inches
Bumper to Back of Cab (BBC)	125.0
Bumper to Centerline of Front Axle (BA)	41.5
Front Axle to Back of Cab (AC)	83.5
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	181.3
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	178.3
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	270.9
Cab Height (CH)	71.9
Wheelbase (WB)	264.8
Frame Overhang (OH)	89.6
Overall Frame Length	394.0
Overall Length (OAL)	395.9
Rear Axle Spacing	55.0
Unladen Frame Height at Centerline of Rear Axle	42.8

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



Prepared for: SHAD EVA SANTAQUIN CITY 275 W MAIN ST SANTAQUIN, UT 84655

Phone: 801-754-1970

Prepared by: Skylar Dyreng PREMIER TRUCK GROUP 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone:

QUOTATION

114SD PLUS CONVENTIONAL CHASSIS

SET FORWARD AXLE - TRUCK

DETROIT DD13 GEN 5 12.8L 505 HP @ 1625 RPM, 1900 GOV RPM, 1850 LB/FT @ 975 RPM

ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

MERITOR RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE WITH PUMP

TUFTRAC GEN2 46,000# REAR SPRING SUSPENSION MERITOR MFS-20-133A 22,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE

23,000# FLAT LEAF FRONT SUSPENSION

114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL 6725MM (265 INCH) WHEELBASE NO FIFTH WHEEL 11/32X3-1/2X10-15/16 INCH STEEL FRAME

(8.73MMX277.8MM/0.344X10.94 INCH) 120KSI 2275MM (90 INCH) REAR FRAME OVERHANG 1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

		PER UNIT	TOTAL
VEHICLE PRICE T	OTAL # OF UNITS (1)	\$ 141,366	\$ 141,366
EXTENDED WARRANTY		\$ 230	\$ 230
DEALER INSTALLED OPTIONS		\$ 0	\$ 0
CUSTOMER PRICE BEFORE TAX		\$ 141,596	\$ 141,596
TAXES AND FEES			
FEDERAL EXCISE TAX (FET)		\$ (310)	\$ (310)
TAXES AND FEES		\$ 0	\$ 0
OTHER CHARGES		\$ 0	\$ 0
TRADE-IN			
TRADE-IN ALLOWANCE		\$ (0)	\$ (0)
BALANCE DUE	(LOCAL CURRENCY)	\$ 141,286	\$ 141,286

*PRICE INCLUDES \$1,500 TARIFF FEE. THIS TARIFF IS VALID FOR UNITS WITH A SCHEDULED BUILD DATE BETWEEN 8/4 AND 10/31. FUTURE TARIFF FEES WILL NOT EXCEED \$2,000 IF ORDER IS RECEIVED BY 10/17.

APPROVAL: Please indicate your acceptance of this quotation by signing below:		
Customer: X	Date://	



Prepared for: SHAD EVA SANTAQUIN CITY 275 W MAIN ST SANTAQUIN, UT 84655

Phone: 801-754-1970

Prepared by: Skylar Dyreng PREMIER TRUCK GROUP 2240 SOUTH 5370 WEST SALT LAKE CITY, UT 84120 Phone:

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

