



234650-01

Dec 16, 2025

SARATOGA TOWN OF ATTN: A/P

PO BOX 486  
SARATOGA, Wyoming 82331



Dear Emery,

Thank you for this opportunity to quote Caterpillar products for your business needs. I am pleased to quote the following for your purchase consideration.

One (1) Used Caterpillar Inc. Model: 299D3 XE Compact Construction Equipment with all standard equipment in addition to the additional specifications listed below:

**STOCK NUMBER:** LB31682

**SERIAL NUMBER:** 0LB301682

**YEAR:** 2022

**SMU:** 959

Thank you for your interest in Wyoming Machinery Company and Caterpillar products for your business needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Drew Stone  
Machine Sales Representative  
Wyoming Machinery Company  
AJStone@wyomingcat.com  
307-251-3910

**One (1) Used Caterpillar Inc. Model: 299D3 XE Compact Construction Equipment with all standard equipment in addition to the additional specifications listed below:**

**STANDARD EQUIPMENT**

**POWERTRAIN** -Cat C3.8 turbo aftercooled diesel engine --Gross horsepower per SAE J1349 -110 hp (82 kW) @ 2400 RPM --Electric fuel priming pump --Air inlet heater starting aid --Liquid cooled, direct injection -Air cleaner, dual element, radial seal -S-O-S sampling valve, hydraulic oil -Filter, cartridge type, hydraulic -Filters, canister type, fuel -and water separator -Radiator/hydraulic oil -cooler (side-by-side) -Spring applied, hydraulically released, -wet multi disc parking brakes -Hydrostatic transmission

**UNDERCARRIAGE** -Triple flange idler - front and rear -Suspension - independent torsion axle(4) -Two speed travel with ride control -

**HYDRAULICS** -High flow: 40 gpm (150 lpm) max -High flow Pressure: 4061 psi -28000 kPa max -Continuous flow -Hydraulics, proportional -Worktool harness -CONTROLS: -Electro/hydraulic implement control -Electro/hydraulic hydrostatic -Transmission control -Speed Sensor Guarding -

**STARTERS, BATTERIES, & ALTERNATORS** -1000 CCA heavy duty battery w/disconnect -

**ELECTRICAL** -12 Volt electrical system -100 ampere alternator -Ignition key start / stop / aux switch -Lights: --Gauge backlighting --Two rear tail lights --Dome light -Backup alarm -Electrical outlet, beacon -

**OPERATOR ENVIRONMENT** -Operator warning system indicators: --Air filter restriction --Alternator output --Armrest raised / operator out of seat --Engine coolant temperature --Engine oil pressure --Air inlet heater activation --Hydraulic filter restriction --Hydraulic oil temperature --Park brake engages --Engine emission system -Gauges: DEF level, fuel level, -hour meter and tachometer -Storage compartment with netting -Seat, comfort, air suspension, cloth, -heat --High back heated seat with recline --Lumbar support --Fully adjustable seat mounted -controls -Ergonomic contoured armrest -Control interlock system, when operator -leaves seat or armrest raised : --Hydraulic system disables --Hydrostatic transmission disables --Parking brake engages -ROPS, Cab, enclosed (C3), tilt up: --Air conditioner incl heater/defroster --Side windows --Cup holder -FOPS, Level I -Top and rear windows -Deluxe headliner -Floormat -Interior rear view mirror -12V Electric socket -Horn -Hand (dial) & foot throttle, electronic -Dual direction electronic self level - (raise and lower) -Work tool return to dig -Work tool positioner -Electronic snubbing (lift) -Advanced LCD display --Full color 5 inch LCD screen --Advanced anti-theft security system -with 50 user code capability --Rear view camera

**FRAMES** -Lift linkage, vertical path -Chassis, one piece welded -Machine tie down points (6) -Belly pan cleanout -Support, lift arm -Cast rear bumper -Ventilated rear door with integrated -sealing

**OTHER STANDARD EQUIPMENT** -Engine enclosure - lockable -Extended life antifreeze (-37C, -34F) -Work tool coupler -Hydraulic oil level sight gauge -Radiator coolant level sight gauge -Radiator expansion bottle -Cat ToughGuard TM hose -Heavy duty quick disconnects with -integrated pressure release -Split d-ring to route work tool hoses -along side of left lift arm -Variable speed hydraulic cooling fan -Per SAE J818-2007 and EN 474-3:2006 and -ISO 14397-1:2007

**MACHINE SPECIFICATIONS**

299D3 XE CTL LAND MANAGEMENT	563-3820	MOUNTING, FIRE EXTINGUISHER	563-7518
HEATER, ENGINE COOLANT, 120V	345-3556	PRODUCT LINK, CELLULAR PL243	566-7115
REAR LIGHTS	356-6082	LAND MANAGEMENT PKG, (LM2)	570-9870
TRACK,RUBBER,400MM(15.7IN)BLCK	389-7673	DOOR, CAB, POLYCARBONATE	586-1308
FILM, RIDE CONTROL, ANSI	422-3445	CAB PACKAGE, ULTRA	588-9141
FILM, SELF LEVEL, ANSI	435-9238	QUICK COUPLER, HYDRAULIC	589-8297
INSTRUCTIONS, ANSI, USA	512-4284	BUCKET-GP, 80", BASE EDGE	279-5376
SEAT BELT, 2"	542-6994	CARRIAGE, PAL C2, 46", SSL	351-9371
CERTIFICATION ARR, P65	563-1163	FORK, PAL C2, 48" X 4" X 1.6"	195-8545

---

SELL PRICE	\$83,500.00
LESS GROSS TRADE ALLOWANCE	(\$22,000.00)
<b>NET TRADE ALLOWANCE</b>	<b>(\$22,000.00)</b>
<b>NET BALANCE DUE</b>	<b>\$61,500.00</b>
<b>AFTER TAX BALANCE</b>	<b>\$61,500.00</b>

---

**TRADE-INS**

Model	Make	Serial Number	Year	Trade Allowance
262C2	CATERPILLAR INC. (AA)	TMW00262	2012	\$22,000.00

**WARRANTY & COVERAGE**

**F.O.B./TERMS:**  
Saratoga

**PAYMENT TERMS**