

Daimler Truck #032824-DAI

Pricing for contract #032824-DAI offers Sourcewell participating agencies the following discounts:

• 22% - 41% off standard pricing







GORDON TRUCK CENTERS DEALER FAMILY

City Of Sandpoint, Account 138917 MY26 Freightliner 114SD Quote Details Sourcewell Contract 032824-DAI

Freightliner 114SD Chassis Pricing:

Cab & Chassis Retail Price \$183,971.00

Sourcewell Discount \$(58,870.72)

Chassis Subtotal: \$125,100.28

Additional Items:

Cobalt Installed 12' Dump Body

And Complete Hydraulics Package \$106,500.00

Summary

Chassis Price \$125,100.28

Additional Items Total \$106,500.00

Admin Fee \$200.00

Total Sale Price \$231,800.28





of HAWAII

GORDON TRUCK CENTERS DEALER FAMILY

VEHICL	FP	URCH	ASF.	AGR	FFM	FNT
V LI II C L		\mathbf{o}	$\neg \circ \vdash$	701		

TOLL FREE ALL STORES 800-523-8014

Buyer's Name City Of Sandpoin	t	Order Date	4 /2 /2025
Address 1123 Lake St		Estimated Delivery Date	TBD / /2025
City Sandpoint	State ID Zip 83	Sales Rep Conrad Eubanks	
Business Phone (208) 265-1487			pointidaho.gov
Quantity Ordered	1	Stock Number TBD	✓ New
Base Price Per Unit	\$ 125,100.28	VIN Number TBD	Used
Federal Excise Tax Per Unit	\$	Year 2026 Color White	
Subtotal Price Per Unit	\$ 125,100.28	Make Freightliner	
Additional Description		Model 114SD Plus	
Sourcewell Contract # 032824-DA	I	Tractor/Truck/Trailer Dump Truck	
Customer Sourcewell Account # 1			
*additional charges due to tariffs a	ind/or material surcharges	TRADE IN: CONDITION REP	ORT REQUIRE
not included and are to be determine	ined when materials are	Voor Make Mee	dal
procured for factory assembly		Year Make Moo	
		Body Type Col	
Additional Items Per Unit (Not inc	cluded in base price)	VIN Number Loan Balance Owed To	
	\$	Address	
Cobalt Upfit	\$ 106,500.00	CityState	
	\$		
	_ \$	Trade Allowance \$	
	\$	Balance Owing \$	
	\$	Equity \$ 0.00	
	\$		□ Nampa, ID
Administration Fee	\$ 200.00	SALES LOCATION	(208) 461-4751
Title/Transfer Fee Per Unit	\$	Mt. Vernon, WA	☐ Hermiston, OR
Trip/Fuel Permit Per Unit	\$	(877) 848-0472	(800) 657-5408
Subtotal:	\$ 231,800.28	Pacific, WA	☐ La Grande, OR
Sales Tax Rate:%	\$ 0.00	(800) 282-0699	(800) 843-1195
Less: Deposit	\$ 0.00	Olympia, WA	Coburg, OR
Less: Cash Down Payment	\$ 0.00	(855) 245-4635	(541) 225-2030
Less: Net Trade-in Allowed	\$ 0.00	Ridgefield, WA (360) 887-7562	Redmond, OR (541) 548-7497
Unpaid Balance	\$ 231,800.28	200 Section (1 € 200 S	
(DUEONDELIVERY)		Spokane, WA (888) 744-0390	Medford, OR (541) 779-4622
Signature X	_	Union Gap, WA (800)!378-9478	Kapolei, HI (808) 682-4315
Date X		(000).010 0410	
	pa	ge 1 of 2	Redding, CA (530) 241-4412

VEHICLE PURCHASE AGREEMENT

Date _

Buyer's Name City Of Sandpoint	Order Date	4 /2 /2025
Sales Rep Conrad Eubanks		
EXCLUSION OF WARRANTIES: Any warranties on the products sold hereby and agrees that Gordon Truck Centers Inc. makes no warranties of any kind, expr merchantability or fitness for a particular purpose, with regard to the products pur incidental or consequential damages or commercial losses arising out of such pur on this purchase. Extended warranties are available for purchase at time of sale by Agreement. Tax, title and license are the purchaser's responsibility.	ress or implied, and disclaims all warrantie chased; and that in no event shall Gordon Techase. This disclaimer does not affect the	es including warranties of Fruck Centers Inc. be liable for manufacturer's warranties, if any
PRICE INCREASES: Prices are subject to change in the event of manufacturer notice of any price increase and given no less than 14 calendar days to accept the	imposed surcharges or price increases. Proprice increase or cancel the order at no ch	urchasers will receive written narge.
VEHICLE DELIVERY TERMS: Vehicles must be paid in full prior to custom received from OEM and are ready for delivery. From the day of notification cust Inc. (GTC) any amount still owed on the vehicle and take possession of vehicle. additional daily flooring charges until payment is received in full. All deposits or required prior to vehicle pick up or delivery.	tomer will have fourteen (14) calendar day Vehicles not funded after fourteen calenda	ys to fund Gordon Truck Centers ar days will be subject to
FEDERAL EXCISE TAX: (Applicable) Federal Excise Tax will be invoiced a provide a signed exemption certificate specific to the vehicles being sold at time		
GORDONTRUCK CENTERS INC. (GTC) PREFERRED METHO	D OF PAYMENT:	
 In-House Finance Automated Clearing House (ACH) Wire Transfer a. Instructions are available for customer reference Cashier's Check 		
 a. Must be from local banks only – out of state transactions are wire tr b. Must be payable to Gordon Truck Centers Inc. 	ansfer/ACH only	
Purchaser agrees that the VEHICLE PURCHASE AGREEMENT (VPA supersedes any prior VPA and as of the date hereof comprises an exclus subject matter covered hereby. THIS AGREEMENT SHALL NOT B DEALER as evidenced below. Purchaser by their execution of this agrand conditions and has received a true copy of this agreement.	ive statement of the terms of this agre ECOME BINDING UNTIL ACCE	eement relating to the PTED BY THE
Purchaser's Acceptance Purchaser's Name (Please Print) Name of Authorized Representative Title of Authorized Representative		
Signature of Authorized Representative X		
Date X		
Gordon Truck Centers Inc. Accepted This Date By:		
X	Sales Manager	



www.cobalttruck.com

CUSTOMER: Freightliner Northwest

CONTACT: Conrad

ADDRESS: 10310 W Westbow Blvd

Spokane WA 99224

PHONE: (509) 991-4374

FAX/Email: Jim.banner@freightlinernw.com

Make: FREIGHTLINER	Model: 114SD	Year: 2025	GVWR: 41000	Single/Dual: DRW
CA / CT: 106.5 /	Fuel Type:	4x2 / 4x4: 4X2	Trans: AUTOMATIC	Cab Type: CONVENTIONAL

QUANTITY	DESCRIPTION	
1		
1	Beau-Roc DCS - 12' x 30" x 36" Dump Body - Side height 30" Hardox 450 .177" Steel, folded top rail - Floor Trapezoidal design Hardox 450 .250" - Front headboard 68" Hardox 450 1/8" Steel - Tailgate 36" Hardox .177" Steel, straight, double acting, electric/air TG release	
	latch, spreader chains. Center rotary coal door - Heavy duty 35-ton rear hinge assembly - Oval STT lights in rear corner posts	
	- Sideboard pockets flush with headboard and rear corner posts. Tapered top rear posts - 24" Cab Shield A36 10ga	
	- Folding side access ladder attached to left front corner of body - Hoist 12" deep dog house, inverted front telescopic cylinder G3 110-5-3 - Body prop kit - Mounting kit	
	 Cobalt painted Single Stage Urethane Gray, Customer to provide paint code Cobalt Mud flaps Cobalt fab 2" x 8" steel tube sideboards - Paint Black Cobalt fab (2) shovel holders mounted on SS front bulkhead 	
1	Buyers 1702300 underbody toolbox mounted to SS frame rail: - 30"w x 18"d x 18"h - Stainless steel T-handle latching system - Stainless steel continues hinge - 14 gauge steel box and 12 gauge steel door - Black	
1	Force America Hydraulics Package - Wet spline Hot shift PTO to fit Allison 3000RDS - Load sense pump - VT35 combination valve and 35 gal reservoir - 2" Brass Ball Valve - Temp level sender with slosh shield	



www.cobalttruck.com

QUANTITY	DESCRIPTION	THE REAL PROPERTY.	
	- 10 micron synthetic Z-glass element filter - Add A-Stack Valve - 3-Way SA truck hoist - Filter Elements - Full port high PSI ball valve 5000 PSI - Incontrol Air console with joystick for hoist operation - Warning lights for body up, low/hot oil - Aux power switches; work light, open, open - Body angle limit proximity sensor		
1	Equipment Trailer Buck Plate Hitch - 3/4" flat plate hitch - 30 ton pintle hitch - Install chassis provided STT lights in hitch plate Install chassis provided 7-way plug - 2 - weld on D-rings		
1	Lighting - (1) Round beacon light installed on center leading edge of cab guard with bracket and branch guard, wired to chassis beacon switch - (2) 6" Oval strobe lights installed in rear corner post of dump body, wired to chassis beacon switch - (1) LED work light installed on rear hitch and wired to console aux switch labeled work light.		
1	Aero Tarp Manual pull supplied and installed		
1	Tariff Fee estimate. \$3,000.00 Actual to be billed on final invoice.		

Phone: 208-265-1487

Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

CONDENSED SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Vehicle Configurati	on			
001-177	114SD PLUS CONVENTIONAL CHASSIS	7,934	6,476	
002-003	SET FORWARD AXLE - TRUCK			
Engine				
101-3BU	CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM	-850	-70	
Engine Equipment				
128-1AN	C-BRAKE BY JACOBS WITH HIGH MED LOW BRAKE WITH BRAKE LAMPS	80		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	
Transmission				
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			
Front Axle and Equ	ipment			
400-1AB	MERITOR MFS-18-133A 18,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	250		
Front Suspension				
620-005	18,000# FLAT LEAF FRONT SUSPENSION	290		
Rear Axle and Equi	pment			
420-051	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,270	
421-513	5.13 REAR AXLE RATIO			
Rear Suspension				
622-001	23,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD		-460	
Wheelbase & Frame				
545-482	4825MM (190 INCH) WHEELBASE			
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	20	30	
Fuel Tanks				
204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10		



Rod Berget SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864 UNITED STATES

Phone: 208-265-1487

Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224

Phone:

Data Code	Description	Weight Front	Weight Rear	
Tires	The state of the s	The second		
093-1RJ	MICHELIN X WORKS Z 315/80R22.5 20 PLY RADIAL FRONT TIRES	100		
094-0GP	MICHELIN XDN2 11R22.5 16 PLY RADIAL REAR TIRES	DIAL REAR 80		
Wheels				
502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66		
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		52	
Cab Exterior				
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
Color				
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
Weight Summary				
	Weight Front		Weight Rear	Total Weight
Factory Weight+	8099 lbs		4216 lbs	12315 lbs
Total Weight+	8099 lbs		4216 lbs	12315 lbs
	ITEMS NOT INCLUDED IN AD	JUSTED LIST		

DELIVERY & ORDER PROCESSING CHARGE



⁽⁺⁾ Weights Shown are estimates only.

If weight is critical, contact Customer Application Engineering.

^(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

^(***)All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear
Price Level		100 Sign	
PRL-29D	SD PRL-29D (EFF:MY26 ORDERS)		
Data Version			
DRL-034	SPECPRO21 DATA RELEASE VER 034		
Vehicle Config	uration		
001-177	114SD PLUS CONVENTIONAL CHASSIS	7,934	6,476
004-226	2026 MODEL YEAR SPECIFIED		
002-003	SET FORWARD AXLE - TRUCK		
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10
003-001	LH PRIMARY STEERING LOCATION		
General Servic	e de la companya del companya de la companya del companya de la co		
AA1-003	TRUCK/TRAILER CONFIGURATION		
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
99D-027	EPA CLEAN IDLE LABEL FOR INITIAL REGISTRATION IN EPA OR ACT STATES - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)		
A85-011	CONSTRUCTION SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-010	DIRT/SAND/ROCK COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1AE	FREIGHTLINER LEVEL II WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD 18000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD 23000.0 lbs		



Rod Berget SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864 UNITED STATES Prepared by:
Conrad Eubanks
FREIGHTLINER NORTHWEST
10310 W WESTBOW ROAD

SPOKANE, WA 99224 Phone :

OITIL	_	OTATEO
Phone		208-265-1487

Data Code	Description	Weight Front	Weight Rear
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY 41000.0 lbs		
A70-99D	EXPECTED GROSS COMBINATION WEIGHT 80000.0 lbs		
Truck Service			
AA3-004	END DUMP BODY		
AF3-1N5	COBALT TRUCK EQUIPMENT		
RTK-1AA	APPROVAL TO SHARE SPEC WITH TEM		
Engine			
101-3BU	CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM	-850	-70
Electronic Para	ameters		
79A-070	70 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND		
79W-024	CRUISE CONTROL BUTTON PTO CONTROL		
80G-015	PTO MINIMUM RPM - 800		
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
80S-004	PTO 1, DASH SWITCH, ENGAGE WHILE DRIVING		
Engine Equipm	nent		
99C-024	EPA 2010/GHG 2024 CONFIGURATION		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		



SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED

(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA.

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE

555RC, THREADED STUD BATTERIES

BATTERY BOX FRAME MOUNTED

DONALDSON AIR CLEANER

014-099

124-1D7

292-236

290-017

Phone: 208-265-1487

Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone :

Data Code	Description	Weight Front	Weight Rear
281-001	STANDARD BATTERY JUMPERS		
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		
293-060	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, LOCKING IN CAB CONTROL SWITCH MOUNTED " OUTBOARD OF DRIVER SEAT	2	
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2	
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2	
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-1AN	C-BRAKE BY JACOBS WITH HIGH MED LOW BRAKE WITH BRAKE LAMPS	80	
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B- PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER		
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)		
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH		



Rod Berget SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864 UNITED STATES Phone: 208-265-1487

Prepared by: Conrad Eubanks

FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224

Phone:

Data Code	Description	Weight Front	Weight Rear
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER		
120-998	NO COOLANT FILTER	-10	
266-017	1300 SQUARE INCH ALUMINUM RADIATOR	-50	
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-016	RADIATOR DRAIN VALVE		
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	-35	
Transmission			
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION		
Transmission E	Equipment		
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV		
84B-002	ALLISON VOCATIONAL RATING FOR CONCRETE MIXER APPLICATIONS ONLY AVAILABLE WITH 3000 PRODUCT FAMILIES		
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		



Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

Da	ata Code	Description	Weight Front	Weight Rear
84	F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84	4G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84	1H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84	K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY		
84	IN-004	FUEL SENSE 2.0 PLUS - DYNACTIVE: PERFORMANCE, NEUTRAL AT STOP: ACTIVE		
84	IU-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
84	V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS		
35	53-075	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH CAP		
34	IC-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR		
36	32-2JT	CUSTOMER INSTALLED CHELSEA 281 SERIES PTO		
36	33-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON		
34	11-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
34	15-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED		
97	'G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
37	70-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	-15	
34	16-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35	5T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front	Axle and I	Equipment		
40	00-1AB	MERITOR MFS-18-133A 18,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	250	
40	02-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
552				



403-002

NON-ASBESTOS FRONT BRAKE LINING

Rod Berget SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864

UNITED STATES Phone: 208-265-1487 Prepared by: Conrad Eubanks

FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD

SPOKANE, WA 99224 Phone:

Data Code	Description	Weight Front	Weight Rear
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
406-001	STANDARD KING PIN BUSHINGS		
536-012	TRW TAS-85 POWER STEERING	40	
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		
Front Suspe	nsion		
620-005	18,000# FLAT LEAF FRONT SUSPENSION	290	
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION		
410-998	NO FRONT SHOCK ABSORBERS	-30	
Rear Axle ar	nd Equipment		
420-051	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,270
421-513	5.13 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-094	RPL14 MERITOR SERVICE-FREE MAIN DRIVELINE WITH HALF ROUND (17T) YOKES		
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE		
87B-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		





Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

Data Code	Description	Weight Front	Weight Rear
433-002	NON-ASBESTOS REAR BRAKE LINING		9
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)		
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		-10
440-006	REAR OIL SEALS		
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		
Rear Suspensi	on		
622-001	23,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD		-460
621-001	SPRING SUSPENSION - NO AXLE SPACERS		
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
623-005	FORE/AFT CONTROL RODS		
Pusher / Tag E	quipment		
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS		
Brake System			
490-100	WABCO 4S/4M ABS		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		



Rod Berget SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864 UNITED STATES Phone: 208-265-1487 Prepared by: Conrad Eubanks

FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224

Phone:

Data Cada	Paradiation	W	W : 14 B
Data Code	Description	Weight Front	Weight Rear
479-015	AIR DRYER FRAME MOUNTED		
460-001	STEEL AIR BRAKE RESERVOIRS		
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
Trailer Connec	tions		
481-998	NO TRAILER AIR HOSE		
476-998	NO AIR HOSE HANGER		
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS		
296-026	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE		
50V-002	PDI INSTALLED ELECTRIC BRAKE CONTROLLER		
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME		
310-998	NO TRAILER ELECTRICAL CABLE		
Wheelbase & F	rame		
545-482	4825MM (190 INCH) WHEELBASE		
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	20	30
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	130	355
552-030	1600MM (63 INCH) REAR FRAME OVERHANG		

FRAME OVERHANG RANGE: 61 INCH TO 70 INCH

CALCULATED EFFECTIVE BACK OF CAB TO REAR

CALC'D FRAME LENGTH - OVERALL 269.92 in

CALCULATED FRAME SPACE LH SIDE 70.08 in

CALCULATED FRAME SPACE RH SIDE 73.88 in

CALC'D SPACE AVAILABLE FOR DECKPLATE 0.0 in

SUSPENSION C/L (CA) 103.5 in

CALC'D BACK OF CAB TO REAR SUSP C/L (CA) 106.5 in

Application Version 12.0.205 Data Version PRL-29D.034 CityofSandpoint-SD114

55W-006

AC8-99D

AE8-99D

AE4-99D

FSS-0LH

FSS-0RH

AM6-99D



04/02/2025 02:55 PM Page 8 of 18

Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

	Data Code	Description	Weight Front	Weight Rear
	553-001	SQUARE END OF FRAME		
	550-001	FRONT CLOSING CROSSMEMBER		
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
	572-001	STANDARD REARMOST CROSSMEMBER		
	565-001	STANDARD SUSPENSION CROSSMEMBER		
Ch	assis Equipn	nent		
	556-1AG	16.5 INCH PAINTED STEEL STRAIGHT BUMPER		
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
	585-998	NO MUDFLAP BRACKETS		
	590-998	NO REAR MUDFLAPS		
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
Fiff	th Wheel			
	578-998	NO FIFTH WHEEL		
Fue	el Tanks			
	204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	
	218-006	25 INCH DIAMETER FUEL TANK(S)		
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-001	FUEL TANK CAP(S)		
	122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10	
	216-020	EQUIFLO INBOARD FUEL SYSTEM		



Prepared For: Rod Berget SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864

UNITED STATES
Phone: 208-265-1487

Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST

10310 W WESTBOW ROAD SPOKANE, WA 99224

Phone:

Data Code	Description	Weight Front	Weight Rear
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
093-1RJ	MICHELIN X WORKS Z 315/80R22.5 20 PLY RADIAL FRONT TIRES	100	
094-0GP	MICHELIN XDN2 11R22.5 16 PLY RADIAL REAR TIRES		80
Hubs			
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels			
502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5- HAND STEEL DISC FRONT WHEELS	66	
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS		52
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
Cab Exterior			
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTING		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
667-001	FRONT FENDERS		
678-001	LH AND RH GRAB HANDLES		
646-041	STATIONARY BLACK GRILLE		
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
652-001	FREIGHTLINER NAME PLATES		y
690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5	
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK		



Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

Data Code	Description	Weight Front	Weight Rear
726-001	SINGLE ELECTRIC HORN		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS		
302-047	LED AERODYNAMIC MARKER LIGHTS		
315-062	RECTANGULAR CLEAR FOG LIGHTS MOUNTED UNDER BUMPER	6	
311-001	DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
318-002	(1) SWIVEL UTILITY LIGHT HIGH BACK OF CAB OR ROOF MOUNTED	3	
744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
74B-1B5	LH AND RH BRIGHT FINISH CROSS VIEW COMPLIANT HOOD MOUNTED CONVEX MIRRORS WITH SWING ARM MOUNTING	8	
729-001	STANDARD SIDE/REAR REFLECTORS		
677-054	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER		
768-043	63X14 INCH TINTED REAR WINDOW		
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS		
769-002	LOWER RH DOOR WINDOW WITH FRESNEL LENS '	7	
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD		
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR		



Rod Berget SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864 UNITED STATES Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

Phone : 208-265-1487

Data Code	Description	Weight Front	Weight Rear	
647-001	WHITE WINTERFRONT	2		
Cab Interior				
055-019	RUGGED TRIM PACKAGE			
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"			
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)			
706-013	MOLDED DOOR PANEL			
708-013	MOLDED PLASTIC DOOR PANEL			
772-006	BLACK MATS WITH SINGLE INSULATION			
785-026	(1)DASH MOUNTED 12V POWER OUTLET, (1)DASH MOUNTED DUAL USB-C OUTLET			
691-001	FORWARD ROOF MOUNTED CONSOLE			
693-036	LH DOOR STORAGE POCKET			
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
742-007	(2) CUP HOLDERS LH AND RH DASH			
680-029	M2/SD DASH			
720-003	5 LB. FIRE EXTINGUISHER	10		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			
701-001	STANDARD HVAC DUCTING			
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
170-015	STANDARD HEATER PLUMBING			
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-033	STANDARD INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			



Prepared For: Rod Berget SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864

UNITED STATES Phone : 208-265-1487 Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

Data	a Code	Description	Weight Front	Weight Rear
324	-1B3	STANDARD LED CAB LIGHTING		
787	-998	NO SECURITY DEVICE		
657	-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
78G	G-004	KEY QUANTITY OF 4		
655	-005	LH AND RH ELECTRIC DOOR LOCKS		
740-	-998	NO MATTRESS	-20	-15
756-	-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	*
760-	-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10
759-	-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	8	
711	-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-	-143	RUGGED CLOTH BLACK WITH GRAY DRIVER SEAT		
761-	-143	RUGGED CLOTH BLACK WITH GRAY PASSENGER SEAT		
763-	-101	BLACK SEAT BELTS		
532-	-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
540-	-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
765-	-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
Instrum	nents & C	Controls		
106-	-002	ELECTRONIC ACCELERATOR CONTROL		
732-	-998	NO INSTRUMENT PANEL-DRIVER		
734-	-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS		
87L-	-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK		
870-	-002	BRIGHT ARGENT FINISH GAUGE BEZELS		



Prepared For : Rod Berget

SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864 UNITED STATES Phone: 208-265-1487 Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST

10310 W WESTBOW ROAD SPOKANE, WA 99224

Phone:

Data Code	Description	Weight Front	Weight Rear
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
838-001	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE		
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF- ADJUSTING BACKUP ALARM		3
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS		
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS		
4CG-002	2 EXTRA PROGRAMMABLE SWITCHES/INDICATORS		
48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP		
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
864-022	DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-123	PTO CONTROLS FOR ENHANCED VEHICLE		



Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

Data Code	Description	Weight Front	Weight Rear
	ELECTRIC/ELECTRONIC ARCHITECTURE		
73H-014	(1) BACKUP CAMERA-END OF FRAME MOUNTED WITH 15 FOOT EXTRA LONG CABLE COILED AT END OF FRAME		
736-998	NO OBSTACLE DETECTION SYSTEM		
72J-998	NO DR ASSIST SYSTEM		
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
679-998	NO OVERHEAD INSTRUMENT PANEL		
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10	
1U1-002	TOP OF DASH RAM MOUNT WITHOUT POWER OR GROUND, FOR CUSTOMER FURNISHED DEVICE		
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE		
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-998	NO AM/FM RADIO ANTENNA		
748-044	UNIDEN PC78LTX FACTORY INSTALLED CB RADIO WITH SWR METER	5	
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
75W-998	NO MULTIBAND ANTENNA		
78C-004	INTEROPERABLE SDAR ANTENNA, SHIP LOOSE		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
813-1C8	DETROIT CONNECT PLATFORM HARDWARE		



Rod Berget SANDPOINT CITY OF 1123 Lake St Sandpoint, ID 83864 UNITED STATES Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone :

Phone : 208-265-1487

Data Code	Description	Weight Front	Weight Rear
8D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES		
6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		
482-001	BW TRACTOR PROTECTION VALVE		
883-001	TRAILER HAND CONTROL BRAKE VALVE		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		
87T-998	NO WRG/SW-OPTL #2,CHAS,AIR		
Design			
065-000	PAINT: ONE SOLID COLOR		
Color			
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
964-020	STANDARD BLACK BUMPER PAINT		
963-003	STANDARD E COAT/UNDERCOATING		



Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone :

Data Code Description Weight Front Weight Rear

Certification / Compliance

996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND

GLIDER KITS

Secondary Factory Options

998-032 CORPORATE PDI CENTER OPTION

INSTALLATION/MODIFICATION ONLY

Sales Programs

PMY-3D6 SD QUOTE SALES PROGRAM

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight Front	Weight Rear	Total Weight
Factory Weight+	8099 lbs	4216 lbs	12315 lbs
Total Weight+	8099 lbs	4216 lbs	12315 lbs

Other Factory Charges

PMV-024 GHG24 SURCHARGE - CUMMINS PCA-005 SOURCEWELL DEALER CHARGE

RD1-313 3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BYDETROIT CONNECT ON CUMMINS

ENGINES

RAG-020 CUMMINS TARIFF CHARGE - \$205

R26-001 MY26 ESCALATOR

P73-2FT STANDARD DESTINATION CHARGE



Phone: 208-265-1487

Prepared by: Conrad Eubanks FREIGHTLINER NORTHWEST 10310 W WESTBOW ROAD SPOKANE, WA 99224 Phone:

(+) Weights Shown are estimates only.

If weight is critical, contact Customer Application Engineering.

- (**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.
- (***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

