



GORDON TRUCK CENTERS DEALER FAMILY

City Of Sandpoint, Account 138917
MY2027 Freightliner 114SD Quote Details
Sourcewell Contract 032824-DAI

Freightliner 114SD Chassis Pricing:

Cab & Chassis Retail Price	\$189,908.96
Sourcewell Discount	\$(60,770.87)
Chassis Subtotal:	\$129,138.09

Additional Items:

Cobalt Installed 12' Dump Body And Complete Hydraulics Package	\$177,750.00
---	--------------

Summary

Chassis Price	\$129,138.09
Additional Items Total	\$177,750.00
Admin Fee	\$200.00
Total Sale Price	307,088.09

Prepared for:
Wes Albin
SANDPOINT CITY OF
1123 Lake St
Sandpoint, ID 83864
Phone: 208-946-2068


Prepared by:
Conrad Eubanks
FREIGHTLINER NORTHWEST
10310 W WESTBOW ROAD
SPOKANE, WA 99224
Phone:

A proposal for
SANDPOINT CITY OF

Prepared by
FREIGHTLINER NORTHWEST
Conrad Eubanks

Oct 16, 2025

Freightliner 114SD Plus



Components shown may not reflect all spec'd options and are not to scale



Prepared for:
Wes Albin
SANDPOINT CITY OF
1123 Lake St
Sandpoint, ID 83864
Phone: 208-946-2068

Prepared by:
Conrad Eubanks
FREIGHTLINER NORTHWEST
10310 W WESTBOW ROAD
SPOKANE, WA 99224
Phone:

Wes Albin,

Conrad Eubanks



Prepared for:
Wes Albin
SANDPOINT CITY OF
1123 Lake St
Sandpoint, ID 83864
Phone: 208-946-2068

Prepared by:
Conrad Eubanks
FREIGHTLINER NORTHWEST
10310 W WESTBOW ROAD
SPOKANE, WA 99224
Phone:

T A B L E O F C O N T E N T S

S P E C I F I C A T I O N P R O P O S A L	4
C O N D E N S E D S P E C I F I C A T I O N P R O P O S A L	19



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
Price Level			
PRL-30D	SD PRL-30D (EFF:MY27 ORDERS)		
Data Version			
DRL-009	SPECPRO21 DATA RELEASE VER 009		
Vehicle Configuration			
001-177	114SD PLUS CONVENTIONAL CHASSIS	7,934	6,476
004-227	2027 MODEL YEAR SPECIFIED		
002-003	SET FORWARD AXLE - TRUCK		
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10
003-001	LH PRIMARY STEERING LOCATION		
General Service			
AA1-003	TRUCK/TRAILER CONFIGURATION		
AA6-002	DOMICILED, USA 50 STATES (EPA CLEAN IDLE LABEL OR NO CLEAN IDLE REQUIRED)		
99D-027	EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)		
A85-011	CONSTRUCTION SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-010	DIRT/SAND/ROCK COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1AE	FREIGHTLINER LEVEL II WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 41000.0 lbs		



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs		
Truck Service			
AA3-004	END DUMP BODY		
AF3-1N5	COBALT TRUCK EQUIPMENT		
Engine			
101-3BU	CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM	-850	-70
Electronic Parameters			
79A-070	70 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND		
79W-024	CRUISE CONTROL BUTTON PTO CONTROL		
80G-015	PTO MINIMUM RPM - 800		
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
80S-004	PTO 1, DASH SWITCH, ENGAGE WHILE DRIVING		
80V-002	ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, DRIVING OPERATION		
Engine Equipment			
99C-024	EPA 2010/GHG 2024 CONFIGURATION		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES		
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		
293-060	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, LOCKING IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2	



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2	
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2	
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-1AN	C-BRAKE BY JACOBS WITH HIGH MED LOW BRAKE WITH BRAKE LAMPS	80	
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER		
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)		
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH		
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER		
120-998	NO COOLANT FILTER	-10	
266-017	1300 SQUARE INCH ALUMINUM RADIATOR	-50	
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-016	RADIATOR DRAIN VALVE		
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	-35	

Transmission

342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
---------	--

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
84B-002	ALLISON VOCATIONAL RATING FOR CONCRETE MIXER APPLICATIONS ONLY AVAILABLE WITH 3000 PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY		
84N-004	FUEL SENSE 2.0 PLUS - DYNACTIVE: PERFORMANCE, NEUTRAL AT STOP: ACTIVE		
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS		
353-075	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH CAP		
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR		
362-2JT	CUSTOMER INSTALLED CHELSEA 281 SERIES PTO	50	
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED		
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	-15	
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID		

Front Axle and Equipment

400-1AB	MERITOR MFS-18-133A 18,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	250	
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
406-001	STANDARD KING PIN BUSHINGS		



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130	
539-003	POWER STEERING PUMP		
534-003	4 QUART POWER STEERING RESERVOIR		
533-001	OIL/AIR POWER STEERING COOLER		
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		
Front Suspension			
620-005	18,000# FLAT LEAF FRONT SUSPENSION	290	
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION		
410-998	NO FRONT SHOCK ABSORBERS	-30	
Rear Axle and Equipment			
420-051	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,270
421-513	5.13 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-094	RPL14 MERITOR SERVICE-FREE MAIN DRIVELINE WITH HALF ROUND (17T) YOKES		
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE		
87B-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)		
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		-10
440-006	REAR OIL SEALS		
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		

Rear Suspension



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
622-001	23,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD		-460
621-001	SPRING SUSPENSION - NO AXLE SPACERS		
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
623-005	FORE/AFT CONTROL RODS		
Pusher / Tag Equipment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS		
Brake System			
490-100	WABCO 4S/4M ABS		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
479-015	AIR DRYER FRAME MOUNTED		
460-001	STEEL AIR BRAKE RESERVOIRS		
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
Trailer Connections			
476-998	NO AIR HOSE HANGER		
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS		
296-026	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE		
50V-002	PDI INSTALLED ELECTRIC BRAKE CONTROLLER		
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME		
Wheelbase & Frame			
545-482	4825MM (190 INCH) WHEELBASE		
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	90	190



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
547-034	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION	180	
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT		
552-030	1600MM (63 INCH) REAR FRAME OVERHANG		
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH		
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	140	-20
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 106.5 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 103.5 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 304.64 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 70.08 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 73.88 in		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 0.0 in		
553-001	SQUARE END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-001	STANDARD SUSPENSION CROSSMEMBER		

Chassis Equipment

556-1AG	16.5 INCH PAINTED STEEL STRAIGHT BUMPER		
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
585-998	NO MUDFLAP BRACKETS		
590-998	NO REAR MUDFLAPS		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
44Z-002	EXTERIOR HARNESES WRAPPED IN ABRASION TAPE		

Fifth Wheel

578-998	NO FIFTH WHEEL		
---------	----------------	--	--

Fuel Tanks

204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	
218-006	25 INCH DIAMETER FUEL TANK(S)		



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
093-1RJ	MICHELIN X WORKS Z 315/80R22.5 20 PLY RADIAL FRONT TIRES	100	
094-0GP	MICHELIN XDN2 11R22.5 16 PLY RADIAL REAR TIRES		80
Hubs			
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels			
502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66	
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS		52
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
Cab Exterior			
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTING		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
667-001	FRONT FENDERS		
678-001	LH AND RH GRAB HANDLES		
646-041	STATIONARY BLACK GRILLE		
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
652-001	FREIGHTLINER NAME PLATES		



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5	
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK		
726-001	SINGLE ELECTRIC HORN		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS		
302-047	LED AERODYNAMIC MARKER LIGHTS		
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER		
311-001	DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
318-002	(1) SWIVEL UTILITY LIGHT HIGH BACK OF CAB OR ROOF MOUNTED	3	
744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
74B-1B5	LH AND RH BRIGHT FINISH CROSS VIEW COMPLIANT HOOD MOUNTED CONVEX MIRRORS WITH SWING ARM MOUNTING	8	
729-001	STANDARD SIDE/REAR REFLECTORS		
677-054	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER		
768-043	63X14 INCH TINTED REAR WINDOW		
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS		
769-002	LOWER RH DOOR WINDOW WITH FRESNEL LENS	7	
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD		
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR		
647-001	WHITE WINTERFRONT	2	

Cab Interior

055-019 RUGGED TRIM PACKAGE



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"		
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)		
706-013	MOLDED DOOR PANEL		
708-013	MOLDED PLASTIC DOOR PANEL		
772-006	BLACK MATS WITH SINGLE INSULATION		
785-026	(1)DASH MOUNTED 12V POWER OUTLET, (1)DASH MOUNTED DUAL USB-C OUTLET		
691-001	FORWARD ROOF MOUNTED CONSOLE		
693-036	LH DOOR STORAGE POCKET		
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
742-007	(2) CUP HOLDERS LH AND RH DASH		
680-029	M2/SD DASH		
720-003	5 LB. FIRE EXTINGUISHER	10	
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
702-002	BINARY CONTROL, R-134A		
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-1B3	STANDARD LED CAB LIGHTING		
787-998	NO SECURITY DEVICE		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
78G-004	KEY QUANTITY OF 4		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
740-998	NO MATTRESS	-20	-15
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	
760-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	8	
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-143	RUGGED CLOTH BLACK WITH GRAY DRIVER SEAT		
761-143	RUGGED CLOTH BLACK WITH GRAY PASSENGER SEAT		
763-101	BLACK SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

106-002	ELECTRONIC ACCELERATOR CONTROL		
732-998	NO INSTRUMENT PANEL-DRIVER		
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS		
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK		
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS		
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
838-001	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE		
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS		
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS		
4CG-004	4 EXTRA PROGRAMMABLE SWITCHES/INDICATORS		
48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP		
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
864-022	DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE		
73H-014	(1) BACKUP CAMERA-END OF FRAME MOUNTED WITH 15 FOOT EXTRA LONG CABLE COILED AT END OF FRAME		
736-998	NO OBSTACLE DETECTION SYSTEM		
72J-998	NO DR ASSIST SYSTEM		
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
679-998	NO OVERHEAD INSTRUMENT PANEL		
35M-010	1 QUICKFIT PROGRAMMABLE MODULE (QPM/XMC)	10	
1U1-002	TOP OF DASH RAM MOUNT WITHOUT POWER OR GROUND, FOR CUSTOMER FURNISHED DEVICE		
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE		
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-998	NO AM/FM RADIO ANTENNA		
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD		



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
75W-998	NO MULTIBAND ANTENNA		
78C-004	INTEROPERABLE SDAR ANTENNA, SHIP LOOSE		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
8D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES		
6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		
482-001	STANDARD TRACTOR PROTECTION VALVE		
883-001	TRAILER HAND CONTROL BRAKE VALVE		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		
87T-998	NO WRG/SW-OPTL #2, CHAS, AIR		

Design

065-000 PAINT: ONE SOLID COLOR

Color



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
964-020	STANDARD BLACK BUMPER PAINT		
963-003	STANDARD E COAT/UNDERCOATING		

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

Secondary Factory Options

998-032	CORPORATE PDI CENTER OPTION INSTALLATION/MODIFICATION ONLY
999-999	SOURCEWELL CONTACT# 032824-DAI, CUSTOMER SOURCEWELL ACCOUNT# 138917

T O T A L V E H I C L E S U M M A R Y

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	8508 lbs	4001 lbs	12509 lbs
Total Weight⁺	8508 lbs	4001 lbs	12509 lbs

(+) Weights shown are estimates only.
 If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

CONDENSED SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear
Vehicle Configuration			
001-177	114SD PLUS CONVENTIONAL CHASSIS	7,934	6,476
002-003	SET FORWARD AXLE - TRUCK		
Engine			
101-3BU	CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM	-850	-70
Engine Equipment			
128-1AN	C-BRAKE BY JACOBS WITH HIGH MED LOW BRAKE WITH BRAKE LAMPS	80	
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
Transmission			
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION		
Front Axle and Equipment			
400-1AB	MERITOR MFS-18-133A 18,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	250	
Front Suspension			
620-005	18,000# FLAT LEAF FRONT SUSPENSION	290	
Rear Axle and Equipment			
420-051	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,270
421-513	5.13 REAR AXLE RATIO		
Rear Suspension			
622-001	23,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD		-460
Wheelbase & Frame			
545-482	4825MM (190 INCH) WHEELBASE		
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	90	190
Fuel Tanks			
204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	
Tires			



Prepared for:
 Wes Albin
 SANDPOINT CITY OF
 1123 Lake St
 Sandpoint, ID 83864
 Phone: 208-946-2068

Prepared by:
 Conrad Eubanks
 FREIGHTLINER NORTHWEST
 10310 W WESTBOW ROAD
 SPOKANE, WA 99224
 Phone:

Data Code	Description	Weight Front	Weight Rear
093-1RJ	MICHELIN X WORKS Z 315/80R22.5 20 PLY RADIAL FRONT TIRES	100	
094-0GP	MICHELIN XDN2 11R22.5 16 PLY RADIAL REAR TIRES		80

Wheels

502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66	
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS		52

Cab Exterior

829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
---------	--	--	--

Color

980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	8508 lbs	4001 lbs	12509 lbs
Total Weight⁺	8508 lbs	4001 lbs	12509 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

DELIVERY & ORDER PROCESSING CHARGE

(+) Weights shown are estimates only.
 If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.





FREIGHTLINER
of HAWAII

GORDON TRUCK CENTERS DEALER FAMILY

VEHICLE PURCHASE AGREEMENT

TOLL FREE ALL STORES 800-523-8014

Buyer's Name <u>City of Sandpoint</u>	Order Date <u>10 / 16 / 2025</u>
Address <u>1123 Lake St</u>	Estimated Delivery Date <u>1 / 31 / 2026</u>
City <u>Sandpoint</u> State ID _____ Zip <u>83864</u>	Sales Rep <u>Conrad Eubanks</u>
Business Phone <u>(208) 946-2068</u> Cell Phone _____	Customer Email <u>walbin@sandpointidaho.gov</u>

Quantity Ordered	<u>1</u>
Base Price Per Unit	\$ <u>129,138.09</u>
Federal Excise Tax Per Unit	\$ _____
Subtotal Price Per Unit	\$ <u>129,138.09</u>
Additional Description	
Engine: CUM L9 370 HP	
Transmission: Allison 3000 RDS	
Front Axle: 18,000#	
Rear Axle: 23,000#	
Rear Axle Ratio: 5.13	
Wheelbase: 190"	
Additional Items Per Unit (Not included in base price)	
Cobalt Upfit	\$ <u>177,750.00</u>
	\$ _____
	\$ _____
	\$ _____
	\$ _____
	\$ _____
	\$ _____
Administration Fee	\$ <u>200.00</u>
Title/Transfer Fee Per Unit	\$ _____
Trip/Fuel Permit Per Unit	\$ _____
Subtotal:	\$ <u>307,088.09</u>
Sales Tax Rate: _____ %	\$ <u>0.00</u>
Less: Deposit	\$ <u>0.00</u>
Less: Cash Down Payment	\$ <u>0.00</u>
Less: Net Trade-in Allowed	\$ <u>0.00</u>
Unpaid Balance	\$ <u>307,088.09</u>
<i>(DUE ON DELIVERY)</i>	

Stock Number	<u>TBD</u>	<input checked="" type="checkbox"/> New
VIN Number	<u>TBD</u>	<input type="checkbox"/> Used
Year	<u>MY2027</u>	Color <u>White</u>
Make	<u>Freightliner</u>	
Model	<u>SD114 Plus</u>	
Tractor/Truck/Trailer	<u>Truck</u>	

TRADE IN: CONDITION REPORT REQUIRED

Year	_____	Make	_____	Model	_____
Body Type	_____	Color	_____		
VIN Number	_____				
Loan Balance Owed To	_____				
Address	_____				
City	_____	State	_____	Zip	_____
Trade Allowance	\$ _____				
Balance Owing	\$ _____				
Equity	\$ <u>0.00</u>				

- SALES LOCATION**
- Nampa, ID (208) 461-4751
 - Mt. Vernon, WA (877) 848-0472
 - Hermiston, OR (800) 657-5408
 - Pacific, WA (800) 282-0699
 - La Grande, OR (800) 843-1195
 - Olympia, WA (855) 245-4635
 - Coburg, OR (541) 225-2030
 - Ridgefield, WA (360) 887-7562
 - Redmond, OR (541) 548-7497
 - Spokane, WA (888) 744-0390
 - Medford, OR (541) 779-4622
 - Union Gap, WA (800) 378-9478
 - Kapolei, HI (808) 682-4315
 - Redding, CA (530) 241-4412

Signature X _____
Date _____ X _____

VEHICLE PURCHASE AGREEMENT

Buyer's Name City of Sandpoint
Sales Rep Conrad Eubanks

Order Date 10 / 16 / 2025

EXCLUSION OF WARRANTIES: Any warranties on the products sold hereby are made by the manufacturer. The undersigned purchaser understands and agrees that Gordon Truck Centers Inc. makes no warranties of any kind, express or implied, and disclaims all warranties including warranties of merchantability or fitness for a particular purpose, with regard to the products purchased; and that in no event shall Gordon Truck Centers Inc. be liable for incidental or consequential damages or commercial losses arising out of such purchase. This disclaimer does not affect the manufacturer's warranties, if any on this purchase. Extended warranties are available for purchase at time of sale but are not included unless otherwise stated in the Vehicle Purchase Agreement. Tax, title and license are the purchaser's responsibility.

PRICE INCREASES: Prices are subject to change in the event of manufacturer-imposed surcharges or price increases. Purchasers will receive written notice of any price increase and given no less than 14 calendar days to accept the price increase or cancel the order at no charge.

VEHICLE DELIVERY TERMS: Vehicles must be paid in full prior to customer taking possession. Customer will be notified once vehicle(s) have been received from OEM and are ready for delivery. From the day of notification customer will have fourteen (14) calendar days to fund Gordon Truck Centers Inc. (GTC) any amount still owed on the vehicle and take possession of vehicle. Vehicles not funded after fourteen calendar days will be subject to additional daily flooring charges until payment is received in full. All deposits on factory ordered vehicles are non-refundable. Valid proof of insurance required prior to vehicle pick up or delivery.

FEDERAL EXCISE TAX: (Applicable) Federal Excise Tax will be invoiced and collected at time of sale by Gordon Truck Centers, Inc. Purchaser may provide a signed exemption certificate specific to the vehicles being sold at time of invoicing to be exempted from Federal Excise Tax.

GORDONTRUCK CENTERS INC. (GTC) PREFERRED METHOD OF PAYMENT:

1. In-House Finance
2. Automated Clearing House (ACH)
3. Wire Transfer
 - a. Instructions are available for customer reference
4. Cashier's Check
 - a. Must be from local banks only – out of state transactions are wire transfer/ACH only
 - b. Must be payable to Gordon Truck Centers Inc.

Purchaser agrees that the VEHICLE PURCHASE AGREEMENT (VPA) includes all terms and conditions, that this VPA cancels and supersedes any prior VPA and as of the date hereof comprises an exclusive statement of the terms of this agreement relating to the subject matter covered hereby. **THIS AGREEMENT SHALL NOT BECOME BINDING UNTIL ACCEPTED BY THE DEALER** as evidenced below. Purchaser by their execution of this agreement acknowledges they have read and accepted its terms and conditions and has received a true copy of this agreement.

Purchaser's Acceptance

Purchaser's Name (Please Print) City of Sandpoint

Name of Authorized Representative _____

Title of Authorized Representative _____

Signature of Authorized Representative X _____

Date _____ X _____

Gordon Truck Centers Inc.

Accepted This Date By:

X _____, Sales Manager

Date _____



www.cobalttruck.com

CUSTOMER: Freightliner Northwest
CONTACT: Conrad Eubanks
ADDRESS: 10310 W Westbow Blvd
 Spokane WA 99224

PHONE: 253-405-0493
FAX/Email: conrad.eubanks@freightlinernw.com

Make: FREIGHTLINER	Model: 114SD	Year: 2026	GVWR:	Single/Dual: DRW
CA / CT: 106.5 /	Fuel Type:	4X2 / 4X4: 4X2	Trans: AUTOMATIC	Cab Type: CONVENTIONAL

QUANTITY	DESCRIPTION		
1	City of Sandpoint Streets Single Axle 12' Dump Pkg. Stainless Steel		
1	Duraclass Stainless Steel -SLT316 12' x 30" x 36" Dump Body - Side height 30" 10GA 201SS 2B, 2 horizontals to form double wall - Floor Trapezoidal design - 1/4" AR450 Plate Steel, 45 Deg 12" bevel - Front headboard 60", 7GA 201SS 2B - Tailgate 36", Air High Lift, Internal Cylinder - 7GA 201SS 2B, 1 horizontal and 2 vertical braces, straight, double acting, electric/air TG release latch, spreader chains. - Left, Center, Right Push up sliding coal door chute.(Rotary not available) - 12" Spill Spreader Apron 201 Stainless - Large rear hinge assembly - Oval STT lights in rear corner posts - Sideboard pockets flush with headboard and rear corner posts. Tapered top rear posts - Lower rail 1/4" x 2" Flat bar - 1/2 Cab Shield, 10GA 201 SS - Folding side access ladder attached to left front corner of body - Stainless Grab handle - Steps inside body left front corner 1/4" bar - Hoist HYVA A6-3-101-K48 telescopic, dog house - Body prop kit - Mounting kit - Cobalt Mud flaps - Cobalt fab 2" x 8" steel tube sideboards - Paint Black - Cobalt fab (2) shovel holders mounted on SS front bulkhead - ProTech chain hanger installed street side		
1	Hydraulics Package - FEPTO, front engine crank mount - 5.98 cubic inch, axial piston pressure and flow compensated load-sensing type hydraulic pump, 2" suction port - 26" Driveline Kit with 479 & 329 Flange Yokes 1-1/4" - Electric shut-off Valve with relief for 1" Flange - 6000 psi HP filter-25 Micron Microglass		

345 W. Karcher Road
 Nampa, ID 83687
 Phone: 800-733-0342
 Fax: 208-887-7794

1607 Industrial Road
 Las Vegas, NV 89102
 Phone: 888-258-9812
 Fax: 702-385-9936

4691 FM 1516 N.
 Converse, TX 78109
 Phone: 855-587-7788
 Fax: 210-301-2037

4620 E. Trent Avenue
 Spokane, WA 99212
 Phone: 800-572-4369
 Fax: 509-535-4294

2800 Golden Triangle Blvd
 Fort Worth, TX 76177
 Phone: 682-990-6780
 Fax: 208-887-7794



www.cobalttruck.com

QUANTITY	DESCRIPTION		
	<ul style="list-style-type: none"> - Temp/level Sender - Frame mount combo valve enclosure / 35ga hydraulic reservoir/ Tank mounted filter - 10 micron synthetic Z-glass Element - Full Port 2" NPT Brass ball valve Load Sense Valve Stack <ul style="list-style-type: none"> - 1st. S. A. truck hoist up/down - 2nd.D.A Plow up/down, Power float - 3rd. D. A. plow reverse <ul style="list-style-type: none"> - Liquid/Auger - Spinner Controls In Control Air Console 2-Joystick & 5100 Electronic spreader control <ul style="list-style-type: none"> - 1st. Dual axis joystick plow up/down, plow reverse - 2nd Truck hoist joystick up/down Console switches <ul style="list-style-type: none"> - Low oil/hot oil override rocker switch - High Lift Tailgate-Air - Tailgate release - Tarp open/close - Float - Aux Warning Lights: Body Up, Low/Hot Oil 5100ex Liquid Spray bar, Sander/Spreader control <ul style="list-style-type: none"> - Sander bulkhead fittings plumbed to end of frame - Snowplow bulkhead fittings plumbed to front, mounted to plate below bumper 		
1	Equipment Trailer Buck Plate Hitch <ul style="list-style-type: none"> - 3/4" flat plate hitch - 30 ton pintle hitch - install chassis provided STT lights in hitch plate. - install chassis provided 7-way plug - 2 - weld on D-rings 		
1	Install Freightliner Factory Backup Camera above rear hitch		
1	Lighting <ul style="list-style-type: none"> - (1) Round beacon light installed on center leading edge of cab guard with bracket and branch guard, wired to chassis beacon switch - (2) 6" Oval strobe lights installed in rear corner post of dump body, wired to chassis beacon switch - (2) LED Heated snow plow lights installed on hood mounted stainless steel brackets, wired to chassis plow light switch - (2) LED work lights installed on rear corner posts of dump body facing the rear and wired to chassis aux switch labeled work light. 		
1	11' Viking MW Plow & Hitch Assembly <ul style="list-style-type: none"> - Straight 41" tall moldboard Painted Omaha Orange - Power reversing push frame with dual 3" x 10" cylinders - Compression trip springs - Standard hose kit, Parking jack, Level lift bar - Adjustable Mushroom shoes, 8" steel cutting edge - Rubber deflector, blade markers, loop swivel 		

345 W. Karcher Road
Nampa, ID 83687
Phone: 800-733-0342
Fax: 208-887-7794

1607 Industrial Road
Las Vegas, NV 89102
Phone: 888-258-9812
Fax: 702-385-9936

4691 FM 1516 N.
Converse, TX 78109
Phone: 855-587-7788
Fax: 210-301-2037

4620 E. Trent Avenue
Spokane, WA 99212
Phone: 800-572-4369
Fax: 509-535-4294

2800 Golden Triangle Blvd
Fort Worth, TX 76177
Phone: 682-990-6780
Fax: 208-887-7794



www.cobaltruck.com

QUANTITY	DESCRIPTION		
1	<ul style="list-style-type: none"> - Low profile pin hitch, Cheek plate Kit Freightliner 114SD - 4" x 10" DA lift cylinder VariTech 925g Galvanized 1 Lane Anti-Ice System supplied as follows; Slip in style <ul style="list-style-type: none"> - NOR - Hydraulic closed loop - Leg Kit - Baffle Balls - Stainless Steel Spray Bar - Motor accepts 16gpm @ 2000psi - Plumb and connect to rear bulkhead fitting - Connect with in cab 5100 controller 		