RESOLUTION R2025 - 41

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF SOUTH JORDAN, UTAH, AUTHORIZING THE MAYOR PRO TEMPORE OF THE CITY OF SOUTH JORDAN TO ENTER INTO A DEVELOPMENT AGREEMENT WITH SPECTRUM LLC (SHEA BESS) AND JORDAN VALLEY WATER CONSERVANCY DISTRICT (BEN PURDUE) PERTAINING TO PROPERTY LOCATED AT 9828 S TEMPLE DRIVE, 9822 S TEMPLE DRIVE, AND 9816 S TEMPLE DRIVE.

WHEREAS, the City of South Jordan is a municipal corporation and political subdivision of the State of Utah ("City") authorized to enter into development agreements that it considers are necessary or appropriate for the use and development of land within the City pursuant to Utah Code § 10-9a-102, *et seq.*; and

WHEREAS, City has entered into development agreements from time to time as City has deemed necessary for the orderly development of City; and

WHEREAS, Spectrum LLC and Jordan Valley Water Conservancy District now desire to enter into an agreement for the purpose of developing and changing the zoning designation on property they own at 9828 S TEMPLE DRIVE, 9822 S TEMPLE DRIVE, AND 9816 S TEMPLE DRIVE (the "Property"); and

WHEREAS, the City Council of the City of South Jordan (the "City Council") has determined that it is in the best interest of the public health, safety, and welfare of the City to enter into a development agreement for the orderly development the Property.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF SOUTH JORDAN, UTAH:

SECTION 1. Authorization to Sign Development Agreement. The City Council hereby authorizes the Mayor Pro Tempore to sign the Bess Dental Office Development Agreement, which is attached hereto as Exhibit 1.

SECTION 2. Severability. If any section, clause or portion of this Resolution is declared invalid by a court of competent jurisdiction, the remainder shall not be affected thereby and shall remain in full force and effect.

SECTION 3. Effective Date. This Resolution shall become effective immediately upon passage.

[SIGNATURE PAGE FOLLOWS]

| | APPROVED BY THE CITY COUNCIL O ON THIS DAY OF | | OF THE CITY OF SOUTH JORDAN, UTAH, , 2025 BY THE FOLLOWING VOTE: | | | |
|---------------------------------|--|--------|---|----------------------|--------|--|
| | | YES | NO | ABSTAIN | ABSENT | |
| | Patrick Harris Kathie Johnson Donald Shelton Tamara Zander Jason McGuire | | | - —— - —— - —— | | |
| Mayor Pro Tempore: Don Shelto: | n | Attest | | y Recorder | | |
| Approved as to form | | | | | | |
| Office of the City At | torney | | | | | |

Exhibit 1

(Bess Dental Office Development Agreement)

BESS DENTAL OFFICE DEVELOPMENT AGREEMENT

| The City of South Jordan, a U | Jtah municipal corpor | ation (the "City | y"), and Sp | ectrum, LLC |
|---------------------------------------|-------------------------|------------------|--------------|-----------------|
| ("Spectrum") and Jordan Valley | Water Conservancy | District (the | "District" |)(collectively |
| Spectrum and District may be referred | d to hereinafter as "De | velopers"), ento | er into this | Developmen |
| Agreement (this "Agreement") this | day of | | , 20 | _ ("Effective |
| Date"), and agree as set forth below. | The City, Spectrum, a | and District are | jointly refe | erred to as the |
| "Parties" and each may be referred to | individually as "Part | y." | | |

RECITALS

WHEREAS, Spectrum is the owner of certain real property identified as Assessor's Parcel Number(s) 27-10-429-003, 27-10-429-008 (together as "Property"), and the District is the owner of certain real property identified as Assessor's Parcel Number(s) 27-10-429-009, and Spectrum and District's properties are together referred to as ("Properties") and specifically described in attached Exhibit A; and

WHEREAS, Spectrum intends to develop its Property consistent with the Concept Plan and Renderings (<u>Exhibit B</u>), the requirements of the proposed zoning designation except as limited by the provisions of Section D of this Agreement; and

WHEREAS, the City, acting pursuant to (1) its authority under Utah Code Annotated 10-9a-102(2) et seq., as amended, and (2) the South Jordan City Municipal Code (the "City Code"), and in furtherance of its land use policies, goals, objectives, ordinances, resolutions, and regulations, the City has made certain determinations with respect to the proposed development of the Property and in exercise of its legislative discretion has elected to enter into this Agreement; and

WHEREAS, the Properties are currently subject to the Planning and Land Use Ordinance of South Jordan City and are within the Residential R-2.5 and Agricultural A-5 zones. A copy of the provisions of such zone designations in the City Code is attached as <u>Exhibit C</u>; and

WHEREAS, Spectrum desires to make improvements to the Property in conformity with this Agreement and Developers desire a zone change on the Properties from the Residential and Agricultural Zones to the Professional Office Zone (the "P-O Zone"). A copy of the provisions of the P-O Zone designation in City Code is attached as <u>Exhibit D</u>; and

WHEREAS, the Developers and the City acknowledge that the development and improvement of the Properties pursuant to this Agreement will provide certainty useful to the Developers and to the City in ongoing and future dealings and relations among the Parties; and

WHEREAS, the City has determined that the proposed development contains features which advance the policies, goals, and objectives of the South Jordan City General Plan, preserve and maintain the open and sustainable atmosphere desired by the citizens of the City, or contribute to capital improvements which substantially benefit the City and will result in planning and economic benefits to the City and its citizens; and

WHEREAS, this Agreement shall only be valid upon approval of such by the South Jordan City Council (the "City Council"), pursuant to Resolution R-2025-41, a copy of which is attached as Exhibit D; and

WHEREAS, the City and the Developers acknowledge that the terms of this Agreement shall be enforceable and the rights of the Developers relative to the Properties shall vest only if the City Council, in its sole legislative discretion, approves a zone change for the Properties currently zoned as the Agricultural and Residential Zones to a zone designated as the P-O Zone.

NOW THEREFORE, based upon the foregoing recitals and in consideration of the mutual covenants and promises set forth herein, the Parties agree as follows:

TERMS

- **A. Recitals; Definitions.** The recitals set forth above are incorporated herein by this reference. Any capitalized term used but not otherwise defined in this Agreement shall have the meaning ascribed to such term in the Planning and Land Use Ordinance of South Jordan City.
- **B.** Enforceability. The City and the Developers acknowledge that the terms of this Agreement shall be enforceable, and the rights of the Developers relative to the Properties shall vest, only if the City Council, in its sole legislative discretion, approves a zone change for the Properties currently zoned as the Residential and Agricultural Zones to a zone designated as the P-O Zone.
- **C.** Conflicting Terms. The Properties shall be developed in accordance with the requirements and benefits provided for in relation to the P-O Zone under the City Code as of the Effective Date. In the event of a discrepancy between the requirements of the City Code, including the P-O Zone, and this Agreement, this Agreement shall control.

D. Developer Obligations:

- 1. <u>Zoning Requirements</u>. Spectrum agrees to construct the development consistent with the requirements of City Code Titles 16 and 17, the P-O Zone, and the restrictions outlined in this Section D.
- 2. <u>Concept Plan</u>: Spectrum agrees to construct the project consistent with the concept plan and renderings (<u>Exhibit B</u>) and the requirements set forth in this Agreement and City Code.
- 3. <u>Building Location</u>. Any building constructed by Spectrum on the Property shall be located as close to the corner of Shields Lane (9800 South) and Temple Drive (1300 West) as possible given other site constraints, including parking, and other requirements of the City Code.
- 4. <u>Architecture</u>. Spectrum agrees to construct a one-story office building. The maximum building height shall be no taller than 35 feet. Architectural materials will be high quality and durable, and architecturally consistent with the design of nearby residential neighborhoods.

- 5. <u>Lighting</u>. All lighting shall comply with City Code § 17. 62. 020.K. In addition, the following lighting requirements shall apply:
- a. All parking lot and wall light fixtures shall be "full cutoff" or "fully shielded" to prevent glare onto adjacent properties.
- b. A photometric plan shall be submitted showing no light intrusion onto adjacent properties.
- c. Lighting used to highlight landscape features and walking paths shall be low to the ground accent lighting.
- d. As defined in City Code § 16.36.020, "Animated Sign" and "Time or Temperature Sign" sign types are prohibited, and a "Wall Sign" is prohibited on the north façade of any building on the Property.
- 6. <u>Uses.</u> Only the primary land uses listed below, which are defined by City Code § 17.18.060, are permitted on the Properties. Other primary uses not specifically listed below are prohibited.
 - a. Utility services
 - b. Medical/dental office or clinic
 - c. Office
 - d. Professional services
- e. Personal services are prohibited as a primary use and are only allowed as an accessory use to one of the primary permitted uses listed above.

E. City Obligations:

1. <u>Development Review</u>. The City shall review development of the Properties in a timely manner, consistent with the City's routine development review practices and in accordance with all applicable laws and regulations.

F. Vested Rights and Reserved Legislative Powers.

- 1. <u>Vested Rights</u>. Consistent with the terms and conditions of this Agreement, City agreed Developers have the vested right to develop and construct the Properties in accordance with: (i) the P-O Zone (<u>Exhibit C</u>) zoning designation; (ii) the City Code in effect as of the Effective Date and; (iii) the terms of this Agreement.
- 2. <u>Reserved Legislative Powers</u>. Developers acknowledge that the City is restricted in its authority to limit its police power by contract and that the limitations, reservations and exceptions set forth herein are intended to reserve to the City all of its police power that cannot be so limited. Notwithstanding the retained power of the City to enact such legislation under the

police powers, such legislation shall only be applied to modify the vested rights of the Developers under this Agreement and with respect to use under the zoning designations as referenced in *Section III.A.* above under the terms of this Agreement based upon the policies, facts and circumstances meeting the compelling, countervailing public interest exception to the vested rights doctrine in the State of Utah. Any such proposed change affecting the vested rights of the Properties shall be of general application to all development activity in the City and Salt Lake County (the "County"); and, unless in good faith the City declares an emergency, Developers shall be entitled to prior written notice and an opportunity to be heard with respect to the proposed change and its applicability to the Properties under the compelling, countervailing public interest exception to the vested rights doctrine. The notice required by this paragraph shall be that public notice published by the City as required by State statute.

G. General Provisions.

1. <u>Notices</u>. All notices, filings, consents, approvals, and other communication provided for herein or given in connection herewith shall be validly given, filed, made, delivered or served if in writing and delivered personally or sent by registered or certified U.S. Postal Service mail, return receipt requested, postage prepaid to the following addresses or to such other addresses as either party may from time to time designate in writing and deliver in like manner. Any such change of address shall be given at least 10 days before the date on which the change is to become effective:

If to City: ATTN: City Recorder

City of South Jordan

1600 West Towne Center Drive South Jordan City, Utah 84095

If to Spectrum: Shea Bess, Spectrum LLC

10073 Copper King Lane South Jordan, UT 84095

If to District: ATTN: General Manager

Jordan Valley Water Conservancy District

8215 S 1300 W

West Jordan, Utah 84088

- 2. <u>Mailing Effective</u>. Notices given by mail shall be deemed delivered 72 hours following deposit with the U.S. Postal Service in the manner set forth above.
- 3. <u>No Waiver</u>. Any party's failure to enforce any provision of this Agreement shall not constitute a waiver of the right to enforce such provision. The provisions may be waived only in writing by the party intended to be benefited by the provisions, and a waiver by a party of a breach hereunder by the other party shall not be construed as a waiver of any succeeding breach of the same or other provisions.

- 4. <u>Headings</u>. The descriptive headings of the paragraphs of this Agreement are inserted for convenience only, and shall not control or affect the meaning or construction of any provision this Agreement.
- 5. <u>Authority</u>. The parties to this Agreement represent to each other that they have full power and authority to enter into this Agreement, and that all necessary actions have been taken to give full force and effect to this Agreement. Spectrum represents and warrants it is fully formed and validly existing under the laws of the State of Utah, and that it is duly qualified to do business in the State of Utah and is in good standing under applicable state laws. Developers and the City warrant to each other that the individuals executing this Agreement on behalf of their respective parties are authorized and empowered to bind the parties on whose behalf each individual is signing. Spectrum represent to the City that by entering into this Agreement Spectrum has bound all persons and entities having a legal or equitable interest to the terms of the Agreement as of the Effective Date.
- 6. <u>Entire Agreement</u>. This Agreement, together with the Exhibits attached hereto, documents referenced herein and all regulatory approvals given by the City for the Properties contain the entire agreement of the parties with respect to the subject matter hereof and supersede any prior promises, representations, warranties, inducements or understandings between the parties which are not contained in such agreements, regulatory approvals and related conditions.
- 7. <u>Amendment</u>. This Agreement may be amended in whole or in part with respect to all or any portion of the Properties by the mutual written consent of the parties to this Agreement or by their successors-in-interest or assigns. Any such amendment of this Agreement shall be recorded in the official records of the Salt Lake County Recorder's Office.
- 8. <u>Severability</u>. If any of the provisions of this Agreement are declared void or unenforceable, such provision shall be severed from this Agreement. This Agreement shall otherwise remain in full force and effect provided the fundamental purpose of this Agreement and Spectrum's ability to complete the development of the Property as set forth in the Concept Plan is not defeated by such severance.
- 9. <u>Governing Law.</u> The laws of the State of Utah shall govern the interpretation and enforcement of the Agreement. The parties shall agree that the venue for any action commenced in connection with this Agreement shall be proper only in a court of competent jurisdiction located in Salt Lake County, Utah. The Parties hereby expressly waive any right to object to such choice of law or venue.
- 10. <u>Remedies</u>. If any party to this Agreement breaches any provision of this Agreement, the non-defaulting party shall be entitled to all remedies available at both law and in equity.
- 11. <u>Attorney's Fee and Costs</u>. If any party brings legal action either because of a breach of the Agreement or to enforce a provision of the Agreement, the prevailing party shall be entitled to reasonable attorney's fees and court costs.

- 12. <u>Binding Effect</u>. The benefits and burdens of this Agreement shall be binding upon and shall inure to the benefit of the parties hereto and their respective heirs, legal representatives, successors in interest and assigns. This Agreement shall be incorporated by reference in any instrument purporting to convey an interest in the Properties.
- 13. <u>No Agency Created</u>. Nothing contained in the Agreement shall create any partnership, joint venture, or agency relationship between the parties.

IN WITNESS WHEREOF, the parties have executed this Agreement as of the Effective Date.

[SIGNATURES TO FOLLOW ON NEXT PAGE]

| CITY OF SOUTH JORDAN, | | APPROVED AS TO FORM: |
|---|-------------------------------------|---|
| a Utah Municipal Corporation | | 0. 1. |
| By: | | Ppe n. Jose |
| By: Don Shelton, Mayor Pro | Tempore | Attorney for the City |
| State of Utah |) :ss | |
| County of Salt Lake |) | |
| On this day of | , 20 | _, personally appeared before me, whose |
| municipal corporation, and said corporation by authority of the S | document was sig outh Jordan Mun | ore of the City of South Jordan, a Utah gned by him/her on behalf of said municipal icipal City Code by a Resolution of the South me that said municipal corporation executed |
| | | Notary Public |
| | | My Commission Expires: |
| Spectrum, LLC, a limited liabilit | ty company | |
| Ву: | | |
| Name: | (pri | nted) |
| Title: | | |
| State of Utah |) :ss | |
| County of Salt Lake |) | |
| The foregoing instrument was a 20, by | acknowledged be | fore me this day of, _, the of |
| Spectrum, LLC, a Utah Limited official seal. | Liability Compar | , the of ny, on behalf of the LLC. Witness my hand and |
| | | Notary Public My Commission Expires: |

| Jordan Valley Water Conserv | vancy District | |
|-----------------------------|--|----|
| By: | | |
| Name: | (printed) | |
| Title: | | |
| State of Utah |) | |
| County of Salt Lake | :ss) | |
| | as acknowledged before me this day of _ | |
| 20, by | , the | of |
| Jordan Valley Water Conserv | vancy District. Witness my hand and official seal. | |
| | | |
| | Notary Public | |
| | My Commission Expires: | |

EXHIBIT A

(Legal Description of the Properties)

Parcel: 27-10-429-003

LOT 1, 9800 SOUTH CHURCH SUBDIVISION. 9266-8467


Parcel: 27-10-429-008

BEG S 0^05'05" E 130.86 FT & S 89^54'55" W 42.50 FT FR E 1/4COR SEC 10, T3S, R1W, SLM; S 0^05'05" E 54.06 FT; N 89^52'28" W 164.79 FT; N 0^05'05" E 125 FT; S 89^52'28" E 36.57 FT; S 0^35'39" W 70.95 FT; S 89^52'28" E 128.69 FT TO BEG.

Parcel: 27-10-429-009

BEG S 0^05'05" E 59.92 FT & S 89^54'55" W 42.50 FT FR E 1/4 COR SEC 10, T3S, R1W, SLM; S 0^05'05" E 70.94 FT; N 89^52'28" W 128.69 FT; N 0^35'39" E 70.95 FT; S 89^52'28" E 127.85 FT TO BEG.

EXHIBIT B (Concept Plan and Elevations)





A-5 & R-2.5 ZONE City Code Provisions

CHAPTER 17.30 AGRICULTURAL ZONES

17.30.010: PURPOSE

17.30.020: DEVELOPMENT AND DESIGN STANDARDS

17.30.030: OTHER REQUIREMENTS

17.30.010: PURPOSE

This chapter is established to provide standards and regulations, consistent with the city's general plan and the purposes and provisions of this title, for agricultural areas in a growing suburban city. This chapter shall apply to the following agricultural zones as established in chapter 17.20, "Zone Establishment", of this title: A-5 and A-1 zones. Uses may only be conducted in agricultural zones in accordance with the regulations of this code. Allowed use (permitted and conditional), accessory use, temporary use and associated use regulations may be found in chapter 17.18, "Uses", of this title.

17.30.020: DEVELOPMENT AND DESIGN STANDARDS

- 1. Development Review: Uses proposed in agricultural zones may only be established in conformance with development review procedures of the city. Applicants shall follow the procedures and requirements of this code regarding development review in the preparation and review of development proposals in agricultural zones. All uses shall be conducted according to the approved plan or plat and any conditions of approval. Plans or plats may not be altered without prior approval of the city, except as otherwise allowed under state law.
- 2. Lot Area: The area of any lot in agricultural zones shall not be less than the minimum lot area requirement identified in the minimum lot area table below. Every portion of a parcel being subdivided shall be included as a lot or lots in the proposed subdivision plat, right of way or as common, limited common or private ownership.

| Zone | Minimum Lot Area (Acres) |
|------|--------------------------|
| A-5 | 5 |
| A-1 | 1 |

- 3. Lot Density: Only one single-family primary dwelling may be placed on a lot or parcel of land in an agricultural zone.
- 4. Lot Width And Frontage: Each lot or parcel in an agricultural zone shall have a minimum lot width not less than the dimension in the minimum width column of the lot width and frontage table below. The minimum lot width shall be measured at the minimum front yard requirement (see subsection F of this section) that shall be determined from a point which corresponds to the midpoint of the front lot line. Each lot or parcel shall abut the right of way line of a public street a minimum distance not less than the dimension in the

frontage (standard) column of the lot width and frontage table below, except that lots with side property lines which diverge at an angle of at least twenty degrees (20°) shall abut the right of way or landscaped open space a minimum distance not less than the dimension in the frontage (diverged) column.

| Zone | Minimum Width | Frontage (Standard) | Frontage (Diverged) |
|------|---------------|---------------------|---------------------|
| A-5 | 100' | 100' | 60' |
| A-1 | 100' | 100' | 60' |

5. Lot Coverage: The area of lot, parcel or private ownership area in an agricultural zone covered by buildings shall not exceed the percentage identified in the lot coverage table below of the total lot, parcel or private ownership area.

| Zone | Maximum Building Coverage |
|------|---------------------------|
| A-5 | 20% |
| A-1 | 30% |

- 6. Yard Area: The yard area (setback) requirements below shall apply in all Agricultural Zones. Minimum yard areas are measured from the corresponding front, side and rear property lines of lots or from the boundaries of private ownership areas. A land use permit shall be obtained prior to the construction of any accessory building for which a building permit is not required. An application form, lot plan showing streets, existing buildings, dimensions, easements and setbacks of the proposed accessory building and other information as needed shall be submitted for review.
 - 1. Minimum Yard Area Requirements

| Zone | Front Yard (Interior And Corner Lots) | Front Garage | Front Yard (Cul-De- Sac Lots) | Side Yard (Standard) | Side Yard (Corner Lot Street Side) | Rear Yard (Interior Lot) | Rear Yard (Corner Lot) |
|------|--|-----------------|-------------------------------------|-------------------------|--|-----------------------------------|---------------------------------|
| A-5 | 30' | 30' | 25' | 10' | 25' | 25' | 10' |
| A-1 | 30' | 30' | 25' | 10' | 25' | 25' | 10' |

2. Minimum Yard Area Requirements For Accessory Buildings:

A-5 & R-2.5 ZONE City Code Provisions

- 1. Location: Accessory buildings may not be located between the front building line of a main building and the right-of-way that determines the front yard area.
- 2. Side Yard: An accessory building may be located in a side yard, including a street side, if located no closer than the minimum side yard requirement for the main building pursuant to this subsection F, except that accessory buildings no greater than ten feet (10') in height and not containing habitable space may be located no closer than five feet (5') from the side property line or boundary.
- 3. Rear Yard: An accessory building may be located in a rear yard no closer than three feet (3') from the side or rear property line or boundary and increased by one foot (1') for each foot of building height in excess of sixteen feet (16'), except that the setback shall be increased to no closer than five feet (5') from the side or rear property line or boundary when adjacent to a right-of-way, which shall be increased by one foot (1') for each foot of building height in excess of sixteen feet (16').
- 3. Buildings Used To Shelter Animals: Buildings used for the housing or shelter of animals shall be located a minimum distance of forty feet (40') from any existing dwelling or neighborhood street right-of-way or, if approved with a conditional use permit, a minimum of twenty feet (20') from any collector street right-of-way line.
- 4. Projections: The following may be erected on or projected into any required yard space in Agricultural Zones:
 - 1. Fences and walls in conformance with this Code.
 - 2. Agricultural crops, landscape or garden elements, including trees, shrubs and other plants.
 - 3. Utility or irrigation equipment or facilities.
 - 4. Decks not more than two feet (2') high.
 - 5. Cornices, eaves, sills, planter boxes, stairways, landings, porches, decks, awnings or similar architectural features attached to the building and not enclosed by walls, extending not more than two feet (2') into a side yard, or four feet (4') into a front or rear yard.
 - 6. Chimneys, fireplace keys, box or bay windows or cantilevered walls attached to the building no greater than eight feet (8') wide and extending no more than two feet (2') into a side yard, or four feet (4') into a front or rear yard.
- 7. Parking And Access: Parking areas and vehicle access in Agricultural Zones shall meet the requirements of title 16, chapter 16.26, "Parking And Access", of this Code, chapter 17.18, "Uses", of this title and title 10 of this Code (Traffic Code). A driveway may only directly access a collector or arterial street with approval of the Utah Department of Transportation ("UDOT") for UDOT streets, or with approval of the City Engineer for City streets.
- 8. Fencing, Screening And Clear Vision: The fencing, screening and clear vision requirements of this section shall apply in Agricultural Zones.
 - 1. Utility Screening: In nonresidential and nonagricultural developments, all mechanical equipment, antennas (where possible), loading areas and utility areas

A-5 & R-2.5 ZONE City Code Provisions

shall be screened from view at ground level along the property line of the subject property with architectural features or walls consistent with materials used in the associated buildings. Exterior trash receptacles in nonresidential developments shall be enclosed by masonry walls that are at least as tall as the receptacle itself, but not less than six feet (6') tall, and solid steel access doors. The color of trash receptacle enclosures (masonry walls and access doors) shall be consistent with colors used in the associated buildings.

- 2. Incompatible Land Use Screening: Incompatible land uses, including waterways, trails, parks, open spaces and other uses or zones shall be screened or buffered with fences, walls and/or landscaping as required by the development approval.
- 3. Rear And Side Yard Fencing: A maximum six foot (6') high fence and/or hedge may be installed and maintained between a dwelling and a rear or side lot line.
- 4. Front Yard Fencing: A maximum four foot (4') high, nonvisually obscuring decorative wrought iron, simulated wrought iron or nonobscuring vinyl picket fence may be constructed along a side lot line to the right-of-way line or sidewalk of a neighborhood street, except as regulated in clear vision areas, according to Section 16.04.200 (J). A masonry or solid vinyl fence or hedge may also be constructed along lot lines to the right-of-way or sidewalk but may not be greater than three feet (3') high. Brick pillars may not exceed eighteen inches (18") square or be closer than ten feet (10') on center. Posts or pillars may not extend higher than four inches (4") above the fence panel.
- 5. Clear Vision Area: Landscape materials within a Clear Vision Area shall comply with Section 16.04.200 (J).
- 6. Collector Street Fencing: Any single-family residential rear or side yard fence erected or maintained roughly parallel to and within twenty feet (20') of a collector or arterial street right-of-way in an Agricultural Zone shall be constructed according to section 16.04.200 of this Code.
- 9. Architecture: The following exterior materials and architectural standards are required in Agricultural Zones:
 - 1. General Architectural Standards:
 - 1. All building materials shall be high quality, durable and low maintenance.
 - 2. The exteriors of buildings in Agricultural Zones shall be properly maintained by the owners or owners' association.
 - 3. Signs shall meet the requirements of title 16, chapter 16.36, "Sign Ordinance", of this Code and shall be constructed of materials that are consistent with the buildings they identify.
 - 4. Main buildings shall be no greater than thirty five feet (35') high.
 - 2. Architectural Standards For Main Buildings:
 - 1. Residential main buildings shall include a minimum two car garage (minimum twenty-two feet (22') by twenty-two feet (22'), or an approved equivalent area).
 - 2. The minimum total floor area, finished and unfinished, of any residential main building shall be one thousand (1,000) square feet not including a garage.
 - 3. The front of the house shall be accessible by a pedestrian from the adjacent right-of-way.

A-5 & R-2.5 ZONE City Code Provisions

- 3. Architectural Standards For Accessory Buildings:
 - 1. Accessory buildings may not be higher than the main building, except as approved by the Planning Commission as a conditional use permit. In no case shall an accessory building be greater than twenty five feet (25') high.
 - 2. The footprint of an accessory building in Agricultural Zones shall not exceed the footprint of the main building, including the footprint of an attached garage, except as approved by the Planning Commission as a conditional use permit.
 - 3. Any portion of an accessory building within twenty feet (20') of a property line shall meet the following requirements, except as approved by the Planning Commission as a conditional use permit:
 - 1. Openings (e.g., windows and doors) that are visible from the subject property line shall not be located in an exterior wall when the floor height exceeds four feet (4') above grade.
 - 2. The average wall height shall not exceed sixteen feet (16') above grade.
 - 4. Accessory buildings with a footprint exceeding two hundred (200) square feet shall be constructed with a minimum one to twelve (1:12) roof pitch over a majority of the structure.
 - 5. Applications for a conditional use permit under subsections I3a, I3b and I3c of this section shall demonstrate that the proposed accessory building is consistent with the character of the surrounding area, which analysis includes, but is not limited to, consideration of nearby structures and uses and applicable declarations of conditions, covenants and restrictions ("CC&Rs"). Written notice shall be provided to all property owners located within the subdivision plat of the subject property and to all property owners otherwise located within three hundred feet (300') of the subject property. Notice shall be provided no less than ten (10) days prior to the scheduled Planning Commission meeting.
- 10. Landscaping: The following landscaping requirements and standards shall apply in Agricultural Zones. Landscaping in Agricultural Zones is also subject to the requirements of Title 16, Chapter 16.30, "Water Efficiency Standards," of this Code.
 - 1. The front and street side yards of single-family lots shall be fully improved and properly maintained. Improvements shall include not less than fifty percent (50%) of the yard area landscaped and not less than fifty percent (50%) of the required landscaped area covered in acceptable live plant material unless otherwise approved with a conditional use permit.
 - 2. All collector street and other public and private park strips in Agricultural Zones shall be improved and maintained by the adjoining property owners according to specifications adopted by the City unless otherwise allowed with development approval.
 - 3. Where an adjacent park strip in a residential right-of-way is at least five feet (5') wide, park strip improvements shall include one shade tree that is a minimum two inch (2") caliper, for every fifty feet (50') of frontage and spaced evenly throughout the landscaped portion of the park strip, except that park strip trees

A-5 & R-2.5 ZONE City Code Provisions

- shall not be planted within thirty feet (30') of a stop sign. Park strip trees shall be consistent with the "Streetscape Tree Species for South Jordan City" list.
- 4. In developments that have a principal use other than residential or agricultural, the following landscaping requirements shall also apply:
 - 1. All areas of developments not approved for parking, buildings, recreation facilities, access, other hard surfaces, or otherwise exempted with development approval shall be landscaped and properly maintained with grass, deciduous and evergreen trees and other plant material approved in conjunction with a site plan or plat for the development.
 - 2. A minimum of one tree per one thousand (1,000) square feet, or part thereof, of landscaped areas, excluding landscaped sport or play areas, is required. At least thirty percent (30%) of all required trees shall be minimum seven foot (7') evergreens. Deciduous trees shall be a minimum two inch (2") caliper. Deciduous and evergreen trees need not be equally spaced, except as required in parking areas and in park strips but shall be distributed throughout the required yard areas on the site.
 - 3. Curbed planters with two inch (2") or larger caliper shade trees and other approved plant/landscape materials shall be installed at the ends of each parking row. Planters shall be at least five feet (5') wide.
 - 4. Minimum five foot (5') wide landscaped planters shall be installed along the street side of building foundations, except at building entrances.
 - 5. All landscaped areas shall be curbed.
- 5. Developments that are contiguous to canals, streams or drainage areas shall make reasonable efforts to include banks and rights-of-way in the landscaping of the project and the urban trails system. Any area so included and perpetually preserved as open space may be counted toward required open space for the development. If approved by the City Engineer, waterways which traverse developments may be left open if properly landscaped and maintained by the adjacent owners. Waterways may not be altered without approval of any entity or agency having jurisdiction over said waterways.
- 6. All required landscaping in yard areas and open spaces shall be installed prior to occupancy unless deferred pursuant to section 16.04.300, "Deferred Improvements", of this Code.
- 7. Property owners shall properly irrigate and maintain all landscaped areas, including those in adjacent public right-of-way areas that are not maintained by the City.
- 8. Required trees may not be topped and required landscape material may not be removed in Residential Zones without City approval.
- 9. Dead plant material shall be replaced in accordance with the requirements of this chapter and the conditions of site plan or plat approval.

11. Lighting:

- 1. A lighting plan shall be submitted with all new developments that have a principal use that is not agricultural or residential.
- 2. Lighting shall be shielded to prevent glare on adjacent agricultural and residential properties.

A-5 & R-2.5 ZONE City Code Provisions

- 3. Lighting fixtures in all developments that have a principal use that is not agricultural or residential shall be architectural grade and consistent with the architectural theme of the development.
- 4. Lighting fixtures on public property shall be approved by the City Engineer.
- 12. Streets: Streets in Agricultural Zones shall meet the requirements of section 16.04.180, "Streets", of this Code, except that private streets and gated communities are prohibited in Agricultural Zones.

17.30.030: OTHER REQUIREMENTS

- 1. Grading: All developments shall be graded as required by the City Engineer to provide adequate drainage. Buildings shall be equipped with facilities that discharge all roof drainage onto the subject lot or parcel.
- 2. Maintenance: All private areas of lots or parcels shall be properly maintained by the owners.
- 3. Phasing Plan: A project phasing plan shall be submitted for review at the time of plat or site plan approval. Development shall be in accordance with the phasing plan unless a revised phasing plan is approved by the City.
- 4. Common Areas: All common area improvements in developments, including, but not limited to, buildings, open space, recreational facilities, roads, fences, utilities, landscaping, walkways, streetlights and signs not specifically dedicated to the City or accepted for ownership or maintenance by the City shall be perpetually owned and maintained by the property owners of the development or their agents through a special taxing district or owners' association with power to assess and collect fees for maintenance or other assessment and maintenance mechanisms acceptable to the City.
- 5. Prior Created Lots: Lots or parcels of land that legally existed or were created by a preliminary or final plat approval prior to the establishment of an Agricultural Zone shall not be denied a building permit solely for reason of nonconformance with the requirements of this chapter.
- 6. Approval: Before building permits are issued, all projects shall have been approved according to the provisions and requirements of this Code and the applicable plat recorded with the Salt Lake County Recorder's Office.
- 7. Open Space: Any open space provided within a subdivision to be jointly owned, maintained and preserved by an owners' association and/or special assessment area acceptable to the City shall be labeled and recorded as common area or as a perpetual open space easement. Private yard areas may not be counted as required open space. The City may determine the location of open space in a subdivision by considering topography, drainage or other land features. The City may require a cash bond or a letter of credit to guarantee installation of improvements.
- 8. Developer Requirements: Developers of projects that will include common area, private streets, shared private improvements, or shall otherwise include restrictive covenants shall submit a proposed declaration of conditions, covenants, and restrictions ("CC&Rs") to the City for review. The CC&Rs shall be recorded concurrently with the final plat and, except where the City has agreed to and executed documents to guarantee the establishment of a special assessment area, shall include the following:

- 1. An opinion of legal counsel licensed to practice law in the State that the project meets requirements of State law.
- 2. Provisions for a homeowners' association, maintenance of all buildings, streets, sidewalks, other improvements and common areas, adherence to City conditions and standards applicable to the development at the time of approval, snow removal, and other items recommended by City staff and approved by the Planning Commission.
- 3. Language required by section 17.04.300 of this title.

CHAPTER 17.40 RESIDENTIAL ZONES

17.40.010: PURPOSE

17.40.020: DEVELOPMENT AND DESIGN STANDARDS

17.40.030: OTHER REQUIREMENTS

17.40.010: PURPOSE

This chapter is established to provide standards and regulations, consistent with the city's general plan and the purposes and provisions of this title, for single-family residential areas in the city. This chapter shall apply to the following residential zones as established in chapter 17.20, "Zone Establishment", of this title: R-1.8, R-2.5, R-3, R-4, R-5, and R-M zones. Uses may only be conducted in residential zones in accordance with the regulations of this code. Allowed use (permitted and conditional), accessory use, temporary use and other associated use regulations may be found in chapter 17.18, "Uses", of this title.

17.40.020: DEVELOPMENT AND DESIGN STANDARDS

- 1. Development Review: Uses proposed in residential zones may only be established in conformance with development review procedures of the city. Applicants shall follow the procedures and requirements of this code regarding development review in the preparation and review of development proposals in residential zones. All uses shall be conducted according to the approved plan or plat and any conditions of approval. Plans or plats may not be altered without prior approval of the city, except as otherwise allowed under state law.
- 2. Lot Area: The area of any lot in residential zones shall not be less than the minimum lot area requirement identified in the minimum lot area table below. Every portion of a parcel being subdivided shall be included as a lot or lots in the proposed subdivision plat, right of way or as common, limited common or private ownership.

| Zone | Minimum Lot Area (Square Feet) |
|-------|--------------------------------|
| R-1.8 | 14,520 |
| R-2.5 | 12,000 |

| R-3 | 10,000 |
|-----|--------|
| R-4 | 8,000 |
| R-5 | 6,000 |
| R-M | 5,000 |

3. Lot Density: The maximum gross density (number of lots or primary dwelling units per acre) in any residential development in a residential zone shall not exceed the density shown in the lot density table below. The primary dwelling density of each area zoned R-M shall be determined, according to the densities established in the lot density table, with approval of a rezoning application per chapter 17.22, "Zoning Amendments", of this title and indicated on the official zoning map with a numerical suffix matching the approved density.

| Zone | Maximum Gross Density |
|-------|-----------------------|
| R-1.8 | 1.8 |
| R-2.5 | 2.5 |
| R-3 | 3 |
| R-4 | 4 |
| R-5 | 5 |
| R-M-5 | 5 |
| R-M-6 | 6 |

4. Lot Width And Frontage: Each lot or parcel in a residential zone shall have a minimum lot width not less than the dimension in the minimum width column of the lot width and frontage table below. The minimum lot width shall be measured at the minimum front yard requirement (see subsection F of this section) that shall be determined from a point which corresponds to the midpoint of the front lot line. Each lot or parcel shall abut the right of way line of a public street a minimum distance not less than the dimension in the frontage (standard) column of the lot width and frontage table below, except that lots with side property lines which diverge at an angle of at least twenty degrees (20°) shall

abut the right-of-way or landscaped open space a minimum distance not less than the dimension in the frontage (diverged) column.

| Zone | Minimum Width | Frontage (Standard) | Frontage (Diverged) |
|-------|---------------|---------------------|---------------------|
| R-1.8 | 90' | 90' | 50' |
| R-2.5 | 90' | 90' | 50' |
| R-3 | 85' | 85' | 50' |
| R-4 | 80' | 80' | 50' |
| R-5 | 75' | 75' | 50' |
| R-M-5 | 65' | 65' | 40' |
| R-M-6 | 60' | 60' | 40' |

5. Lot Coverage: The area of lot, parcel or private ownership area in a residential zone covered by buildings shall not exceed the percentage identified in the lot coverage table below of the total lot, parcel or private ownership area.

| Zone | Maximum Building Coverage |
|-------|---------------------------|
| R-1.8 | 40% |
| R-2.5 | 40% |
| R-3 | 40% |
| R-4 | 40% |
| R-5 | 50% |
| R-M | 60% |

- 6. Yard Area: The yard area (setback) requirements below shall apply in all residential zones. Minimum yard areas are measured from the corresponding front, side and rear property lines of lots or from the boundaries of private ownership areas. A land use permit shall be obtained prior to the construction of any accessory building for which a building permit is not required. An application form, lot plan showing streets, existing buildings, dimensions, easements and setbacks of the proposed accessory building and other information as needed shall be submitted for review.
 - 1. Main Buildings: Minimum yard area requirements for main buildings are as follows:

| Zone | Front Yard (Interior And Corner Lots) | Garage Opening ¹ (Front Or Street Side) | Front Yard (Cul- De-Sac Lots) | Side Yard (Standard) | Side Yard (Corner Lot Street Side) | Rear Yard (Interior Lot) | Rear Yard (Corner Lot) |
|-----------|---|---|---|-------------------------|---|-----------------------------------|---------------------------------|
| R- 1.8 | 30' | 30' | 25' | 10' | 30' | 25' | 10' |
| R- 2.5 | 25' | 30' | 20' | 10' | 25' | 25' | 10' |
| R-3 | 25' | 30' | 20' | 10' | 25' | 25' | 10' |
| R-4 | 20' | 25' | 20' | 8' | 20' | 20' | 10' |
| R-5 | 20' | 25' | 20' | 8' | 20' | 20' | 10' |
| R- M-5 | 20' | 25' | 20' | 8' | 10' | 20' | 10' |
| R- M-6 | 20' | 25' | 20' | 8' | 10' | 20' | 10' |

2. Note:

¹The garage opening minimum yard area requirement shall apply to garages when the garage opening faces the street, otherwise the front yard minimum yard area shall apply. The garage opening minimum yard requirement shall be 25 feet to any street-facing garage opening in a cul-de-sac.

3. Accessory Buildings: Minimum yard area requirements for accessory buildings are as follows:

A-5 & R-2.5 ZONE City Code Provisions

- 1. Location: Accessory buildings may not be located between the front building line of a main building and the right-of-way that determines the front yard area.
- 2. Side Yard: An accessory building may be located in a side yard, including a street side, if located no closer than the minimum side yard requirement for the main building pursuant to this subsection F, except that accessory buildings less than ten feet (10') in height and not containing habitable space may be located no closer than five feet (5') from the side property line.
- 3. Rear Yard: An accessory building may be located in a rear yard no closer than three feet (3') from the side or rear property line or boundary and increased by one foot (1') for each foot of building height in excess of sixteen feet (16'), except that the setback shall be increased to no closer than five feet (5') from the side or rear property line or boundary when adjacent to a right-of-way, which shall be increased by one foot (1') for each foot of building height in excess of sixteen feet (16').
- 4. Buildings Used To Shelter Animals: Buildings used for the housing or shelter of animals shall be located a minimum distance of forty feet (40') from any existing dwelling or neighborhood street right-of-way or, if approved with a conditional use permit, a minimum of twenty feet (20') from any collector street right-of-way line.
- 5. Projections: The following may be erected on or projected into any required yard space in Residential Zones:
 - 1. Fences and walls in conformance with this Code.
 - 2. Agricultural crops and landscape elements, including trees, shrubs and other plants.
 - 3. Utility or irrigation equipment or facilities.
 - 4. Decks not more than two feet (2') high.
 - 5. Cornices, eaves, sills, planter boxes, stairways, landings, porches, decks, awnings or similar architectural features attached to the building and not enclosed by walls, extending not more than two feet (2') into a side yard, or four feet (4') into a front or rear yard.
 - 6. Chimneys, fireplace keys, box or bay windows or cantilevered walls attached to the building no greater than eight feet (8') wide and extending not more than two feet (2') into a side yard, or four feet (4') into a front or rear yard.
- 7. Parking And Access: Parking areas and vehicle access in Residential Zones shall meet the requirements of title 16, chapter 16.26, "Parking And Access", of this Code, chapter 17.18, "Uses", of this title, and title 10 of this Code (Traffic Code). A driveway may only directly access a collector or arterial street with approval of the Utah Department of Transportation ("UDOT") for UDOT streets or with approval of the City Engineer for City streets.
- 8. Fencing, Screening And Clear Vision: The fencing, screening and clear vision requirements of this section shall apply in Residential Zones.
 - 1. Utility Screening: In nonresidential developments, all mechanical equipment, antennas (where possible), loading areas, and utility areas shall be screened from

A-5 & R-2.5 ZONE City Code Provisions

view at ground level along the property line of the subject property with architectural features or walls consistent with materials used in the associated buildings. Exterior trash receptacles in nonresidential developments shall be enclosed by masonry walls that are at least as tall as the receptacle itself, but not less than six feet (6') tall, and solid steel access doors. The color of trash receptacle enclosures (masonry walls and access doors) shall be consistent with colors used in the associated buildings.

- 2. Incompatible Land Use Screening: Incompatible land uses, including waterways, trails, parks, open spaces and other uses or zones shall be screened or buffered with fences, walls and/or landscaping as required by the development approval.
- 3. Rear And Side Yard Fencing: A maximum six foot (6') high fence and/or hedge may be installed and maintained between a dwelling and a rear or side lot line.
- 4. Front Yard Fencing: A maximum four foot (4') high, nonvisually obscuring decorative wrought iron, simulated wrought iron or nonobscuring vinyl picket fence may be constructed along a side lot line to the right-of-way line or sidewalk of a neighborhood street, except as regulated in Clear Vision Areas, according to Section 16.04.200 (J). A masonry or solid vinyl fence or hedge may also be constructed along lot lines to the right-of-way or sidewalk but may not be greater than three feet (3') high. Brick pillars may not exceed eighteen inches (18") square or be closer than ten feet (10') on center. Posts or pillars may not extend higher than four inches (4") above the fence panel.
- 5. Clear Vision Area: Landscape materials within a Clear Vision Area shall comply with Section 16.04.200 (J).
- 6. Collector Street Fencing: Any single-family residential rear or side yard fence erected or maintained roughly parallel to and within twenty feet (20') of a collector or arterial street right-of-way in a Residential Zone shall be constructed according to section 16.04.200 of this Code.
- 9. Architecture: The following exterior materials and architectural standards are required in Residential Zones:
 - 1. General Architectural Standards:
 - 1. All building materials shall be high quality, durable and low maintenance.
 - 2. The exteriors of buildings in Residential Zones shall be properly maintained by the owners or owners' association.
 - 3. Signs shall meet requirements of title 16, chapter 16.36, "Sign Ordinance", of this Code and shall be constructed of materials that are consistent with the buildings they identify.
 - 4. Main buildings shall be no greater than thirty five feet (35') high.
 - 2. Architectural Standards For Main Buildings:
 - 1. Residential main buildings shall include a minimum two car garage (minimum twenty-two feet (22') by twenty-two feet (22'), or an approved equivalent area).
 - 2. The minimum total floor area, finished and unfinished, of any residential main building shall be one thousand (1,000) square feet not including a garage.
 - 3. The front of the house shall be accessible by a pedestrian from the adjacent right-of-way.

A-5 & R-2.5 ZONE City Code Provisions

- 3. Architectural Standards For Accessory Buildings:
 - 1. Accessory buildings may not be higher than the main building, except as approved by the Planning Commission as a conditional use permit. In no case shall an accessory building be greater than twenty five feet (25') high.
 - 2. The footprint of accessory buildings in the R-2.5, R-3, R-4, R-5 and R-M Zones shall not exceed sixty percent (60%) of the footprint of the main building, including the footprint of an attached garage, except that the Planning Commission may approve a conditional use permit for an accessory building with a footprint that is greater than sixty percent (60%) but in no case shall exceed the footprint of the main building. In the R-1.8 Zone, the footprint of an accessory building, such as a barn or a stable, shall not exceed the footprint of the main building, except with a conditional use permit approved by the Planning Commission.
 - 3. Any portion of an accessory building within twenty feet (20') of a property line shall meet the following requirements, except as approved by the Planning Commission as a conditional use permit:
 - 1. Openings (e.g., windows and doors) that are visible from the property line shall not be located in an exterior wall when the floor height exceeds four feet (4') above grade.
 - 2. The average wall height shall not exceed sixteen feet (16') above grade.
 - 4. Accessory buildings with a footprint exceeding two hundred (200) square feet shall be constructed with a minimum one to twelve (1:12) roof pitch in the R-1.8 Zone, and a minimum three to twelve (3:12) roof pitch over a majority of the structure in all other Residential Zones.
 - 5. Applications for a conditional use permit under subsections I3a, I3b and I3c of this section shall demonstrate that the proposed accessory building is consistent with the character of the surrounding area, which analysis includes, but is not limited to, consideration of nearby structures and uses and applicable declarations of conditions, covenants and restrictions ("CC&Rs"). Written notice shall be provided to all property owners located within the subdivision plat of the subject property and to all property owners otherwise located within three hundred feet (300') of the subject property. Notice shall be provided no less than ten (10) days prior to the scheduled Planning Commission meeting.
- 10. Landscaping: The following landscaping requirements and standards shall apply in Residential Zones. Landscaping in Residential Zones is also subject to the requirements of Title 16, Chapter 16.30, "Water Efficiency Standards," of this Code.
 - 1. The front and street side yards of single-family lots shall be fully improved and properly maintained with not less than fifty percent (50%) of the yard area landscaped and not less than fifty percent (50%) of the required landscaped area covered in acceptable live plant material unless otherwise approved with a conditional use permit.
 - 2. All collector street and other public and private park strips in Residential Zones shall be improved and maintained by the adjoining property owners according to

A-5 & R-2.5 ZONE City Code Provisions

- specifications adopted by the City unless otherwise allowed with development approval.
- 3. Where an adjacent park strip in a residential right-of-way is a minimum of five feet (5') wide, park strip improvements shall include one shade tree that is a minimum two inch (2") caliper, for every fifty feet (50') of frontage and spaced evenly throughout the landscaped portion of the park strip, except that park strip trees shall not be planted within thirty feet (30') of a stop sign. Park strip trees shall be consistent with the "Streetscape Tree Species for South Jordan City" list.
- 4. In developments that have a principal use other than single-family, detached, the following landscaping requirements shall apply:
 - 1. All areas of developments not approved for parking, buildings, recreation facilities, access, other hard surfaces, or otherwise exempted with development approval shall be landscaped and properly maintained with grass, deciduous and evergreen trees and other plant material approved in conjunction with a site plan or plat for the development.
 - 2. A minimum of one tree per one thousand (1,000) square feet, or part thereof, of landscaped areas, excluding landscaped sports or play areas, is required. At least thirty percent (30%) of all required trees shall be a minimum seven foot (7') evergreen. Deciduous trees shall be a minimum two inch (2") caliper. Deciduous and evergreen trees need not be equally spaced, except as required in parking areas and in park strips but shall be distributed throughout the required yard areas on the site.
 - 3. Curbed planters with two inch (2") or larger caliper shade trees and other approved plant/landscape materials shall be installed at the ends of each parking row. Planters shall be at least five feet (5') wide.
 - 4. Minimum five foot (5') wide landscaped planters shall be installed along the street side of building foundations, except at building entrances.
 - 5. All landscaped areas shall be curbed.
- 5. Developments that are contiguous to canals, streams or drainage areas shall make reasonable efforts to include banks and rights-of-way in the landscaping of the project and the urban trails system. Any area so included and perpetually preserved as open space may be counted toward required open space for the development. If approved by the City Engineer, waterways which traverse developments may be left open if properly landscaped and maintained by the adjacent owners. Waterways may not be altered without approval of any entity or agency having jurisdiction over said waterways.
- 6. All required landscaping in yard areas and open spaces shall be installed prior to occupancy unless deferred pursuant to section 16.04.300, "Deferred Improvements", of this Code.
- 7. Property owners shall properly irrigate and maintain all landscaped areas, including those in adjacent public rights-of-way that are not maintained by the City.
- 8. Required trees may not be topped and required landscape material may not be removed in Residential Zones without City approval.
- 9. Dead plant material shall be replaced in accordance with the requirements of this chapter and the conditions of site plan or plat approval.

A-5 & R-2.5 ZONE City Code Provisions

11. Lighting:

- 1. A lighting plan shall be submitted with all new nonresidential developments in Residential Zones.
- 2. Lighting shall be shielded to prevent glare on adjacent agricultural and residential properties.
- 3. Lighting fixtures in all developments that have a principal use that is not agricultural or residential shall be architectural grade and consistent with the architectural theme of the development.
- 4. Lighting fixtures on public property shall be approved by the City Engineer.
- 12. Streets: Streets in Residential Zones shall meet the requirements of section 16.04.180, "Streets", of this Code, except that private streets and gated communities are prohibited in Residential Zones unless otherwise provided for in this chapter.

17.40.030: OTHER REQUIREMENTS

- 1. Grading: All developments shall be graded as required by the City Engineer to provide adequate drainage. Buildings shall be equipped with facilities that discharge all roof drainage onto the subject lot or parcel.
- 2. Maintenance: All private areas of lots or parcels shall be properly maintained by the owners.
- 3. Phasing Plan: A project phasing plan shall be submitted for review at the time of plat or site plan approval. Development shall be in accordance with the phasing plan unless a revised phasing plan is approved by the City.
- 4. Common Areas: All common area improvements in developments, including, but not limited to, buildings, open space, recreational facilities, roads, fences, utilities, landscaping, walkways, streetlights and signs not specifically dedicated to the City or accepted for ownership or maintenance by the City shall be perpetually owned and maintained by the property owners of the development or their agents through a special taxing district or owners' association with power to assess and collect fees for maintenance or other assessment and maintenance mechanisms acceptable to the City.
- 5. Prior Created Lots: Lots or parcels of land that legally existed or were created by a preliminary or final plat approval prior to the establishment of a Residential Zone shall not be denied a building permit solely for reason of nonconformance with the requirements of this chapter.
- 6. Approval: Before building permits are issued, all projects shall have been approved according to the provisions and requirements of this Code and the applicable plat recorded with the Salt Lake County Recorder's Office.
- 7. Open Space: Any open space provided within a subdivision to be jointly owned, maintained and preserved by a homeowners' association and/or special assessment area acceptable to the City shall be labeled and recorded as common area or as a perpetual open space easement. Private yard areas may not be counted as required open space. The City may determine the location of open space in a subdivision by considering topography, drainage or other land features. The City may require a cash bond or a letter of credit to guarantee installation of improvements.
- 8. Developer Requirements: Developers of projects that will include common area, private streets, shared private improvements, or shall otherwise include restrictive covenants

shall submit a proposed declaration of conditions, covenants and restrictions ("CC&Rs") to the City for staff review. The CC&Rs shall be recorded concurrently with the final plat and, except where the City has agreed to and executed documents to guarantee the establishment of a special assessment area, shall include the following:

- 1. An opinion of legal counsel licensed to practice law in the State that the project meets requirements of State law.
- 2. Provisions for a homeowners' association, maintenance of all buildings, streets, sidewalks, other improvements and common areas, adherence to City conditions and standards applicable to the development at the time of approval, snow removal, and other items recommended by City staff and approved by the Planning Commission.
- 3. Language consistent with section 17.04.300 of this title.

P-O ZONE City Code Provisions

CHAPTER 17.62 OFFICE ZONE

17.62.010: PURPOSE

17.62.020: DEVELOPMENT AND DESIGN STANDARDS

17.62.030: OTHER REQUIREMENTS

17.62.010: PURPOSE

This chapter is established to provide standards and regulations, consistent with the City's general plan and the purposes and provisions of this title, for office areas in the City. This chapter shall apply to the P-O Zone, established in chapter 17.20, "Zone Establishment", of this title. Uses may only be conducted in the P-O Zone in accordance with the regulations of this Code. Allowed use (permitted and conditional), accessory use, temporary use, and other associated use regulations are found in chapter 17.18, "Uses", of this title.

1. P-O Zone: The purpose of the P-O Zone is to provide areas where large and small scale offices and office parks can be located in the City. Smaller office developments should be harmoniously integrated with surrounding residential areas and serve as residentially compatible buffers to heavier uses such as commercial and industrial businesses and major roadways. Large office buildings should be well buffered from residential areas with landscaped open space. Buildings and signs should be coordinated with high quality materials and architecture.

17.62.020: DEVELOPMENT AND DESIGN STANDARDS

- 1. Development Review: Uses proposed in the P-O Zone may only be established in conformance with the City's development review procedures of the City. Applicants shall follow the procedures and requirements of this Code regarding development review in the preparation and review of development proposals in the P-O Zone. All uses shall be conducted according to the approved plan or plat and any conditions of approval. Plans or plats may not be altered without prior approval of the City, except as allowed under State law. Office condominiums may be approved in accordance with State law and City ordinances.
- 2. Area Requirements: The following area requirements shall apply in the P-O Zone:
 - 1. The minimum zone area shall be one acre.
 - 2. The minimum project area in the P-O Zone shall be one acre. "Project" is defined as any development in the OS Zone for which an application has been submitted or approval has been granted for a preliminary plat or site plan.
 - 3. There shall be no minimum lot area in the P-O Zone.
- 3. Density: There is no restriction on the number of lots or parcels or the number of buildings on a lot or parcel, except as may be limited by other standards, regulations, or requirements of this title, in the P-O Zone.
- 4. Lot Width And Frontage: No minimum lot width is required for lots in the P-O Zone. Lots not fronting on a street must be accessible to the public via a recorded easement or right-of-way.
- 5. Yard Area: The following yard area requirements shall apply to lots or parcels in the P-O Zone:
 - 1. The following minimum yard area requirements apply to main and accessory buildings:
 - 1. The required yard area for front, side, and rear yards shall extend a

P-O ZONE City Code Provisions

distance of twenty feet (20') away from and along a property line adjacent to the edge of a public right-of-way (back of sidewalk for a typical street cross section). An alternative edge line to be used for measuring the minimum yard area may be established where an atypical street cross section exists and when recommended by the Planning Director and approved by the Planning Commission.

- 2. The required yard area for front, side, and rear yards shall extend a distance of thirty feet (30') away from and along a property line adjacent to a Residential or Agricultural Zone, except that the required yard area adjacent to residential or agricultural zones shall be twenty feet (20') per story for three-story or higher buildings.
- 2. The required yard area for a lot or parcel adjacent to a residential or agricultural zone, as required in subsection E1 of this section may be reduced if the adjacent residential or agricultural zoned property has a future land use designation that is not residential or agricultural and the reduction is approved by the Planning Commission with site plan review.
- 3. The following may be projected into any required yard area in the P-O Zone:
 - 1. Fences and walls in conformance to City codes and City ordinances.
 - 2. Landscape elements, including trees, shrubs and other plants.
 - 3. Minor utility or irrigation equipment or facilities.
 - 4. Decks not more than two feet (2') in height.
 - 5. Cornices, eaves, sills, planter boxes, stairways, landings, porches, decks or similar architectural features attached to a building that does not extend more than two feet (2') into a side yard area or four feet (4') into a front or rear yard area.
 - 6. Chimneys, fireplace keys, box or bay windows, or cantilevered walls attached to the building not exceeding eight feet (8') wide and extending not more than two feet (2') into a side yard or four feet (4') into a front or rear yard.
- 6. Parking And Access: Parking areas and access in the P-O Zone shall comply with title 16, chapter 16.26, "Parking And Access", of this Code, chapter 17.18, "Uses", of this title and title 10, "Vehicles And Traffic", of this Code.
- 7. Fencing, Screening, And Clear Vision Areas: The fencing, screening and clear vision requirements of this section shall apply to the P-O Zone:
 - 1. All mechanical equipment, antennas (where possible), loading areas, and utility areas shall be screened from view at ground level along the property line of the subject property with architectural features or walls consistent with materials used in the associated buildings. Exterior trash receptacles shall be enclosed by masonry walls that are at least as tall as the receptacle itself, but not less than six feet (6') tall, and solid steel access doors. The color of trash receptacle enclosures (masonry walls and access doors) shall be consistent with colors used in the associated buildings.
 - 2. The boundary of an office zone which is not in or adjacent to a public right-of-way and which is adjacent to a residential or agricultural zone shall be fenced with a six foot (6') high, decorative precast concrete panel or masonry fence as determined with development approval. A six foot (6') solid vinyl boundary

P-O ZONE City Code Provisions

fencing may be used in unusual circumstances such as when the office zone is adjacent to property which is master planned for nonresidential uses. A higher fence may be required or allowed in unusual circumstances. A building permit may be required for fences and walls according to applicable building codes. Other fencing or landscaping techniques may be used to buffer waterways, trails, parks, open spaces or other uses as determined with development approval.

- 3. No wall, fence or screening material shall be erected between a street and a front or street side building line in the P-O Zone, except as required by subsection G1 of this section.
- 4. Landscape materials within a Clear Vision Area shall comply with Section 16.04.200 (J).
- 8. Architecture: The following exterior materials and architectural standards are required in the P-O Zone:
 - 1. Applicants for development approval shall submit for site plan review architectural drawings and elevations, exterior materials and colors of all proposed buildings. In projects containing multiple buildings, the applicant shall submit a design book that includes an architectural theme, features, exterior materials and colors governing the entire project shall be submitted.
 - 2. All building materials shall be high quality, durable and low maintenance.
 - 3. Exterior walls of buildings that are longer than sixty feet (60') in length shall have relief features at least four inches (4") deep at planned intervals.
 - 4. All sides of buildings shall receive design consideration.
 - 5. Signs shall meet requirements of title 16, chapter 16.36 of this Code and shall be constructed of materials which complement the buildings which they identify.
 - 6. The maximum building height in the P-O Zone shall be six (6) stories or seventy feet (70'), whichever is less.
 - 7. The exteriors of buildings in the P-O Zone shall be properly maintained by the owners.
- 9. Grading And Drainage: All developments shall be graded to comply with subsection 16.10.040E9 of this Code and as required by the City Engineer to provide adequate drainage. Buildings shall be equipped with facilities that discharge all roof drainage onto the subject lot or parcel.
- 10. Landscaping: The following landscaping requirements and standards shall apply in the P-O Zone. Landscaping in the P-O Zone is also subject to the requirements of Title 16, Chapter 16.30, "Water Efficiency Standards," of this Code.
 - 1. A minimum of fifteen percent (15%) landscaped open space, which may include required landscaped yard areas, shall be provided with each development in the P-O Zone.
 - 2. The area of front, side, and rear yards along an adjacent property line and extending away from the property line a distance prescribed in the requirements of this subsection shall be landscaped with grass, trees, and other live plant material.
 - 1. The required yard landscape area for a yard adjacent to a Residential or Agricultural Zone shall be not less than ten feet (10') for buildings not exceeding two (2) stories and shall not be less than twenty feet (20') for buildings with three (3) stories or more, except that no yard landscape area

P-O ZONE City Code Provisions

- is required when a yard area reduction has been approved according to subsection E2 of this section.
- 2. The required yard landscape area for a yard adjacent to a public right-of-way shall be twenty feet (20'), except that no yard landscape area is required when a yard area reduction has been approved according to subsection E2 of this section.
- 3. All areas of lots in the P-O Zone not approved for parking, buildings or other hard surfacing shall be landscaped and properly maintained with grass, deciduous and evergreen trees and other live plant material in conjunction with a landscape plan for the development that has been designed and prepared by a landscape architect and approved by the Planning Commission.
- 4. A minimum of one tree per five hundred (500) square feet, or part thereof, of required landscaped yard areas is required in the P-O Zone in addition to other trees required in this section. A minimum of thirty percent (30%) of required yard area trees shall be minimum seven foot (7') tall evergreens. Deciduous trees shall be minimum two inch (2") caliper. Deciduous and evergreen trees required in this section need not be equally spaced but shall be dispersed throughout the required yard areas on the site.
- 5. All collector streets and other public and private park strips in the P-O Zone shall be improved and maintained by the adjoining owners according to specifications adopted by the City unless otherwise allowed with development approval. Park strip trees shall not be planted within thirty feet (30') of a stop sign.
- 6. Trees shall not be topped and required landscape areas shall not be redesigned or removed in the P-O Zone without City approval. Property owners shall replace any dead plant material in accordance with the requirements of this chapter and the conditions of site plan or plat approval.
- 7. The following landscaping requirements shall apply to parking areas:
 - 1. Curbed planters with two inch (2") or larger caliper shade trees and other approved plant/landscape materials shall be installed at the ends of parking rows. Planters shall be at least five feet (5') wide.
 - 2. Shade trees shall be planted in double parking rows at minimum intervals of six (6) stalls and along single parking rows at minimum thirty foot (30') intervals and no farther than six feet (6') from the parking area.
 - 3. Minimum five foot (5') landscaped planters shall be provided around building foundations except at building entrances, drive-up windows and loading and utility areas.
 - 4. All landscaped areas adjacent to parking areas shall be curbed.
- 8. Developments that are contiguous to canals, streams or drainage areas shall make reasonable efforts to include banks and rights-of-way in the landscaping of the project and the urban trails system. Any areas so included and perpetually preserved may be counted toward required yard space for the development. If approved by the City Engineer, waterways which traverse developments may be left open if properly landscaped and maintained by the adjacent owners. Waterways may not be altered without written approval of any entity or agency having jurisdiction over said waterways.
- 9. All required landscaping shall be installed (or escrowed due to season) prior to

P-O ZONE City Code Provisions

occupancy.

- 10. All landscaped areas, including adjoining public right-of-way areas, shall be properly irrigated and maintained by the owners.
- 11. Lighting: The following lighting requirements shall apply in the P-O Zone:
 - 1. Applicants for development approval shall submit a lighting plan, which shall include a photometric analysis.
 - 2. Site lighting shall adequately light all parking areas, walkways, and common areas. Site lighting shall be designed and/or shielded to prevent glare on adjacent properties.
 - 3. Lighting fixtures on private property shall be architectural grade and consistent with the architectural theme of the development.
 - 4. Lighting fixtures on public property shall be architectural grade and consistent with a streetlight design approved by the City Engineer.

17.62.030: OTHER REQUIREMENTS

- 1. Private Covenants: The developer of a condominium project in an office zone shall submit a proposed declaration of covenants to the City Attorney for review, including an opinion of legal counsel licensed to practice law in the State that the condominium meets requirements of State law, and record the covenants with the condominium plat for the project.
- 2. Maintenance: All private areas in developments shall be properly maintained by the property owners.
- 3. Easements: Buildings may not be located within a public easement.
- 4. Phasing Plan: Applicants seeking development approval of a phased project shall submit for review at the time of plat or site plan approval a project phasing plan. Development shall be in accordance with the project phasing plan unless the City approves a revised project phasing plan.
- 5. Nonconforming Lots Or Parcels: Nonconforming lots or parcels of land which legally existed or were created by a preliminary or final plat approval prior to the establishment of the P-O Zone shall be brought into conformance with the requirements of this chapter prior to development.

EXHIBIT E

RESOLUTION R – 2025-41