



City of Spring Lake Park
1301 81st Avenue NE
Spring Lake Park, MN 55432
763-784-6491

Sign Permit
November 3, 2025

Sign Permit

Asia, Africa Market

8171 University Ave

Melt N Dip

7777 Hwy 65 #D



SIGN PERMIT APPLICATION

City of Spring Lake Park
1301 81st Ave NE
Spring Lake Park, MN 55432
763-784-6491
Permits@slpmn.org

JOB ADDRESS: 8171 University Ave NE

APPLICANT INFORMATION:

Name: Kim Feldewerd

Address: 4133 Iowa Street Suite 100 - Alexandria, MN 56308

Email: kim.feldewerd@indigosigns.com

Phone: 320-391-4946

☐ New Construction

☒ Remodel

☐ Word Change

CONTRACTORS INFORMATION:

Please Note: Contractors must be licensed with the City of Spring Lake Park

Name: Indigo Signs

Address: 4133 Iowa Street Suite 100 - Alexandria, MN 56308

Email: kim.feldewerd@indigosigns.com

Phone: 320-391-4946

State License #: SB683135

Expiration Date: 5/21/2026

DESCRIPTION OF WORK TO BE COMPLETED:

Remove existing illuminated "ASIA" channel letters and re-install on the West wall to the left and install "AFRICA" letters above the "MARKET" letters.

Square Footage of front of Building (Length X Width): ~~Northwest wall (17.5' x 30' = 525 sq ft), West wall (15.5' x 118' = 1,829 sq ft)~~ 21,852
Square Footage of all existing signs (Length X Width): ~~MARKET: 2'x12' = 24 sq ft & ASIA: 2'x6.75' = 13.5 sq ft (existing 37.5 TOTAL sq ft)~~ 2153
Square footage of proposed sign or signs (Length X Width): ~~adding AFRICA: 2'x10.75' = 21.5 sq ft (59 TOTAL sq ft)~~
13.5 - Asia 48 - Africa Market Total 61.5

IS AN ELECTRICAL PERMIT REQUIRED? Yes ☒ No ☐

I, the undersigned applicant, do further make the following agreement with the City of Spring Lake Park, MN:

1. To authorize and direct the City of Spring Lake Park to remove and dispose of any signs and sign structures on which a permit has been issued but which was not renewed, if the owner does not remove the same within thirty (30) days following the expiration of the permit.
2. To authorize and direct the City of Spring Lake Park to remove said sign & structure, at the expense of the applicant, where maintenance is not furnished, but only after hearing and after notice of sixty (60) days, specifying the maintained required by the City.
3. To provide any other additional information which may be required by the Building Inspection Department.

⇒ Applicant Signature: Kimberly A. Feldewerd

Date: 10/16/25



SIGN PERMIT APPLICATION

City of Spring Lake Park
1301 81st Ave NE
Spring Lake Park, MN 55432
763-784-6491
Permits@slpmn.org

REQUIREMENTS:

Attach a drawing or sketch showing the position of the sign in relation to the nearest building, structures, public streets, right of way and property lines. Said drawing to be prepared to scale.

Attach blueprints or ink drawings of the plans and specifications and method of construction or attachment to the building or in the ground, including all dimensions. Show location of all light sources, wattage, type and color of lights and details of light shields or shades.

Attach a copy of stress sheets and calculations showing the structure is designed for dead load and wind velocity in the amount required by this and all other Ordinances of the City, if requested by the Building Inspection Department.

Include a drawing showing location and message on sign.

If you are not the owner of the property, include a **SIGNED** letter from the owner giving permission to erect the sign.

If the application is **NOT** fully completed, it will be denied at time of processing. Please verify that all necessary information is legible and plans are included with job cost estimates.

NOTE: All applications are due by noon on the Tuesday preceding the Council Meeting.

*****FOR OFFICE USE ONLY*****

Fee: \$160

Receipt Number: _____

Date of Approval: _____

Date of Issue: _____

Reason for Denial: _____

Proposed
3.5 $\square$ - \$75
18 $\square$ - \$75 + 8(1.25) = \$85
Total \$160

6556 $\square$ - 30%
2153 $\square$ - Existing
61.5 $\square$ - proposed

4341.5 $\square$ Remaining

proposed



Asia - 13.5M
Africa Market - 48M

**ASIA
MARKET**

Hyixing

**TRANSFORMERS
BEAUTY SUPPLY**





SIGN PERMIT APPLICATION

City of Spring Lake Park
1301 81st Ave NE
Spring Lake Park, MN 55432
763-784-6491
Permits@slpmn.org

JOB ADDRESS: 7777 MN65 Suite D, Spring Lake Park, MN 55432

APPLICANT INFORMATION:

Name: Abdulhakeem Abdalah
Address: 2015 Lathrop Ave, Racine, WI
Email: hakeem@ledsupplywi.com Phone: (608)7189107
☐ New Construction
☐ Remodel
☐ Word Change

CONTRACTORS INFORMATION:

Please Note: Contractors must be licensed with the City of Spring Lake Park

Name: LED SUPPLY & SIGNS
Address: 2015 Lathrop Ave, Racine, WI
Email: hakeem@ledsupplywi.com Phone: (608)7189107
State License #: _____ Expiration Date: _____

DESCRIPTION OF WORK TO BE COMPLETED:

Manufacturer & Install sign

Square Footage of front of Building (Length X Width): 4544
Square Footage of all existing signs (Length X Width): 659'x
Square footage of proposed sign or signs (Length X Width): 91'x + 103'x + 110'x2 = 220'x Total 364'x

IS AN ELECTRICAL PERMIT REQUIRED? Yes ☐ No ☒

I, the undersigned applicant, do further make the following agreement with the City of Spring Lake Park, MN:

1. To authorize and direct the City of Spring Lake Park to remove and dispose of any signs and sign structures on which a permit has been issued but which was not renewed, if the owner does not remove the same within thirty (30) days following the expiration of the permit.
2. To authorize and direct the City of Spring Lake Park to remove said sign & structure, at the expense of the applicant, where maintenance is not furnished, but only after hearing and after notice of sixty (60) days, specifying the maintained required by the City.
3. To provide any other additional information which may be required by the Building Inspection Department.

⇒ Applicant Signature:  Date: 10/28/2025



SIGN PERMIT APPLICATION

City of Spring Lake Park
1301 81st Ave NE
Spring Lake Park, MN 55432
763-784-6491
Permits@slpmn.org

REQUIREMENTS:

Attach a drawing or sketch showing the position of the sign in relation to the nearest building, structures, public streets, right of way and property lines. Said drawing to be prepared to scale.

Attach blueprints or ink drawings of the plans and specifications and method of construction or attachment to the building or in the ground, including all dimensions. Show location of all light sources, wattage, type and color of lights and details of light shields or shades.

Attach a copy of stress sheets and calculations showing the structure is designed for dead load and wind velocity in the amount required by this and all other Ordinances of the City, if requested by the Building Inspection Department.

Include a drawing showing location and message on sign.

If you are not the owner of the property, include a **SIGNED** letter from the owner giving permission to erect the sign.

If the application is **NOT** fully completed, it will be denied at time of processing. Please verify that all necessary information is legible and plans are included with job cost estimates.

NOTE: All applications are due by noon on the Tuesday preceding the Council Meeting.

*****FOR OFFICE USE ONLY*****

Fee: \$ 555

Receipt Number: _____

Date of Approval: _____

Date of Issue: _____

Reason for Denial: _____

proposed
ylon
110' x 2
elt N Dip
103'
Neet Bake
41'
$$\begin{aligned} & \$75 + 70(1.25) = 162.50 \times 2 \\ & \quad \quad \quad \$325 \\ & \$75 + 63(1.25) = 153.75 \\ & \$75 + 1.25 = 76.25 \\ & \quad \quad \quad \underline{\$555} \end{aligned}$$

1363' - 30%
659' - existing
364' proposed

340' Remaining

ROAD STRATEGY

7777 MN-65 Suite D,
Spring Lake Park MN 55432

1



SCALE
P-1/1

P-1/1

SCALE

COLORS ON PROOF MAY VARY
FROM ACTUAL PRODUCT USED

PROPOSED PYLON SIGN REFACE



DATE	10-24-2025
REVISION	A
PROJECT NAME	Melt n Dip
ADDRESS	7777 MN-45 Suite D, Spring Lake Park, MN 55432
SIGN TYPE	Pylon Sign Reface
DESIGNER	U

FRONT VIEW



Face: 3/16" White Acrylic / 3/16" Lexan (Polycarbonate)
 Graphics: Translucent Digital Print / Vinyl Overlays
 Color Reference: C58 M/2 V/1 K/5 C12 M/3 V/23 K/0 C24 M/100 V/100 K/18 FULL COLOR PRINT

THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED BY U.S. SIGN & SIGNS. IT IS SUBMITTED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT. IT IS NOT TO BE REPRODUCED, COPIED, OR EXHIBITED IN ANY MANNER TO ANYONE OUTSIDE YOUR ORGANIZATION, NOR IS IT TO BE USED, REPRODUCED, COPIED OR EXHIBITED IN ANY MANNER. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 900 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.


Int'l. Overlays are for illustrative purposes only.
 Final result, size of sign & scale may vary slightly.

SCALE
 P-1/1
 COLORS ON PAPER MAY VARY FROM ACTUAL PRODUCT USED

PROPOSED FRONT-LIT CHANNEL LETTERS - BACKPLATE MOUNTED



FRONT VIEW



Color Reference:
 C-56 M-72 Y-11 K-18
 C-24 M-100 Y-100 K-18
 C-0 M-0 Y-0 K-0

Face: 3/16" White Acrylic
Returns: 5" Black Coil
LED: White LED Module
Backs: .063 Aluminum
Trim Cap: 1" Black Trim Cap
Mounting: Backplate (cloud)
mounted - Brown Color


THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED BY LED SUPPLY & SIGNS. IT IS SUBMITTED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT BEING PLANNED FOR YOU BY LED SUPPLY & SIGNS. IT IS NOT TO BE SHOWN TO ANYONE OUTSIDE YOUR ORGANIZATION, NOR IS IT TO BE USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

298" x 50" = 10324

SIDE VIEW | INSTALLATION DETAIL

- LED ILLUMINATED CHANNEL LETTERS / BACKPLATE MOUNTED -

LOW VOLTAGE LED LIGHTING SYSTEM (ILLUSTRATED CLASS 2 - CONFORMS TO ILL 48 & NEC 600 CODE)



NOTE: SPECIFIC MATERIAL THICKNESSES FOR THIS SIGN TYPE WILL BE DETERMINED BASED ON MANUFACTURING STANDARDS



NIGHT VIEW

SAFT CALCULATION		ELECTRICAL	
Wide:	24'-10"	120/277 VOLTS	
High:	4'-2"	20 AMPS	
Total SAFT:	103.47	PRIMARY ELECTRICAL CONNECTIONS TO BE MADE BY LICENSED ELECTRICAL CONTRACTORS	

Overlays are for illustrative purposes only. Final result, size of sign & scale may vary slightly.

P-1/1
 COLORS ON PAPER MAY VARY FROM ACTUAL PRODUCT USED

LED SUPPLY & SIGNS


DATE: 10-24-2025
 REVISION: A
 PROJECT NAME: Melt N Dip
 ADDRESS: 7777 NW 45th Suite D, Spring Lake Park, MN 55432
 SIGN TYPE: FRONT-LIT CHANNEL LETTERS
 DESIGNED BY: EFM
 DESIGNER: IU

SCALE

PROPOSED FRONT-LIT CHANNEL LETTERS - RACEWAY MOUNTED



FRONT VIEW



Color Reference:
C56 M22 Y21 K75
C50 M100 Y100 K0

Face: 3/16" Red Acrylic
Returns: 5" Black Coil
LED: White LED Module

Backs: .063 Aluminum
Trim Cap: 1" Black Trim Cap
Mounting: Raceway Mounted
Painted to match fascia color.


THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED BY LED SUPPLY & SIGNS. IT IS SUBMITTED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT BEING PLANNED FOR YOU BY LED SUPPLY & SIGNS. IT IS NOT TO BE SHOWN TO ANYONE OUTSIDE YOUR ORGANIZATION, NOR IS IT TO BE USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

206" X 29" = 41A

SIDE VIEW | INSTALLATION DETAIL

LED ILLUMINATED CHANNEL LETTERS / RACEWAY MOUNTED -

LOW VOLTAGE LED LIGHTING SYSTEM (UL LISTED CLASS 2 - CONFORMS TO UL 48 & NEC 400 CODE)



NOTE: SPECIFIC MATERIAL THICKNESSES FOR THIS SIGN TYPE WILL BE DETERMINED BASED ON MANUFACTURING STANDARDS

NIGHT VIEW	
S&FT CALCULATION	
Wide:	17'-2"
High:	2'-5"
Total S&FT:	41.49
ELECTRICAL	
120/277 VOLTS	
20 AMPS	
PRIMARY ELECTRICAL CONNECTIONS TO BE MADE BY LICENSED ELECTRICAL CONTRACTORS	

OVERLAYS ARE FOR ILLUSTRATIVE PURPOSES ONLY.
Final result, size of sign & scale may vary very slightly.

SCALE
P-1/1
COLORS ON PAPER MAY VARY FROM ACTUAL PRODUCT USED

LED SUPPLY & SIGNS

DATE: 10-24-2025
REVISION: A
PROJECT NAME: Matt N Dip
ADDRESS: 7777 W44th Suite D, Spring Lake Park, MN 55432
SIGN TYPE: FRONT-LIT CHANNEL LETTERS
DESIGNER: IU

2018 7 x 2 = 5967

Existing

