

P R O T E C T

W H A T

M A T T E R S

M O S T



OUTSTANDING FIRE PROTECTION

Fort Knox® strives to protect your valuables in the most violent of conditions. Without adequate fire protection a safe is useless against the damaging effects of heat, smoke and pressure. A home fire burns hot and fast, consuming those items that matter most. At Fort Knox®, we've engineered fire protection that allows our vaults to withstand the highest temperatures for the longest time. It is important to combine time and temperature, not just focusing on one and neglecting the other.



FIRE TEST

To ensure maximum protection, Fort Knox® subjects their vaults through rigorous tests that pushes our fire protection engineering to the upper limits. Fort Knox® vaults pass through vigorous tests that place thermocouples in the top, middle and bottom of the vault to ensure consistent, reliable results. Testing vaults up to 1,680 degrees in 90 minutes, while keeping the vault interior temperature below 350 degrees Fahrenheit, makes Fort Knox® the leader in the industry. (See graph on pg. 6)




HEAT TRANSFER

Fort Knox® vaults are engineered to keep your valuables protected from the intense and violent heat of a fire. Our vaults are designed and engineered to minimize the transfer of heat from the outer body to the interior space. These features combined with thicker steel doors and vault bodies work to reduce heat transfer.



FIRE LINER

Fort Knox® is the only company in the industry to use a fireboard manufactured with a proprietary blend of components that contain shrinkage compensating additives. The fire barrier has fire-retardant capabilities and increased fibers help fireboard retain their structural integrity. Combining mechanical welded mounting studs and a thermal barrier, Fort Knox® gets more fire protection without sacrificing space.



THERMAL BARRIER

Our vaults have an engineered thermal break between the outer body of your vault and fireboard. This thermal break significantly reduces heat transfer by keeping scorching hot metal from touching the fireboard reducing heat transfer. The thermal barrier allows hot air to rise up the sides and circulate within the safe and this allows our fireboard to protect your valuables for a longer period of time in the event of a home fire.



MECHANICAL ANCHORS

At Fort Knox®, we secure our fireboard components with metal mechanical anchors that are welded to the outer steel wall. Metal straps are used to secure the fireboard in place that in turn gives support to our shelf standards. Other safe manufacturers use glue to adhere their non-proprietary fireboard directly to the steel wall of their safe. When exposed to 500 degrees glue will boil and melt, causing fire board to separate and slump away from the walls of the safe. At 500 degrees the glue will also begin to release toxic gas that could leave a caustic residue, destroying valuables.



DUAL DOOR SEALS

Every Fort Knox® vault has two seals around its door – the first seal keeps smoke, caustic residues and hot air from directly entering your vault until the second seal is heat activated. As the fire intensifies, increasing the safe temperature to 212 degrees, the Palusol seal swells, creating a sealing effect around the door that prevents flames and extreme heat from directly entering your vault.

PREMIUM THEFT PROTECTION

At Fort Knox®, we believe your valuables deserve the highest level of protection and security against hostile attacks. From tamper-proof engineering to the thickest steel doors and bodies in the industry, Fort Knox® vaults are built to deter even the most determined intruder.



100% DOOR PLATE COVERAGE

We construct every Fort Knox® vault door with dual steel security plates that cover 100% of the door—from top to bottom and side to side. Some companies manufacture their composite doors with a security plate that only covers 60% of the door, or just the locking mechanism.



SOLID WELDED SEAMS

Fort Knox® vaults are made of American steel that's machine folded and formed to minimize joints. The few seams that remain are welded for 100% penetration. Some companies cut corners by using stitch welds. Stitch welds leave gaps along the joints, making the safe weaker and more susceptible to attack, heat, and fire damage.



SAFE WITHIN A SAFE

Fort Knox® vaults are made of the thickest, high-grade steel bodies to ensure your valuables stay secure. Customize your vault by adding torch-resistant stainless steel, drill-resistant AR500 steel, or multiple layers of carbon steel to the interior for a total of 4 additional steel liners—essentially creating a safe within a safe—for maximum protection.



CORNER BOLTS

Fort Knox® locking bolts are among the thickest diameter in the industry, at 1.5 inches. Our specially designed corner bolts option provides maximum protection against intruders who attempt to pry the corner of the door. **Standard on Legends, Titans and Guardians. Optional on Defenders, Protectors and Executives.*



MULTIPLE RELOCKERS

Fort Knox® uses multiple relockers in a variety of locations throughout the door. By adding multiple relockers the Fort Knox door will foil attacks from any direct assault. Don't settle for only one line of defense, multiple relockers are essential for maximum security.



SLIP-CLUTCH HANDLE

Our vault handles include a mechanism that will slip if the handle is forced or overturned. This protects your lock and door mechanisms from damage. **Not available on Spartan Models.*

THE FORT KNOX DIFFERENCE

FIRE TESTING

Comprehensive Fire Simulation



Fire Protection 1680° in 90 Minutes



Nine thermocouples are placed evenly from top to bottom as per UL72 standards. Because air at the top of the vault can be hundreds of degrees hotter than the air at the bottom, the test is terminated once the first sensor reaches 350 degrees. These testing standards ensure an honest reliable test.

MAKE IT A BUNDLE

Save by Choosing a Bundle Package



Fort Knox® is known for being able to customize your safe making it unique to you. This year we are making it easier to customize your vault with our Bundle Packages. We have taken the most popular accessories and combined them together into one easy bundle.

SPARTAN/MAVERICK

- Door Organizer
- Lights
- Hinge Caps
- Dehumidifier

DEFENDER/PROTECTOR/EXECUTIVE:

- Corner Bolts
- Lights
- Pull Handle
- Dehumidifier

*Sizes 4026 & 6026 Bundle: Lights, Dehumidifier, & Door Upgrade

LIFETIME WARRANTY

The Best Warranty in the Industry



GUARANTEED AMERICAN QUALITY

Fort Knox® warrants to the original purchaser, that each new vault will be free from defects in material and workmanship for the lifetime of the original purchaser from the date of delivery. Integral units such as locks are subject to this same warranty.

BURGLAR ATTACK

Fort Knox® will repair or replace any vault damaged due to an unlawful or forced attempt during the lifetime of the original purchaser.

INCIDENTAL DAMAGE PROTECTION

Fort Knox® will repair or replace, at our option, any vault due to incidental damage as a result of accident, flood, or fire.

Go to www.FTKNOX.com for written warranty and freight responsibilities.

FAQ'S

SECURITY

More Steel = Higher Security

WHY IS THE STEEL PLATE IN THE DOOR SO IMPORTANT?

Fort Knox® dual steel door plates cover 100% of the door, top to bottom and side to side. This provides up to 1" of steel in the door and insures the best protection against door attacks. Other safe manufacturers sell a composite door and security plate that only covers 60% of the door. This leaves only a thin shell covering the face of the door and only partial coverage to support the lock and handle, giving their safe the illusion of strength and security.

WHY ADD INNER-STEEL LINERS TO MY VAULT?

Additional steel increases security. Fort Knox® allows you to add up to 4 additional steel liners to protect what matters most. Add a layer of 3/16-inch AR500 steel to withstand cutting/drilling, a 10-gauge stainless steel liner to counter torch attacks, or multiple carbon steel liners to increase strength and security. Combine liners up to four layers thick to optimize the protection needed.

ARE CORNER BOLTS NECESSARY IN THE DOOR?

Corner bolts provide additional protection against pry attacks which will usually start at the corner of the door.

FIRE PROTECTION

Block The Flames

WHAT BENEFIT DOES INFERNO SHIELD FIRE PROTECTION ADD TO MY VAULT?

Choosing the correct fire protection is one of the most important decisions of your vault purchase. Fort Knox® offers different levels of Inferno Shield fire protection. The Spartan 1450° in 50 minutes. The Maverick 1200° in 75 minutes. The Defender, Protector, Executive, Guardian, Titan and Legend are all standard with the 1680° in 90 minutes with the option to upgrade to 1680° in 120 minutes.

DOES THE TYPE OF FIREBOARD MAKE A DIFFERENCE?

Fort Knox® uses superior proprietary Type C fireboard that contains shrinkage compensating additives, this blend of fibers helps the fireboard retain its structure and fire-retardant properties during extreme temperatures. Many other manufacturers use regular drywall or Type X that will lose its structural integrity and fail during high temperatures.

HOW DO THE DOOR SEALS ASSIST IN FIRE PROTECTION?

Fort Knox® utilizes dual door seals which work in unison against fire and smoke. The flexible seals slow heat transfer and harmful damaging smoke from entering the vault at low temperatures. The second seal is heat activated, swelling as temperatures increase, keeping harmful elements from entering the vault.

KEY FEATURES

The Difference Is In The Details

WHAT SIZE VAULT SHOULD I BUY?

Three primary factors should be considered when choosing a size:

- Number of long guns
- The size, shape and volume of other valuable items
- Where it's going to be stationed.

Always buy the next size larger than you think you'll need. Allow your vault to grow and expand with you as your collections grow and your needs increase.

HOW DO I DETERMINE THE LOCK I NEED?

Mechanical Locks offer a more traditional look and style, providing you long term dependability and little maintenance. **Electronic Locks** are increasing in popularity because of their ease, speed and convenience. The electronic lock with its easy to read key pad is simple to use and allows the owner to easily add or change their combination. Batteries are needed and are easily changed. **Redundant Locks** combine the traditional mechanical style lock and the electronic lock. The combination of mechanical and electronic gives you the choice of using the traditional mechanical lock to open your vault or have the ease and convenience of the electronic lock.

FORT KNOX PROVIDES THREE TYPES OF LOCKS:.....

- Mechanical Dial: EMP proof which cannot be affected by an EMP pulse;
- Electronic locks offer same security as mechanical locks and are EMP resistant;
- The redundant lock utilizes both the mechanical and electronic lock allowing ease of access and are EMP proof.

WHAT IS THE DIFFERENCE BETWEEN INTERNAL AND EXTERNAL HINGES?

Internal hinges open past 90 degrees and give a vault a sleek minimalistic look, while external hinges open to a full 180 degrees. Hinges are a preference and do not impact your vault's security or fire protection.

PAYING FOR YOUR VAULT

Flexible Plans on Any Budget

IS FINANCING AVAILABLE?

Once you determine which safe is best for you, financing is available to make the necessary purchase to protect what matters most to you. Flexible payment plans are available on any budget. Find local dealer at www.FTKNOX.com

BUILD YOUR VAULT AT [FTKNOX.COM](https://ftknox.com)



MAKE IT A BUNDLE
 Save By Choosing a Bundle Package
*Vaults Shown with Optional Features & Finishes



SPARTAN VAULT



MAVERICK VAULT



DEFENDER VAULT



PROTECTOR VAULT



EXECUTIVE VAULT



GUARDIAN VAULT



TITAN VAULT




LEGEND VAULT



HOME SAFES



VAULT DOOR IN-SWING



VAULT DOOR OUT-SWING

Fire Protection	1450° F In 50 Minutes	1200° F In 75 Minutes	1680° F In 90 Minutes	1680° F In 90 Minutes	1680° F In 90 Minutes	1680° F In 90 Minutes	1680° F In 90 Minutes	1680° F In 90 Minutes	1680° F In 120 Minutes	N/A	N/A
Overall Body Steel Thickness	3/16"	11 Gauge	10 Gauge	3/16"	1/4"	5/16"	3/8"	1/2"	3/16"	3/16"	3/16"
Door Edge Steel Thickness	3/8"	3/8"	1/2"	1/2"	5/8"	5/8"	3/4"	1"	1/2"	5/8"	5/8"
Locking Bolts	12	9	11	11	11	18	18	26	11	19	24
Stainless Steel Inner Liner	N/A	Optional	Optional	Optional	Optional	Optional	Optional	Standard	Optional	Optional	Optional
AR500 Steel Inner Liner	N/A	Optional	Optional	Optional	Optional	Optional	Optional	3/16"	3/16"	Optional	Optional
Carbon Steel Inner Liner	Optional	Optional	Optional	Optional	Optional	10 Gauge	Optional	Optional	Optional	Optional	Optional
Corner Bolts	N/A	N/A	Optional	Optional	Optional	Standard	Standard	Standard	N/A	N/A	Standard
Door Organizer	Optional	Optional	Standard	Standard	Standard	Standard	Standard	N/A	Home Safe Organizer	N/A	N/A
Lights	Optional	Optional	Optional	Optional	Optional	Standard	Standard	Standard	Standard	N/A	N/A
Dehumidifier	Optional	Optional	Optional	Optional	Optional	Optional	Standard	Standard	Optional	N/A	N/A
Hinge Caps	Optional	Optional	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Pull Handle	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Standard	Standard

Included in Bundle


SPARTAN VAULT

Affordable & Formidable

The Spartan Vault stands as the first line of defense against home invaders. With its 3/16" body and 3/8" plate door the Spartan repels attacks with ease. Increase the Spartans value by adding a bundle package. Rest assured, knowing your valuables are protected by the Spartan Vault.

3/16"
OVERALL BODY
STEEL THICKNESS

12
LOCKING
BOLTS



DOOR STEEL THICKNESS

VAULT FEATURES

- FIRE PROTECTION 1450°F In 50 Minutes
- OVERALL BODY STEEL THICKNESS 3/16"
- DOOR EDGE STEEL THICKNESS 3/8"
- LOCKING BOLTS 12
- LIGHTS Optional
- DEHUMIDIFIER Optional
- DOOR ORGANIZER Optional
- HINGE CAPS Optional

Included in Bundle




MAVERICK VAULT

Construction Makes The Vault

The Maverick vault is perfect for budget-minded buyers looking for great value. Its heavy 11 gauge body thickness and 3/8" door edge thickness compares to most competitor's mid to upper-level safes. It's 75 min in 1200° engineered fire protection is far superior to most competitors top line.

11GA
OVERALL BODY
STEEL THICKNESS

9
LOCKING
BOLTS



DOOR STEEL THICKNESS

VAULT FEATURES

- FIRE PROTECTION 1200°F In 75 Minutes
- OVERALL BODY STEEL THICKNESS 11GA
- DOOR EDGE STEEL THICKNESS 3/8"
- LOCKING BOLTS 9
- LIGHTS Optional
- DEHUMIDIFIER Optional
- DOOR ORGANIZER Optional
- HINGE CAPS Optional

Included in Bundle

(Corner Bolts Unavailable on Maverick Vaults)



Model	Height	Width	Overall Depth	Volume	Weight	Locking Bolts
Spartan 4026	40"	26"	20"/22"	10 Cubic Feet	560 Lbs.	12
Spartan 6026	60"	26"	20"/22"	16 Cubic Feet	750 Lbs.	12
Spartan 6031	60"	31"	27"/29"	28 Cubic Feet	975 Lbs.	12
Spartan 6637	66"	37"	27"/29"	36 Cubic Feet	1,160 Lbs.	12
Spartan 7241	72"	41"	27"/29"	45 Cubic Feet	1,325 Lbs.	14
Spartan 7251	72"	51"	27"/29"	57 Cubic Feet	1,455 Lbs.	14
Spartan 7261	72"	61"	27"/29"	69 Cubic Feet	1,575 Lbs.	14

Model	Height	Width	Overall Depth	Volume	Weight	Locking Bolts
Maverick 4024	40"	24"	18"/21"	8 Cubic Feet	415 Lbs.	9
Maverick 6024	60"	24"	18"/21"	14 Cubic Feet	555 Lbs.	9
Maverick 6026	60"	26"	20"/23"	16 Cubic Feet	595 Lbs.	9
Maverick 6031	60"	31"	27"/30"	28 Cubic Feet	770 Lbs.	9
Maverick 6041	60"	41"	27"/30"	32 Cubic Feet	955 Lbs.	9
Maverick 6637	66"	37"	27"/30"	36 Cubic Feet	960 Lbs.	9
Maverick 7241	72"	41"	27"/30"	45 Cubic Feet	1,085 Lbs.	11

DEFENDER VAULT

Durable & Practical


The Defender Vault is our workhorse. Its design standards are superior to the high-end products of most other manufacturers. Compare the 10-gauge steel body, 11 locking bolts, 1/2" door edge thickness and 1680° in 90 min fire protection of the Defender Vault and see how it stands out from the rest of the safe industry.

10GA

OVERALL BODY
STEEL THICKNESS

11

LOCKING
BOLTS



DOOR STEEL THICKNESS

VAULT FEATURES

- FIRE PROTECTION 1680°F In 90 Minutes
- OVERALL BODY STEEL THICKNESS 10GA
- DOOR EDGE STEEL THICKNESS 1/2"
- LOCKING BOLTS 11
- DOOR ORGANIZER Standard
- DEHUMIDIFIER Optional
- LIGHTS Optional
- CORNER BOLTS Optional
- PULL HANDLE Optional

Included in Bundle (Corner Bolts Unavailable for 4026 & 6026)



Model	Height	Width	Overall Depth	Volume	Weight	Locking Bolts
Defender 4026	40"	26"	20"/23"	10 Cubic Feet	510 Lbs.	11
Defender 6026	60"	26"	20"/23"	16 Cubic Feet	705 Lbs.	11
Defender 6031	60"	31"	27"/30"	28 Cubic Feet	895 Lbs.	11
Defender 6637	66"	37"	27"/30"	36 Cubic Feet	1,125 Lbs.	11
Defender 7241	72"	41"	27"/30"	45 Cubic Feet	1,365 Lbs.	13
Defender 7251	72"	51"	27"/30"	57 Cubic Feet	1,505 Lbs.	13
Defender 7261	72"	61"	27"/30"	69 Cubic Feet	1,645 Lbs.	13


PROTECTOR VAULT

Exacting Details & Manufacturing

The Protector Vault features a 3/16" steel body, 1/2" door-edge steel thickness, 11 locking bolts, and 1680° in 90 min fire protection is superior to other manufacturer's high-end models, making the Protector an unbeatable value amongst competitors.

3/16"
OVERALL BODY
STEEL THICKNESS

11
LOCKING
BOLTS



DOOR STEEL THICKNESS



VAULT FEATURES

FIRE PROTECTION 1680°F In 90 Minutes

OVERALL BODY STEEL THICKNESS 3/16"

DOOR EDGE STEEL THICKNESS 1/2"

LOCKING BOLTS 11

DOOR ORGANIZER Standard

DEHUMIDIFIER Optional

LIGHTS Optional

CORNER BOLTS Optional

PULL HANDLE Optional

Included in Bundle (Corner Bolts Unavailable for 4026 & 6026)

Model	Height	Width	Overall Depth	Volume	Weight	Locking Bolts
Protector 4026	40"	26"	20"/23"	10 Cubic Feet	570 Lbs.	11
Protector 6026	60"	26"	20"/23"	16 Cubic Feet	785 Lbs.	11
Protector 6031	60"	31"	27"/30"	28 Cubic Feet	980 Lbs.	11
Protector 6637	66"	37"	27"/30"	36 Cubic Feet	1,240 Lbs.	11
Protector 7241	72"	41"	27"/30"	45 Cubic Feet	1,495 Lbs.	13
Protector 7251	72"	51"	27"/30"	57 Cubic Feet	1,645 Lbs.	13
Protector 7261	72"	61"	27"/30"	69 Cubic Feet	1,805 Lbs.	13




EXECUTIVE VAULT

More Steel, More Security

The Fort Knox® Executive Vault starts with a 4-gauge (1/4") solid steel wall, and 11 locking bolts. The Executive is the entry-level vault in our heavy duty line. When you need solid, heavy protection, the Executive Vault is the way to go.

1/4"
OVERALL BODY
STEEL THICKNESS

11
LOCKING
BOLTS



VAULT FEATURES

- FIRE PROTECTION 1680°F In 90 Minutes
- OVERALL BODY STEEL THICKNESS 1/4"
- DOOR EDGE STEEL THICKNESS 5/8"
- LOCKING BOLTS 11
- DOOR ORGANIZER Standard
- DEHUMIDIFIER Optional
- LIGHTS Optional
- CORNER BOLTS Optional
- PULL HANDLE Optional

Included in Bundle (Corner Bolts Unavailable for 4026 & 6026)



Model	Height	Width	Overall Depth	Volume	Weight	Locking Bolts
Executive 4026	40"	26"	20"/23"	10 Cubic Feet	650 Lbs.	11
Executive 6026	60"	26"	20"/23"	16 Cubic Feet	885 Lbs.	11
Executive 6031	60"	31"	27"/30"	28 Cubic Feet	1,111 Lbs.	11
Executive 6637	66"	37"	27"/30"	36 Cubic Feet	1,360 Lbs.	11
Executive 7241	72"	41"	27"/30"	45 Cubic Feet	1,660 Lbs.	13
Executive 7251	72"	51"	27"/30"	57 Cubic Feet	1,845 Lbs.	13
Executive 7261	72"	61"	27"/30"	69 Cubic Feet	2,005 Lbs.	13


GUARDIAN VAULT

Personalized Precision Vault

Other manufacturers can only hope to build a safe with the features and precision of the Guardian Vault. The Guardian starts with a 3/16" outer body, 90 min fire protection, and 10-gauge inner steel liner, 18 locking bolts, 4 star corner bolts, 5/8" door edge thickness and add a stout 10-gauge inner carbon steel liner.

5/16"
OVERALL BODY
STEEL THICKNESS

18
LOCKING
BOLTS



DOOR STEEL THICKNESS

VAULT FEATURES

- FIRE PROTECTION 1680°F In 90 Minutes
- OVERALL BODY STEEL THICKNESS 5/16"
- DOOR EDGE STEEL THICKNESS 5/8"
- CORNER BOLTS Standard
- LOCKING BOLTS 18
- INNER STEEL LINER 10GA Standard
- LIGHTS Standard
- DEHUMIDIFIER Optional
- DOOR ORGANIZER Standard
- PULL HANDLE Optional




TITAN VAULT

Securing Your Possessions

The Titan Vault begins with a 3/8" thick dual body constructed of a 3/16" carbon steel body, and 3/16" ArmaKnox AR500 inner steel liner. The standard inner AR500 steel liner gives you safe-within-a-safe style security and provides superior protection. In addition to dual steel bodies the Titan has a massive 3/4" door edge thickness held in place by 18 locking bolts.

3/8"
OVERALL BODY
STEEL THICKNESS

18
LOCKING
BOLTS



DOOR STEEL THICKNESS

VAULT FEATURES

- FIRE PROTECTION 1680°F In 90 Minutes
- OVERALL BODY STEEL THICKNESS 3/8"
- DOOR EDGE STEEL THICKNESS 3/4"
- CORNER BOLTS Standard
- LOCKING BOLTS 18
- AR500 STEEL 3/16"
- LIGHTS Standard
- DEHUMIDIFIER Standard
- DOOR ORGANIZER Standard
- PULL HANDLE Optional



Model	Height	Width	Overall Depth	Volume	Weight	Locking Bolts
Guardian 6031	60"	31"	27"/30"	28 Cubic Feet	1,245 Lbs.	18
Guardian 6637	66"	37"	27"/30"	36 Cubic Feet	1,575 Lbs.	20
Guardian 7241	72"	41"	27"/30"	45 Cubic Feet	1,880 Lbs.	20
Guardian 7251	72"	51"	27"/30"	57 Cubic Feet	2,100 Lbs.	20
Guardian 7261	72"	61"	27"/30"	69 Cubic Feet	2,250 Lbs.	20

Model	Height	Width	Overall Depth	Volume	Weight	Locking Bolts
Titan 6031	60"	31"	27"/30"	28 Cubic Feet	1,455 Lbs.	18
Titan 6637	66"	37"	27"/30"	36 Cubic Feet	1,810 Lbs.	20
Titan 7241	72"	41"	27"/30"	45 Cubic Feet	2,160 Lbs.	20
Titan 7251	72"	51"	27"/30"	57 Cubic Feet	2,530 Lbs.	20
Titan 7261	72"	61"	27"/30"	69 Cubic Feet	2,705 Lbs.	20


LEGEND VAULT

When Only The Best Will Do

The industry-leading Legend Vault offers a 1/2" steel body comprised of layered carbon steel, stainless steel and AR500 steel. The Legend has maximum theft and breach protection against cutting or torching. The 55 rack and pinion matching machined gears give the Legend an exclusive opening system that only Fort Knox provides.

1/2"
OVERALL BODY
STEEL THICKNESS

26
LOCKING
BOLTS



VAULT FEATURES

- FIRE PROTECTION 1680°F In 90 Minutes
- OVERALL BODY STEEL THICKNESS 1/2"
- DOOR EDGE STEEL THICKNESS 1"
- CORNER BOLTS Standard
- LOCKING BOLTS 26
- STAINLESS STEEL 10GA Standard
- AR500 STEEL 3/16"
- INNER STEEL LINER Optional
- LIGHTS Standard
- PULL HANDLE Optional
- DEHUMIDIFIER Standard
- DOOR ORGANIZER N/A



Model	Height	Width	Overall Depth	Volume	Weight	Locking Bolts
Legend 6637	66"	37"	27"/30"	36 Cubic Feet	2,254 Lbs.	26
Legend 7241	72"	41"	27"/30"	45 Cubic Feet	2,673 Lbs.	28
Legend 7251	72"	51"	27"/30"	57 Cubic Feet	2,940 Lbs.	28
Legend 7261	72"	61"	27"/30"	69 Cubic Feet	3,200 Lbs.	28

HOME SAFES

Perfection Refined

The Home Safe combines elegance and superior craftsmanship to give owners peace of mind, knowing their valuables are protected by a 3/8" edge steel door thickness, and fire protection up to 1680° in 120 minutes.




3/16"

OVERALL BODY
STEEL THICKNESS

11

LOCKING
BOLTS



DOOR STEEL THICKNESS



SAFE FEATURES

- FIRE PROTECTION 1680°F in 120 Minutes
- OVERALL BODY STEEL THICKNESS 3/16"
- DOOR EDGE STEEL THICKNESS 1/2"
- LOCKING BOLTS 11
- STAINLESS STEEL Optional
- AR500 STEEL Optional
- LIGHTS Standard
- DEHUMIDIFIER Optional

Model	Body Thickness	Liners	Height	Width	Overall Depth	Volume	Weight	Locking Bolts
Marquise 4026	3/16"	N/A	40"	26"	20"/23"	10 Cubic Feet	693 Lbs.	11
Marquise 6026	3/16"	N/A	60"	26"	20"/23"	16 Cubic Feet	908 Lbs.	11
Legacy 4026	3/16"	AR500 Steel	40"	26"	20"/23"	10 Cubic Feet	906 Lbs.	11
Legacy 6026	3/16"	AR500 Steel	60"	26"	20"/23"	16 Cubic Feet	1,203 Lbs.	11
Treasury 4026	3/16"	AR500 Steel + Stainless Steel	40"	26"	20"/23"	10 Cubic Feet	1,043 Lbs.	11
Treasury 6026	3/16"	AR500 Steel + Stainless Steel	60"	26"	20"/23"	16 Cubic Feet	1,402 Lbs.	11

VAULT DOOR IN-SWING

All Collections Grow


Fort Knox® In-Swing doors are a perfect solution if you want to place a vault door behind a concealment door. The In-Swing door also works great for panic rooms and storm shelters, they can be reinforced with stainless steel, AR500 steel and additional layers of carbon steel.

N/A

OVERALL BODY
STEEL THICKNESS

19

LOCKING
BOLTS





3/8" Steel Plate
2 Fire Walls
10GA Door Shell

DOOR STEEL THICKNESS

VAULT DOOR FEATURES

LOCKING BOLTS 19

AR500 STEEL Optional

STAINLESS STEEL Optional

INNER STEEL LINER Optional

PULL HANDLE Standard

SWING Left or Right

Model	Height	Width	Weight	Locking Bolts	Door Size	Rough Door Opening
In-Swing 8240	85"	45"	1,310 Lbs.	19	76" x 30"	82" x 40"
In-Swing 8248	85"	53"	1,580 Lbs.	19	76" x 38"	82" x 48"

VAULT DOOR OUT-SWING

Rest Assured

Fort Knox® vault doors ensure all of your valuables are safe and secure. Available in two different sizes, 8240 & 8248 each vault door is built from thick, hardened steel. Need extra protection? Add additional steel layers of cut-resistant AR500 steel, torch-resistant stainless steel, or carbon steel. Only Fort Knox® gives you complete theft protection.

N/A

OVERALL BODY
STEEL THICKNESS

24

LOCKING
BOLTS





3/8" Steel Plate
2 Fire Walls
10GA Door Shell

DOOR STEEL THICKNESS

VAULT DOOR FEATURES

CORNER BOLTS 4 Bolts Standard

LOCKING BOLTS 24

AR500 STEEL Optional

STAINLESS STEEL Optional

INNER STEEL LINER Optional

PULL HANDLE Standard

SWING Left or Right

Model	Height	Width	Weight	Locking Bolts	Door Size	Rough Door Opening
Out-Swing 8240	85"	45"	1,330 Lbs.	24	76" x 30"	82" x 40"
Out-Swing 8248	85"	53"	1,610 Lbs.	24	76" x 38"	82" x 48"

KNOW BEFORE YOU BUY

Vault Door FAQ'S

WHAT DOES ROUGH OPENING MEAN?

Rough opening is the recess in the wall in which the Vault Door will be installed. Measure Height and Width

Standard Rough Openings:

82"H x 40"W or 82"H x 48"W

WHAT IS MY WALL THICKNESS?

Your Vault Door frame dimensions are specific to your wall thickness. Provide the dimension of your wall thickness to ensure a proper installation.

Standard wall thicknesses 6"-12"

Custom Thickness Available

HOW DO I DECIDE IN-SWING VS OUT-SWING?

In-Swing doors can be used as a storm shelter or panic room in the event the door is blocked from the outside. The in-swing door is also ideal for hiding or concealing the location of your vault. Out-swing benefits those with limited vault room space.

WHAT IS RIGHT SWING VS LEFT SWING?

We define right vs left swing based on which side the hinges are on. Standing outside the room facing the front of the door your hinge will be on the right or the left. In the picture shown the door is a right swing.


WHAT IS THE DIFFERENCE BETWEEN CONCEALED HINGE & EXTERNAL HINGE FOR OUT-SWING?

Out-swing safes allow for the option of choosing a concealed hinge(hidden) or external hinge allowing 180° swing radius.



EXTERIOR OPTIONS

HIGH-GLOSS PAINT FINISH




TEXTURED PAINT FINISH



NEW

LIMITED PAINT FINISH



TRIM & LOCK COLOR



LOCK OPTIONS



MECHANICAL LOCK
EMP PROOF



ELECTRONIC LOCK
EMP RESISTANT



REDUNDANT LOCK
EMP PROOF



BIOMETRIC LOCK
EMP RESISTANT

INTERIOR LAYOUTS

CRUSHED VELOUR



FABRIC



INTERIOR LAYOUT OPTIONS

<p>UNIVERSAL CONFIGURATION 26" 4 Shelves 31" 4 Shelves 37" 5 Shelves 41" 5 Shelves 51" 5 Shelves 61" 5 Shelves</p>	<p>UNIVERSAL WITH GUNS 26" 3 Guns 31" 4 Guns 37" 4 Guns 41" 4 Guns 51" 4 Guns 61" 4 Guns</p>	<p>1/4 GUN RACK CONFIGURATION 26" Not Available 31" 8 Guns 37" 8 Guns 41" 12 Guns 51" 12 Guns 61" 12 Guns</p>
<p>1/2 EZ GUN RACK CONFIGURATION 26" Not Available 31" 13 Guns 37" 14 Guns 41" 15 Guns 51" 18 Guns 61" 21 Guns</p>	<p>1/2 GUN RACK CONFIGURATION 26" 8 Guns 31" 18 Guns 37" 22 Guns 41" 26 Guns 51" 34 Guns 61" 42 Guns</p>	<p>3/4 GUN RACK CONFIGURATION 26" Not Available 31" 26 Guns 37" 30 Guns 41" 38 Guns 51" 46 Guns 61" 54 Guns</p>
<p>ALL GUN RACK CONFIGURATION 26" 16 Guns 31" 36 Guns 37" 44 Guns 41" 52 Guns 51" 68 Guns 61" 84 Guns</p>	<p>COLLECTOR CONFIGURATION 26" 18 Guns 31" 40 Guns 37" 48 Guns 41" 57 Guns 51" 73 Guns 61" 100 Guns</p>	<p>CABINET CONFIGURATION *External hinges only. Number of guns determined by cabinet placement and vault size.</p>

CUSTOM PAINT, FABRIC, AND INTERIOR LAYOUTS AVAILABLE

CUSTOMIZE YOUR VAULT AT [FTKNOX.COM](https://ftknox.com)

ACCESSORIES



SMALL DRAWER SYSTEM


Used in 4026 and 6026

Available in:

- 1 file and 6 drawer (Standard)
- 10 drawer
- 2 file and 2 drawer

*Inserts Optional

NEW



LARGE DRAWER SYSTEM

Used in 6031 and Up


Available in:

- 1 file and 8 drawer (Standard)
- 12 drawer
- 3 file drawers

*Inserts Optional



LED LIGHT SYSTEM



PULL HANDLE



DEHUMIDIFIERS



DOOR ORGANIZER



DOOR HOLSTERS



MIRROR

SECURITY BOXES

Lock your handguns or possessions in the strongest and most secure personal security box. Fort Knox® security boxes and handgun safes meet the highest standards and exceed all California Department of Justice requirements. *Security boxes are not rated for fire protection.*



ORIGINAL PISTOL BOX

The Heaviest Pistol Box on the Market

The Original Pistol Box offers a quick access lock and a strong, heavy design. Constructed of a rugged 10-gauge body and a massive 3/16" wrap around door, this box exceeds the California Firearms Safety Device Requirements.

ORIGINAL PISTOL BOX: 12 1/4" L X 10 3/8" W X 4 1/4" H 22LBS



PISTOL BOX

Protect your valuables

Choose from one of these three sizes for maximum storage. These new high-security Pistol Boxes are constructed with a heavy 10-gauge body and 3/16" plate door. The 6" deep version (Auto) is great for an automobile while the 12" (Personal) can be used in many applications. The larger Shotgun box is great for storing your self defense shotgun for quick easy access.

AUTO PISTOL BOX: 6" L X 9" W X 5" H, 13LBS

PERSONAL PISTOL BOX: 12" L X 9" W X 5" H, 20LBS

SHOTGUN BOX: 45" L X 9" W X 5" H, 54LBS



CONTROLLED ACCESS BOX

Privacy Lock Box

The Controlled Access boxes are great for storing ammo and other valuables. They can be used as a standalone security container or inside your vault for an additional layer of security. They come in three sizes for your convenience.

CAB20: 20" L X 16" W X 9" H, 43LBS

CAB24: 24" L X 16" W X 9" H, 55LBS

CAB28: 28" L X 16" W X 9" H, 63LBS

FORT KNOX[®]

VAULTS

BUILD YOUR OWN VAULT AT **FTKNOX.COM**



993 Industrial Park Rd, Orem, UT 84057

1.800.821.5216

2021