

Your Configured Ricoh IM C4500



*Note: The image is a photo realistic illustration of your selected configuration.

DIMENSIONS

WIDTH	DEPTH	HEIGHT		
23.10in	27.00in	47.60in		
(587mm)	(686mm)	(1,209mm)		

Actual dimensions may vary. These are approximate only.

POWER CONSUMPTION (MAIN UNIT)

120V-127V, 60Hz

Additional power requirements may apply.

Please read each option's description copy to see if additional power sources are needed.

Your Chosen Options

- IM C4500
- Paper Feed Unit PB3280
- Internal Finisher SR3250
- ESP XG-PCS-15D
- Print Cartridge Black IM C6000
- Print Cartridge Yellow IM C6000
- Print Cartridge Magenta IM
- Print Cartridge Cyan IM C6000
- Staple Refill Type T for SR3260/SR3280/SR3290/SR3250
- Waste Toner Bottle IM C6000



Main Unit

Main Unit		
ltem/Description	Item #	Power Requirements
IM C4500	418227	120V-127V, 60Hz

Paper Tray & Optional Accessories		
Item/Description	Item #	Power Requirements
Paper Feed Unit PB3280	418349	N/A

Output & Finishing Options

Internal		
Item/Description	Item #	Power Requirements
Internal Finisher SR3250	418378	N/A

Security & Miscellaneous Accessories		
Item/Description	Item #	Power Requirements
ESP XG-PCS-15D	006428MIU	N/A

Supplies		
Item/Description	Item #	Power Requirements
Print Cartridge Black IM C6000	842279	N/A
Print Cartridge Yellow IM C6000	842280	N/A
Print Cartridge Magenta IM C6000	842281	N/A
Print Cartridge Cyan IM C6000	842282	N/A
Staple Refill Type T for SR3260/SR3280/SR3290/SR3250	415010	N/A
Waste Toner Bottle IM C6000	418425	N/A



Main Unit Main Unit Item/Description Item # Thumbnail 418227 **IM C4500** • Output Speed (Letter): 45-ppm • Average Monthly Volume: 10,000 impressions/month • Maximum Monthly Volume: 50,000 impressions/month • Power Requirements: 120V-127V, 60Hz • Weight: 223.5 lbs. (101.4 kg) • W × D × H (inches): 23.1 × 27 × 37.9 • W × D × H (mm): 586.74 × 685.8 × 962.66 Note: The DOSS does not overwrite the HDD for the Color Controller E-25C.

Paper Tray & Optional Accessories		
Item/Description	Item #	Thumbnail
Paper Feed Unit PB3280	418349	
Provides an additional 1,100 sheets.		
Paper sizes up to 12" x 18".		
Paper weights up to 80 lb. Bond/166 lb. Index (300 g/m ²).		
Weight: 50.7 lbs. (23 kg)		
$W \times D \times H$ (inches): 23.1 × 27 × 9.7		
W × D × H (mm): 586.74 × 685.8 × 246.38		
Note: Paper Feed Unit PB3280 cannot be installed with Paper Feed Unit PB3270, Caster Table Type M3, Paper Feed LCIT PB3290, Cabinet Type F or any related options.		

Output & Finishing Options		
Internal		
Item/Description	Item #	Thumbnail

Internal Finisher SR3250		
F00 - + - + Fi-i- i- -	 . A P	

500-sheet Internal Finisher provides multi-position stapling and optional hole punching.

Recommended for offices with limited floor space.

Supports paper sizes up to 12" x 18".

Weight: 28.2 lbs. (12.8 kg)

W \times D \times H (inches): 21.5 \times 20.6 \times 6.7

 $W \times D \times H$ (mm): 546.1 × 523.24 × 170.18

Note:

Internal Finisher SR3250 cannot be installed with IM C6000, Internal Shift Tray SH3080, Internal Multi-Fold Unit, Finisher SR3260 Finisher SR3280, Booklet Finisher SR3270, Booklet Finisher SR3290 or any related options.



Security & Miscellaneous Accessories		
Item/Description	Item #	Thumbnail
ESP XG-PCS-15D	006428MIU	©
Designed to provide a higher level of noise filtering and surge protection for devices that employ more sensitive and complex electronic components.		
Our Advanced Technical Support (ATS) recommends the use of power protection products to minimize potential electrical interference with products.		16. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10

Supplies		
Item/Description	Item #	Thumbnail
Print Cartridge Black IM C6000 Unit Packaging: 1 Bottle (544 g) Yield (CTN): 33,000 pages Based on printing on letter paper with 5% coverage.	842279	
Print Cartridge Yellow IM C6000 Unit Packaging: 1 Bottle (437 g) Yield (CTN): 22,500 pages Based on printing on letter paper with 5% coverage.	842280	

Print Cartridge Magenta IM C6000 Unit Packaging: 1 Bottle (455 g) Yield (CTN): 22,500 pages Based on printing on letter paper with 5% coverage.	842281	
Print Cartridge Cyan IM C6000 Unit Packaging: 1 Bottle (400 g) Yield (CTN): 22,500 pages Based on printing on letter paper with 5% coverage.	842282	
Staple Refill Type T for SR3260/SR3280/SR3290/SR3250 Unit Packaging: 5,000 per Crtg. (2 Crtg/Ctn) Yield (CTN): 10,000 Note: Internal Finisher SR3250, Finisher SR3260, Finisher SR3280 or Booklet Finisher SR3290 must be selected to add this supply.	415010	
Waste Toner Bottle IM C6000 Unit Packaging: 1 - Each Yield (CTN): 100,000 pages	418425	The same of the sa

Ricoh is committed to creating value for our customers through the production of top quality products, services and solutions that directly meet the needs of today's communication intensive business environments. As a result, we offer a range of Multifunction products with advanced scanning and printing software options that help boost productivity and improve workflow by enhancing the user experience. Visit Ricoh-USA.com for more information.

We offer a variety of services and solutions to meet diverse and challenging business needs. To find out more information, visit solutions ricoh-usa.com

The content on this site, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.

Ricoh USA, Inc., 300 Eagleview Boulevard, Exton, PA 19341, 1-800-63-RICOH. ©2021 Ricoh USA, Inc. All rights reserved. Ricoh® and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners.

