



P.O. Box 278, St. Helens, OR 97051
Phone: (503) 397-6272 Fax: (503) 397-4016
www.ci.st-helens.or.us

To: City Council
RE: 2021 State Building Code Updates

The State Building Codes Division (BCD) is required to periodically update the various state building, mechanical, plumbing, energy efficiency and electrical codes also known as the specialty codes. April of 2021 BCD adopted the 2021 Oregon Residential Specialty Code (ORSC), 2021 Oregon Plumbing Specialty Code (OPSC), 2021 Oregon Energy Efficiency Specialty Code (OEESC), 2021 Oregon Electrical Specialty Code (OESC), and 2019 Oregon Specialty Code (OSSC) Chapter 1 amendments. Typically, a six-month implementation period is included in the adoption. However, in this update cycle this six-month implementation period is not applicable to the Chapter 1 of the ORSC and Chapter 1 amendments of the OSSC, which are to be implemented April 1, 2021.

The significant changes in Chapter 1 of both the OSSC and ORSC is related to the BCD's interpretation of their Scope and Authority under ORS 455.020. BCD has determined a few different categories. The first is Statewide Application, these are scopes that the state has authority over and has determined will be applied to the entire state. The second is Optional Local Adoption, these are scopes that BCD has authority over but has determined that it will not be applied to the entire state and are available for local municipal adoption. The third is Matters Outside BCD's Statutory Authority, these are scopes that BCD has no authority over but local municipalities may have authority over. Lastly there are Matters Preempted by State Code, these are scopes that BCD has identified that are not able to be adopted by a local municipality. BCD also have removed all language concerning right of entry and Stop Work Orders. Additionally, BCD has changed language regarding local municipalities ability to enforce their own ordinances under the authority of the building permit.

The building department would like to seek to update the City's municipal code to reflect the changes in scope and authority of BCD. Please see attached summary of recommendations for adoption.



P.O. Box 278, St. Helens, OR 97051
Phone: (503) 397-6272 Fax: (503) 397-4016
www.ci.st-helens.or.us

Additionally, we will be proposing to update our local fire code. We were informed by CRF&R that the City's currently adopted fire code is outdated to that which CRF&R

With Council direction the building department will coordinate with the City's legal council to draft updates to the City building and fire codes in Chapter 15 of St. Helens Municipal Code.

Please let me know if you have any questions.

Thank you

Michael De Roia
Building Official
City of St. Helens
Office: 503-366-8228
Fax: 503-397-4016
miked@ci.st-helens.or.us





P.O. Box 278, St. Helens, OR 97051
Phone: (503) 397-6272 Fax: (503) 397-4016
www.ci.st-helens.or.us

Staff Recommendations for Adoption

- Protection of adjoining property.
- Retaining walls greater than 4 feet in height.
- Fences greater than 7 feet in height
- Tanks
- Communication towers
- Flagpoles greater than 25 feet in height
- Ground mounted photovoltaic systems greater than 10' in height
- Sign not located in a public right of way.
- Fixed dock, piers, or wharves with no superstructure
- Equipment Shelters not intended for human occupancy with a building area of 250 feet or less.
- Unoccupied grain elevators and silos not exempted by Oregon Law.
- Rodent Proofing
- Inground swimming pools accessory to not more than four dwellings.
- Portable fire extinguishers
- Fire Safety During Construction
- Buildings or Structure encroachments into the public right of way
- Demolition
- Transitional Housing accommodations
- Hydraulic flood control structures
- Mechanical equipment not specifically regulated by the State Building Codes
- Flood Resistant Construction

Not recommended for adoption

- Tsunami Loads
- Detached tents and other membrane structures erected for 180days or less.
- Seismic Rehabilitation Plans with regards to dangerous buildings
- Employee Qualification in accordance with Appendix A
- Fire Districts
- Construction located within the public right of way.
- Public utility towers and poles

CHAPTER 1 SCOPE AND ADMINISTRATION

PART 1—SCOPE AND APPLICATION

SECTION 101 GENERAL

101.1 Title. These regulations shall be known as the *Oregon Structural Specialty Code* and may be cited as such and will be referred to herein as “this code.”

101.2 Scope. The scope of this code is as provided in ORS 455.020(1).

ORS 455.020 is not part of this code but is reprinted here for the reader’s convenience:

455.020 Purpose; scope of application; exceptions; scope of rules; fees by rule.

(1) This chapter is enacted to enable the Director of the Department of Consumer and Business Services to promulgate a state building code to govern the construction, reconstruction, alteration and repair of buildings and other structures and the installation of mechanical devices and equipment therein, and to require the correction of unsafe conditions caused by earthquakes in existing buildings. The state building code shall establish uniform performance standards providing reasonable safeguards for health, safety, welfare, comfort and security of the residents of this state who are occupants and users of buildings, and will provide for the use of modern methods, devices, materials, techniques and practicable maximum energy conservation. [Formerly 456.755; 1991 c.227 §2; 1991 c.310 §2; 1995 c.304 §1; 1995 c.400 §5; 1999 c.1045 §13; 1999 c.1082 §11; 2001 c.710§8]

The *Oregon Structural Specialty Code* as adopted by the State of Oregon, Building Codes Division, includes portions of the *International Building Code*, the *International Fire Code* and other nationally adopted codes.

It does not include provisions of the “State Fire Code” adopted under the State Fire Marshal’s statutory authority. Unlike the “State Fire Code,” the provisions of the *Oregon Structural Specialty Code* shall apply to the construction, reconstruction, *alteration*, *repair* and installation of materials and equipment in or a part of buildings and structures covered under the *state building code*.

Detached one- and two-family *dwellings* and *townhouses* not more than three stories above *grade plane* in height with a separate means of egress and their *accessory structures* shall comply with the *Residential Code*.

101.2.1 Optional local adoption. In addition to the work exempt from building permit in Section 105, the following matters are exempt from building permits unless specifically required by a municipality’s local ordinance. If a municipality adopts an ordinance to require a permit for any of the items below, the construction standards of this code shall be applicable:

1. Protection of adjoining property.
2. Retaining walls. Statewide, retaining walls that provide safeguards for the users of buildings; support *accessible* parking; support a regulated building; or retain material, which if not restrained, could impact a regulated building, shall require a building permit. A municipality may adopt an ordinance to regulate other retaining walls, provided that the threshold established for requiring a permit does not include retaining walls 4 feet (1219 mm) or less in height, when measured from the bottom of the footing to the top of the wall, except where the retaining wall supports ascending slopes exceeding 3:1 or where the retaining wall supports a nonsoil surcharge. A local height threshold greater than 4 feet (1219 mm) is allowed.
3. Fences, other than required swimming pool barriers, constructed of wood, wire mesh or chain link. Statewide, fences serving as a swimming pool barrier, or as a portion of a swimming pool barrier, for swimming pools accessory to not more than four dwelling units shall require a building permit. A municipality may adopt an ordinance to regulate the construction of other fences constructed of wood, wire mesh or chain link, provided that the threshold established for requiring a building permit does not include fences that are 7 feet (2134 mm) or less in height. A municipality may adopt an ordinance to regulate fences constructed of materials other than wood, wire mesh or chain link, regardless of height. A local height threshold greater than 7 feet (2134 mm) is allowed, regardless of which materials are used.
4. Tanks that are located exterior to and not attached to or supported by a regulated building.
5. Cellular phone, radio, television and other telecommunication and broadcast towers that are not attached to or supported by a regulated building.
6. Flagpoles not attached to or supported by a regulated building. A local municipality may adopt an ordinance to require a permit for these structures provided that a permit is not required for these structures that are 25 feet (7620 mm) or less in height. A local height threshold greater than 25 feet (7620 mm) is allowed.

7. Ground-mounted photovoltaic systems. A local municipality may adopt an ordinance requiring a building permit for these structures, provided that a permit is not required where these structures are 10 feet (3048 mm) or less in height measured to the highest point of the installation and no public access is permitted beneath the structures. A local height threshold greater than 10 feet (3048 mm) is allowed.
8. Signs not located in a public right-of-way, and not attached to or supported by a regulated building, which may include local adoption of Appendix H.
9. Fixed docks, piers or wharves with no superstructure.
10. Equipment shelters not intended for human occupancy with a building area of 250 square feet or less, designated as Risk Category I or II.
11. Unoccupied grain elevators and silos not exempted by ORS 455.315.
12. Tsunami loads, in accordance with Appendix O.
13. Rodentproofing, in accordance with Appendix F.
14. The design and construction of in-ground swimming pools accessory to not more than four dwelling units.

101.2.2 Matters not available for local regulation under the statutory authority of the state building code. While the following matters may be included in the published national model code, they may not be regulated by the local municipality under the authority of the *state building code*. Any references to these matters in this code have been retained for the convenience of the reader.

101.2.2.1 Matters outside the statutory authority of the state building code. The following matters are outside the statutory authority of the *state building code* in Oregon. Local municipalities may not regulate these matters under the *state building code*. A municipality may have additional authority outside of the *state building code* to regulate these matters locally, where not preempted:

1. Pursuant to the regulation of dangerous buildings, a municipality may adopt seismic rehabilitation plans that provide for phased completion of repairs that are designed to provide improved life safety but that may be less than the standards for new buildings.
2. Abatement of nuisances and dangerous buildings.
3. Portable fire extinguishers.
4. Fire safety during construction.
5. Public utility towers and poles.
6. Building or structure encroachments into the public right-of-way.
7. Demolition.
8. Hydraulic flood control structures, including but not limited to dams and levees.
9. Mechanical equipment not specifically regulated in the *state building code*.
10. Temporary use of streets, alleys and public property.

11. Floating structures.
12. Detached tents and other membrane structures erected for periods of 180 days or less.
13. Administration and implementation of a National Flood Insurance Program (NFIP).
14. Transitional housing accommodations.
15. Employee qualifications, in accordance with Appendix A.
16. Fire districts, in accordance with Appendix D.
17. Flood-resistant construction, in accordance with Appendix G.
18. Grading, in accordance with Appendix J.
19. Construction located in the public right-of-way.

R101.2.2.2 Matters preempted by the state building code. The following matters are preempted by the *state building code* and may not be adopted by a local municipality:

1. Appendix B (Board of Appeals).
2. Appendix E (Supplementary Accessibility Requirements).
3. Appendix K (Administrative Provisions).
4. Appendix L (Earthquake Recording Instrumentation).
5. Appendix M (Tsunami-generated Flood Hazard).
6. Appendix N (Replicable Buildings).

101.2.3 Appendices adopted. The following appendices are adopted by the State of Oregon, Building Codes Division, as part of the *state building code*:

1. Appendix C (Agricultural Buildings).
2. Appendix I (Patio Covers).
3. Appendix P (Tall Wood Buildings).

101.3 Purpose. The purpose of this code, as provided in ORS 455.020(1) and noted in Section 101.2, is to establish the minimum requirements to provide a reasonable level of safety, health and general welfare through structural strength, means of egress facilities, stability, sanitation, adequate light and ventilation, energy conservation, and safety to life and property from fire and other hazards attributed to the built environment and to provide a reasonable level of safety to fire fighters and emergency responders during emergency operations. It is not the purpose of this code to create or otherwise establish or designate any particular class or group of persons who will or should be especially protected or benefited by the terms of this code. Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.

SECTION 102 APPLICABILITY

102.1 General. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable. Where, in any specific case, different sections of this code specify different materials, methods of construction or other requirements, the most restrictive shall govern. Consistent with discretionary decision-making powers granted to building officials, a building official may take any action including but not

limited to waiving a requirement, modifying a requirement and/or accepting an alternate method to the requirements of the state building code. When waiving or accepting a modification, a building official shall not allow a provision that would create an unsafe or dangerous condition regarding fire and life safety, and may not enforce requirements that are in addition to the state building code except where additional code requirements are specified by the terms of an alternate method approval.

102.1.1 Statutory references. This code is adopted pursuant to Oregon Revised Statutes (ORS). Where this code and the statutes specify different requirements, the statute shall govern. Statutes related to this code include, but are not limited to, ORS 455.010 through 455.895 and ORS 447.210 through 447.310.

Statutes referenced may be obtained from the Building Codes Division, 1535 Edgewater St. NW, Salem, OR 97304 or P.O. Box 14470, Salem, OR 97309 at a nominal cost or read online at: Oregon.gov/bcd.

102.2 Other laws. The provisions of this code shall not be deemed to nullify any provisions of local, state or federal law.

102.3 Application of references. References to chapter or section numbers, or to provisions not specifically identified by number, shall be construed to refer to such chapter, section or provision of this code.

102.4 Referenced codes and standards. The codes and standards referenced in this code shall be considered to be part of the requirements of this code to the prescribed extent of each such reference and as further regulated in Sections 102.4.1 and 102.4.2.

102.4.1 Conflicts. Where conflicts occur between provisions of this code and referenced codes and standards, the provisions of this code shall apply.

102.4.2 Provisions in referenced codes and standards. Where the extent of the reference to a referenced code or standard includes subject matter that is within the scope of this code, the provisions of this code shall take precedence over the provisions in the referenced code or standard.

OAR 918-008-0000 is not part of this code but is reprinted here for the readers' convenience:

918-008-0000 Purpose and Scope

- (1) The Department of Consumer and Business Services, Building Codes Division, adopts model building codes, standards and other publications by reference, as necessary, through administrative rule to create the state building code. When a matter is included in a specialty code or referenced publication that is in conflict with Oregon Revised Statutes or Oregon Administrative Rules, the statute or rule applies and the code or standard provision does not. All remaining parts or application of the code or standard remain in effect.
- (2) Unless required by law, matters generally not authorized for inclusion in a specialty code or referenced standard include, but are not limited to: licensing or certification requirements, or other qualifications and standards for businesses or workers; structures or equipment maintenance requirements; matters covered by federal or state law; and matters that conflict with other specialty codes or publications adopted by the department.

- (3) OAR 918-008-0000 to OAR 918-008-0070 provides the process for adopting and amending the state building code that is consistent across all program areas.
- (4) The state building code is derived from the most appropriate version of base model codes, which are updated periodically.
- (5) The Oregon specialty code amendment process begins approximately midway into a code cycle.
- (6) An appropriate advisory board approves or forwards the adoption of the Oregon specialty code and amendments to the Department for adoption.
- (7) Notwithstanding sections (3) through (6) of this rule, the division may adopt supplemental code amendments as authorized by OAR 918-008-0028.

[Publications: Publications referenced are available from the agency.]

Stat. Auth.: ORS 447.020, 455.030 & 479.730

Stats. Implemented: ORS 447.020, 455.030 & 479.730

102.4.3 ASCE Standard 24, Flood Resistant Design and Construction. The following ASCE 24 tables are not adopted by the State of Oregon, Building Codes Division, as part of the *state building code*, as the subject matter encompasses *Free Board, Base Flood Elevation* and *Design Flood Elevation*. The authority to establish the same is reserved for local government.

1. Table 2-1, *Minimum elevation of the top of lowest floor.*
2. Table 4-1, *Minimum elevation of bottom of lowest supporting horizontal structural member of lowest floor.*
3. Table 5-1, *Minimum elevation below which flood damage-resistant materials shall be used.*
4. Table 6-1, *Minimum elevation of floodproofing.*
5. Table 7-1, *Minimum elevation of attendant utilities and equipment.*

National Flood Insurance Program (NFIP)

Each local community participating in the National Flood Insurance Program (NFIP) designates a local *flood plain administrator* who is responsible to make sure communities meet their insurance program obligations. Certain matters comprised within the NFIP program may conflict with or overlap with the *state building code*. Certain decisions such as sill plate height and other NFIP criteria fall under the authority and responsibility of the *flood plain administrator*. Once decisions under the NFIP program are made, then the appropriate requirements of this code for the construction of the building are applied.

Local communities may choose to designate their local *building official* as the *flood plain administrator* or may designate other staff. When a *building official* functioning in the capacity of *flood plain administrator* exercises authority under the NFIP, such decisions are not part of this code nor subject to the *building official* duties and responsibilities as adopted by the Oregon Building Codes Division.

Per ORS 455.210(3)(c), local communities are prohibited from using building permit monies for any matter other than administration and enforcement of the *state building code*. Administration and implementation of a local NFIP program are not part of the *state building code*.

102.5 Partial invalidity. In the event that any part or provision of this code is held to be illegal or void, this shall not have the effect of making void or illegal any of the other parts or provisions.

102.6 Existing structures. The legal occupancy of any structure existing on the date of adoption of this code shall be permitted to continue without change, except as otherwise specifically provided in this code.

Occupied and existing structures under state law related to building inspection programs

Note: This information is provided for *building official* use and is not intended to provide direction to any other form of government outside of a *building official* operating under Oregon Building Codes Division's state laws and rules. Questions regarding this information should be addressed through local counsel.

Under ORS 476.030 and Chapter 455, *building officials* are prohibited from requiring corrections or any changes to an existing structure that is maintained in conformity with the *state building code* regulations in effect at the time of construction.

Under ORS Chapters 476 and 455, occupied structures that have no valid certificate of occupancy do not fall under the delegated authority from the state Building Codes Division. No state authority exists for *building officials* to access buildings or require corrections for structures unless a permit application is on file.

References within the *state building code* that provide access and investigative authority to *building officials* are rescinded and are not valid.

102.6.1 Compliance. The *repair, alteration, change of occupancy, and addition* to existing buildings shall comply with the *International Existing Building Code* as amended by Chapter 34 of this code.

102.6.1.1 Local seismic rehabilitation. See ORS 455.020 (4).

ORS 455.020 (4) is not part of this code but is reprinted here for the readers' convenience:

455.020 Purpose; scope of application; exceptions; scope of rules; fees by rule.

(4) This chapter and any specialty code does not limit the authority of a municipality to enact regulations providing for local administration of the *state building code*; local appeal boards; fees and other charges; abatement of nuisances and dangerous buildings; enforcement through penalties, stop-work orders or other means; or minimum health, sanitation and safety standards for governing the use of structures for housing, except where the power of municipalities to enact any such regulations is expressly withheld or otherwise provided for by statute. Pursuant to the regulation of dangerous buildings, a municipality may adopt seismic rehabilitation plans that provide for phased completion of repairs that are designed to provide improved life safety but that may be less than the standards for new buildings. [Formerly 456.755; 1991 c.227 §2; 1991 c.310 §2; 1995 c.304 §1; 1995 c.400 §5; 1999 c.1045 §13; 1999 c.1082 §11; 2001 c.710 §8]

PART 2—ADMINISTRATION AND ENFORCEMENT

SECTION 103 DEPARTMENT OF BUILDING SAFETY

Not adopted by the State of Oregon Building Codes Division as part of the *state building code*.

SECTION 104 DUTIES AND POWERS OF BUILDING OFFICIAL

The requirements of Sections 104.1 and 104.3 shall apply unless specifically amended by a local *municipality* under the authority of ORS 455.020.

104.1 General. The *building official* is hereby authorized and directed to enforce the provisions of this code. The *building official* shall have the authority to render interpretations of this code and to adopt policies and procedures in order to clarify the application of its provisions. Consistent with discretionary decision-making powers granted to *building officials*, a *building official* may take any action including but not limited to waiving a requirement, modifying a requirement and/or accepting an alternate method to the requirements of this code. When waiving or accepting a modification, a *building official* shall not allow a provision that would create an unsafe or dangerous condition regarding fire and life safety, and may not enforce requirements that are in addition to this code except where additional code requirements are specified by the terms of an alternate method approval.

104.2 Applications and permits. The *building official* shall receive applications, review *construction documents* and issue *permits* for the erection, and *alteration, demolition and moving* of buildings and structures, inspect the premises for which such *permits* have been issued and enforce compliance with the provisions of this code.

104.2.1 Determination of substantially improved or substantially damaged existing buildings and structures in flood hazard areas. For applications for reconstruction, rehabilitation, *repair, alteration, addition* or other improvement of existing buildings or structures located in *flood hazard areas* established by the *flood plain administrator*, the *flood plain administrator* shall determine if the proposed work constitutes substantial improvement or *repair of substantial damage*. Where the *flood plain administrator* determines that the proposed work constitutes *substantial improvement* or *repair of substantial damage*, and where required by this code, the *building official* shall require the building to meet the requirements of Section 1612.

104.3 Notices and orders. The *building official* shall issue necessary notices or orders to ensure compliance with this code.

104.4 Inspections. The *building official* shall make the required inspections, or the *building official* shall have the authority to accept reports of inspection by *approved agencies* or individuals. Reports of such inspections shall be in writing and be certified by a responsible officer of such *approved agency* or by the responsible individual. The *building official* is authorized to engage such expert opinion as deemed necessary to report on unusual technical issues that arise, subject to the approval of the appointing authority.

104.5 Right of entry. (Not adopted by the State of Oregon, Building Codes Division, as part of the *state building code*.)

104.6 Department records. The *building official* shall keep official records according to applicable retention requirements, as dictated by See OAR 166-150-0020 for locations where a county has jurisdiction; OAR 166-200-0250 where a city has jurisdiction; and OAR Chapter 166 Division 300, et al., for the cities and counties where the State of Oregon has jurisdiction. ~~Such records shall be retained in the official records for the period indicated in the respective OAR sections noted in this section.~~ The *building official* shall maintain a permanent record of all permits issued in *flood hazard areas*, including copies of inspection reports and certifications required in Section 1612.

104.7 Liability. See ORS 30.265 for regulations relating to liability.

104.8 Approved materials and equipment. Materials, equipment and devices *approved* by the *building official* shall be constructed and installed in accordance with such approval.

104.8.1 Used materials and equipment. Used materials, equipment and devices shall not be reused unless approved by the *building official*. Used or salvaged dimensional lumber shall be permitted to be used.

104.9 Modifications. Where there are practical difficulties involved in carrying out the provisions of this code, the *building official* shall have the authority to grant modifications for individual cases, upon application of the *owner* or the owner's authorized agent, provided that the *building official* shall first find that special individual reason makes the strict letter of this code impractical, the modification is in compliance with the intent and purpose of this code and that such modification does not ~~lessen health, accessibility, life and fire safety or structural requirements~~ create an unsafe or dangerous condition regarding fire and life safety, and does not enforce requirements that are in addition to the state building code except where additional code requirements are specified by the terms of an alternate method approval. The details of action granting modifications shall be recorded and entered in the files of the department of building safety.

104.9.1 Flood hazard areas. (Not adopted by the State of Oregon, Building Codes Division, as part of the *state building code*.) The *building official* shall not grant modifications to any provision required in *flood hazard areas* as established by Section 1612.3 unless a determination has been made that:

1. A showing of good and sufficient cause that the unique characteristics of the size, configuration or topography of the site render the elevation standards of Section 1612 inappropriate.
2. A determination that failure to grant the variance would result in exceptional hardship by rendering the lot undevelopable.
3. A determination that the granting of a variance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, cause fraud on or victimization of the public, or conflict with existing laws or ordinances.
4. A determination that the variance is the minimum necessary to afford relief, considering the flood hazard.

5. Submission to the applicant of written notice specifying the difference between the *design flood elevation* and the elevation to which the building is to be built, stating that the cost of flood insurance will be commensurate with the increased risk resulting from the reduced floor elevation, and stating that construction below the *design flood elevation* increases risks to life and property.

104.10 Alternative materials, design and methods of construction and equipment. The provisions of this code are not intended to prevent the installation of any material or to prohibit any design or method of construction not specifically prescribed by this code, provided that any such alternative has been *approved*. An alternative material, design or method of construction shall be *approved* where the *building official* finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method or work offered is, for the purpose intended, not less than the equivalent of that prescribed in this code in quality, strength, effectiveness, *fire resistance*, durability and safety. Where the alternative material, design or method of construction is not *approved*, the *building official* shall respond in writing, stating the reasons why the alternative was not *approved*.

104.10.1 Research reports. Supporting data, where necessary to assist in the approval of materials or assemblies not specifically provided for in this code, shall consist of valid research reports from *approved* sources.

104.10.2 Tests. Whenever there is insufficient evidence of compliance with the provisions of this code, or evidence that a material or method does not conform to the requirements of this code, or in order to substantiate claims for alternative materials or methods, the *building official* shall have the authority to require tests as evidence of compliance to be made without expense to the *municipality*. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the *building official* shall approve the testing procedures. Tests shall be performed by an *approved agency*. Reports of such tests shall be retained by the *building official* for the period required for retention of public records.

SECTION 105 PERMITS

105.1 Required. Any *owner* or owner's authorized agent who intends to construct, enlarge, alter, *repair*, move, change the character or use of the occupancy, or change the occupancy of a building or structure, which is regulated by this code, or to cause any such work to be performed, shall first make application to the *building official* and obtain the required *permit*. See ORS 455.020(2).

Exceptions:

1. Construction subject to minor labels and master permits when authorized by the inspection authority under OAR Chapter 918, Division 100.
2. Temporary (180 days) structural supports, structural replacement or repairs performed in an emergency on an existing structure. The authority having jurisdiction shall be notified of this work within 72 hours and permit application for the temporary work shall be submitted within the next five business days.

105.2 Work exempt from permit. [See Section 101 for the application and scope of this code.](#) *Permits* shall not be required for the following:

Building:

1. One-story detached *accessory structures* used as tool and storage sheds, ~~playhouses~~ and similar uses, provided that the floor area is not greater than 120 square feet (11 m²).
- ~~2. Oil derricks.~~
2. Platforms, sidewalks and driveways not more than 30 inches (762 mm) above adjacent grade, and not over any basement or *story* below and are not part of an *accessible route*.
3. Painting, papering, tiling, carpeting, cabinets, counter tops and similar finish work.
- ~~5. Temporary motion picture, television and theater stage sets and scenery.~~
4. Shade cloth structures constructed for nursery or agricultural purposes, not including service systems.
5. Window awnings in Group R-3 and U occupancies, supported by an exterior wall that do not project more than 54 inches (1372 mm) from the *exterior wall* and do not require additional support.
6. Nonfixed and movable fixtures, cases, racks, counters and partitions not over 5 feet 9 inches (1753 mm) in height.
7. Farm ~~or~~ [and](#) forest use agricultural buildings exempted in ORS 455.315 (also see Appendix C).
8. Equine facilities exempted in ORS 455.315.

Note: Unless otherwise exempted, separate plumbing, electrical and mechanical permits may be required for the exempted items listed in this section. Additionally, all new construction and substantial improvements (including the placement of prefabricated buildings and certain building work exempt from permit under Section 105.2) shall be designed and constructed with methods, practices and materials that minimize flood damage in accordance with this code.

105.2.1 Repairs. Application or notice to the *building official* is not required for ordinary repairs to structures. Such repairs shall not include the cutting away of any wall, partition or portion thereof; the removal or cutting of any structural beam or load-bearing support; or the removal or change of any required *means of egress*, or rearrangement of parts of a structure affecting the egress requirements; nor shall ordinary repairs include *addition* to, *alteration* of, replacement or relocation of any standpipe.

The requirements of Sections 105.3 through 105.6 shall apply unless specifically amended by a local *municipality* under the authority of ORS 455.020.

105.3 Application for permit. To obtain a *permit*, the applicant shall first file an application therefor in writing on a form furnished by the department of building safety for that purpose. Such application shall:

1. Identify and describe the work to be covered by the *permit* for which application is made.

2. Describe the land on which the proposed work is to be done by legal description, street address or similar description that will readily identify and definitely locate the proposed building or work.
3. Indicate the use and occupancy for which the proposed work is intended.
4. Be accompanied by *construction documents* and other information as required in Section 107.
5. State the valuation of the proposed work.
6. Be signed by the applicant, or the applicant's authorized agent.
7. Give such other data and information as required by the *building official*.

105.3.1 Action on application. The *building official* shall examine or cause to be examined applications for *permits* and amendments thereto within a reasonable time after filing. If the application or the *construction documents* do not conform to the requirements of pertinent laws, the *building official* shall reject such application in writing, stating the reasons therefor. If the *building official* is satisfied that the proposed work conforms to the requirements of this code and laws ~~and ordinances~~ applicable thereto, the *building official* shall issue a *permit* therefor as soon as practicable. [Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.](#)

105.3.2 Time limitation of application. An application for a *permit* for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a *permit* has been issued; except that the *building official* is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

105.4 Validity of permit. The issuance or granting of a *permit* shall not be construed to be a *permit* for, or an approval of, any violation of any of the provisions of this code or of any other laws ~~or ordinances of the municipality.~~ *Permits* presuming to give authority to violate or cancel the provisions of this code or other laws ~~or ordinances of the municipality~~ shall not be valid. The issuance of a *permit* based on *construction documents* and other data shall not prevent the *building official* from requiring the correction of errors in the *construction documents* and other data. The *building official* is authorized to prevent occupancy or use of a structure where in violation of this code or of any other laws ~~or ordinances of this municipality.~~ [Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.](#)

105.5 Expiration. Every *permit* issued shall become invalid unless the work on the site authorized by such *permit* is commenced within 180 days after its issuance, or if the work authorized on the site by such *permit* is suspended or abandoned for a period of 180 days after the time the work is commenced. The *building official* is authorized to grant, in writing, one or more extensions of time, for periods not more than 180 days each. The extension shall be requested in writing and justifiable cause demonstrated.

105.6 Suspension or revocation. The *building official* is authorized to suspend or revoke a *permit* issued under the provisions of this code wherever the *permit* is issued in error or on the basis of incorrect, inaccurate or incomplete information, or in violation of any ~~ordinance or regulation or any~~ of the provisions of this code. Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.

105.7 Placement of permit. The building *permit* or copy shall be kept on the site of the work until ~~the~~ completion of the project. The building official may adopt local policies approving specific permit and inspection recording methods.

SECTION 106 FLOOR AND ROOF DESIGN LOADS

106.1 Live loads posted. In commercial or industrial buildings, for each floor or portion thereof designed for *live loads* exceeding 50 psf (2.40 kN/m²), such design *live loads* shall be conspicuously posted by the owner or the owner's authorized agent in that part of each *story* in which they apply, using durable signs. It shall be unlawful to remove or deface such notices.

106.2 Issuance of certificate of occupancy. A certificate of occupancy required by Section 111 shall not be issued until the floor load signs, required by Section 106.1, have been installed.

106.3 Restrictions on loading. It shall be unlawful to place, or cause or permit to be placed, on any floor or roof of a building, structure or portion thereof, a load greater than is permitted by this code.

SECTION 107 SUBMITTAL DOCUMENTS

107.1 General. Submittal documents consisting of *construction documents*, statement of *special inspections*, geotechnical report and other data shall be submitted in two or more sets with each *permit* application. The *construction documents* shall be prepared by a *registered design professional* where required by ORS 671 and 672. Where special conditions exist, the *building official* is authorized to require additional *construction documents* to be prepared by a *registered design professional*.

Exceptions:

1. The *building official* may waive the submission of plans, calculations, construction inspection requirements and other data and the related plan review fee if it is found that the nature of the work applied for is such that review of plans is not necessary to obtain compliance with this code.
2. Plans, specifications, calculations, diagrams and other data prepared and designed by an engineer or architect licensed by the state to practice as such are not required for the following work, ~~provided the building official determines that the work is not of a highly technical nature or there is no unreasonable potential risk to life and/or safety of the structure:~~
 - 2.1. The erection, enlargement or alteration of any building, or any appurtenance thereto, where the resulting building has a ground area of 4,000 square feet (372 m²) or less and is not more than 20 feet (6096 mm) in height from the top surface

of the lowest floor to the highest interior overhead finish (see ORS 671.030).

- 2.2. A detached single-family dwelling; farm agricultural building; nonfarm agricultural building; or accessory building to a single-family dwelling, farm agricultural building, or nonfarm agricultural building.
- 2.3. Alterations or repairs that do not involve the structural parts of the building.

107.2 Construction documents. *Construction documents* shall be in accordance with Sections 107.2.1 through 107.2.8.

107.2.1 Information on construction documents. *Construction documents* shall be dimensioned and drawn on suitable material. Electronic media documents are permitted to be submitted where *approved* by the *building official*. *Construction documents* shall be of sufficient clarity to indicate the location, nature and extent of the work proposed and show in detail that it will conform to the provisions of this code and relevant laws, ~~ordinances, rules and regulations, as determined by the building official.~~ Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.

107.2.2 Fire protection system shop drawings. Shop drawings, plans, specifications or sketches for the *fire protection system(s)* shall be submitted to the *building official* pursuant to the requirements of the *state building code* and ORS Chapter 455 or ORS 479.155 to determine compliance with the *state building code*, including but not limited to fire and life safety standards that are part of the *state building code*. Shop drawings, plans, specifications or sketches shall be *approved* prior to the start of system installation. Shop drawings shall contain all information as required by the referenced installation standards in Chapter 9. The issuance of permits and inspections shall be the authority of the *building official* to administer under ORS Chapter 455.

107.2.3 Means of egress. The *construction documents* shall show in sufficient detail the location, construction, size and character of all portions of the *means of egress* including the path of the *exit discharge* to the *public way* in compliance with the provisions of this code. In other than occupancies in Groups R-2, R-3, and I-1, the *construction documents* shall designate the number of occupants to be accommodated on every floor, and in all rooms and spaces.

107.2.4 Exterior wall envelope. *Construction documents* for all buildings shall describe the *exterior wall envelope* in sufficient detail to determine compliance with this code. The *construction documents* shall provide details of the *exterior wall envelope* as required, including flashing, intersections with dissimilar materials, corners, end details, control joints, intersections at roof, eaves or parapets, means of drainage, water-resistive membrane and details around openings.

The *construction documents* shall include manufacturer's installation instructions that provide supporting documentation that the proposed penetration and opening details described in the *construction documents* maintain the weather resistance of the *exterior wall envelope*. The supporting documentation shall fully describe the *exterior wall* system that was tested, where applicable, as well as the test procedure used.

107.2.5 Exterior balconies and elevated walking surfaces.

Where balconies or other elevated walking surfaces are exposed to water from direct or blowing rain, snow, or irrigation, and the structural framing is protected by an impervious moisture barrier, the *construction documents* shall include details for all elements of the impervious moisture barrier system. The *construction documents* shall include manufacturer's installation instructions.

107.2.6 Site plan. The *construction documents* submitted with the application for *permit* shall be accompanied by a site plan showing to scale the size and location of new construction and existing structures on the site, distances from *lot lines*, the established street grades and the proposed finished grades and it shall be drawn in accordance with an accurate boundary line survey. The *building official* is authorized to waive or modify the requirement for a site plan where the application for *permit* is for *alteration* or *repair* or where otherwise warranted.

107.2.7 Structural information. The *construction documents* shall provide the information specified in Section 1603.

107.3 Examination of documents. The *building official* shall examine or cause to be examined the accompanying submittal documents and shall ascertain by such examinations whether the construction indicated and described is in accordance with the requirements of this code and other pertinent laws ~~or ordinances~~. Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.

107.3.1 Approval of construction documents. When the *building official* issues a *permit*, the *construction documents* shall be *approved*, in writing or by stamp, as "Reviewed for Code Compliance." One set of *construction documents* so reviewed shall be retained by the *building official*. The other set shall be returned to the applicant, shall be kept at the site of work and shall be open to inspection by the *building official* or a duly authorized representative. *Construction documents* shall be *approved* in the timelines specified in ORS 455.467.

107.3.2 Previous approvals. This code shall not require changes in the *construction documents*, construction or designated occupancy of a structure for which a lawful *permit* has been heretofore issued or otherwise lawfully authorized, and the construction of which has been pursued in good faith within 180 days after the effective date of this code and has not been abandoned.

107.3.3 Phased approval. The *building official* is authorized to issue a *permit* for the construction of foundations or any other part of a building or structure before the *construction documents* for the whole building or structure have been submitted, provided that adequate information and detailed statements have been filed complying with pertinent requirements of this code. The holder of such *permit* for the foundation or other parts of a building or structure shall proceed at the holder's own risk with the building operation and without assurance that a *permit* for the entire structure will be granted.

ORS 455.467(1) & (2) are not part of this code but are reprinted here for the reader's convenience:

455.467 Timelines for approval or disapproval of certain specialty code building plans; exceptions; phased permit systems; failure to adhere to timelines.

(1) Except as provided in subsection (2) of this section, for specialty code plan reviews of simple low-rise residential dwellings, the Department of Consumer and Business Services or a municipality that administers a building inspection program under ORS 455.148 or 455.150 shall approve or disapprove the specialty code building plan:

(a) For a jurisdiction with a population that is less than 300,000, within 10 business days of receiving a complete application, or shall implement the process described in ORS 455.465.

(b) For a jurisdiction with a population that is 300,000 or more, shall implement the process described in ORS 455.465.

(2) The 10-day and 15-day requirements in subsection (1) of this section do not apply if:

(a) The plan requires approval by federal, state or local agencies outside the jurisdiction of the issuing agency;

(b) The plan is for a complex structure that requires additional review as determined by the department or municipality; or

(c) Based on conditions that exist in the affected municipality, the Director of the Department of Consumer and Business Services authorizes a different plan review schedule as described in a building inspection program submitted under ORS 455.148 or 455.150. [1999 c.1045 §21; 2001 c.384 §1; 2001 c.573 §13; 2003 c.675 §28]

107.3.4 Design professional in responsible charge. Where it is required that documents be prepared by a *registered design professional*, the *building official* shall be authorized to require the *owner* or the *owner's* authorized agent to engage and designate on the building *permit* application a *registered design professional* who shall act as the *registered design professional in responsible charge*. If the circumstances require, the *owner* or the *owner's* authorized agent shall designate a substitute *registered design professional in responsible charge* who shall perform the duties required of the original *registered design professional in responsible charge*. The *building official* shall be notified in writing by the *owner* or the *owner's* authorized agent if the *registered design professional in responsible charge* is changed or is unable to continue to perform the duties.

The *registered design professional in responsible charge* shall be responsible for reviewing and coordinating submittal documents prepared by others, including phased and deferred submittal items, for compatibility with the design of the building.

107.3.4.1 Deferred submittals. Deferral of any submittal items shall have the prior approval of the *building official*. The *registered design professional in responsible charge* shall list the deferred submittals on the *construction documents* for review by the *building official*.

Documents for deferred submittal items shall be submitted to the *registered design professional in responsible charge* who shall review them and forward them to the *building official* with a notation indicating that the deferred submittal documents have been reviewed and found to be in general conformance to the design of the building. The deferred submittal items shall not be installed until the deferred submittal documents have been *approved* by the *building official*. See ORS 455.467(3).

Two copies of a plot plan for the occupancies listed in this section shall be submitted for the placing of prefabricated structures to show the relationship of all adjacent buildings and their exit ways.

ORS 455.467(3), (4), (5) & (6) are not part of this code but are reprinted here for the reader's convenience:

455.467 Timelines for approval or disapproval of certain specialty code building plans; exceptions; phased permit systems; failure to adhere to timelines.

(3) For specialty code plan reviews of commercial structures, a municipality shall include in its building inspection program submitted under ORS 455.148 or 455.150 a process for plan review services. The municipality shall include in its program detailed reasons supporting the proposed plan review process. The plan review services provided by the municipality shall:

(a) Allow an applicant to defer the submittal of plans for one or more construction phases for a commercial construction project in accordance with the state building code; and

(b) Allow an applicant to receive permits for each of the phases of a commercial construction project as described in the state building code when the plan review for that phase is approved.

(4) For a phased commercial construction project as described in subsection (3) of this section, the municipality shall inform the applicant of the detailed plans necessary for each phase of the project and the estimated time for initial and phased review of the building plans for conformance with the state building code.

(5) An applicant submitting plans under subsection (3) of this section is responsible for ensuring that the project meets all specialty code requirements and that the project does not proceed beyond the level of approval authorized by the building official.

(6) A municipality that repeatedly fails to meet the plan review period described in this section or otherwise authorized in its building inspection program submitted under ORS 455.148 or 455.150 shall be considered to be engaging in a pattern of conduct of failing to provide timely plan reviews under ORS 455.160. [1999 c.1045 §21; 2001 c.384 §1; 2001 c.573 §13; 2003 c.675 §28]

107.3.5 Fire and life safety plan review, occupancies to be reviewed. ORS 479.155(2) requires submission of plans for review and approval of certain occupancies.

Unless exempted by the Building Codes Division through delegation of the fire and life safety plan review program, the owner shall submit to the building codes administrator two copies (or, where required, an additional copy shall be submitted for local government use) of a plan or sketch drawn clearly and to scale showing information as set forth in Section 107.3.5.1 for review and approval prior to beginning construction or alteration. Fire and life safety plan review is required for the following occupancies:

1. Group A occupancies.
2. Group B occupancies over 4,000 square feet (372 m²) or more than 20 feet (6096 mm) in height, or with a basement.
3. Group E occupancies.
4. Group F occupancies over 4,000 square feet (372 m²) or more than 20 feet (6096 mm) in height, or with a basement.
5. Group H occupancies over 1,500 square feet (139 m²) or

more than 20 feet (6096 mm) in height, or with a basement.

6. Group I occupancies.
7. Group M occupancies over 4,000 square feet (372 m²) or more than 20 feet (6096 mm) in height, or with a basement.
8. Group R, Division 1, 2 and 4 occupancies over 4,000 square feet (372 m²) or more than 20 feet (6096 mm) in height, or with a basement over 1,500 square feet (139 m²).
9. Group S, Division 1, 2 and 3 occupancies over 4,000 square feet (372 m²) or more than 20 feet (6096 mm) in height, or with a basement.
10. Group U occupancies over 4,000 square feet (372 m²) or more than 20 feet (6096 mm) in height, or with a basement.

ORS 479.155(2) is not part of this code but is reprinted here for the reader's convenience:

479.155 Plan of proposed construction or alteration; declaration of value; approval of plan; effect of approval; rules.

(2) Prior to construction or alteration of a hospital, public building as defined in ORS 479.168, public garage, dry cleaning establishment, apartment house, hotel, bulk oil storage plant, school, institution as defined in ORS 479.210, or any other building or structure regulated by the State Fire Marshal for use and occupancy or requiring approval by the State Fire Marshal pursuant to statute, the owner shall submit to the director two copies of a plan or sketch showing the location of the building or structure with relation to the premises, distances, lengths and details of construction as the director shall require. A filing is not required with respect to any such building or structure in any area exempted by order of the State Fire Marshal pursuant to ORS 476.030. Approval of the plans or sketches by the director is considered approval by the State Fire Marshal and satisfies any statutory provision requiring approval by the State Fire Marshal. [1965 c.602 §14; 1967 c.417 §20; 1973 c.834 §33; 1977 c.821 §4; 1987 c.414 §158; 1993 c.744 §116; 1999 c.1082 §13; 2005 c.22 §364]

107.3.5.1 Fire and life safety plan review limits. The following portions of this code shall be used to review the plans submitted under this subsection. (These requirements are not intended to apply to structural, architectural, light and ventilation, accessibility and energy conservation requirements of the code except as they affect requirements included on the list.)

Chapter 1, except Sections 103, 104, 105, 109, 110 and 113.

Chapters 2 through 10.

Chapter 11 (egress signage).

Chapters 14.

Chapter 15 (except Sections 1503 and 1504);

Chapter 24.

Chapter 26.

Chapters 30 through 32.

Chapter 34.

Appendix C.

107.4 Amended construction documents. Work shall be installed in accordance with the *approved construction documents*, and any changes made during construction that are not in compliance with the *approved construction documents* shall be resubmitted for approval as an amended set of *construction documents*.

107.5 Retention of construction documents. One set of *approved construction documents* shall be retained by the *building official* for a period of not less than dictated by OAR 166-150-0020 where a county has jurisdiction; OAR 166-200-0250 where the city has jurisdiction; and OAR 166-300, et al., for the jurisdictions where the State of Oregon has jurisdiction. One set of approved plans and specifications shall be returned to the applicant and said set shall be kept on the site of the building or work at all times during which the work authorized thereby is in progress.

ORS 455.020(2) is not part of this code but is reprinted here for the reader's convenience:

455.020(2) Purpose: scope of application; exceptions; scope of rules; fees by rule.

(2) The rules adopted pursuant to this chapter shall include structural standards; standards for the installation and use of mechanical, heating and ventilating devices and equipment; and standards for prefabricated structures; and shall, subject to ORS 455.210, prescribe reasonable fees for the issuance of building permits and similar documents, inspections and plan review services by the Department of Consumer and Business Services. The department may also establish, by rule, the amount of any fee pertaining to the state building code or any specialty code that is authorized by statute, but for which an amount is not specified by statute. [Formerly 456.755; 1991 c.227 §2; 1991 c.310 §2; 1995 c.304 §1; 1995 c.400 §5; 1999 c.1045 §13; 1999

SECTION 108 TEMPORARY STRUCTURES AND USES

108.1 General. The *building official* is authorized to issue a *permit* for temporary structures and temporary uses. Such *permits* shall be limited as to time of service, but shall not be permitted for more than 180 days. The *building official* is authorized to grant extensions for demonstrated cause. See Chapter 31 for additional requirements.

Tents and other membrane structures erected for a period of less than 180 days are regulated by the *fire official*.

ORS 455.210(3)(a) is not part of this code but is reprinted for the reader's convenience:

ORS 455.210 Fees; appeal of fees; surcharge; reduced fees; rules.

(3)(a) A municipality may adopt by ordinance or regulation such fees as may be necessary and reasonable to provide for the administration and enforcement of any specialty code or codes for which the municipality has assumed responsibility under ORS 455.148 or 455.150. A municipality shall give the director notice of the proposed adoption of a new or increased fee under this subsection. The municipality shall give the notice to the director at the time the municipality provides the opportunity for public comment under ORS 294.160 regarding the fee or, if the proposed fee is contained in an estimate of municipal budget resources, at the time notice of the last budget meeting is published under ORS 294.426. [Subsections (1) to (5) formerly 456.760; subsection (6) enacted as 1987 c.604 §6; 1997 c.856 §1; 1999 c.432 §1; 1999 c.1045 §24; 1999 c.1082 §9; 2001 c.573 §9; 2001 c.673 §1; 2005 c.193 §1; 2005 c.833 §3; 2007 c.69 §5; 2011 c.473 §29]

108.2 Conformance. Temporary structures and uses shall comply with the requirements in Section 3103.

108.3 Termination of approval. The *building official* is authorized to terminate such *permit* for a temporary structure or use and to order the temporary structure or use to be discontinued.

SECTION 109 FEES

The requirements of Section 109 shall apply unless specifically amended by a *municipality* under the authority of ORS 455.020.

109.1 Payment of fees. A *permit* shall not be valid until the fees prescribed by law have been paid, nor shall an amendment to a *permit* be released until the additional fee, if any, has been paid.

109.2 Schedule of permit fees. On buildings, structures or *alterations* requiring a *permit*, a fee for each *permit* shall be paid as required, in accordance with the schedule as established by the *municipality*, under authority of ORS 455.020 and 455.210 or as set forth in OAR Chapter 918, Division 460, where the State of Oregon has jurisdiction.

109.2.1 Plan review fees. Where submittal documents are required by Section 107.1, a plan review fee shall be paid at the time of submitting the submittal documents for plan review. Said plan review fee shall be a percentage of the building permit fee as established under Section 109.2. Additionally, the fee for a fire and life safety plan review, as required by Section 107.3.5, shall be a percentage of the building permit fee established under Section 109.2.

The plan review fees specified in this section are separate from the permit fees specified in Section 109.2 and are in addition to the permit fees. The state surcharge is not applied to plan review fees.

Where submittal documents are incomplete or changed so as to require additional plan review, a fee shall be charged according to the rate established by the *municipality*. Where the project involves deferred submittal items, as defined in Section 107.3.4.2, an additional plan review fee shall be charged according to the rate established by the *municipality* in accordance with OAR 918-050-0170.

109.3 Building permit valuations. Structural building permit valuations shall be based on the Uniform Fee Methodologies established by OAR 918-050-0100.

Exception: Work as permitted in Section 105.1.

109.4 Work commencing before permit issuance. Any person who commences any work on a building, structure, electrical, gas, mechanical or plumbing system before obtaining the necessary *permits* shall be subject to an investigation fee. The amount of the investigative fee shall be the average or actual additional cost of ensuring that a building or structure is in conformance with this code and shall be in addition to the required *permit* fees.

109.5 Related fees. The payment of the fee for the construction, *alteration*, removal or demolition for work done in connection to or concurrently with the work authorized by a building *permit* shall not relieve the applicant or holder of the *permit* from the payment of other fees that are prescribed by law.

109.6 Refunds. The *building official* is authorized to establish a refund policy.

OAR 918-050-0100 is not part of this code but is reprinted here for the reader's convenience.

Uniform Fee Methodology

918-050-0100 Statewide Fee Methodologies for Residential and Commercial Permits

(2) Commercial construction permit fees shall be calculated using the following methodologies:

(a) A plumbing permit fee shall be calculated based on the number of fixtures and footage of piping, with a set minimum fee.
 (b) A mechanical permit fee shall be calculated based on the value of the mechanical equipment and installation costs and applied to the municipality's fee schedule with a set minimum fee.

(c) A structural permit fee shall be calculated by applying the valuation to the municipality's fee schedule with a minimum set fee. Valuation shall be the greater of either:

(A) The valuation based on the ICC Building Valuation Data Table current as of April 1 of each year, using the occupancy and construction type as determined by the building official, multiplied by the square footage of the structure; or (B) The value as stated by the applicant. (C) When the construction or occupancy type does not fit the ICC Building Valuation Data Table, the valuation shall be determined by the building official with input from the applicant.

Stat. Auth.: ORS 455.048 & 455.055

Stats. Implemented: ORS 455.046 & 455.055

ORS 455.058 is not part of this code but is reprinted here for the reader's convenience:

455.058 Investigation fee for work commenced without permit; rules.

(1) Except as provided in subsection (2) of this section, the Department of Consumer and Business Services, or a municipality administering and enforcing a building inspection program, may assess an investigation fee against a person that is required to obtain a permit for work on the electrical, gas, mechanical, elevator, boiler, plumbing or other systems of a building or structure if the work is commenced before the permit required for the work is obtained. The amount of the investigation fee shall be the average or actual additional cost of ensuring that a building, structure or system is in conformance with state building code requirements that results from the person not obtaining a required permit before work for which the permit is required commences.

(2) This section does not apply to: (a) An emergency repair required for health, safety, the prevention of property damage or the prevention of financial harm if the required building permit for the repair is obtained no later than five business days after commencement of the repair; or (b) Any project for which construction, alteration, repair, maintenance or installation in a building or structure prior to obtaining a permit is expressly authorized by law.

(3) The department may adopt rules and establish policies and procedures for use by the department or municipalities in assessing an investigation fee under this section. [2013 c.324 §2]

SECTION 110 INSPECTIONS

110.1 General. Construction or work for which a *permit* is required shall be subject to inspection by the *building official* and such construction or work shall remain visible and able to be accessed for inspection purposes until *approved*. Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of this code or of other laws ~~or ordinances of the municipality~~. Inspections presuming to give authority to violate or cancel the provisions of this code or of other laws ~~or ordinances of the municipality~~ shall not be valid. It shall be the duty of the *owner* or the owner's authorized agent to cause the work to remain visible and able to be accessed for inspection purposes. Neither the *building official* nor the *municipality* shall be liable for expense entailed in the removal or replacement of any material required to allow inspection. Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.

110.2 Preliminary inspection. Before issuing a *permit*, the *building official* is authorized to examine or cause to be examined buildings, structures and sites for which an application has been filed.

110.3 Required inspections. The *building official*, upon notification, shall make the inspections set forth in Sections 110.3.1 through 110.3.11. The building official may adopt local policies approving specific inspection recording methods.

110.3.1 Footing and foundation inspection. Footing and foundation inspections shall be made after excavations for footings are complete and any required reinforcing steel is in place. For concrete foundations, any required forms shall be in place prior to inspection. Materials for the foundation shall be on the job, except where concrete is ready mixed in accordance with ASTM C94, the concrete need not be on the job.

110.3.2 Concrete slab and under-floor inspection. Concrete slab and under-floor inspections shall be made after in-slab or under-floor reinforcing steel and building service equipment, conduit, piping accessories and other ancillary equipment items are in place, but before any concrete is placed or floor sheathing installed, including the subfloor.

110.3.3 Lowest floor elevation. In *flood hazard areas*, upon placement of the lowest floor, including the *basement*, and prior to further vertical construction, the elevation certification required in Section 1612.4 shall be submitted to the *building official* as required for building code administration and to the *flood plain administrator* in the management of any NFIP requirements.

110.3.4 Frame inspection. Framing inspections shall be made after the roof deck or sheathing, all framing, *fireblocking* and bracing are in place and pipes, chimneys and vents to be concealed are complete and the rough electrical, plumbing, heating wires, pipes and ducts are *approved*.

110.3.5 Lath, gypsum board and gypsum panel product inspection. Lath, gypsum board and gypsum panel product inspections shall be made after lathing, gypsum board and gypsum panel products, interior and exterior, are in place, but before any plastering is applied or gypsum board and gypsum panel product joints and fasteners are taped and finished.

Exception: Gypsum board and gypsum panel products that are not part of a fire-resistance-rated assembly or a shear assembly.

110.3.6 Weather-exposed balcony and walking surface waterproofing. Where balconies or other elevated walking surfaces are exposed to water from direct or blowing rain, snow or irrigation, and the structural framing is protected by an impervious moisture barrier, all elements of the impervious moisture barrier system shall not be concealed until inspected and *approved*.

Exception: Where *special inspections* are provided in accordance with Section 1705.1.1, Item 3.

110.3.7 Fire-and smoke-resistant penetrations. Protection of joints and penetrations in *fire-resistance-rated* assemblies, *smoke barriers* and smoke partitions shall not be concealed from view until inspected and *approved*.

110.3.8 Energy efficiency inspections. Inspections shall be made to determine compliance with Chapter 13 and shall include, but not be limited to, inspections for: envelope insulation *R* and *U*-values, fenestration *U*-value, duct system *R*-value, and HVAC and water-heating equipment efficiency.

110.3.9 Other inspections. In addition to the inspections specified in Sections 110.3.1 through 110.3.8, the *building official* is authorized to make or require other inspections of any construction work to ascertain compliance with the provisions of this code and other laws that are enforced by the department of building safety.

110.3.10 Special inspections. For *special inspections*, see Chapter 17.

110.3.11 Final inspection. The final inspection shall be made after all work required by the *building permit* is completed.

110.3.12 Radon mitigation inspections. Where radon mitigation systems are required by Section 1811 or 1812, or both, inspections shall be provided in accordance with the methods and frequency prescribed in this section.

110.3.12.1 Inspection of subfloor preparation. In conjunction with the “concrete slab and under-floor inspection” required by Section 110.3.2, the *building official* shall conduct subfloor preparation inspections. Such inspections shall be made after the placement of the gas-permeable layer in accordance with the compliance method selected in Section 1811.2.1 or 1812, or both. Depending on the method of construction, inspections shall include, but not be limited to:

1. Aggregate type and placement.
2. Sand type and placement.
3. Geotextile fabric placement.
4. Gas conveyance piping system placement in accordance with Section 1811.3.4.
5. Radon suction pits, including plenum boxes, collection pits, etc.
6. Preparations for installation of subslab soil exhaust ducts.

7. Other inspections as required by the *building official* to ensure compliance with selected alternate methods or engineered systems.

110.3.12.2 Inspection of walls in contact with soil gas. For designs incorporating walls in contact with soil gas, the *building official* shall conduct inspections for compliance with Section 1811.2.4. This inspection shall be made in conjunction with the “footing and foundation inspection” required by Section 110.3.

110.3.12.3 Inspection of subslab soil exhaust system duct (SSED). In conjunction with the “frame inspection” required by Section 110.3.4, the *building official* shall conduct SSED inspections. Such inspections shall be made after the placement and identification of all SSEDs as required by Sections 1811.2.5 and 1812.3.7, and where an active soil depressurized system is selected in accordance with Section 1811.3.2.

110.3.12.4 Inspection of SSED blower—active soil depressurization systems (ASD). In conjunction with the “final inspection” required by Section 110.3.11, the *building official* shall conduct ASD SSED blower inspections. Such inspections shall be made after the installation of SSED blowers in accordance with Section 1811.3.3.

110.4 Inspection agencies. The *building official* is authorized to accept reports of *approved* inspection agencies, provided that such agencies satisfy the requirements as to qualifications and reliability.

110.5 Inspection requests. It shall be the duty of the holder of the *building permit* or their duly authorized agent to notify the *building official* when work is ready for inspection. It shall be the duty of the *permit* holder to provide access to and means for inspections of such work that are required by this code.

110.6 Approval required. Work shall not be done beyond the point indicated in each successive inspection without first obtaining the approval of the *building official*. The *building official*, upon notification, shall make the requested inspections and shall either indicate the portion of the construction that is satisfactory as completed, or notify the *permit* holder or his or her agent wherein the same fails to comply with this code. Any portions that do not comply shall be corrected and such portion shall not be covered or concealed until authorized by the *building official*.

SECTION 111 CERTIFICATE OF OCCUPANCY

Under state authority, buildings occupied without a valid certificate of occupancy or permit are under the enforcement authority of the Office of State Fire Marshal.

Local programs should ensure that adequate local ordinances have been adopted allowing for enforcement action where a certificate of occupancy was not issued or where no permit has been applied for.

111.1 Change of occupancy. A building or structure shall not be used or occupied, and a change in the existing character, use or occupancy classification of a building or structure or portion thereof shall not be made, until the *building official* has issued a certificate of occupancy for such change in character, use or occupancy therefor as provided herein. Issuance of a certificate of

occupancy shall not be construed as an approval of a violation of the provisions of this code.

Exception: Certificates of occupancy are not required for work exempt from *permits* in accordance with Section 105.2.

111.2 Certificate issued. After the *building official* inspects the building or structure and does not find violations of the provisions of this code or other laws that are enforced by the department of building safety, the *building official* shall issue a certificate of occupancy that contains the following:

1. The building *permit* number.
2. The address of the structure.
3. The name and address of the *owner* or the owner's authorized agent.
4. A description of that portion of the structure for which the certificate is issued.
5. A statement that the described portion of the structure has been inspected for compliance with the requirements of this code for the occupancy and division of occupancy and the use for which the proposed occupancy is classified.
6. The name of the *building official*.
7. The edition of the code under which the *permit* was issued.
8. The use and occupancy, in accordance with the provisions of Chapter 3.
9. The type of construction as defined in Chapter 6.
10. The design *occupant load*.
11. If an *automatic sprinkler system* is provided, whether the sprinkler system is required.
12. Any special stipulations and conditions of the building *permit*.

111.3 Temporary occupancy. The *building official* is authorized to issue a temporary certificate of occupancy before the completion of the entire work covered by the *permit*, provided that such portion or portions shall be occupied safely. The *building official* shall set a time period during which the temporary certificate of occupancy is valid.

111.4 Revocation. The *building official* is authorized to, in writing, suspend or revoke a certificate of occupancy or completion issued under the provisions of this code wherever the certificate is issued in error, or on the basis of incorrect information supplied, or where it is determined that the building or structure or portion thereof is in violation of any ~~ordinance or regulation or any~~ of the provisions of this code. Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.

SECTION 112 SERVICE UTILITIES

Not adopted by the State of Oregon Building Codes Division as part of the state building code.
Municipalities may have independent local authority regarding service utilities.

SECTION 113 BOARD OF APPEALS

113.1 General. The local *municipality* shall establish a process to review appeals of determinations made by the *building official* regarding any provision of the specialty codes the *municipality* administers and enforces, to include a method to identify the local *building official* or designee and to notify a permit applicant of the provisions of ORS 455.475, see OAR 918-020-0090(1)(c).

Where there are practical difficulties in establishing a local appeals board, appeals filed under the provisions of ORS 455.475 shall satisfy this requirement.

113.2 Limitations on authority. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply or an equally good or better form of construction is proposed. An appeals board, where appointed, shall not have authority to waive requirements of this code.

113.3 Qualifications. An appeals board, where appointed, shall consist of members who are qualified by experience and training to pass on matters pertaining to building construction.

113.4 Alternative appeal process. ORS 455.475 provides an alternative appeal process to any established by a local *municipality*. An applicant for a building permit may choose to appeal a *building official's* decision to a local appeals board or directly to the appropriate specialty code program chief.

Note: Forms for filing an appeal under ORS 455.475 are available online at: Oregon.gov/bcd.

ORS 455.475 is not part of this code but is reprinted here for the reader's convenience:

455.475. Appeal of decision of building official.

(1) An applicant for a building permit may appeal a decision made by a building official under authority established pursuant to ORS 455.148, 455.150 or 455.467. The following apply to an appeal under this subsection:

(a) An appeal regarding the interpretation or application of a particular specialty code provision shall be made first to the appropriate specialty code chief inspector of the Department of Consumer and Business Services. The decision of the department chief inspector may be appealed to the appropriate advisory board. The decision of the advisory board may only be appealed to the Director of the Department of Consumer and Business Services if codes in addition to the applicable specialty code are at issue.

(b) If the appropriate advisory board determines that a decision by the department chief inspector is a major code interpretation, then the inspector shall distribute the decision in writing to all applicable specialty code public and private inspection authorities in the state. The decision shall be distributed within 60 days after the board's determination, and there shall be no charge for the distribution of the decision. As used in this paragraph, a "major code interpretation" means a code interpretation decision that affects or may affect more than one job site or more than one inspection jurisdiction.

(2) Except as provided in subsection (1) of this section, an applicant for a building permit may appeal the decision of a building official on any matter relating to the administration and enforcement of this chapter to the department. The appeal must be in writing. A decision by the department on an appeal filed under this subsection is subject to judicial review as provided in ORS 183.484.

(3) If an appeal is made under this section, an inspection authority shall extend the plan review deadline by the number of days it takes for a final decision to be issued for the appeal. [1999 c.1045]

SECTION 114 VIOLATIONS

114.1 Prohibited acts. Prohibited acts are as described in ORS 455.450.

ORS 455.450 is not part of this code but is reprinted here for the reader's convenience:

455.450 Prohibited acts. A person may not:

(1) Violate, or procure or assist in the violation of, any final order the Director of the Department of Consumer and Business Services, an advisory board, a state administrative officer or any local appeals board, building official or inspector, concerning the application of the state building code in a particular case or concerning a license, certificate, registration or other authorization.

(2) Engage in, or procure or assist any other person to engage in, any conduct or activity for which a permit, label, license, certificate, registration or other formal authorization is required by any specialty code, any provision of ORS 446.003 to 446.200, 446.225 to 446.285, 446.395 to 446.420, 446.566 to 446.646, 446.666 to 446.746, 479.510 to 479.945, 479.950 and 480.510 to 480.670, this chapter or ORS chapter 447, 460 or 693 or any rule adopted or order issued for the administration and enforcement of these provisions without first having obtained such permit, label, license, certificate, registration or other formal authorization.

(3) Violate, or procure or assist in the violation of, any standard, specification, requirement, prohibition or other technical provision set forth in the state building code or an applicable local building code or in any rule or order of the Department of Consumer and Business Services, an advisory board, a local governing body or local building official. [Formerly 456.885 (1); 2007 c.306 §3]

114.2 Notice of violation. The *building official* is authorized to serve a notice of violation or order on the person responsible for the construction, reconstruction, *alteration* and *repair* of a building or structure in violation of the provisions of this code, or in violation of a *permit* or certificate issued under the provisions of this code. Such order shall direct the discontinuance of the illegal action or condition and the abatement of the violation.

114.3 Prosecution of violation. If the notice of violation is not complied with promptly, the *building official* is authorized to request the legal counsel of the *municipality* to institute the appropriate proceeding at law.

114.4 Violation penalties. Any person who violates a provision of this code or fails to comply with any of the requirements thereof or who erects, constructs, alters or repairs a building or structure in violation of the *approved construction documents* or directive of the *building official*, or of a *permit* or certificate issued under the provisions of this code, shall be subject to penalties as prescribed by law.

114.5 Penalties. Penalty amounts other than those described in Section 109.4 are limited by ORS 455.895. Local authority to levy penalties is limited to violations of code application only.

ORS 455.895 is not part of this code but is reprinted here for the reader's convenience:

455.895 Civil penalties.

(2) The Department of Consumer and Business Services, or an appropriate advisory board, if any, may at its discretion impose a civil penalty against any person who violates the state building code or ORS 446.003 to 446.200, 446.225 to 446.285, 446.395 to 446.420, 446.566 to 446.646, 446.666 to 446.746, 479.510 to 479.945, 479.950 or 480.510 to 480.670, or this chapter or ORS chapter 447, 460 or 693, or any rule adopted or order issued for the administration and enforcement of those statutes. Except as provided in subsections (3), (4) and (9) of this section or ORS 446.995, a civil penalty imposed under this section must be in an amount determined by the appropriate advisory board or the department of not more than \$5,000 for each offense or, in the case of a continuing offense, not more than \$1,000 for each day of the offense.

(3) Each violation of ORS 446.003 to 446.200 or 446.225 to 446.285, or any rule or order issued under ORS 446.003 to 446.200 or 446.225 to 446.285, constitutes a separate violation with respect to each manufactured structure or with respect to each failure or refusal to allow or perform an act required thereby, except that the maximum civil penalty may not exceed \$1 million for any related series of violations occurring within one year from the date of the first violation.

(4) The department may impose a civil penalty of not more than \$25,000 against a public body responsible for administering and enforcing a building inspection program. As used in this subsection, "public body" has the meaning given that term in ORS 174.109.

(5) The maximum penalty established by this section for a violation may be imposed only upon a finding that the person has engaged in a pattern of violations. The department, by rule, shall define what constitutes a pattern of violations. Except as provided in subsections (1) and (10) of this section, moneys received from any civil penalty under this section are appropriated continuously for and shall be used by the department for enforcement and administration of provisions and rules described in subsection (2) of this section.

(6) Civil penalties under this section shall be imposed as provided in ORS 183.745.

(7) A civil penalty imposed under this section may be remitted or reduced upon such terms and conditions as the department or the appropriate advisory board considers proper and consistent with the public health and safety. In any judicial review of a civil penalty imposed under this section, the court may, in its discretion, reduce the penalty.

(8) Any officer, director, shareholder or agent of a corporation, or member or agent of a partnership or association, who personally participates in or is an accessory to any violation by the partnership, association or corporation of a provision or rule described in subsection (2) of this section is subject to the penalties prescribed in this section.

(9) In addition to the civil penalty set forth in subsection (1) or (2) of this section, any person who violates a provision or rule described in subsection (2) of this section may be required by the department or the appropriate advisory board to forfeit and pay to the General Fund of the State Treasury a civil penalty in an amount determined by the department or advisory board that does not exceed five times the amount by which such person profited in any transaction that violates a provision or rule described in subsection (2) of this section.

(10) If a civil penalty is imposed for a violation of a provision of ORS 446.566 to 446.646 and the violation relates to a filing or failure to file with a county assessor functioning as agent of the department, the department, after deducting an amount equal to the department's procedural, collection and other related costs and expenses, shall forward one-half of the remaining civil penalty amount to the county in which the manufactured structure is located at the time of the violation. [1991 c.792 §4; 1991 c.734 §111; 1999 c.1045 §19; 2001 c.411 §21; 2003 c.14 §286; 2003 c.655 §76; 2007 c.549 §6; 2007 c.898 §1; 2013 c.324 §11]

SECTION 115 STOP WORK ORDER

Not adopted by the State of Oregon Building Codes Division as part of the state building code. Municipalities may have independent local authority regarding stop work orders.

SECTION 116 UNSAFE STRUCTURES AND EQUIPMENT

Not adopted by the State of Oregon Building Codes Division as part of the state building code. Municipalities may have independent local authority regarding unsafe structures and equipment.

CHAPTER 1 SCOPE AND ADMINISTRATION

PART 1—SCOPE AND APPLICATION

SECTION R101 GENERAL

R101.1 Title. These provisions shall be known as the *Oregon Residential Specialty Code* and shall be cited as such and will be referred to herein as “this code.”

R101.2 Scope. The *Oregon Residential Specialty Code*, as adopted by the State of Oregon, Building Codes Division, includes portions of the *International Residential Code* and the *International Fire Code* pertaining to any construction, reconstruction, alteration, repair and installation of materials and equipment in or part of buildings and structures covered under the *state building code*.

R101.2.1 Application. The provisions of this code shall apply to the construction, *alteration*, movement, enlargement, replacement, *repair, equipment*, use, occupancy and location of the following:

1. Detached one- and two-family *dwelling*s and *townhouse*s classified as Group R-3, not more than three stories above *grade plane* in height, and their *accessory structures*.
2. Detached owner-occupied *lodging houses* containing not more than five guest rooms.
3. Residential aircraft hangars as defined in Section R202.
4. Live/work units located in detached one- and two-family *dwelling*s and *townhouse*s and complying with the requirements of Section 419 of the *Building Code*.

The following uses shall comply with the *Building Code*:

1. New “family childcare” uses and new “foster care” uses identified in ORS Chapters 418, 443 and 329A, located within detached one-family *dwelling*s, shall be classified as Group R-3 occupancies.
2. *Congregate living facilities.*

Consistent with discretionary decision-making powers granted to *building officials*, a *building official* may take any action including but not limited to waiving a requirement, modifying a requirement and/or accepting an alternate method to the requirements of the *state building code*. When waiving or accepting a modification, a *building official* shall not allow a provision that would create an unsafe or dangerous condition regarding fire and life safety, and may not enforce requirements that are in addition to the *state building code* except where additional code requirements are specified by the terms of an alternate method approval.

R101.2.2 Optional local adoption. In addition to the work exempt from building *permits* in Section R105, the following items are exempt from building *permits* unless specifically required by a *municipality*’s local ordinance. If a *municipality* adopts an ordinance to require a *permit* for any of these items, the construction standards of this code shall be applicable:

1. Fences, other than required *swimming pool* barriers, constructed of wood, wire mesh or chain link. Statewide, fences serving as a *swimming pool* barrier, or as a portion of a *swimming pool* barrier, shall require a building *permit*. A *municipality* may adopt an ordinance to regulate the construction of other fences constructed of wood, wire mesh or chain link, provided that the threshold established for requiring a building *permit* does not include fences that are 7 feet (2134 mm) or less in height. A *municipality* may adopt an ordinance to regulate fences constructed of materials other than wood, wire mesh or chain link, regardless of height. A local height threshold greater than 7 feet (2134 mm) is allowed, regardless of which materials are used.
2. Retaining walls. Statewide, retaining walls that provide safeguards for the users of the buildings, support a regulated building or retain material that, if not restrained, could impact a regulated building shall require a building permit. A *municipality* may adopt an ordinance to regulate other retaining walls, provided that the threshold established for requiring a *permit* does not include retaining walls 4 feet (1219 mm) or less in height, when measured from the bottom of the footing to the top of the wall except where the retaining wall supports ascending slopes exceeding 3:1 or where the retaining wall supports a nonsoil surcharge. A local height threshold greater than 4 feet (1219 mm) is allowed.
3. Freestanding radio television and other telecommunication antennae and towers not attached to or supported by a regulated building. A local *municipality* may adopt an ordinance to require a building *permit* for these structures.
4. Ground-mounted photovoltaic systems. A local *municipality* may adopt an ordinance requiring a building *permit* for these structures, provided that a *permit* is not required where these structures are 10 feet (3048 mm) or less in height measured to the highest point of the installation and no public access is permitted beneath the structures. A local height threshold greater than 10 feet (3048 mm) is allowed.
5. Tanks that are located exterior to and not attached to or supported by a regulated building.
6. Fixed docks not supporting a superstructure.
7. The design and construction of in-ground *swimming pools* accessory to detached one- and two-family *dwelling*s, and individual *townhouse dwelling units*.

R101.2.3 Matters not available for local regulation under the statutory authority of the state building code. While the following matters may be included in the published national model code, they may not be regulated by the local *municipality* under the authority of the *state building code*. Any references to these matters in this code have been retained for the convenience of the reader.

R101.2.3.1 Matters outside the statutory authority of the state building code. The following matters are outside the statutory authority of the *state building code*. Local *municipalities* may not regulate these matters under the *state building code*. A *municipality* may have additional authority outside of the *state building code* to regulate these matters locally, where not preempted:

1. Public utility facilities owned and maintained by the serving utility.
2. [Abatement of nuisances and dangerous buildings.](#)
3. [Demolition.](#)
4. [Floating structures.](#)
5. [Floating docks.](#)
6. [Transitional housing accommodations.](#)
7. [Administration and implementation of a National Flood Insurance Program \(NFIP\).](#)
8. [Mechanical equipment not specifically regulated in this code.](#)

R101.2.3.2 Matters preempted by the state building code. The following matters are not adopted and are preempted by the *state building code* and may not be adopted by a local *municipality*:

1. [Appendix A \(Sizing and Capacities of Gas Piping\).](#)
2. [Appendix B \(Sizing of Venting Systems Serving Appliances Equipped with Draft Hoods, Category I Appliances, and Appliances listed for use with Type B Vents\).](#)
3. [Appendix C \(Exit Terminals of Mechanical Draft and Direct-Vent Venting Systems\).](#)
4. [Appendix D \(Recommended Procedure for Safety Inspection of an Existing Appliance Installation\).](#)
5. [Appendix G \(Piping Standards for Various Applications\).](#)
6. [Appendix I \(Private Sewage Disposal\).](#)
7. [Appendix J \(Existing Buildings and Structures\).](#)
8. [Appendix L \(Permit Fees\).](#)
9. [Appendix M \(Home Day Care—R-3 Occupancy\).](#)
10. [Appendix N \(Venting Methods\).](#)
11. [Appendix O \(Automatic Vehicular Gates\).](#)
12. [Appendix P \(Sizing of Water Piping System\).](#)
13. [Appendix Q \(Tiny Houses\)](#)
14. [Appendix T \(Solar-ready Provisions—Detached One- and Two-family Dwellings and Townhouses\).](#)

R101.2.4 Appendices. The following appendices are adopted as part of this code:

1. [Appendix E \(Manufactured Housing Used as Dwellings\).](#)
2. [Appendix F \(Radon Control Methods\).](#)
3. [Appendix H \(Patio Covers\).](#)
4. [Appendix K \(Sound Transmission\).](#)
5. [Appendix R \(Light Straw-clay Construction\).](#)
6. [Appendix S \(Strawbale Construction\).](#)

R101.3 Owner-built dwellings. For exempt owner-built dwellings and outbuildings, see ORS 455.320.

ORS 455.320 is not part of this code but is reprinted here for the readers' convenience:

455.320 Owner-built dwellings exempt from certain structural code provisions; recording of exemption. (1) As used in this section, unless the context requires otherwise:

(a) "Owner" means the owner of the title to real property or the contract purchaser of real property, of record as shown on the last available complete assessment roll which person has not taken advantage of the exemptions under subsection (2) of this section during the five years prior to applying for an exemption under this section.

(b) "Owner-built dwelling and outbuildings" means a single-family residence and adjacent auxiliary structures the structural components of which are constructed entirely by the owner who intends to occupy the structures or by that owner and friends and relatives of the owner assisting on an unpaid basis.

(2) Owner-built dwellings and outbuildings shall be exempt from any requirements of the structural code for ceiling heights, room sizes and the maintenance of specific temperature levels in those structures. The exemption shall apply to the new construction, renovation, remodeling or alteration of an owner-built dwelling or outbuilding.

(3) A building permit issued for an owner-built dwelling or outbuilding shall note whether the owner-built dwelling or outbuilding complies with the requirements it is exempted from under subsection (2) of this section. If the dwelling or other structure does not comply with these requirements, the owner-builder shall file a copy of the building permit with the county clerk, who shall make the permit a part of the permanent deed record of the property. The owner shall provide the county clerk with a description of the property sufficient if it were contained in a mortgage of the property to give constructive notice of the mortgage under the law of this state.

(4) Noncompliance with subsection (3) of this section shall not affect, in any manner, any conveyance of interest in property subject to this section. [Formerly 456.920]

R101.4 Intent. The purpose of this code is to [establish minimum requirements to provide a reasonable level of safety, health and general welfare through affordability, structural strength, means of egress facilities, stability, sanitation, light and ventilation, energy conservation and safety to life and property from fire and other hazards attributed to the built environment, and to provide a reasonable level of safety to fire fighters and emergency responders during emergency operations.](#)

R101.5 Statutory references. This code is adopted pursuant to Oregon Revised Statutes (ORS). Where this code and the statutes specify different requirements, the statute shall govern. Statutes related to this code include, but are not limited to, ORS 455.010 through 455.895.

Statutes referenced may be obtained from the Building Codes Division, 1535 Edgewater St. NW, Salem, OR 97304 or P.O. Box 14470, Salem, OR 97309 at a nominal cost or read online at Oregon.gov/bcd/laws-rules.

SECTION R102 APPLICABILITY

R102.1 General. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable. Where, in any specific case, different sections of this code specify different materials, methods of construction or other requirements, the most restrictive shall govern.

R102.2 Other laws. The provisions of this code shall not be deemed to nullify any provisions of local, state or federal law.

R102.3 Application of references. References to chapter or section numbers, or to provisions not specifically identified by number, shall be construed to refer to such chapter, section or provision of this code.

R102.4 Referenced codes and standards. The codes and standards referenced in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference and as further regulated in Sections R102.4.1 and R102.4.2.

Exception: Where enforcement of a code provision would violate the conditions of the *listing* of the *equipment* or *appliance*, the conditions of the *listing* and manufacturer's instructions shall apply.

R102.4.1 ASCE Standard 24 Flood Resistant Design and Construction. The following ASCE Standard 24 Tables are not adopted by the State of Oregon as the subject matter encompasses Free Board, Base Flood Elevation and Design Flood Elevation. The authority to establish the same is reserved for local government:

1. Table 2-1, *Minimum elevation of the top of lowest floor.*
2. Table 4-1, *Minimum elevation of bottom of lowest supporting horizontal structural member of lowest floor.*
3. Table 5-1, *Minimum elevation below which flood damage-resistant materials shall be used.*
4. Table 6-1, *Minimum elevation of floodproofing.*
5. Table 7-1, *Minimum elevation of attendant utilities and equipment.*

National Flood Insurance Program (NFIP)

Each local community participating in the National Flood Insurance Program (NFIP) designates a local *flood plain administrator* who is responsible to make sure communities meet their insurance program obligations. Certain matters comprised within the NFIP program may conflict with or overlap with the *state building code*. Certain decisions such as sill plate height and other NFIP criteria fall under the authority and responsibility of the *flood plain administrator*. Once decisions under the NFIP program are made, then the appropriate requirements of this code for the construction of the building are applied.

Local communities may choose to designate their local *building official* as the *flood plain administrator* or may designate other staff. When a *building official* functioning in the capacity of *flood plain administrator* exercises authority under the NFIP, such decisions are not part of this code nor subject to the *building official* duties and responsibilities as adopted by the Oregon Building Codes Division.

Per ORS 455.210(3)(c), local communities are prohibited from using building permit monies for any matter other than administration and enforcement of the *state building code*. Administration and implementation of a local NFIP program are not part of the *state building code*.

R102.4.2 Conflicts. Where conflicts occur between provisions of this code and referenced codes and standards, the provisions of this code shall apply.

R102.4.3 Provisions in referenced codes and standards. Where the extent of the reference to a referenced code or standard includes subject matter that is within the scope of this code, the provisions of this code, as applicable, shall take precedence over the provisions in the referenced code or standard.

OAR 918-008-0000 is not part of this code but is reprinted here for the readers' convenience:

918-008-0000 Purpose and Scope

(1) The Department of Consumer and Business Services, Building Codes Division, adopts model building codes, standards and other publications by reference, as necessary, through administrative rule to create the state building code. When a matter is included in a specialty code or referenced publication that is in conflict with Oregon Revised Statutes or Oregon Administrative Rules, the statute or rule applies and the code or standard provision does not. All remaining parts or application of the code or standard remain in effect.

(2) Unless required by law, matters generally not authorized for inclusion in a specialty code or referenced standard include, but are not limited to: licensing or certification requirements, or other qualifications and standards for businesses or workers; structures or equipment maintenance requirements; matters covered by federal or state law; and matters that conflict with other specialty codes or publications adopted by the department.

(3) OAR 918-008-0000 to 918-008-0070 provides the process for adopting and amending the state building code that is consistent across all program areas.

(4) The state building code is derived from the most appropriate version of base model codes, which are updated periodically.

(5) The Oregon specialty code amendment process begins approximately midway into a code cycle.

(6) An appropriate advisory board approves or forwards the adoption of the Oregon specialty code and amendments to the Department for adoption.

(7) Notwithstanding sections (3) through (6) of this rule, the division may adopt supplemental code amendments as authorized by OAR 918-008-0028.

Statutory/Other Authority: ORS 447.020, 455.030 & 479.730

Statutes/Other Implemented: ORS 447.020, 455.030 & 479.730

R102.5 Reserved.

R102.6 Partial invalidity. In the event any part or provision of this code is held to be illegal or void, this shall not have the effect of making void or illegal any of the other parts or provisions.

R102.7 Existing structures. The legal occupancy of any structure existing on the date of adoption of this code shall be permitted to continue without change, except as is specifically covered in this code.

R102.7.1 Additions and alterations. *Additions and alterations* to any structure shall conform to the requirements for a new structure without requiring the existing structure to comply with the requirements of this code, unless otherwise stated. *Additions and alterations* shall not cause an existing structure to become unsafe or adversely affect the performance of the building.

An unsafe condition shall be deemed to have been created if an addition or alteration will cause the existing building or structure to become structurally unsafe or overloaded; will not provide adequate egress in compliance with the provisions of this code or will obstruct existing egress; will create a fire hazard; will reduce required fire resistance; or will otherwise create conditions dangerous to human life. Any building plus new additions shall not exceed the height and stories specified for new buildings in Section R101.2.

Exception: Structural changes which improve the resistance of the building to seismic forces may be made without complying with the current code requirements provided that:

1. The strength of the existing structural elements is not reduced; and
2. An unsafe condition is not created.

R102.7.2 Repairs. *Repairs shall not make the building any less conforming with the provisions of this code than the building was before the repair was undertaken. Repairs for the purposes of building maintenance shall comply with Section R105.2.2. Repairs for the purposes of correcting damage shall be permitted to conform with the code edition in effect at the time of original construction, where the requirements of this section are met.*

Where it becomes necessary to repair all or a portion of a legally existing building that has been damaged by, including but not limited to fire, wind, flood, earthquake or other similar damage, and where prior to the damage the legally existing building did not contain unsafe conditions, the building may be reconstructed exactly as it existed prior to the damage. The following requirements from the currently effective code shall be included in the reconstruction, where applicable:

1. *Repaired structural elements in accordance with the design criteria and loading requirements of Chapter 3, or to the maximum extent practical as approved by the building official.*
2. *Smoke alarms in accordance with Section R314.*
3. *Carbon monoxide alarms in accordance with Section R315.*
4. *Guards and fall protection in accordance with Section R312.*
5. *Hazardous glazing locations in accordance with Section R308.*
6. *Emergency escape and rescue openings in accordance with Section R310.*
7. *Table N1101.2, to the maximum extent practical.*

8. Floodplain construction requirements, where applicable, as determined by the flood plain administrator.

Such repairs for the purposes of correcting damage are not required to meet other current code requirements for new construction. Where unsafe conditions existed prior to the damage occurring, the building may be reconstructed in accordance with this section provided that the unsafe conditions are corrected, as determined by the building official.

PART 2—ADMINISTRATIVE AND ENFORCEMENT

SECTION R103 DEPARTMENT OF BUILDING SAFETY

| |
|--|
| Not adopted by the State of Oregon Building Codes Division as part of the <i>state building code</i> . |
|--|

SECTION R104 DUTIES AND POWERS OF THE BUILDING OFFICIAL

R104.1 General. The *building official* is hereby authorized and directed to enforce the provisions of this code. The *building official* shall have the authority to render interpretations of this code and to adopt policies and procedures in order to clarify the application of its provisions. Such interpretations, policies and procedures shall be in compliance with the intent and purpose of this code. Such policies and procedures shall not have the effect of waiving safeguard requirements specifically provided for in this code, statewide alternate methods, or statewide code interpretations. Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.

R104.2 Applications and permits. The *building official* shall receive applications, review *construction documents* and issue *permits* for the erection, *alteration and moving* of buildings and structures, inspect the premises for which such permits have been issued and enforce compliance with the provisions of this code.

R104.3 Notices and orders. The *building official* shall issue necessary notices or orders to ensure compliance with this code.

R104.4 Inspections. The *building official* shall make the required inspections, or the *building official* shall have the authority to accept reports of inspection by *approved agencies* or individuals. Reports of such inspections shall be in writing and be certified by a responsible officer of such *approved agency* or by the responsible individual. The *building official* is authorized to engage such expert opinion as deemed necessary to report on unusual technical issues that arise.

R104.5 Identification. Not adopted by the State of Oregon, Building Codes Division, as part of the *state building code*.

R104.6 Right of entry. Not adopted by the State of Oregon, Building Codes Division, as part of the *state building code*.

R104.7 Department records. The building official shall retain official records for the periods specified regarding the retention of public records. See OAR 166-150-0020 for locations where a county has jurisdiction; OAR 166-200-0025 where a city has jurisdiction; and OAR 166 Division 300 et al. for the cities and counties where the State of Oregon has jurisdiction.

R104.8 Liability. See ORS 30.265 for regulations relating to liability.

ORS 30.265 is not part of this code but is reprinted here for the readers' convenience:

ORS 30.265 Scope of liability of public body, officers, employees and agents; liability in nuclear incident.

(1) Subject to the limitations of ORS 30.260 to 30.300, every public body is subject to civil action for its torts and those of its officers, employees and agents acting within the scope of their employment or duties, whether arising out of a governmental or proprietary function or while operating a motor vehicle in a ridesharing arrangement authorized under ORS 276.598.

(2) The sole cause of action for a tort committed by officers, employees or agents of a public body acting within the scope of their employment or duties and eligible for representation and indemnification under ORS 30.285 or 30.287 is an action under ORS 30.260 to 30.300. The remedy provided by ORS 30.260 to 30.300 is exclusive of any other action against any such officer, employee or agent of a public body whose act or omission within the scope of the officer's, employee's or agent's employment or duties gives rise to the action. No other form of civil action is permitted.

(3) If an action under ORS 30.260 to 30.300 alleges damages in an amount equal to or less than the damages allowed under ORS 30.271, 30.272 or 30.273, the sole cause of action for a tort committed by officers, employees or agents of a public body acting within the scope of their employment or duties and eligible for representation and indemnification under ORS 30.285 or 30.287 is an action against the public body. If an action is filed against an officer, employee or agent of a public body, and the plaintiff alleges damages in an amount equal to or less than the damages allowed under ORS 30.271, 30.272 or 30.273, the court upon motion shall substitute the public body as the defendant. Substitution of the public body as the defendant does not exempt the public body from making any report required under ORS 742.400.

(4) If an action under ORS 30.260 to 30.300 alleges damages in an amount greater than the damages allowed under ORS 30.271, 30.272 or 30.273, the action may be brought and maintained against an officer, employee or agent of a public body, whether or not the public body is also named as a defendant. An action brought under this subsection is subject to the limitations on damages imposed under ORS 30.271, 30.272 or 30.273, and the total combined amount recovered in the action may not exceed those limitations for a single accident or occurrence without regard to the number or types of defendants named in the action.

(5) Every public body is immune from liability for any claim for injury to or death of any person or injury to property resulting from an act or omission of an officer, employee or agent of a public body when such officer, employee or agent is immune from liability.

(6) Every public body and its officers, employees and agents acting within the scope of their employment or duties, or while operating a motor vehicle in a ridesharing arrangement authorized under ORS 276.598, are immune from liability for:

- (a) Any claim for injury to or death of any person covered by any workers' compensation law.
- (b) Any claim in connection with the assessment and collection of taxes.
- (c) Any claim based upon the performance of or the failure to exercise or perform a discretionary function or duty, whether or not the discretion is abused.
- (d) Any claim that is limited or barred by the provisions of any other statute, including but not limited to any statute of ultimate repose.
- (e) Any claim arising out of riot, civil commotion or mob action or out of any act or omission in connection with the prevention of any of the foregoing.

(f) Any claim arising out of an act done or omitted under apparent authority of a law, resolution, rule or regulation that is unconstitutional, invalid or inapplicable except to the extent that they would have been liable had the

law, resolution, rule or regulation been constitutional, valid and applicable, unless such act was done or omitted in bad faith or with malice.

(7) This section applies to any action of any officer, employee or agent of the state relating to a nuclear incident, whether or not the officer, employee or agent is acting within the scope of employment, and provided the nuclear incident is covered by an insurance or indemnity agreement under 42 U.S.C. 2210.

(8) Subsection (6)(c) of this section does not apply to any discretionary act that is found to be the cause or partial cause of a nuclear incident covered by an insurance or indemnity agreement under the provisions of 42 U.S.C. 2210, including but not limited to road design and route selection. [1967 c.627 §§2,3,10; 1969 c.429 §1; 1975 c.609 §12; 1977 c.823 §2; 1981 c.490 §4; 1985 c.731 §31; 1987 c.705 §7; 1991 c.861 §1; 2005 c.22 §19; 2007 c.803 §4; 2011 c.270 §1]

R104.9 Approved materials and equipment. Materials, *equipment* and devices *approved* by the *building official* shall be constructed and installed in accordance with such approval.

R104.9.1 Used materials and equipment. Used materials, *equipment* and devices shall not be reused unless *approved* by the *building official*. Used or salvaged dimensional lumber shall be permitted to be used in accordance with all of the following:

1. Used or salvaged dimensional lumber shall be in generally good condition and free of any obvious areas of decay.
2. Where used or salvaged dimensional lumber is identified by a grade mark or where a certificate of inspection is provided from a lumber grading or inspection agency *approved* by an accreditation body that complies with DOC PS 20, structural properties for the used or salvaged lumber shall be as determined by the *approved* agency in accordance with the grade stamp or certificate provided.

Exception: In lieu of the grade mark or certificate described in Item 2, used or salvaged dimensional lumber not bearing a grade stamp or provided with a certificate shall be assumed to be Douglas fir-larch No. 2 grade and shall have structural properties assigned in accordance with current adopted standards.

R104.10 Modifications. Where there are practical difficulties involved in carrying out the provisions of this code, the *building official* shall have the authority to grant modifications for individual cases, upon application of the owner or owner's representative, provided the *building official* shall first find that special individual reason makes the strict letter of this code impractical and the modification is in compliance with the intent and purpose of this code and that such modification does not create an unsafe or dangerous condition regarding fire and life safety, and does not require enforcement of any requirements that are in addition to the state building code except where additional code requirements are specified by the terms of an alternate method approval. The details of action granting modifications shall be recorded and entered in the *municipality's* files.

R104.10.1 Flood hazard areas. Not adopted by the State of Oregon, Building Codes Division, as part of the *state building code*.

R104.11 Alternative materials, design and methods of construction and equipment. The provisions of this code are not intended to prevent the installation of any material or to prohibit any design or method of construction not specifically prescribed by this code, provided that any such alternative has been *approved*. An alternative material, design or method of construction shall be *approved* where the *building official* finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method or work offered is, for the purpose intended, not less than the equivalent of that prescribed in this code in quality, strength, effectiveness, fire resistance, durability and safety. Compliance with the specific performance-based provisions of the current edition of the *Building Code* shall be an alternative to the specific requirements of this code. Where the alternative material, design or method of construction is not *approved*, the *building official* shall respond in writing, stating the reasons why the alternative was not *approved*.

R104.11.1 Tests. Where there is insufficient evidence of compliance with the provisions of this code, or evidence that a material or method does not conform to the requirements of this code, or in order to substantiate claims for alternative materials or methods, the *building official* shall have the authority to require tests as evidence of compliance to be made at no expense to the *municipality*. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the *building official* shall approve the testing procedures. Tests shall be performed by an *approved* agency. Reports of such tests shall be retained by the *building official* for the period required for retention of public records.

SECTION R105 PERMITS

R105.1 Required. Any owner or owner's authorized agent who intends to construct, enlarge, alter, repair, move, or change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace any gas or mechanical system, the installation of which is regulated by this code, or to cause any such work to be performed, shall first make application to the *building official* and obtain the required *permit*.

R105.1.1 New spaces. The creation of new habitable spaces, new toilet rooms, or new bathrooms shall require a building permit.

ORS 455.310(2) is not part of this code but is reprinted here for the readers' convenience:

455.310(2) Single-family residence repair and maintenance exempt from codes; exemption itemized. (2) Items designated by the Director of the Department of Consumer and Business Services, with the advice of the Residential and Manufactured Structures Board, shall be exempt from permits and fees required under this chapter. The director shall, pursuant to ORS chapter 183, develop and maintain an applicable list of such exempt items, which shall include, but not be limited to, concrete slabs, driveways, sidewalks, masonry repair, porches, patio covers, painting, interior wall, floor or ceiling covering, nonbearing partitions, shelving, cabinet work, gutters, downspouts, small accessory buildings, door and window replacements, replacement or repair of siding and replacement or repair of roofing. In making the list of exempt items, the director shall further define the items on the list contained in this subsection so that no item which adversely affects the structural integrity of the dwelling shall be on the list. [Formerly 456.753 and then 456.915; 1993 c.744 §93; 2003 c.675 §26; 2009 c.567 §17]

R105.2 Work exempt from permit. Exemption from *permit* requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code or any other laws. Nothing in this code limits a local municipality's ability to require application of its ordinances, or to enforce its own ordinances. See Section R101 for the application and scope of this code. *Permits* shall not be required for the following:

Building:

1. Nonhabitable one-story detached *accessory structures*, provided that the floor area does not exceed 200 square feet (18.58 m²) and does not exceed a height of 15 feet (4572 mm) measured from grade plane to the average height of the highest roof surface.

Exception: Where the structure is located on a parcel of 2.0 acres or greater in area, and the structure is located a minimum of 20 feet (6096 mm) from all property lines and regulated structures, the floor area may be increased to 400 square feet (37.16 m²).

2. Concrete sidewalks, slabs, platforms, driveways and similar work.
3. Painting, papering, tiling, carpeting, cabinets, counter tops, interior wall, floor or ceiling covering, shelving and similar work.
4. Above-grade and on-ground swimming pools.
5. Swings, other playground equipment and similar work.
6. Patio covers, as defined in Section AH102, and porch covers not over 200 square feet (11 m²) and supported by an exterior building wall.
7. Window awnings supported by an exterior wall that do not project more than 54 inches (1372 mm) from the exterior wall and do not require additional support.
8. Nonbearing partitions, except when such partitions create *habitable space*.
9. Replacement or repair of siding not required to be fire resistive.
10. Retrofitted insulation.
11. Masonry repair.
12. Porches and decks where the floor or deck is not more than 30 inches (762 mm) above adjacent *grade* measured at any point within 3 feet (914 mm) horizontally of the floor or deck, and where in the case of a covered porch the covered portion of the porch does not come closer than 3 feet (914 mm) to *lot* lines.
13. Gutters and downspouts.
14. Door and window replacements (where no structural member is changed).
15. Re-roofing, where replacement or repair of roofing and sheathing does not exceed 30 percent of the required live load design capacity.

Exceptions: Permits for re-roofing are required for the following:

1. Structures in wildfire hazard zones as provided in Section R327.

2. Townhouses.

3. Installation of building-integrated photovoltaic roof panels and other photovoltaic roof coverings.

16. Framed-covered nonhabitable *accessory structures* not more than 500 square feet (46.45 m²) in area, one story in height and not closer than 3 feet (914 mm) to a property line, where the structure is composed of a rigid framework that supports a fabric membrane.

Unless otherwise exempted, separate plumbing, electrical and mechanical *permits* may be required for the above exempted items.

Electrical: See the *Electrical Code*.

Mechanical:

1. Portable heating *appliances*, cooking or clothes drying *appliances*.
2. Portable ventilation *appliances*.
3. Portable cooling units.
4. Steam, hot- or chilled-water piping within any heating or cooling *equipment* regulated by this code.
5. Replacement of any minor part that does not alter approval of *equipment* or make such *equipment* unsafe.
6. Portable evaporative coolers.
7. Self-contained refrigeration systems containing 10 pounds (4.54 kg) or less of refrigerant or that are actuated by motors of 1 horsepower (746 W) or less.
8. Portable-fuel-cell *appliances* that are not connected to a fixed piping system and are not interconnected to a power grid.

Plumbing: See the *Plumbing Code*.

R105.2.1 Emergency repairs. Where *mechanical equipment* replacements and repairs must be performed in an emergency situation, the *permit* application shall be submitted to the *building official* within the next 5 working business day.

R105.2.1.1 Structural temporary repairs. For temporary (180 days) structural supports, structural replacement or repairs performed in an emergency on an existing structure, the *building official* shall be notified within 72 hours and permit application for the temporary work shall be submitted to the *building official* within the next 5 business days.

R105.2.2 Repairs. Application or notice to the *building official* is not required for ordinary repairs to structures. Repair work shall be performed using like materials or materials permitted by this code for new construction. Such repairs shall not include the cutting away of any wall, partition or portion thereof, the removal or cutting of any structural beam or load-bearing support, or the removal or change of any required means of egress, or rearrangement of parts of a structure affecting the egress requirements; nor shall ordinary repairs include *addition* to, *alteration* of, replacement or relocation of any gas, piping, or mechanical work.

ORS 455.058 is not part of this code but is reprinted here for the readers' convenience:

455.058 Investigation fee for work commenced without permit; rules.

(1) Except as provided in subsection (2) of this section, the Department of Consumer and Business Services, or a municipality administering and enforcing a building inspection program, may assess an investigation fee against a person that is required to obtain a permit for work on the electrical, gas, mechanical, elevator, boiler, plumbing or other systems of a building or structure if the work is commenced before the permit required for the work is obtained. The amount of the investigation fee shall be the average or actual additional cost of ensuring that a building, structure or system is in conformance with state building code requirements that results from the person not obtaining a required permit before work for which the permit is required commences.

(2) This section does not apply to:

- (a) An emergency repair required for health, safety, the prevention of property damage or the prevention of financial harm if the required building permit for the repair is obtained no later than five business days after commencement of the repair; or
- (b) Any project for which construction, alteration, repair, maintenance or installation in a building or structure prior to obtaining a permit is expressly authorized by law.
- (c) The department may adopt rules and establish policies and procedures for use by the department or municipalities in assessing an investigation fee under this section. [2013 c.324 §2]

R105.2.3 Public service agencies. A *permit* shall not be required for the installation, *alteration* or repair of generation, transmission, distribution, metering or other related *equipment* that is under the ownership and control of public service agencies by established right.

R105.3 Application for permit. To obtain a *permit*, the applicant shall first file an application therefor in writing on a form furnished by the department of building safety for that purpose. Such application shall:

1. Identify and describe the work to be covered by the *permit* for which application is made.
2. Describe the land on which the proposed work is to be done by legal description, street address or similar description that will readily identify and definitely locate the proposed building or work.
3. Indicate the use and occupancy for which the proposed work is intended.
4. Be accompanied by *construction documents* and other information as required in Section R106.1.
5. State the valuation of the proposed work.
6. Be signed by the applicant or the applicant's authorized agent.
7. Give such other data and information as required by the *building official*.

R105.3.1 Action on application. The *building official* shall examine or cause to be examined applications for *permits* and amendments thereto within a reasonable time after filing. If the application or the *construction documents* do not conform to the requirements of pertinent laws, the *building official* shall reject such application in writing stating the reasons therefor. If the *building official* is satisfied that the proposed work conforms to

the requirements of this code and laws applicable thereto, the *building official* shall issue a *permit* therefor as soon as practicable. [Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.](#)

R105.3.1.1 Determination of substantially improved or substantially damaged existing buildings in flood hazard areas. Not adopted by the State of Oregon, Building Codes Division, as part of the *state building code*.

R105.3.2 Time limitation of application. An application for a *permit* for any proposed work shall be deemed to have been abandoned 180 days after the date of filing unless such application has been pursued in good faith or a *permit* has been issued; except that the *building official* is authorized to grant one or more extensions of time for additional periods not exceeding 180 days each. The extension shall be requested in writing and justifiable cause demonstrated.

R105.4 Validity of permit. The issuance or granting of a *permit* shall not be construed to be a *permit* for, or an *approval* of, any violation of any of the provisions of this code. *Permits* presuming to give authority to violate or cancel the provisions of this code shall not be valid. The issuance of a *permit* based on *construction documents* and other data shall not prevent the *building official* from requiring the correction of errors in the *construction documents* and other data. The *building official* is authorized to prevent occupancy or use of a structure where in violation of this code, [by withholding or revoking a certificate of occupancy.](#) [Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.](#)

R105.5 Expiration. Every *permit* issued shall become invalid unless the work authorized by such *permit* is commenced within 180 days after its issuance, or [if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced.](#) The *building official* is authorized to grant, in writing, one or more extensions of time, for periods not more than 180 days each. The extension shall be requested in writing and justifiable cause demonstrated.

R105.6 Suspension or revocation. The *building official* is authorized to suspend or revoke a *permit* issued under the provisions of this code wherever the *permit* is issued in error or on the basis of incorrect, inaccurate or incomplete information, or in violation of any of the provisions of this code. [Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.](#)

R105.7 Placement of permit. The building *permit* or a copy shall be kept on the site of the work until the completion of the project.

R105.8 Responsibility. It shall be the duty of every person who performs work for the installation or repair of building, structure or mechanical systems, for which this code is applicable, to comply with this code.

R105.9 Preliminary inspection. Before issuing a *permit*, the *building official* is authorized to examine or cause to be examined buildings, structures and sites for which an application has been filed.

SECTION R106 CONSTRUCTION DOCUMENTS

R106.1 Submittal documents. Submittal documents consisting of *construction documents*, and other data shall be submitted in two or more sets with each application for a *permit*. The *construction documents* shall be prepared by a registered *design professional* where required by *state law*. Where special conditions exist, the *building official* is authorized to require additional *construction documents* to be prepared by a registered *design professional*.

Exception:

1. The *building official* is authorized to waive the submission of *construction documents* and other data not required to be prepared by a registered *design professional* if it is found that the nature of the work applied for is such that reviewing of *construction documents* is not necessary to obtain compliance with this code.
2. Plans, calculations, specifications, diagrams and other data prepared and designed by an architect or an engineer licensed by the state to practice as such are not required for the following work:
 - 2.1. The erection, enlargement or alteration of any building, or any appurtenance thereto, where the resulting building has a ground area of 4,000 square feet (372 m²) or less and is not more than 20 feet (6096 mm) in height from the top surface of the lowest floor to the highest interior overhead finish (ORS 671.030).
 - 2.2. A detached single-family dwelling, a farm agricultural building, nonfarm agricultural building, or accessory building to a single-family dwelling.
 - 2.3. Alterations or repairs that do not involve structural parts of the building.

R106.1.1 Information on construction documents. *Construction documents* shall be drawn upon suitable material. Electronic media documents are permitted to be submitted where *approved* by the *building official*. *Construction documents* shall be of sufficient clarity to indicate the location, nature and extent of the work proposed and show in detail that it will conform to the provisions of this code and relevant laws.

R106.1.2 Manufacturer's installation instructions. Manufacturer's installation instructions, as required by this code, shall be available on the job site at the time of inspection.

R106.1.3 Information on braced wall design. All braced wall lines shall be identified on the *construction documents*. Pertinent information including, but not limited to, bracing methods, location and length of *braced wall panels* and foundation requirements of braced wall panels at top and bottom shall be provided.

R106.1.4 Information for construction in flood hazard areas. For buildings and structures located in whole or in part in flood hazard areas as [determined](#) by the *flood plain administrator*, *construction documents* shall include:

1. Delineation of flood hazard areas, floodway boundaries and flood zones and the design flood elevation, as appropriate.

2. The elevation of the proposed lowest floor, including *basement*; in areas of shallow flooding (AO Zones), the height of the proposed lowest floor, including *basement*, above the highest adjacent *grade*.
3. The elevation of the bottom of the lowest horizontal structural member in coastal high hazard areas (V Zone) and in Coastal A Zones where such zones are delineated on flood hazard maps or otherwise delineated by the *flood plain administrator*.

R106.2 Site plan or plot plan. The *construction documents* submitted with the application for *permit* shall be accompanied by a site plan showing the size and location of new construction and existing structures on the site and distances from *lot lines*. The *building official* is authorized to waive or modify the requirement for a site plan where the application for *permit* is for *alteration* or repair or where otherwise warranted.

R106.3 Examination of documents. The *building official* shall examine or cause to be examined *accompanying construction documents* and shall ascertain by such examination whether the construction indicated and described is in accordance with the requirements of this code and other pertinent laws.

R106.3.1 Approval of construction documents. Where the *building official* issues a *permit*, the *construction documents* shall be *approved* in writing or by a stamp that states "REVIEWED FOR CODE COMPLIANCE." One set of *construction documents* so reviewed shall be retained by the *building official*. The other set shall be returned to the applicant, shall be kept at the site of work and shall be open to inspection by the *building official* or a duly authorized representative. *Construction documents* shall be *approved* in the timelines specified in ORS 455.467.

R106.3.2 Previous approvals. This code shall not require changes in the *construction documents*, construction or designated occupancy of a structure for which a lawful *permit* has been heretofore issued or otherwise lawfully authorized, and the construction of which has been pursued in good faith within 180 days after the effective date of this code and has not been abandoned.

R106.3.3 Phased approval. The *building official* is authorized to issue a *permit* for the construction of foundations or any other part of a building or structure before the *construction documents* for the whole building or structure have been submitted, provided that adequate information and detailed statements have been filed complying with pertinent requirements of this code. The holder of such *permit* for the foundation or other parts of a building or structure shall proceed at the holder's own risk with the building operation and without assurance that a *permit* for the entire structure will be granted.

R106.3.4 Design professional in responsible charge.

R106.3.4.1 General. When it is required that documents be prepared by a registered *design professional*, the *building official* shall be authorized to require the owner to engage and designate on the building *permit* application a registered *design professional* who shall act as the registered *design professional* in responsible charge. If the circumstances require, the owner shall designate a substitute registered *design professional* in responsible charge who shall perform

the duties required of the original registered *design professional* in responsible charge. The *building official* shall be notified in writing by the owner if the registered *design professional* in responsible charge is changed or is unable to continue to perform the duties.

The registered *design professional* in responsible charge shall be responsible for reviewing and coordinating submittal documents prepared by others, including phased and deferred submittal items, for compatibility with the design of the building.

R106.4 Amended construction documents. Work shall be installed in accordance with the *approved construction documents*, and any changes made during construction that are not in compliance with the *approved construction documents* shall be resubmitted for approval as an amended set of *construction documents*.

R106.5 Retention of construction documents. One set of *approved construction documents* shall be retained by the *building official* for a period of not less than that dictated by OAR 166-150-0020 where a county has jurisdiction; OAR 166-200-0025 where a city has jurisdiction; and OAR 166-300 et al., for the jurisdictions where the State of Oregon has jurisdiction. One set of *approved plans* and specifications shall be returned to the applicant and kept on the site of the building or work at all times during which the work authorized thereby is in progress. The *building official* shall maintain a permanent record of all *permits* issued in *flood hazard areas*, including copies of inspection reports and certifications required in Section R109.1.3.

SECTION R107 TEMPORARY STRUCTURES AND USES

R107.1 General. The *building official* is authorized to issue a *permit* for temporary structures and temporary uses. Such *permits* shall be limited as to time of service, but shall not be permitted for more than 180 days. The *building official* is authorized to grant extensions for demonstrated cause.

R107.2 Conformance. Temporary structures and uses shall conform to the structural strength, fire safety, means of egress, light, ventilation and sanitary requirements of this code as necessary to ensure the public health, safety and general welfare.

R107.3 Temporary power. See the *Electrical Code*.

R107.4 Termination of approval. The *building official* is authorized to terminate such *permit* for a temporary structure or use and to order the temporary structure or use to be discontinued.

SECTION R108 FEES

R108.1 Payment of fees. A *permit* shall not be valid until the fees prescribed by law have been paid, nor shall an amendment to a *permit* be released until the additional fee, if any, has been paid.

R108.2 Schedule of permit fees. Permit and plan review fees shall be as adopted by the *municipality*, except as otherwise limited by statute. On buildings, structures, and mechanical systems or *alterations* requiring a *permit*, a fee for each *permit* shall be paid as required, in accordance with the schedule as established by the *municipality* under authority of ORS 455.020 and 455.210, or set forth in OAR chapter 918, division 480 where the State of Oregon has jurisdiction.

ORS 455.020(2) is not part of this code but is reprinted here for the readers' convenience:

455.020(2) Purpose: scope of application; exceptions; scope of rules; fees by rule.

(2) The rules adopted pursuant to this chapter shall include structural standards; standards for the installation and use of mechanical, heating and ventilating devices and equipment; and standards for prefabricated structures; and shall, subject to ORS 455.210, prescribe reasonable fees for the issuance of building permits and similar documents, inspections and plan review services by the Department of Consumer and Business Services. The department may also establish, by rule, the amount of any fee pertaining to the state building code or any specialty code that is authorized by statute, but for which an amount is not specified by statute. [Formerly 456.755; 1991 c.227 §2; 1991 c.310 §2; 1995 c.304 §1; 1995 c.400 §5; 1999 c.1045 §13; 1999 c.1082 §11; 2001 c.710 §8]

ORS 455.210(3)(a) is not part of this code but is reprinted here for the readers' convenience:

455.210 Fees; appeal of fees; surcharge; reduced fees; rules.

(3) (a) A municipality may adopt by ordinance or regulation such fees as may be necessary and reasonable to provide for the administration and enforcement of any specialty code or codes for which the municipality has assumed responsibility under ORS 455.148 or 455.150. A municipality shall give the director notice of the proposed adoption of a new or increased fee under this subsection. The municipality shall give the notice to the director at the time the municipality provides the opportunity for public comment under ORS 294.160 regarding the fee or, if the proposed fee is contained in an estimate of municipal budget resources, at the time notice of the last budget meeting is published under ORS 294.426. [Subsections (1) to (5) formerly 456.760; subsection (6) enacted as 1987 c.604 §6; 1997 c.856 §1; 1999 c.432 §1; 1999 c.1045 §24; 1999 c.1082 §9; 2001 c.573 §9; 2001 c.673 §1; 2005 c.193 §1; 2005 c.833 §3; 2007 c.69 §5; 2011 c.473 §29]

R108.2.1 Plan review fees. When *construction documents* are required by Section R106.1, a plan review fee shall be paid at the time of submitting the *construction documents* for plan review. Said plan review fee shall be a percentage of the building *permit* fee as established under Section R108.2. The plan review fees specified in this section are separate from the *permit* fees specified in Section R108.2 and are in addition to the *permit* fees. The state surcharge is not applied to plan review fees. When *construction documents* are incomplete or changed so as to require additional plans, an additional plan review fee shall be charged according to the rate established by the *municipality* or OAR chapter 918, division 480 where the State of Oregon has jurisdiction.

R108.3 Building permit fees. Structural and mechanical permit fees shall be based upon the uniform fee methodologies as established by OAR 918-050-0100. Valuations used to calculate structural permit fees shall be based upon the uniform methodology established by OAR 918-050-0100.

R108.4 Related fees. The payment of the fee for the construction or *alteration* for work done in connection to or concurrently with the work authorized by a building *permit* shall not relieve the applicant or holder of the *permit* from the payment of other fees that are prescribed by law.

OAR 918-050-0100 is not part of this code but is reprinted here for the reader's convenience:

918-050-0100 Statewide Fee Methodologies for Residential and Commercial Permits.

(1) Residential construction permit fees shall be calculated using the following methodologies:

(a) A plumbing permit fee for new construction includes one kitchen and is based on the number of bathrooms, from one to three, on a graduated scale. An additional set fee shall be assessed for each additional bath or kitchen.

(A) No additional fee shall be charged for the first 100 feet of water and sewer lines, hose bibbs, icemakers, underfloor low-point drains, and rain drain packages that include the piping, gutters, downspouts, and perimeter system.

(B) The plumbing permit fee described in this section does not include:

(i) Any storm water retention/detention facility;

(ii) Irrigation and fire suppression systems; or

(iii) Additional water, sewer and service piping or private storm drainage systems exceeding the first 100 feet.

(C) Permit fees for an addition, alteration, or repair shall be calculated based on the number of fixtures, appurtenances, and piping, with a set minimum fee.

(b) A mechanical permit fee shall be calculated per appliance and related equipment, with a set minimum fee.

(c) Effective January 1, 2009, a structural permit fee for new construction and additions shall be calculated using the ICC Building Valuation Data Table current as of April 1 of each year, multiplied by the square footage of the dwelling to determine the valuation. The valuation shall then be applied to the municipality's fee schedule to determine the permit fee. The plan review fee shall be based on a predetermined percentage of the permit fee set by the municipality.

(A) The square footage of a dwelling, addition, or garage shall be determined from outside exterior wall to outside exterior wall for each level.

(B) The square footage of a carport, covered porch, patio, or deck shall be calculated separately at fifty percent of the value of a private garage from the ICC Building Valuation Data Table current as of April 1.

(C) Permit fees for an alteration or repair shall be calculated based on the fair market value as determined by the building official, and then applying the valuation to the municipality's fee schedule.

(2) Commercial construction permit fees shall be calculated using the following methodologies:

(a) A plumbing permit fee shall be calculated based on the number of fixtures and footage of piping, with a set minimum fee.

(b) A mechanical permit fee shall be calculated based on the value of the mechanical equipment and installation costs and applied to the municipality's fee schedule with a set minimum fee.

(c) A structural permit fee shall be calculated by applying the valuation to the municipality's fee schedule with a minimum set fee. Valuation shall be the greater of either:

(A) The valuation based on the ICC Building Valuation Data Table current as of April 1 of each year, using the occupancy and construction type as determined by the building official, multiplied by the square footage of the structure; or

(B) The value as stated by the applicant.

(C) When the construction or occupancy type does not fit the ICC Building Valuation Data Table, the valuation shall be determined by the building official with input from the applicant.

Statutory/Other Authority: ORS 455.048 & 455.055

Statutes/Other Implemented: ORS 455.046 & 455.055

R108.5 Refunds. The *building official* is authorized to establish a refund policy.

R108.6 Work commencing before permit issuance. Any person who commences work requiring a permit on a building, [structure, or mechanical system](#) before obtaining the necessary permits shall be subject to an investigation fee. The amount of the investigation fee shall be the average or actual additional cost of ensuring that a building, structure or system is in conformance with this code and shall be in addition to the required *permit* fees.

Exception: Work exempt from building *permit*.

SECTION R109 INSPECTIONS

R109.1 General. Construction or work for which a permit is required shall be subject to inspection by the *building official* and such construction or work shall remain accessible and exposed for inspection purposes until *approved*. Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of this code or of other laws of the *municipality*. Inspections presuming to give authority to violate or cancel the provisions of this code or of other laws of the *municipality* shall not be valid. It shall be the duty of the permit applicant to cause the work to remain accessible and exposed for inspection purposes. Neither the *building official* nor the state shall be liable for expense entailed in the removal or replacement of any material required to allow inspection.

R109.1.1 Foundation inspection. Inspection of the foundation shall be made after poles or piers are set or trenches or *basement* areas are excavated, and any required forms erected, and any required reinforcing steel is in place and supported prior to the placing of concrete. The foundation inspection shall include excavations for thickened slabs intended for the support of bearing walls, partitions, structural supports, or *equipment* and special requirements for wood foundations.

R109.1.1.1 Concrete slab or under-floor inspection. Concrete slab or under-floor inspection shall be made after in-slab or under-floor building service equipment, conduit, piping accessories and other ancillary equipment items are in place but before any concrete is placed or floor sheathing installed, including subfloor.

R109.1.2 Mechanical systems inspection. Rough inspection of mechanical systems shall be made prior to covering or concealment, before fixtures or *appliances* are set or installed, and prior to framing inspection.

Exception: Backfilling of ground-source heat pump loop systems tested in accordance with Section M2105.28 prior to inspection shall be permitted.

R109.1.3 Floodplain inspections. In flood hazard areas as determined by the *flood plain administrator*, upon placement of the lowest floor, including *basement*, and prior to further vertical construction, the *flood plain administrator* shall require submission of documentation, prepared and sealed by a registered *design professional*, of the elevation of the lowest floor, including *basement*, required in Section R322.

R109.1.4 Frame and masonry inspection. Inspection of framing and masonry construction shall be made after the roof, masonry, framing, firestopping, draftstopping and bracing are in place and after the plumbing, mechanical and electrical rough inspections are *approved*.

R109.1.4.1 Moisture content. After the framing inspection and prior to the installation of interior finishes, the *building official* shall be notified in writing by the general contractor that all moisture-sensitive wood framing members used in construction have a moisture content of not more than 19 percent of the weight of dry wood framing members.

R109.1.5 Other inspections. In addition to inspections in Sections R109.1.1 through R109.1.4, the *building official* shall have the authority to make or require other inspections to ascertain compliance with this code and other laws enforced by the *building official*.

R109.1.5.1 Fire-resistance-rated construction inspection. Where fire-resistance-rated construction is required between *dwelling units* or due to location on property, the *building official* shall require an inspection of such construction after lathing or gypsum board or gypsum panel products are in place, but before any plaster is applied, or before board or panel joints and fasteners are taped and finished.

R109.1.5.2 Insulation and vapor retarder inspection. Inspection shall be made after all insulation and required vapor retarders are in place, but before any lath or gypsum board interior wall covering is applied.

Exceptions:

1. Ceiling and floor insulation visible during final inspection.
2. The *building official* may allow the frame, insulation and vapor retarder inspections to be performed simultaneously.

R109.1.5.3 Reinforced masonry, insulating concrete form (ICF) and conventionally formed concrete wall inspection. Reinforced masonry walls, insulating concrete form (ICF) walls and conventionally formed concrete walls located in Seismic Design Categories D₀, D₁, D₂ and E shall be inspected after plumbing, mechanical and electrical systems embedded within the walls and reinforcing steel are in place, and prior to placement of grout or concrete. Inspection shall verify the correct size, location, spacing and lapping of reinforcing. For masonry walls, inspection shall also verify that the location of grout cleanouts and size of grout spaces comply with the requirements of this code.

R109.1.6 Final inspection. Final inspection shall be made after all work required by the *building permit* is completed.

R109.1.6.1 Elevation documentation. If located in a flood hazard area, the documentation of elevations required in Section R322.1.10 shall be submitted to the *building official* prior to the final inspection.

R109.2 Inspection agencies. The *building official* is authorized to accept reports of *approved* agencies, provided such agencies satisfy the requirements as to qualifications and reliability.

R109.3 Inspection requests. It shall be the duty of the **holder of the building permit** or their **duly authorized** agent to notify the **building official** when work is ready for inspection. It shall be the duty of the **permit holder** to provide access to and means for inspection of such work that is required by this code.

OAR 918-098-1900 is not part of this code but is reprinted here for the readers' convenience:

918-098-1900 Corrective Notices—Cite-it Write-it Requirement.

In addition to any other requirements set forth in statute and rule, all building officials, inspectors and plans examiners certified under Division 098, OAR 918-225-0540, 918-281-0020, 918-695-0400, and ORS 460.055 must include an exact reference to the applicable specialty code section, Oregon administrative rule, or statute, when issuing corrective notices at construction sites or to buildings or related appurtenances during a plan review while administering or enforcing a building inspection program. The building official, inspector, or plans examiner must include a plain statement of facts upon which the citation for correction action is based.

Statutory/Other Authority: ORS 455.720 & 455.740

Statutes/Other Implemented: ORS 455.720 & 455.740

R109.4 Approval required. Work shall not be done beyond the point indicated in each successive inspection without first obtaining the approval of the **building official**. The **building official** upon notification, shall make the requested inspections and shall either indicate the portion of the construction that is satisfactory as completed, or notify the **permit holder** or **their duly authorized** agent wherein the same fails to comply with this code. Any portions that do not comply shall be corrected and such portion shall not be covered or concealed until authorized by the **building official**.

SECTION R110 CERTIFICATE OF OCCUPANCY

R110.1 Use and occupancy. A building or structure shall not be used or occupied, and a change in the existing character, use or occupancy classification of a building or structure or portion thereof shall not be made, until the **building official** has issued a **certificate of occupancy for such change in character, use or occupancy**. Issuance of a certificate of occupancy shall not be construed as an approval of a violation of the provisions of this code. Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances. See OAR 918-480-0140.

Exceptions:

1. Certificates of occupancy are not required for work exempt from permits under Section R105.2.
2. *Accessory structures.*

R110.2 Change in use or occupancy. No change shall be made in the use or occupancy of any building that would place the building in a different division of the same group of occupancy or in a different group of occupancies, unless such building is made to comply with the requirements of this code, or the *Building Code* for such division or group of occupancy. Subject to the approval of the **building official**, the use or occupancy of existing buildings shall be permitted to be changed and the building is allowed to be occupied for purposes in other groups without conforming to all the requirements of this code for those groups, provided the new or proposed use is not more hazardous, based on life and fire risk, than the existing use.

OAR 918-480-0140 is not part of this code but is reprinted here for the readers' convenience:

OAR 918-480-0140 Certificates of Occupancy — Residential

(1) Prior to occupancy of a new residential dwelling or townhouse the building official must issue a certificate of occupancy in the form and format established by the Division, unless a temporary certificate of occupancy is issued by the building official.

(2) For purposes of this rule, the terms "residential dwelling" and "townhouse" have the same meaning as in Section R202 of the Oregon Residential Specialty Code.

(3) Before the certificate of occupancy is issued, the general contractor or owner who was issued the structural permit for construction must provide to the building official the contact information and relevant license information for the general contractor, as well as any electrical contractor, H-VAC contractor and plumbing contractor that performed work on the residential dwelling or townhouse.

(4) A building official may revoke a certificate of occupancy or a temporary certificate of occupancy when the residential dwelling or townhouse is in violation of applicable law that poses a threat to health and safety. The revocation must be in writing and state the basis for the revocation of the certificate of occupancy.

Statutory/Other Authority: ORS 455.055

Statutes/Other Implemented: ORS 455.055

R110.3 Certificate issued. After the **building official** inspects the building or structure and does not find violations of the provisions of this code or other laws that are enforced by the department of building safety, the **building official** shall issue a certificate of occupancy containing the following:

1. The building *permit* number.
2. The address of the structure.
3. The name and address of the owner or the owner's authorized agent.
4. A description of that portion of the structure for which the certificate is issued.
5. A statement that the described portion of the structure has been inspected for compliance with the requirements of this code.
6. The name of the **building official**.
7. The edition of the code under which the *permit* was issued.
8. If an automatic sprinkler system is provided and whether the sprinkler system is required.
9. Any special stipulations and conditions of the building *permit*.

R110.4 Temporary occupancy. The **building official** is authorized to issue a temporary certificate of occupancy before the completion of the entire work covered by the *permit*, provided that such portion or portions shall be occupied safely. The **building official** shall set a time period during which the temporary certificate of occupancy is valid.

R110.5 Revocation. The **building official** is authorized to, in writing, suspend or revoke a certificate of occupancy or **certificate of completion** issued under the provisions of this code wherever the certificate is issued in error, or on the basis of incorrect information supplied, or where it is determined that the building or structure or portion thereof is in violation of any of the provisions of this code. Nothing in this code limits a local municipality's ability to require application of its own ordinances, or to enforce its own ordinances.

SECTION R111 SERVICE UTILITIES

Not adopted by the State of Oregon Building Codes Division as part of the *state building code*. Municipalities may have independent local authority regarding service utilities.

SECTION R112 BOARD OF APPEALS

R112.1 General. In order to hear and decide appeals of orders, decisions or determinations made by the *building official* relative to the application and interpretation of this code, the *municipality* shall establish an appeals procedure. [ORS 455.475 provides an alternative appeal process to that set forth by the local municipality.](#)

R112.2 Limitations on authority. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply or an equally good or better form of construction is proposed. The board shall not have authority to waive requirements of this code.

ORS 455.475 is not part of this code but is reprinted here for the readers' convenience:

455.475 Appeal of decision of building official. A person aggrieved by a decision made by a building official under authority established pursuant to ORS 455.148, 455.150 or 455.467 may appeal the decision. The following apply to an appeal under this section:

(1) An appeal under this section shall be made first to the appropriate specialty code chief inspector of the Department of Consumer and Business Services. The decision of the department chief inspector may be appealed to the appropriate advisory board. The decision of the advisory board may only be appealed to the Director of the Department of Consumer and Business Services if codes in addition to the applicable specialty code are at issue.

(2) If the appropriate advisory board determines that a decision by the department chief inspector is a major code interpretation, then the inspector shall distribute the decision in writing to all applicable specialty code public and private inspection authorities in the state. The decision shall be distributed within 60 days after the board's determination, and there shall be no charge for the distribution of the decision. As used in this subsection, a "major code interpretation" means a code interpretation decision that affects or may affect more than one job site or more than one inspection jurisdiction.

(3) If an appeal is made under this section, an inspection authority shall extend the plan review deadline by the number of days it takes for a final decision to be issued for the appeal.

Forms for appeals under ORS 455.690 and ORS 455.475 are available online at Oregon.gov/bcd.

R112.3 Qualifications. An appeals board shall consist of members who are qualified by experience and training to pass judgement on matters pertaining to building construction.

R112.4 Administration. Not adopted by the State of Oregon Building Codes Division as part of the *state building code*.

SECTION R113 VIOLATIONS

R113.1 Prohibited acts. Prohibited acts are as described in ORS 455.450.

ORS 455.450 is not part of this code but is reprinted here for the readers' convenience:

455.450 Prohibited acts. A person shall not:

(1) Violate, or procure or assist in the violation of, any final order of the Director of the Department of Consumer and Business Services, an advisory board, a state administrative officer or any local appeals board, building official or inspector, concerning the application of the state building code in a particular case or concerning a license, certificate, registration or other authorization.

(2) Engage in, or procure or assist any other person to engage in, any conduct or activity for which a permit, label, license, certificate, registration or other formal authorization is required by any specialty code, any provision of ORS 446.003 to 446.200, 446.225 to 446.285, 446.395 to 446.420, 446.566 to 446.646, 446.666 to 446.746, 479.510 to 479.945, 479.950 and 480.510 to 480.670, this chapter or ORS chapter 447, 460 or 693, or any rule adopted or order issued for the administration and enforcement of those provisions, without first having obtained such permit, label, license, certificate, registration or other formal authorization.

Violate, or procure or assist in the violation of, any standard, specification, requirement, prohibition or other technical provision set forth in the state building code or an applicable local building code or in any rule or order of the Department of Consumer and Business Services, an advisory board, a local governing body or local building official.

R113.2 Notice of violation. The *building official* is authorized to serve a notice of violation or order on the person responsible for the erection, construction, *alteration*, extension, repair, moving, or occupancy of a building or structure in violation of the provisions of this code, or in violation of a detail statement or a plan *approved* thereunder, or in violation of a *permit* or certificate issued under the provisions of this code. Such order shall direct the discontinuance of the illegal action or condition and the abatement of the violation.

R113.3 Prosecution of violation. If the notice of violation is not complied with in the time prescribed by such notice, the *building official* is authorized to request the legal counsel of the *municipality* to institute the appropriate proceeding at law or in equity to restrain, correct or abate such violation, or to require the removal or termination of the unlawful occupancy of the building or structure in violation of the provisions of this code or of the order or direction made pursuant thereto.

R113.4 Violation penalties. Any person who violates a provision of this code or fails to comply with any of the requirements thereof or who erects, constructs, alters or repairs a building or structure in violation of the *approved construction documents* or directive of the *building official*, or of a *permit* or certificate issued under the provisions of this code, shall be subject to penalties as prescribed by law.

SECTION R114 STOP WORK ORDER

Not adopted by the State of Oregon Building Codes Division as part of the *state building code*. Municipalities may have independent local authority regarding stop orders.

SECTION R115 PREFABRICATED CONSTRUCTION

R115.1 General. See ORS 455.010 and OAR chapter 918, division 674.

ORS 455.010(6) is not part of this code but is reprinted here for the readers' convenience:

ORS 455.010 Definitions

(6) "Prefabricated structure":

- (a) Means a building or subassembly that has been in whole or substantial part manufactured or assembled using closed construction at an off-site location to be wholly or partially assembled on-site.
- (b) Does not mean a manufactured dwelling.

SECTION R116 INSPECTION CARD

R116.1 Record required. The *permit* holder or *permit* holder's agent shall post the inspection record on the job site in an accessible and conspicuous place to allow the *building official* to make the required entries. The record shall be maintained by the *permit* holder until the final inspection has been made and approved. The *building official* may adopt local policies approving alternative inspection recording methods.

SECTION R117 MOVED BUILDINGS

R117.1 Moved buildings. See ORS 455.410.

ORS 455.410 is not part of this code but is reprinted here for the readers' convenience:

455.410 Relocated buildings; substantial compliance required; permits.

(3) Existing buildings or structures which are removed from their foundation and relocated to another site within this state shall be in substantial compliance as defined in sub- sections (2) and (3) of this section.

(4) "Substantial compliance" means compliance with local construction codes in effect as of the original permit date of the building or structure, or where there was no permitting required at the time of original construction, with basic health and safety standards, as described in the closest dated *Uniform Housing Code*, as published by the International Conference of Building Officials as of the date of construction. Only the insulation, overhead and underneath the structure, shall be upgraded to the current insulation requirements of the state building code, or to the maximum extent possible subject to the design of the structure. Nothing in this statute shall be construed to mean that all heating, plumbing and electrical systems shall be replaced with systems meeting current standards for new construction, except that any life-threatening deficiencies in those systems shall be repaired, notwithstanding that the cost of rehabilitation may exceed 50 percent of the value of the structure before rehabilitation.

(5) All foundation and basement construction on the structure and any remodeling at the new location shall be constructed subject to all applicable local current building and safety codes, or where none exist, with the applicable standards as described in the *Uniform Housing Code* described in subsection (2) of this section.

(6) All moved houses shall be provided with either battery- operated or hard-wired smoke detection devices located in accordance with the provisions of the state building code.

(7) Nothing in this section is intended to permit any person to move a structure unless the person first consults the appropriate building inspection authority and obtains all required permits.

SECTION R118 HISTORIC BUILDINGS

R118.1 Repairs, alterations and additions. Repairs, alterations and additions necessary for the preservation, restoration, rehabilitation or continued use of a historical building may be made without conforming to all of the requirements of this code when authorized by the *building official*, provided:

1. The building has been officially designated a historic building.
2. Unsafe conditions are corrected.
3. The restored building will be no more hazardous, based on life and fire risk, than the existing building.
4. The *building official* seeks the advice of the State of Oregon Historic Preservation Office.

In the case of appeals related to historic buildings, the local appeals board or the appropriate state appeals board shall seek the advice of the state historic preservation officer.

2021 Building Code Update

- Chapter 1 of Oregon Structural Specialty Code (OSSC)
- Chapter 1 of Oregon Residential Specialty Code (ORSC)
- Updated Language regarding BCD's scope of authority

Chapter 15 updates

- Local Adoption of regulation no longer within BCD's scope of authority.
- Update City code Section 15.04.080. Specifically updating language on Penalties, Right of Entry, Stop Work Orders and Enforcement of Local Ordinances.
- Update local adopted fire code to that adopted by CRF&R.

2019 Oregon Structural Specialty Codes – Chapter 1 scope and administrative amendments

Effective April 1, 2021

SCOPE AND ADMINISTRATION

CHAPTER 1 SCOPE AND ADMINISTRATION

PART 1—SCOPE AND APPLICATION

SECTION 101 GENERAL

101.1 Title. These regulations shall be known as the *Oregon Structural Specialty Code* and may be cited as such and will be referred to herein as “this code.”

101.2 Scope. The scope of this code is as provided in ORS 455.020(1).

ORS 455.020 is not part of this code but is reprinted here for the reader's convenience:

455.020 Purpose; scope of application; exceptions; scope of rules; fees by rule.

(1) This chapter is enacted to enable the Director of the Department of Consumer and Business Services to promulgate a state building code to govern the construction, reconstruction, alteration and repair of buildings and other structures and the installation of mechanical devices and equipment therein, and to require the correction of unsafe conditions caused by earthquakes in existing buildings. The state building code shall establish uniform performance standards providing reasonable safeguards for health, safety, welfare, comfort and security of the residents of this state who are occupants and users of buildings, and will provide for the use of modern methods, devices, materials, techniques and practicable maximum energy conservation. [Formerly 456.755; 1991 c.227 §2; 1991 c.310 §2; 1995 c.304 §1; 1995 c.400 §5; 1999 c.1045 §13; 1999 c.1082 §11; 2001 c.710§8]

The *Oregon Structural Specialty Code* as adopted by the State of Oregon, Building Codes Division, includes portions of the *International Building Code*, the *International Fire Code* and other nationally adopted codes.

It does not include provisions of the “State Fire Code” adopted under the State Fire Marshal’s statutory authority. Unlike the “State Fire Code,” the provisions of the *Oregon Structural Specialty Code* shall apply to the construction, reconstruction, alteration, repair and installation of materials and equipment in or a part of buildings and structures covered under the *state building code*.

Detached one- and two-family dwellings and townhouses not more than three stories above grade plane in height with a separate means of egress and their accessory structures shall comply with the *Residential Code*.

101.2.1 Optional local adoption. In addition to the work exempt from building permit in Section 105, the following matters are exempt from building permits unless specifically required by a municipality’s local ordinance. If a municipality adopts an ordinance to require a permit for any of the items below, the construction standards of this code shall be applicable:

1. Protection of adjoining property.
2. Retaining walls. Statewide, retaining walls that provide safeguards for the users of buildings; support accessible parking; support a regulated building; or retain material, which if not restrained, could impact a regulated building, shall require a building permit. A municipality may adopt an ordinance to regulate other retaining walls, provided that the threshold established for requiring a permit does not include retaining walls 4 feet (1219 mm) or less in height, when measured from the bottom of the footing to the top of the wall, except where the retaining wall supports ascending slopes exceeding 3:1 or where the retaining wall supports a nonsoil surcharge. A local height threshold greater than 4 feet (1219 mm) is allowed.
3. Fences, other than required swimming pool barriers, constructed of wood, wire mesh or chain link. Statewide, fences serving as a swimming pool barrier, or as a portion of a swimming pool barrier, for swimming pools accessory to not more than four dwelling units shall require a building permit. A municipality may adopt an ordinance to regulate the construction of other fences constructed of wood, wire mesh or chain link, provided that the threshold established for requiring a building permit does not include fences that are 7 feet (2134 mm) or less in height. A municipality may adopt an ordinance to regulate fences constructed of materials other than wood, wire mesh or chain link, regardless of height. A local height threshold greater than 7 feet (2134 mm) is allowed, regardless of which materials are used.
4. Tanks that are located exterior to and not attached to or supported by a regulated building.
5. Cellular phone, radio, television and other telecommunication and broadcast towers that are not attached to or supported by a regulated building.
6. Flagpoles not attached to or supported by a regulated building. A local municipality may adopt an ordinance to require a permit for these structures provided that a permit is not required for these structures that are 25 feet (7620 mm) or less in height. A local height threshold greater than 25 feet (7620 mm) is allowed.

SCOPE AND ADMINISTRATION

7. Ground-mounted photovoltaic systems. A local municipality may adopt an ordinance requiring a building permit for these structures, provided that a permit is not required where these structures are 10 feet (3048 mm) or less in height measured to the highest point of the installation and no public access is permitted beneath the structures. A local height threshold greater than 10 feet (3048 mm) is allowed.
8. Signs not located in a public right-of-way, and not attached to or supported by a regulated building, which may include local adoption of Appendix H.
9. Fixed docks, piers or wharves with no superstructure.
10. Equipment shelters not intended for human occupancy with a building area of 250 square feet or less, designated as Risk Category I or II.
11. Unoccupied grain elevators and silos not exempted by ORS 455.315.
12. Tsunami loads, in accordance with Appendix O.
13. Rodentproofing, in accordance with Appendix F.
14. The design and construction of in-ground swimming pools accessory to not more than four dwelling units.

101.2.2 Matters not available for local regulation under the statutory authority of the state building code. While the following matters may be included in the published national model code, they may not be regulated by the local municipality under the authority of the *state building code*. Any references to these matters in this code have been retained for the convenience of the reader.

101.2.2.1 Matters outside the statutory authority of the state building code. The following matters are outside the statutory authority of the *state building code* in Oregon. Local municipalities may not regulate these matters under the *state building code*. A municipality may have additional authority outside of the *state building code* to regulate these matters locally, where not preempted:

1. Pursuant to the regulation of dangerous buildings, a municipality may adopt seismic rehabilitation plans that provide for phased completion of repairs that are designed to provide improved life safety but that may be less than the standards for new buildings.
2. Abatement of nuisances and dangerous buildings.
3. Portable fire extinguishers.
4. Fire safety during construction.
5. Public utility towers and poles.
6. Building or structure encroachments into the public right-of-way.
7. Demolition.
8. Hydraulic flood control structures, including but not limited to dams and levees.
9. Mechanical equipment not specifically regulated in the *state building code*.
10. Temporary use of streets, alleys and public property.

11. Floating structures.
12. Detached tents and other membrane structures erected for periods of 180 days or less.
13. Administration and implementation of a National Flood Insurance Program (NFIP).
14. Transitional housing accommodations.
15. Employee qualifications, in accordance with Appendix A.
16. Fire districts, in accordance with Appendix D.
17. Flood-resistant construction, in accordance with Appendix G.
18. Grading, in accordance with Appendix J.
19. Construction located in the public right-of-way.

R101.2.2.2 Matters preempted by the state building code. The following matters are preempted by the *state building code* and may not be adopted by a local municipality:

1. Appendix B (Board of Appeals).
2. Appendix E (Supplementary Accessibility Requirements).
3. Appendix K (Administrative Provisions).
4. Appendix L (Earthquake Recording Instrumentation).
5. Appendix M (Tsunami-generated Flood Hazard).
6. Appendix N (Replicable Buildings).

101.2.3 Appendices adopted. The following appendices are adopted by the State of Oregon, Building Codes Division, as part of the *state building code*:

1. Appendix C (Agricultural Buildings).
2. Appendix I (Patio Covers).
3. Appendix P (Tall Wood Buildings).

101.3 Purpose. The purpose of this code, as provided in ORS 455.020(1) and noted in Section 101.2, is to establish the minimum requirements to provide a reasonable level of safety, health and general welfare through structural strength, means of egress facilities, stability, sanitation, adequate light and ventilation, energy conservation, and safety to life and property from fire and other hazards attributed to the built environment and to provide a reasonable level of safety to fire fighters and emergency responders during emergency operations. It is not the purpose of this code to create or otherwise establish or designate any particular class or group of persons who will or should be especially protected or benefited by the terms of this code. Nothing in this code limits a local municipality’s ability to require application of its own ordinances, or to enforce its own ordinances.

SECTION 102 APPLICATION

102.1 General. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable. Where, in any specific case, different sections of this code specify different materials, methods of construction or other requirements, the most restrictive shall govern. Consistent with discretionary decision-making powers granted to building officials, a building official may take any action including but not

2021 ORSC

CHAPTER 1
SCOPE AND ADMINISTRATION

PART 1—SCOPE AND APPLICATION

SECTION R101
GENERAL

R101.1 Title. These provisions shall be known as the *Oregon Residential Specialty Code* and shall be cited as such and will be referred to herein as “this code.”

R101.2 Scope. The *Oregon Residential Specialty Code*, as adopted by the State of Oregon, Building Codes Division, includes portions of the *International Residential Code* and the *International Fire Code* pertaining to any construction, reconstruction, alteration, repair and installation of materials and equipment in or part of buildings and structures covered under the *state building code*.

R101.2.1 Application. The provisions of this code shall apply to the construction, *alteration*, movement, enlargement, replacement, *repair*, *equipment*, use, occupancy and location of the following:

1. Detached one- and two-family dwellings and townhouses classified as Group R-3, not more than three stories above grade plane in height, and their accessory structures.
2. Detached owner-occupied lodging houses containing not more than five guest rooms.
3. Residential aircraft hangars as defined in Section R202.
4. Live/work units located in detached one- and two-family dwellings and townhouses and complying with the requirements of Section 419 of the *Building Code*.

The following uses shall comply with the *Building Code*:

1. New “family childcare” uses and new “foster care” uses identified in ORS Chapters 418, 443 and 329A, located within detached one-family dwellings, shall be classified as Group R-3 occupancies.
2. Congregate living facilities.

Consistent with discretionary decision-making powers granted to building officials, a building official may take any action including but not limited to waiving a requirement, modifying a requirement and/or accepting an alternate method to the requirements of the *state building code*. When waiving or accepting a modification, a building official shall not allow a provision that would create an unsafe or dangerous condition regarding fire and life safety, and may not enforce requirements that are in addition to the *state building code* except where additional code requirements are specified by the terms of an alternate method approval.

Blue = Existing added language
~~Strikethrough and red~~ = New deleted language
Blue and underline = New to ORSC language

R101.2.2 Optional local adoption. In addition to the work exempt from building permits in Section R105, the following items are exempt from building permits unless specifically required by a municipality’s local ordinance. If a municipality adopts an ordinance to require a permit for any of these items, the construction standards of this code shall be applicable:

1. Fences, other than required swimming pool barriers, constructed of wood, wire mesh or chain link. Statewide, fences serving as a swimming pool barrier, or as a portion of a swimming pool barrier, shall require a building permit. A municipality may adopt an ordinance to regulate the construction of other fences constructed of wood, wire mesh or chain link, provided that the threshold established for requiring a building permit does not include fences that are 7 feet (2134 mm) or less in height. A municipality may adopt an ordinance to regulate fences constructed of materials other than wood, wire mesh or chain link, regardless of height. A local height threshold greater than 7 feet (2134 mm) is allowed, regardless of which materials are used.
2. Retaining walls. Statewide, retaining walls that provide safeguards for the users of the buildings, support a regulated building or retain material that, if not restrained, could impact a regulated building shall require a building permit. A municipality may adopt an ordinance to regulate other retaining walls, provided that the threshold established for requiring a permit does not include retaining walls 4 feet (1219 mm) or less in height, when measured from the bottom of the footing to the top of the wall except where the retaining wall supports ascending slopes exceeding 3:1 or where the retaining wall supports a nonsoil surcharge. A local height threshold greater than 4 feet (1219 mm) is allowed.
3. Freestanding radio television and other telecommunication antennae and towers not attached to or supported by a regulated building. A local municipality may adopt an ordinance to require a building permit for these structures.
4. Ground-mounted photovoltaic systems. A local municipality may adopt an ordinance requiring a building permit for these structures, provided that a permit is not required where these structures are 10 feet (3048 mm) or less in height measured to the highest point of the installation and no public access is permitted beneath the structures. A local height threshold greater than 10 feet (3048 mm) is allowed.
5. Tanks that are located exterior to and not attached to or supported by a regulated building.
6. Fixed docks not supporting a superstructure.
7. The design and construction of in-ground swimming pools accessory to detached one- and two-family dwellings, and individual townhouse dwelling units.

R101.2.3 Matters not available for local regulation under the statutory authority of the state building code. While the following matters may be included in the published national model code, they may not be regulated by the local municipality under the authority of the *state building code*. Any references to these matters in this code have been retained for the convenience of the reader.

R101.2.3.1 Matters outside the statutory authority of the state building code. The following matters are outside the statutory authority of the *state building code*. Local municipalities may not regulate these matters under the *state building code*. A municipality may have additional authority outside of the *state building code* to regulate these matters locally, where not preempted:

1. Public utility facilities owned and maintained by the serving utility.
2. Abatement of nuisances and dangerous buildings.
3. Demolition.
4. Floating structures.
5. Floating docks.
6. Transitional housing accommodations.
7. Administration and implementation of a National Flood Insurance Program (NFIP).
8. Mechanical equipment not specifically regulated in this code.

R101.2.3.2 Matters preempted by the state building code. The following matters are not adopted and are preempted by the *state building code* and may not be adopted by a local municipality:

1. Appendix A (Sizing and Capacities of Gas Piping).
2. Appendix B (Sizing of Venting Systems Serving Appliances Equipped with Draft Hoods, Category 1 Appliances, and Appliances listed for use with Type B Vents).
3. Appendix C (Exit Terminals of Mechanical Draft and Direct-Vent Venting Systems).
4. Appendix D (Recommended Procedure for Safety Inspection of an Existing Appliance Installation).
5. Appendix G (Piping Standards for Various Applications).
6. Appendix I (Private Sewage Disposal).
7. Appendix J (Existing Buildings and Structures).
8. Appendix L (Permit Fees).
9. Appendix M (Home Day Care—R-3 Occupancy).
10. Appendix N (Venting Methods).
11. Appendix O (Automatic Vehicular Gates).
12. Appendix P (Sizing of Water Piping System).
13. Appendix Q (Tiny Houses).
14. Appendix T (Solar-ready Provisions—Detached One- and Two-family Dwellings and Townhouses).

R101.2.4 Appendices. The following appendices are adopted as part of this code:

1. Appendix E (Manufactured Housing Used as Dwellings).
2. Appendix F (Radon Control Methods).
3. Appendix H (Patio Covers).
4. Appendix K (Sound Transmission).
5. Appendix R (Light Straw-clay Construction).
6. Appendix S (Strawbale Construction).

R101.3 Owner-built dwellings. For exempt owner-built dwellings and outbuildings, see ORS 455.320.

ORS 455.320 is not part of this code but is reprinted here for the readers’ convenience:
455.320 Owner-built dwellings exempt from certain structural code provisions; recording of exemption. (1) As used in this section, unless the context requires otherwise:
(a) “Owner” means the owner of the title to real property or the contract purchaser of real property, of record as shown on the last available complete assessment roll which person has not taken advantage of the exemptions under subsection (2) of this section during the five years prior to applying for an exemption under this section.
(b) “Owner-built dwelling and outbuildings” means a single-family residence and adjacent auxiliary structures the structural components of which are constructed entirely by the owner who intends to occupy the structures or by that owner and friends and relatives of the owner assisting on an unpaid basis.
(2) Owner-built dwellings and outbuildings shall be exempt from any requirements of the structural code for ceiling heights, room sizes and the maintenance of specific temperature levels in those structures. The exemption shall apply to the new construction, renovation, remodeling or alteration of an owner-built dwelling or outbuilding.
(3) A building permit issued for an owner-built dwelling or outbuilding shall note whether the owner-built dwelling or outbuilding complies with the requirements it is exempted from under subsection (2) of this section. If the dwelling or other structure does not comply with these requirements, the owner-builder shall file a copy of the building permit with the county clerk, who shall make the permit a part of the permanent deed record of the property. The owner shall provide the county clerk with a description of the property sufficient if it were contained in a mortgage of the property to give constructive notice of the mortgage under the law of this state.
(4) Noncompliance with subsection (3) of this section shall not affect, in any manner, any conveyance of interest in property subject to this section. [Formerly 456.920]

R101.4 Intent. The purpose of this code is to establish minimum requirements to provide a reasonable level of safety, health and general welfare through affordability, structural strength, means of egress facilities, stability, sanitation, light and ventilation, energy conservation and safety to life and property from fire and other hazards attributed to the built environment, and to provide a reasonable level of safety to fire fighters and emergency responders during emergency operations.

R101.5 Statutory references. This code is adopted pursuant to Oregon Revised Statutes (ORS). Where this code and the statutes specify different requirements, the statute shall govern. Statutes related to this code include, but are not limited to, ORS 455.010 through 455.895.

Chapter 1 – Administrative Updates - Scope

CHANGE SUMMARY: Chapter 1 has been updated to accurately reflect scoping policy, delegated authority, local allowances and applicable construction standards.

Forest buildings on
forest land.
Exempt 455.315


Floating docks

Agricultural
buildings exempt
by 455.315

Other items in
ORS 455.310

Abatement of nuisances
and dangerous buildings

Fire safety during construction



Floating structures

Temporary use
of streets, alleys
and public
property

Demolition

Administration of
NFI Programs

Residential driveways

Local seismic rehabilitation plans

Not Regulated Under ORS 455
(outside of both circles)



2019 OREGON STRUCTURAL SPECIALTY CODE

Based on the 2018 International Building Code®

Department Recommendations for Local Adoption: **State Building Codes Applicable**

- Protection of adjoining property
- Retaining walls greater than 4 feet in height.
- Fences greater than 7 feet in height
- Tanks
- Communication towers
- Flagpoles greater than 25 feet in height
- Ground mounted photovoltaic systems greater than 10' in height
- Sign not located in a public right of way.
- Fixed dock, piers or wharves with no superstructure
- Equipment Shelters not intended for human occupancy with a building area of 250 feet or less
- Unoccupied grain elevators and silos not exempted by Oregon Law
- Rodent Proofing
- Inground swimming pools accessory to not more than four dwellings.

Not recommended for adoption

- Tsunami Loads



Department Recommendations for adoption.
Matters outside the statutory authority of the
state building code.

- Portable fire extinguishers
- Fire Safety During Construction
- Buildings or Structure encroachments into the public right of way
- Demolition
- Hydraulic flood control structures
- Mechanical equipment not specifically regulated by the State Building Codes
- Flood Resistant Construction
- Transitional Housing accommodations

Not Recommended for Adoption

- Detached tents and other membrane structures erected for 180days or less
- Seismic Rehabilitation Plans with regards to dangerous buildings
- Employee Qualification in accordance with Appendix A
- Fire Districts
- Construction located within the public right of way.
- Public utility towers and poles

Currently Adopted

- Floating Structures
- Abatement of nuisances and dangerous buildings.
- Administration of the National Flood Insurance Program (Chapter 17)
- Grade and fill, in accordance with Appendix J

104.5 Right of entry. (Not adopted by the State of Oregon, Building Codes Division, as part of the *state building code*.)



RIGHT OF ENTRY



&



STOP WORK ORDERS

**SECTION 115
STOP WORK ORDER**

Not adopted by the State of Oregon Building Codes Division as part of the *state building code*. Municipalities may have independent local authority regarding stop work orders.




Ability for the City to apply and enforce its own ordinances

107.3 Examination of documents. The *building official* shall examine or cause to be examined the accompanying submittal documents and shall ascertain by such examinations whether the construction indicated and described is in accordance with the requirements of this code and other pertinent laws ~~or ordinances~~. Nothing in this code limits a local *municipality's* ability to require application of its own ordinances, or to enforce its own ordinances.

105.6 Suspension or revocation. The *building official* is authorized to suspend or revoke a *permit* issued under the provisions of this code wherever the *permit* is issued in error or on the basis of incorrect, inaccurate or incomplete information, or in violation of any ~~ordinance or regulation or any~~ of the provisions of this code. Nothing in this code limits a local *municipality's* ability to require application of its own ordinances, or to enforce its own ordinances.

111.4 Revocation. The *building official* is authorized to, in writing, suspend or revoke a certificate of occupancy or completion issued under the provisions of this code wherever the certificate is issued in error, or on the basis of incorrect information supplied, or where it is determined that the building or structure or portion thereof is in violation of any ~~ordinance or regulation or any~~ of the provisions of this code. Nothing in this code limits a local *municipality's* ability to require application of its own ordinances, or to enforce its own ordinances.



2019 OREGON FIRE CODE

Based on the 2018 International Fire Code®



Adoption of the
2019 Oregon Fire
Code
As Recommended
by CRF&R