



333 2nd Street NE
Hopkins, MN 55343-8337
Phone 952-229-5451
Fax 952-938-0159

New Equipment
Quote #QU0000559
Date: 6/23/2026

Customer

Matt Runge
ST. JAMES, CITY OF
P.O. BOX 70
ST JAMES Minnesota 56081-0070
United States

Customer Representative

Name: Matt Runge
Phone: +15073171886
Email: matt.runge@ci.stjames.mn.us

Initials: _____

ABM Representative

Jerad Steichen

Initials: _____

Name	Quantity
Body	

BRANDFX 56LS FIBERGLASS SERVICE BODY

1 Ea

OVERALL LENGTH = 96"
OVERALL WIDTH - 82.75"
STREETSIDE COMPARTMENT WIDTHS = 33 / 40 / 23"
CURBSIDE COMPARTMENT WIDTHS = 33 / 40 / 23"
COMPARTMENT PACK DEPTH - 18.00"
COMPARTMENT PACK HEIGHT - 42.00"
CARGO FLOOR WIDTH - 48.75"
BODY MOUNTING HEIGHT - 25.00"

STEEL UNDERSTRUCTURE - ALUM TREAD FLOOR
SMOOTH ALUMINUM BULKHEAD
ALUMINUM TAILSKIRT
STANDARD BRIGHT WHITE GELCOAT
STAINLESS STEEL ROTARY LATCH
TYPE 304 STAINLESS STEEL HARDWARE
TYPE 304 STAINLESS STEEL DOOR HINGE
VINYL COVERED S/S CABLE DOOR STOPS
OVERCENTER DOOR CHECKS - STREETSIDE & CURBSIDE
REMOVABLE CABLE STOP
RUBBER DOOR BUMPER
NON-SKID COMPARTMENT TOPS
SPRING MOUNT KIT
ALUMINUM ROCK GUARDS (SRW)
BLACK PLASTIC FUEL BEZEL (1 STANDARD)
AUTOMOTIVE GRADE BUBBLE GASKET
ONE PIECE MOLDED DOORS WITH AUTOMOTIVE FINISH BOTH SIDES

Thank you for your business



333 2nd Street NE
Hopkins, MN 55343-8337
Phone 952-229-5451
Fax 952-938-0159

New Equipment
Quote #QUO000559
Date: 6/23/2026

Name	Quantity
RECESSED DOOR JAMBS	
FLOW THROUGH VENTILATION SYSTEM	
REMOVEABLE WHEEL WELL PANELS	
WHITE COMPARTMENT INTERIORS	
RECESSED DOOR SEAL SYSTEM	
LIGHT ADAPTOR FOR FORD CHASSIS	
FULL LED LIGHTING PACKAGE - LIFTGATE MOUNT	
STOP / TAIL / TURN / MARKER & BACK-UP LIGHT	
STANDARD BODY TAILGATE	
STREETSIDE FRONT COMPT	
-- OPEN	
STREETSIDE HORIZONTAL COMPT	
-- OPEN	
STREETSIDE REAR COMPT	
-- OPEN	
-- INTERIOR LIGHT GUARD	
CURBSIDE FRONT COMPT	
-- OPEN	
CURBSIDE HORIZONTAL COMPT	
-- OPEN	
CURBSIDE REAR COMPT	
-- 2 ADJUSTABLE SHELVES	
-- INTERIOR LIGHT GUARD	
FLEXGLO COMPARTMENT LIGHTING TOP & SIDES OF DOOR EACH COMPARTMENT	
GALVANIZED SURE STEP BUMPER W/ PINTLE RECESS (SRW)	
LOADWALL LINER, ALUMINUM	
PRE-PUNCHED ALUMINUM BASKET	
8"H x 15"W x 72"L	
MTD CURBSIDE	
WHEEL WELL LINERS - ALUMINUM	
GALVANIZED E-TRACK DOWN EACH SIDE	
Four (4) 10' sections of E-Track - 1st row 6" from top of the compartment, 2nd row 8" from the bottom of the load bed - both compartment walls.	
ALUMINUM, SIDE OPENING BOX	
96"L x 8"T x 18"W	

Thank you for your business



333 2nd Street NE
Hopkins, MN 55343-8337
Phone 952-229-5451
Fax 952-938-0159

New Equipment
Quote #QUO000559
Date: 6/23/2026

Name	Quantity
(2) FLIP UP SIDE DOORS, EACH AS LONG AS POSSIBLE MOUNTED STREETSIDE COMPARTMENT TOP	

Installs

C-Tech Drawer Set with top shelf (CFG-41727)	2
---	----------

SS1 & CS1
Dimensions:
Width (in): 23.375
Height (in): 32.820
Depth (in): 15.000
Bottom Space (in): 14.508
Finish Color: Fire Engine Red
MotionLatch Drawers
Internal Width (in): 18.905
Internal Depth (in): 12.671
3 inch [Liner]
3 inch [Liner]
3 inch [Liner]
3 inch [Liner]
5 inch [Liner]
Shelf Type: Telescoping
Bottom Notch
Height (in): 14.500
Depth (in): 5.500

C-Tech drawer set with top shelf (CFG-42042)	1
---	----------

CS2 (Horizontal)
Dimensions:
Width (in): 36.000
Height (in): 11.000
Depth (in): 15.000
Bottom Space (in): .688
Finish Color: Fire Engine Red
MotionLatch Drawers
Internal Width (in): 31.530
Internal Depth (in): 12.671
3 inch [Liner]

Thank you for your business



333 2nd Street NE
Hopkins, MN 55343-8337
Phone 952-229-5451
Fax 952-938-0159

New Equipment
Quote #QUO000559
Date: 6/23/2026

Name	Quantity
3 inch [Liner] 3 inch [Liner] Shelf Type: Telescoping Riser: Height (in): 3.500 Depth (in): 13.828	
C-Tech Drawer set with top shelf (CFG-42044)	1
SS3 Dimensions: Width (in): 13.500 Height (in): 27.820 Depth (in): 15.000 Bottom Space (in): 14.508 Finish Color: Fire Engine Red MotionLatch Drawers Internal Width (in): 9.030 Internal Depth (in): 12.671 3 inch [Liner] 3 inch [Liner] 3 inch [Liner] 3 inch [Liner] Shelf Type: Telescoping Bottom Notch Height (in): 14.500 Depth (in): 5.500	
15AMP GFCI OUTLET - IVORY	1 Ea
Mounted SS3 Below Drawers Use Factory Harnesses to Wire/Install Outlet from Chassis Factory Pro Power Onboard 2kW Inverter	
WATERPROOF OUTLET BOX 1/2"	1 Ea
COVER, GFI OUTLET	1 Ea
C&M 3-wire holder	1
Mounted on top of CS3 See photos of previous unit	

Thank you for your business



333 2nd Street NE
Hopkins, MN 55343-8337
Phone 952-229-5451
Fax 952-938-0159

New Equipment
Quote #QU0000559
Date: 6/23/2026

Name	Quantity
LogiqAir 2023+ Ford F-350 - Air Spring Kit (88-23230)	1
AirIQ SD1 (50-41100)	1
1-Channel AirIQ Bluetooth Management System for parallel control of two air springs from the AirIQ App + LOGIQ 25% duty cycle, 150 psi compressor with 2.03 CFM @ 0 psi	
AirIQ Remote Control (50-21200)	1
200 ft range LCD display Magnetic visor dock	
PRESTOMATIC UNION TEE	1 Ea
18" X 18" ABM MUD FLAP	2 Ea
Mount OEM backup camera	1
7-WAY RV TRLR SOCKET OEM	1 Ea
EXHAUST ELBOW 4"	1 Ea
Exhaust to exit to the side behind curbside rear wheel	
ECCO 3703A LINEAR AMBER LED FLASHER	8 Ea
(4) in the grill (1) above first compartment on corner each side (1) on top outside corner of rear of sidepack each side See photos of previous unit	
STRYKER LED GOLIGHT-WHITE	2 Ea
Mounted on raised pillars, in front of the side pack, each side See photos of previous unit	
TruckOffice CargoCrew Rear Cab Storage Unit	1
Converts 2/3 of the backseat passenger space to heavy duty storage shelving.	
Front Bumper Mounted Traffic Cone Holder, For 18" & 28" Cones	1
Fab Fours 2026 Ford F-350 Super Duty Winch Mount Front Bumper Textured Black (FS23-N5961-1)	1
Rough Country 9500-Lb Pro Series Winch (PRO9500S)	1
Mounted to front bumper	

Thank you for your business



333 2nd Street NE
Hopkins, MN 55343-8337
Phone 952-229-5451
Fax 952-938-0159

New Equipment
Quote #QUO000559
Date: 6/23/2026

Name	Quantity
IP67 Waterproof and Dustproof rating 3/8 in x 85 ft Synthetic Rope	
FIRE EXTINGUISHER-5# (B402T)	1 Ea
With mounting bracket Mounted SS1 under drawer set	
TRIANGLE FLARE KIT	1 Ea
Installation	1 Ea
Chassis	
Customer Supplied Chassis	1
Along with the purchase order the customer will be required to include a copy of the chassis specification intended for use and the contact information of the supplying chassis dealer. If the chassis specification does not meet minimum requirements for the application additional costs may be incurred to meet those requirements.	
* ABM requires a weight study analysis and frame layouts to ensure chassis loading, stability, and install component placement.	
* Chassis delivered to the installation facilities that do not meet minimum specification requirements will be noted at time of delivery and a suggested resolution will be provided back to the customer.	
* Reference ABM Customer Furnished Chassis Delivery Policy for additional instructions.	
DOT Inspection & Certification	1
Freight - Inbound	1
Completed Unit FOB Hopkins, MN	
Final delivery to customer location is available upon request at an additional charge.	

Subtotal	\$62,090.00
Tax Total	\$0.00
Total	\$62,090.00

Thank you for your business



333 2nd Street NE
Hopkins, MN 55343-8337
Phone 952-229-5451
Fax 952-938-0159

**New Equipment
Quote #QUO000559**
Date: 6/23/2026

Estimated Completion Date: Subject to availability, based on information at the time of quote.
Validity of Quote: 30 Days - please contact ABM Equipment for an updated proposal after expiration.
Payment: Payment terms are Net 10 days. Any amount paid by a credit card will be subject to a surcharge fee.
A monthly interest charge of 1/2% will be added for late payments.

Taxes and Fees: This quote does not include applicable local, state, or (F.E.T.) federal taxes unless indicated. This quote does not include title or licensing fees unless indicated.

Delivery: Unless noted on this quotation, equipment is sold F.O.B. point of shipment, and ABM Equipment, LLC's responsibility shall cease upon delivering the equipment in good order to the carrier. ABM Equipment, LLC shall not be responsible for delays in delivery due to reasons beyond its control, including labor disputes and supply chain issues.

ABM Equipment, LLC shall not be responsible for delays in delivery due to reasons beyond its control, including labor disputes and supply chain issues.

Warranty: Warranty coverage shall be based on the manufacturer's warranty terms. Warranty work is to be performed at ABM Equipment, LLC. The warranty does not include travel charges.

Cancellation: It is understood that any order on this quotation and accepted by the seller shall be firm in as much as ABM Equipment, LLC, in turn, must place firm orders for the equipment and the parts thereof. No cancellations may be made except on terms agreed to by ABM Equipment, LLC in writing.

Liability: ABM Equipment, LLC assumes no liability for damage due to theft, vandalism, fire, weather, or damage due to gradual deterioration or inherent defects in such property. In addition, we are not responsible for any damage while storing your chassis or parts on our premises while waiting for modification or installation. The storage location of the property shall be determined by ABM Equipment, LLC, at its discretion.

Entire Agreement: This quotation sets forth the full terms and conditions applicable to the equipment described herein and may not be modified without ABM Equipment, LLC written consent. The terms and conditions of this quotation shall prevail over those of any other writing concerning this equipment in case of any inconsistency between them.

Confidentiality: The information in this quote; and all supporting documentation is confidential and may only be used by ABM Equipment, LLC, and the customer listed on this quote.

Chassis: You agree to accept the following when purchasing a new chassis through ABM Equipment.

1. ABM provided chassis - Pay for the chassis in full as soon as it is available to ABM Equipment for the mounting of the quoted components.

2. Customer supplied chassis - If the chassis is late or cancelled customer must pay for ABM ordered equipment, parts and components. Labor for the installation will be billed upon completion of the unit.

3. Chassis pricing should be considered a budgetary only and is subject to change when specific model year pricing becomes available from the OEM.

Additionally, the chassis model year is subject to change based on availability at the time of the order.

*Due to extended lead times and market volatility, we reserve the right to impose a surcharge on the quoted price. We are experiencing surcharges from our suppliers, and passing these on to our customers has become necessary. ABM Equipment will inform you about these surcharges before you begin the build for your order. If ABM Equipment cannot proceed with the build at the scheduled time because of the unavailability of the chassis, ABM Equipment will invoice the customer for the cost of the equipment on hand, and payment will be due according to our standard terms.

Please sign below indicating your intent to purchase the above equipment at the price and terms quoted. The changes of materials to be supplied, terms of sale, or pricing are contingent upon acceptance by ABM Equipment, LLC.

Customer

Signature: _____

Name: _____

Title: _____

Date: _____

PO#: _____

ABM Equipment, LLC

Signature: _____

Name: _____

Title: _____

Date: _____

Thank you for your business