# CITY OF STEPHENVILLE, TEXAS BID SPECIFICATIONS FOR SEVEN (7) PICKUP TRUCKS 2024 or newer

The City of Stephenville is seeking bids for seven (7) pickups, 2024 or newer. Demo trucks will be considered if under 10,000 miles. The vendor may submit bids based upon the options presented. The vendor may, based upon vehicle availability, note any variations to the bid specifications.

Item 1: 1-Ton Utility Crew Truck (1)

Engine Type	Gas or Diesel		
Transmission	6-speed or greater automatic		
Drive Type	4-wheel drive		
Engine Size	V8		
Fuel Tank Capacity	24 gallons or better		
Max Payload	1 Ton		
Towing Capacity	11,500lbs or better		
Cabin Type	4-Door Crew Cab (full size)		
Braking	4-wheel ABS, front and rear disc		
Seating	Cloth w/Bench (40/20/40)		
Doors & Windows	Powered		
In-Car Entertainment	AM/FM Radio w/Bluetooth connectivity		
Cruise Control	Yes		
Tires	17 inch or bigger		
Wheelbase	144 inches or bigger		
Camera	Rear View		
Alternator	170 amps or better		
Controls	Power mirrors, windows, doors and		
	steering wheel		
Spare Tire	Full size included		
Colors	White		
Warranty	Three (3) year 36,000 standard warranty		
	minimum		
Cab to Include	Heater; Defroster; Two (2) Outside		
	Mounted Foldaway Mirrors; One (1)		
	Inside Rear View		
	Mirror; Two (2) Padded Sun Visors;		
	Lighter; Intermittent Wipers, Tilt Wheel,		
	Cargo Area Light Included, Airbags:		
	Driver & Passenger, All Additional		
	Equipment Listed as Standard		



# **Quote Worksheet**

		MSRP
Base Price		\$53,000.00
Dest Charge		\$1,995.00
Total Options		\$1,330.00
	Subtotal	\$56,325.00
accessories		\$3,395.00
	Subtotal Pre-Tax Adjustments	\$3,395.00
Less Customer Discount		(\$3,000.00)
	Subtotal Discount	(\$3,000.00)
Trade-In		\$0.00
Excluded from Sales Tax	Subtotal Trade-In	\$0.00
	Taxable Price	\$56,720.00
Sales Tax		\$0.00
A. 而多别的是是是With Edward 是是否因为这种语言的语言。	Subtotal Taxes	\$0.00
	ubtotal Post-Tax Adjustments	\$0.00
	Total Sales Price	\$56,720.00

Dealer Signature / Date

Customer Signature / Date

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Weight Ratings**

WEIGHT RATINGS	
Front Gross Axle Weight Rating:	5200 lbs
Rear Gross Axle Weight Rating:	7250 lbs
Gross Vehicle Weight Rating:	11700.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Technical Specifications**

### Powertrain **Transmission** Drivetrain Four Wheel Drive Trans Order Code MKM Trans Type 10 Trans Description Cont. Automatic Trans Description Cont. Again N/A First Gear Ratio (:1) 4.54 Second Gear Ratio (:1) 2.87 2.06 Third Gear Ratio (:1) 1.48 Fourth Gear Ratio (:1) 1.72 Fifth Gear Ratio (:1) Sixth Gear Ratio (:1) 1.26 Reverse Ratio (:1) 4.54 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High N/A 1.00 Transfer Case Gear Ratio (:1), Low Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.69 Tenth Gear Ratio (:1) 0.63 Mileage EPA Fuel Economy Est - Hwy N/A Cruising Range - City N/A EPA Fuel Economy Est - City N/A Fuel Economy Est-Combined N/A Cruising Range - Hwy N/A Estimated Battery Range N/A **Engine** Engine Order Code L8T Engine Type Gas V8 Displacement 6.6L/-TBD-Fuel System **Direct Injection** SAE Net Horsepower @ RPM 401 @ 5200 SAE Net Torque @ RPM 464 @ 4000 Engine Oil Cooler Yes Electrical Cold Cranking Amps @ 0° F (Primary) 720 Cold Cranking Amps @ 0° F (2nd) N/A Cold Cranking Amps @ 0° F (3rd) N/A Maximum Alternator Capacity (amps) 170

Data Version: 24353. Data Updated: Jan 1, 2025 6:44:00 PM PST.

Jan 2, 2025

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



(	Ý

Cooling System			
Total Cooling System Capacity	N/A		
/ehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	5200 lbs
Gross Axle Wt Rating - Rear	7250 lbs	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	N/A
As Spec'd Payload	N/A	Maximum Payload Capacity	N/A
Gross Combined Wt Rating	26000 lbs	Gross Axle Weight Rating	12450.00 lbs
Curb Weight	N/A	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	11700.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	16000 lbs	Wt Distributing Hitch - Max Tongue Wt.	1600 lbs
Fifth Wheel Hitch - Max Trailer Wt.	18230 lbs	Fifth Wheel Hitch - Max Tongue Wt.	4558 lbs
Maximum Trailering Capacity	20000 lbs		
Frame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
	N/A N/A	Frame Strength	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24353. Data Updated: Jan 1, 2025 6:44:00 PM PST.

Jan 2, 2025 Page 5





Suspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Independent
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	51 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
ïres			
Front Tire Order Code	QF6	Rear Tire Order Code	QF6
Spare Tire Order Code	ZYG	Front Tire Size	LT275/70R18
Rear Tire Size	LT275/70R18	Spare Tire Size	LT275/70R18
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	18 x -TBD- in	Rear Wheel Size	18 x -TBD- in
Spare Wheel Size	18 x -TBD- in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
teering			
Steering Type	Pwr Recirculating Ball	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	57.0 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region, Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



rakes			
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	14 x 1.6 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions		THE PERSON NAMED IN	
nterior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.54 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.3 in
Second Hip Room	60.24 in		
xterior Dimensions  Wheelbase	172 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	266.06 in
			00.07.
Width, Max w/o mirrors	81.85 in	Height, Overall	80.67 in
	81.85 in N/A	Height, Overall Overhang, Rear w/o bumper	80.67 in N/A
Width, Max w/o mirrors			
Width, Max w/o mirrors  Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab	N/A N/A	Overhang, Rear w/o bumper Cab to Axle	N/A 55.24 in
Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab  Cab to End of Frame	N/A N/A N/A	Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor	N/A 55.24 in N/A
Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab  Cab to End of Frame  Ground to Top of Frame	N/A N/A N/A N/A	Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear	N/A 55.24 in N/A N/A
Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab  Cab to End of Frame  Ground to Top of Frame  Ground Clearance, Front	N/A N/A N/A N/A 11.14 in	Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	N/A 55.24 in N/A N/A 11.14 in
Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab  Cab to End of Frame  Ground to Top of Frame  Ground Clearance, Front  Body Length	N/A N/A N/A N/A 11.14 in	Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	N/A 55.24 in N/A N/A 11.14 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region, Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# Cargo Area Dimensions Cargo Box (Area) Height 21 in Tailgate Width N/A Cargo Volume 83.5 ft³ Ext'd Cab Cargo Volume N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region, Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.





# **Window Sticker**

# SUMMARY

[Fleet] 2025 Chevrolet Silverado 3500HD (CK30943) 4WD Crew Cab 172" Work Truck

MSRP:\$53,000.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline

Transmission, Allison 10-speed automatic

OPTIO	NS			
C	CODE	MODEL		MSRP
C	CK30943	[Fleet] 2025 Chevrolet Silverado 3500HD (CK30943) 4WD Crew Cab 172" Work Truck		\$53,000.00
		OPTIONS		
1	WT	Work Truck Preferred Equipment Group		\$0.00
Δ	AKO	Glass, deep-tinted	Inc.	
Д	AZ3	Seats, front 40/20/40 split-bench		\$0.00
C	C49	Defogger, rear-window electric	Inc.	
C	CGN	Chevytec spray-on bedliner		\$545.00
D	DBG	Mirrors, outside power-adjustable vertical trailering with heated upper glass	Inc.	
Е	E63	Durabed, pickup bed		\$0.00
F	E9	Emissions, Federal requirements		\$0.00
G	931	GVWR, 11,700 lbs. (5307 kg) with single rear wheels		\$0.00
G	BAZ	Summit White		\$0.00
G	GT4	Rear axle, 3.73 ratio		\$0.00
Н	<del>I</del> 1T	Jet Black, Cloth seat trim		\$0.00
IC	OR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo		\$0.00
Li	8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline		\$0.00
M	1KM	Transmission, Allison 10-speed automatic		\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.





	TOTAL PRICE		\$56,325.00
	Destination Charge		\$1,995.00
	Adjustments Total		\$0.00
31-3-70	SUBTOTAL		\$54,330.00
ZYG	Tire, spare LT275/70R18 all-terrain, blackwall		\$0.00
SRW	Single Rear Wheels		\$0.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
QF6	Tires, LT275/70R18E all-terrain, blackwall		\$0.00
PYT	Wheels, 18" (45.7 cm) painted steel		\$0.00
PCV	WT Convenience Package		\$785.00

# **FUEL ECONOMY**

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

# Item 2: 1/2 Ton Truck (4)

Engine Type	Gas or Diesel		
Transmission	6-speed or greater automatic		
Drive Type	4-wheel drive		
Engine Size	V8		
Fuel Tank Capacity	24 gallons or better		
Max Payload	1/2 Ton		
Towing Capacity	11,500lbs or better		
Cabin Type	4-Door Crew (full size)		
Braking			
Seating	4-wheel ABS, front and rear disc		
Doors & Windows	Cloth w/Bench (40/20/40) Powered		
In-Car Entertainment			
Cruise Control	AM/FM Radio w/Bluetooth connectivity		
Tires	Yes		
Wheelbase	17 inch or bigger		
Camera	144 inches or bigger		
Alternator	Rear View		
	170 amps or better Hitch and brake control		
Towing Controls			
Controls	Power mirrors, windows, locks and		
Spare Tire	steering wheel		
Colors	Full size included		
Warranty	White		
VIELLE	Three (3) year 36,000 standard warranty minimum		
Cab to Include	Heater; Defroster; Two (2) Outside		
ESTli	Mounted Foldaway Mirrors; One (1)		
the part of the	Inside Rear View		
	Mirror; Two (2) Padded Sun Visors;		
	Lighter; Intermittent Wipers, Tilt Wheel,		
	Cargo Area Light Included, Airbags:		
	Driver & Passenger, All Additional		
	Equipment Listed as Standard		



# **Quote Worksheet**

		MSRP
Base Price		\$46,000.00
Dest Charge		\$1,995.00
Total Options		\$3,270.00
	Subtotal	\$51,265.00
accessories		\$3,395.00
User Item		\$0.00
	Subtotal Pre-Tax Adjustments	\$3,395.00
Less Customer Discount		(\$3,400.00)
	Subtotal Discount	(\$3,400.00)
Trade-In		\$0.00
Excluded from Sales Tax	Subtotal Trade-In	\$0.00
	Taxable Price	\$51,260.00
Sales Tax		\$0.00
	Subtotal Taxes	\$0.00
	Subtotal Post-Tax Adjustments	\$0.00
	Total Sales Price	\$51,260.00

Dealer Signature / Date

Customer Signature / Date

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Weight Ratings**

EIGHT RATINGS		
Front Gross Axle Weight Rating:	3800 lbs	
Rear Gross Axle Weight Rating:	3800 lbs	
Gross Vehicle Weight Rating:	7100.00 lbs	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24353. Data Updated: Jan 1, 2025 6:44:00 PM PST.



# **Technical Specifications**

ransmission				
Drivetrain	Four Wheel Drive	Trans Order Code	MHT	
Trans Type	10	Trans Description Cont.	Automatic	
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70	
Second Gear Ratio (:1)	2.99	Third Gear Ratio (:1)	2.15	
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52	
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.87	
Clutch Size	N/A	Trans Power Take Off	N/A	
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A	
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A	
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00	
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69	
Tenth Gear Ratio (:1)	0.64			
ileage				
EPA Fuel Economy Est - Hwy	19 MPG	Cruising Range - City	384.00 mi	
EPA Fuel Economy Est - City	16 MPG	Fuel Economy Est-Combined	17 MPG	
Cruising Range - Hwy	456.00 mi	Estimated Battery Range	N/A	
ngine				
Engine Order Code	L84	Engine Type	Gas V8	
Displacement	5.3L/325	Fuel System	Direct Injection	
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100	
Engine Oil Cooler	N/A			
ectrical				
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A	
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions		NA VERNE DISTONIBATIVE STORES STORES	
Tons/yr of CO2 Emissions @ 15K mi/year	8.7	EPA Greenhouse Gas Score	3
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2845 lbs
Curb Weight - Rear	1981 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	955.00 lbs
Reserve Axle Capacity - Rear	1819.00 lbs	As Spec'd Curb Weight	4826.00 lbs
As Spec'd Payload	2274.00 lbs	Maximum Payload Capacity	2274.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4826.00 lbs	Reserve Axle Capacity	2774.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7100.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9300 lbs	Wt Distributing Hitch - Max Tongue Wt.	930 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8700 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2175 lbs
Maximum Trailering Capacity	9400 lbs		
Frame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



uspension			
Suspension Type - Front	Independent coil- over-shock	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	255/70R17
Rear Tire Size	255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
heels			
Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
eering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.3 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region, Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



rakes			
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.16 in
Second Hip Room	60.24 in		
xterior Dimensions Wheelbase	147.4 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.88 in
Width, Max w/o mirrors	81.24 in	Height, Overall	75.51 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
	8.08 in	Ground Clearance, Rear	8.08 in
Ground Clearance, Front	5,55 m.		
	0.00 ft	Cab to Body	N/A
Ground Clearance, Front		Cab to Body	N/A
Ground Clearance, Front  Body Length		Cab to Body  Cargo Box Width @ Top, Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# Dimensions Cargo Box (Area) Height 22.4 in Tailgate Width N/A Cargo Volume 62.9 ft³ Ext'd Cab Cargo Volume N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Window Sticker**

## SUMMARY

[Fleet] 2025 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Work Truck

MSRP:\$46,000.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic, electronically controlled

# OPTIONS

MARKS.				
	CODE	MODEL		MSRP
	CK10543	[Fleet] 2025 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Work Truck		\$46,000.00
		OPTIONS		
	1WT	Work Truck Preferred Equipment Group		\$0.00
	AKO	Glass, deep-tinted	Inc.	
	AZ3	Seats, front 40/20/40 split-bench		\$0.00
	C49	Defogger, rear-window electric	Inc.	
	C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.	
	CGN	Chevytec spray-on bedliner, Black		\$545.00
	CTT	Hitch Guidance	Inc.	
	DLF	Mirrors, outside heated power-adjustable	Inc.	
	FE9	Emissions, Federal requirements		\$0.00
	G80	Auto-locking rear differential		\$395.00
	GAZ	Summit White		\$0.00
	GU5	Rear axle, 3.23 ratio	Inc.	
	H1T	Jet Black, Cloth seat trim		\$0.00
	IOR	Audio system, Chevrolet Infotainment 3 system		\$0.00
	JL1	Trailer brake controller, integrated		\$275.00
	KC4	Cooling, external engine oil cooler	Inc.	
	KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
	KW7	Alternator, 170 amps		\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



L84	Engine, 5.3L EcoTec3 V8		\$1,595.00
MHT	Transmission, 10-speed automatic, electronically controlled	Inc.	
PCV	WT Convenience Package	Inc.	
PEB	WT Value Package		\$960.00
QBN	Tires, 255/70R17 all-season, blackwall		\$0.00
QBR	Tire, spare 255/70R17 all-season, blackwall		\$0.00
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel		\$0.00
Z82	Trailering Package	Inc.	
===	Option/package discount		(\$500.00)
	SUBTOTAL		\$49,270.00
	Adjustments Total		\$0.00
	Destination Charge		\$1,995.00
	TOTAL PRICE		\$51,265.00

# **FUEL ECONOMY**

Est City:16 MPG

Est Highway:19 MPG

Est Highway Cruising Range:456.00 mi

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

# Item 3: 1/2 Ton Truck (2)

Engine Type	Gas
Transmission	6-Speed or greater automatic
Drive Type	4-wheel drive
Engine Size	V6 or better
Fuel Tank Capacity	24 gallons or better
Max Payload	1/2 Ton
Towing Capacity	11,500lbs or better
Cabin Type	Single Cab 2-Door
Braking	4-wheel ABS, front and rear disc
Seating	Cloth or equivalent
Doors & Windows	Powered
In-Car Entertainment	AM/FM Radio w/Bluetooth connectivity
Cruise Control	Yes
Tires	17 inch or bigger
Wheelbase	96 inches (short bed)
Camera	Rear View
Alternator	130 amps or better
Towing	Hitch and brake control
Controls	Power mirrors, windows, locks and
Live -	steering wheel
Spare Tire	Full size included
Colors	White
Warranty	Three (3) year 36,000 standard warranty
11171/	minimum
Cab to Include	Heater; Defroster; Two (2) Outside
EST	Mounted Foldaway Mirrors; One (1)
	Inside Rear View
	Mirror; Two (2) Padded Sun Visors;
	Lighter; Intermittent Wipers, Tilt Wheel,
	Cargo Area Light Included, Airbags:
	Driver & Passenger, All Additional
	Equipment Listed as Standard



# **Quote Worksheet**

		MSRP
Base Price		\$41,800.00
Dest Charge		\$1,995.00
Total Options		\$3,130.00
	Subtotal	\$46,925.00
accessories		\$3,395.00
User Item		\$0.00
	Subtotal Pre-Tax Adjustments	\$3,395.00
Less Customer Discount		(\$1,500.00)
	Subtotal Discount	(\$1,500.00)
Trade-In		\$0.00
Excluded from Sales Tax	Subtotal Trade-In	\$0.00
	Taxable Price	\$48,820.00
Sales Tax		\$0.00
	Subtotal Taxes	\$0.00
	Subtotal Post-Tax Adjustments	\$0.00
	Total Sales Price	\$48,820.00

Dealer Signature / Date

Customer Signature / Date

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Weight Ratings**

WEIGHT RATINGS	
Front Gross Axle Weight Rating:	3800 lbs
Rear Gross Axle Weight Rating:	3800 lbs
Gross Vehicle Weight Rating:	6900.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Technical Specifications**

### Powertrain **Transmission** Drivetrain Four Wheel Drive Trans Order Code MHT Trans Type 10 Trans Description Cont. Automatic Trans Description Cont. Again N/A 4.70 First Gear Ratio (:1) Second Gear Ratio (:1) 2.99 Third Gear Ratio (:1) 2.15 Fourth Gear Ratio (:1) 1.77 Fifth Gear Ratio (:1) 1.52 Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4.87 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High N/A Transfer Case Gear Ratio (:1), Low N/A Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Eighth Gear Ratio (:1) 0.85 0.69 Ninth Gear Ratio (:1) Tenth Gear Ratio (:1) 0.64 Mileage EPA Fuel Economy Est - Hwy **19 MPG** Cruising Range - City 448.00 mi EPA Fuel Economy Est - City **16 MPG** Fuel Economy Est-Combined **17 MPG** Cruising Range - Hwy 532.00 mi Estimated Battery Range N/A Engine Engine Order Code L84 Engine Type Gas V8 Displacement 5.3L/325 Fuel System Direct Injection SAE Net Horsepower @ RPM 355@5600 SAE Net Torque @ RPM 383 @ 4100 Engine Oil Cooler N/A **Electrical** Cold Cranking Amps @ 0° F (Primary) 730 Cold Cranking Amps @ 0° F (2nd) N/A Cold Cranking Amps @ 0° F (3rd) N/A Maximum Alternator Capacity (amps) 170

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region, Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Cooling System			
Total Cooling System Capacity	N/A		
/ehicle			
Emissions		v .	
Tons/yr of CO2 Emissions @ 15K mi/year	8.7	EPA Greenhouse Gas Score	3
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2759 lbs
Curb Weight - Rear	1840 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1041.00 lbs
Reserve Axle Capacity - Rear	1960.00 lbs	As Spec'd Curb Weight	4599.00 lbs
As Spec'd Payload	2301.00 lbs	Maximum Payload Capacity	2301.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4599.00 lbs	Reserve Axle Capacity	3001.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	6900.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9600 lbs	Wt Distributing Hitch - Max Tongue Wt.	960 lbs
Fifth Wheel Hitch - Max Trailer Wt.	9600 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2400 lbs
Maximum Trailering Capacity	9600 lbs		
- Frame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Chassis			
Suspension			
Suspension Type - Front	Independent coil- over-shock	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	255/70R17
Rear Tire Size	255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	44.6 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



rakes			
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
uel Tank			· ·
Fuel Tank Capacity, Approx	28 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions		<b>表现的图像</b> 1888年1887	
nterior Dimensions			
Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A	~	
xterior Dimensions			
Wheelbase	139.5 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	229.68 in
Width, Max w/o mirrors	81.14 in	Height, Overall	75.59 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.1 in	Ground Clearance, Rear	8.1 in
Body Length	0.00 ft	Cab to Body	N/A
argo Area Dimensions			
Cargo Box Length @ Floor	98.18 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71,4 in	Cargo Box Width @ Wheelhousings	50.63 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Dimensions			
Cargo Area Dimensions			
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	89.1 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the Input provided.



# **Window Sticker**

## SUMMARY

[Fleet] 2025 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck

MSRP:\$41,800.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic, electronically controlled

# CODE MODEL MSRP CK10903 [Fleet] 2025 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck \$41,800.00

CK 10303	140" Work Truck		φ41,000.00
	OPTIONS		
1WT	Work Truck Preferred Equipment Group		\$0.00
AKO	Glass, deep-tinted	Inc.	
AZ3	Seats, front 40/20/40 split-bench		\$0.00
C49	Defogger, rear-window electric	Inc.	
CGN	Chevytec spray-on bedliner, Black		\$545.00
СТТ	Hitch Guidance	Inc.	
E63	Durabed, pickup bed		\$0.00
FE9	Emissions, Federal requirements		\$0.00
G80	Auto-locking rear differential		\$395.00
GAZ	Summit White		\$0.00
GU5	Rear axle, 3.23 ratio	Inc.	
H1T	Jet Black, Cloth seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system		\$0.00
JL1	Trailer brake controller, integrated		\$275.00
KC4	Cooling, external engine oil cooler	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,595.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



MHT	Transmission, 10-speed automatic, electronically controlled	inc.	
PCV	WT Convenience Package	Inc.	
PEB	WT Value Package		\$820.00
QBN	Tires, 255/70R17 all-season, blackwall		\$0.00
QBR	Tire, spare 255/70R17 all-season, blackwall		\$0.00
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel		\$0.00
VK3	License plate kit, front		\$0.00
Z82	Trailering Package	Inc.	
_	Option/package discount		(\$500.00)
	SUBTOTAL		\$44,930.00
	Adjustments Total		\$0.00
	Destination Charge		\$1,995.00
	TOTAL PRICE		\$46,925.00
	THE PROPERTY OF THE PROPERTY AND VALUE OF THE PROPERTY OF THE	HAND WE WAS AND ADDRESS.	

# **FUEL ECONOMY**

Est City:16 MPG

Est Highway: 19 MPG

Est Highway Cruising Range:532.00 mi

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not Intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

# CITY OF STEPHENVILLE, TEXAS **BID SPECIFICATIONS FOR TWELVE (7) PICKUP TRUCKS**

# BID RETURN FORM - ITB 3336

1. 1 Ton Utility Crew Pickup  2. ½ Ton Crew Cab Pickup  3. ½ Ton Single Cab Pickup  2. ½ Ton Single Cab Pickup  3. ½ Ton Single Cab Pickup
OPTION # DESCRIPTION PRICE EACH
1. OPTION 1 - Towing Package 2. OPTION 2 - Amber Light Bar 3. OPTION 3 - Light Strobes 4. OPTION 4 - Rhino Lining 5. OPTION 5 - Tool Box 6. OPTION 6 - Side Step Nerf Bars 7. OPTION 7 - Headache Rack  Printed Name: Doug Heith  Title: Fleet MGL Bruner Motors
Delivery of Unit After Receipt of Order  Weeks  Warranty Terms enclosed (Circle one)  Company Name: Braner Motors  Address: PD Box 612  City: State: TK Zip: 7640 I  Telephone: 254-968-2135 Contact Person: Down Heith  Email Address: doug Kith & braner sulo. Com