

DATE: Sep 21, 2022 QUOTE #:306213-01

CITY OF STEPHENVILLE TERRY ROLAND

Dunn, Patrick 817.996.6348

298 W WASHINGTON ST STEPHENVILLE, TEXAS 76401-3414

One (1) New Caterpillar Inc Model: 836K Compactors with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: HLK046375	SERIAL NUMBER: 0T6X00393	YEAR: 2022	HOURS: 11
List Price			\$1,372,995.00
CSA agreement (PM's)			\$37,676.00
Sourcewell contract 032119 discount 12%			(\$164,759.40)
Holt Caterpillar customer loyalty discount			(\$56,080.53)
SUB TOTAL TOTAL PURCHASE PRICE			\$1,189,831.07 \$1,189,831.07

WARRANTY

Standard Warranty:	12 Month/Unlimited Hours Total Machine
Extended Warranty:	5 year or 5000 hour premier warranty
CSA	3 year or 4500 hours

City of Stephenville Sourcewell member ID 131370

DATE: Sep 21, 2022QUOTE #:Quote 306213-01

MACHINE SPECIFICATIONS

STOCK NUMBER: HLK046375	SERIAL NUMBER: 0T6X00393	YEAR: 2022	HOURS: 11
DESCRIPTION			REF.#
836K LANDFILL COMPACTOR HRC		347-5200	
LANE 2 ORDER		0P-9002	
AXLES, NO-SPIN FRONT & REAR		368-9306	
PRECLEANER, DUAL		552-4210	
HYDRAULICS, STANDARD		373-9360	
LIGHTS, STANDARD		345-0539	
CAB, DELUXE		561-6904	
PRODUCT LINK, CELLULAR PLE641		578-9006	
FUEL LINES, NON-HEATED		433-3844	

DESCRIPTION	REF.#
FUEL TANK, NON-FAST FILL	519-9940
WHEELS, COMBINATION TIPS	378-0419
GUARD ACTUATION, PREMIUM (4V)	347-5295
NO SOUND SUPPRESSION	347-5115
STAIRWAY, SWINGOUT (LH & RH)	347-5118
STRIKER BARS W/CLEANER FINGERS	591-2585
STARTING, COLD WEATHER	374-6440
HEATER, ENGINE COOLANT, 120V	374-7404
LIGHT, WARNING (LED STROBE)	376-7129
PREMIUM CORP RADIO (12V)	452-1394
BLADE, SEMI U	315-7877
COOLANT, -50C (-58F)	0P-2411
FILM, AM-NORTH	504-1365
PACK, DOMESTIC TRUCK	0P-0436
FILMS, ANSI	597-9753

STANDARD EQUIPMENT

CONSIST NOTE

The standard equipment list includes all no-charge (NC) items from the Mandatory

POWERTRAIN

Advanced Productivity Electronic Control Shifting (APECS) Air to air aftercooler Brakes, full hyd., enclosed, wet multiple disc service brakes Cat clean emission module (insulated) Electro hydraulic parking brake Engine, Cat C18 w/ACERT Technology US EPA T4/EU Stage IV Technology, Fuel priming pump (electric) Fuel to air cooler Ground level engine shutoff Guard, (3 pc) transmission

ELECTRICAL

Alarm, back-up Alternator (150-amp) Batteries, maintenance-free (4-1000CCA) Converter, 10/15 amp, 24V to 12V Lighting system, halogen (front & rear)

OPERATOR ENVIRONMENT

Attachment section.

Heat Shield, turbo and exhaust manifold Hydraulically driven demand fan Integrated braking Radiator, Next Generation Modular (NGMR) Separated cooling system Starting aid (ether) automatic Throttle lock Torque converter with lock up clutch (LUC) Turbine precleaner, engine air intake Transmission, planetary, with 2F/2R speed range control Underhood ventilation system

lighting, access stairway Starter, electric (heavy duty) Starter lockout (ground level) Starting receptacle for emergency start Transmission lockout (ground level) Air conditioner Cab, sound-suppressed pressurized, Internal four-post rollover protective structure (ROPS/FOPS). Radio ready for (entertainment) includes antenna, speakers, converter (12-volt 10-15 amp) 12-volt power port for mobile phone or laptop connection Camera, rear vision Coat and hard hat hooks Flip-up armrest Heater and defroster Horn, electric Hydraulic controls (floor mounted) Implement hydraulic lockout Laminated glass Light, (dome) cab Lunchbox and beverage holders Instrumentation, Gauges: DEF fluid level Engine coolant temperature Fuel level Hydraulic oil temperature Speedometer/Tachometer

TIRES, RIMS, AND WHEELS

Wheels, Paddle & Plus Tip

GUARDS

Guards, axle (front and rear) Guard, cab window Guards, crankcase and powertrain,

BLADES

Bulldozer arrangement is included in the standard equipment. Bulldozer blades

FLUIDS

Antifreeze, premixed 50% concentration of extended life coolant with freeze

OTHER STANDARD EQUIPMENT

Auto Blade Positioner (ABP) Counterweight Demand fan/swing out (hyd. reversible) Doors, service access (locking) Ecology drains for engine, radiator, hydraulic tank Electronic clutch pressure control & remote mounted pressure taps Torque convertor temperature Instrumentation, Warning Indicators: Action alert system, three category Axle/Brake oil temp. (front) Brake oil pressure Electrical system, low voltage Engine failure malfunction alert and action lamp Mirrors, Rearview (externally mounted) Parking brake status Radio, CB (ready) Seat, Cat Comfort (cloth) air suspension Seat belt, retractable, 76mm (3") wide STIC Control system with steering lock Sun visor, front Tinted glass Transmission gear (indicator) Vital Information Management System (VIMS) with graphical information display: external data port, customizable operator profiles Wet-Arm Wipers/Washers (front and rear) Intermittent Wipers (front and rear)

hydraulically powered Guard, rear fan and grill

are optional.

protection to -34C (-29F)

Hitch, drawbar with pin Hoses, Cat XT(TM) Hydraulic oil cooler Hydraulic, steering and brake filtration/screening system Oil sampling valves Product Link Stairways, fixed-L/R (rear access)

Page 3