

STAFF REPORT



SUBJECT: Case No.: RZ2022-005, RZ2022-006 & RP2022-002

Applicant Tom Brooks is requesting a rezone of property located at W FM8, Parcel R22552 being 29.751 Acres, A0520 Menefee Jarrett, of the City of Stephenville, Erath County, Texas, from Single Family Residential (R-1) to Multiple Family Residential (R-3) and Retail and Commercial Business (B-2) with simultaneous replatting.

DEPARTMENT: Development Services

STAFF CONTACT: Steve Killen, Director of Development Services

RECOMMENDATION:

The Comprehensive Plan for future land use designates this property to be Single Family Residential with adjacent Commercial and Multiple Family.

BACKGROUND:




APPLICANT REQUEST:

Applicant is requesting to replat the property into three separate parcels. The current parcel surrounds an existing assisted living and memory care facility with an overhead utility easement that bisects the property southeast of the existing facility. Proposed development of two parcels to be rezoned are located northwest of the overhead utility easement.

The proposed, approximately 2-acre parcel with frontage on W. Lingleville Road is requesting a rezone to (B-2) Retail and Commercial Business. The future land use map shows the adjacent parcel to be commercial use.

A second, approximately 7.7 acre parcel is requesting a rezone to (R-3) Multiple Family Residential in order to construct a senior housing development. The senior housing development has 13 buildings, including a community building with an office, and 1.5 parking spaces provided per bedroom. Future land use maps shows adjacent multiple family residential districts.

PROPERTY PROFILE:



Located on W Lingleville Road, west of Northwest Loop and south of Legends Country Club

DESCRIPTION OF REQUESTED ZONING:

Sec. 154.06.2. Retail and commercial business district (B-2).

6.2.A Description. The Retail and Commercial Business District provides areas for the grouping of retail shops and stores offering goods and services for the residents in general. These shopping areas will generally be more densely concentrated and more traffic intensive than allowed in the Neighborhood Business Districts.

6.2.B Permitted Uses.

- (1) Animal grooming;
- (2) Antique shop/art gallery—sales in building;
- (3) Assisted living center;
- (4) Athletic field;
- (5) Automobile service station and car care center;
- (6) Auto parking lot or building (commercial);
- (7) Auto parts sales;
- (8) Auto repair/mechanic garage;
- (9) Auto sales;
- (10) Automobile rental;
- (11) Bail bond service;
- (12) Bakery—Retail;
- (13) Banks or other financial institutions;

- (14) Bicycle sales and rental;
- (15) Boat sales;
- (16) Bottling works (wholesale);
- (17) Building material sales;
- (18) Cabinet and upholstery shop;
- (19) Car wash;
- (20) Care facility for narcotic, alcoholic or psychiatric patients;
- (21) Cemetery/mausoleum;
- (22) Church, temple or mosque;
- (23) Civic/community center;
- (24) Cleaning and pressing—small shop, pickup and delivery;
- (25) Clinic;
- (26) College or university;
- (27) Commercial amusement (indoor);
- (28) Commercial amusement (outdoor);
- (29) Convalescent, nursing or long term care facility;
- (30) Convenience/grocery store (without pumps) convenience store (with pumps);
- (31) Construction equipment rental and sales;
- (32) Construction yard (temporary);
- (33) Contractor shop and storage yard;
- (34) Department store;
- (35) Discount warehouse store;
- (36) Drapery, needlework or weaving shop;
- (37) Farmers Market;
- (38) Feed, seed and fertilizer store—no bulk storage;
- (39) Field office (temporary);
- (40) Florist;
- (41) Fraternal organization, lodge or civic club;
- (42) Furniture or appliance store;
- (43) Golf course or country club, driving range;
- (44) Greenhouse or nursery for retail plant sales with outside storage;
- (45) Handcraft shop;
- (46) Health club, weight and aerobic center;
- (47) Home improvement center;
- (48) Hospital—general acute care (human);
- (49) Hotels and motels;

- (50) Household appliance service and repair;
- (51) Kennel;
- (52) Kiosk;
- (53) Laboratory (medical);
- (54) Landscaping service;
- (55) Laundry and cleaning (self service);
- (56) Lawn equipment and small engine sales and services;
- (57) Micro brewery;
- (58) Mini storage/warehouses;
- (59) Monument retail sales (outside storage);
- (60) Mortuary or funeral home;
- (61) Moving company;
- (62) Neighborhood grocery store (no fuel service);
- (63) Office—professional and general administration;
- (64) Park, playground, public community recreation center;
- (65) Pawn shop;
- (66) Personal service shop (beauty, barber and the like);
- (67) Pet shop—small animals within building;
- (68) Plumbing shop;
- (69) Portable building sales;
- (70) Printing;
- (71) Produce stand;
- (72) Psychic/Tarot card reader;
- (73) Recreational vehicle sales;
- (74) Recycling kiosk;
- (75) Research lab (non-hazardous);
- (76) Restaurant (drive-in type);
- (77) Restaurant or cafeteria—without drive-in service;
- (78) Restaurant with alcoholic beverage service;
- (79) Retail shops and stores other than listed;
- (80) Roofing and siding supply;
- (81) Sale of alcohol as licensed by the Texas Alcoholic Beverage Commission;
- (82) Schools—public, private and parochial;
- (83) Shopping center;
- (84) Storage or repair of furniture and appliances (display inside of building);
- (85) Studio (photographer, musician, artist);

- (86) Studio for radio and television;
- (87) Tattoo parlor/body piercing studio;
- (88) Taxidermy;
- (89) Theater—indoor;
- (90) Tobacco shop;
- (91) Tool and equipment rental shop;
- (92) Trailer rental and sales;
- (93) Veterinary clinic or hospital; and
- (94) Veterinary services.

6.2.C Conditional Uses (Special Use Permit required).

- (1) Day care center—12 or more children;
- (2) Flea market;
- (3) Frozen foods locker;
- (4) Scientific and research laboratories;
- (5) Theater (drive-in); and
- (6) Trade and commercial schools.

6.2.D Height, Area, Yard and Lot Coverage Requirements.

- (1) Maximum density: There is no maximum density requirement.
- (2) Minimum lot area: There is no minimum area requirement.
- (3) Minimum lot width: There is no minimum width requirement.
- (4) Minimum lot depth: There is no minimum depth requirement.
- (5) Minimum depth of front setback: 20 feet.
- (6) Minimum depth of rear setback: There is no minimum rear setback requirement unless the lot abuts upon a Residential District, then a minimum ten feet is required.
- (7) Minimum width of side setback:
 - (a) Internal lot: There is no minimum side setback requirement unless the lot abuts upon a Residential District, then a minimum five feet is required.
 - (b) Corner lot: 20 feet.
- (8) Building size: There are no minimum size regulations.
- (9) Maximum height of structures: 35 feet.
- (10) Public, semi-public or public service buildings, hospitals, institutions or schools may not exceed a height of 60 feet. Churches, temples and mosques may not exceed 75 feet, if the building is set back from each yard line at least one foot for each two feet additional height above the height limit in this district.

Height, Area, Yard and Lot Coverage Requirements



Note: No rear or side yard except when the lot abuts upon a Residential District, then the minimum setback for rear yard is 10 feet and side yard is five feet.

6.2.E Parking Regulations. All uses permitted in the B-2 District: See Section 11 Parking Regulations.

6.2.F Sign Regulation. See Section 12 for Sign Regulations.

6.2.G Exceptions to Use, Height and Area Regulations. See Section 10.

6.2.H Garbage Regulations. Retail and Commercial District businesses will provide a serviceable area specifically for refuse collection designed for refuse canisters. Each designated canister area will be nine feet wide and eight feet deep (72 square feet), with a cement slab base. If the location of the cement slab is adjacent to a residential district, the slab must be at least five feet from the property line. The refuse area will be enclosed on three sides by a privacy fence. Approach areas will meet the requirements of Subsection 6.2.I.

6.2.I Loading and Unloading Regulations. All loading, unloading and maneuvering of vehicles connected with the activity must be on the premises and will not be permitted in any street. Loading and unloading areas must be paved with a sealed surface pavement and maintained in such a manner that no dust will be produced.

(Am. Ord. 2008-07, passed 5-6-2008; Am. Ord. 2009-23, passed 12-1-2009; Am. Ord. No. 2018-O-25 , § 1, 8-7-2018; Ord. No. 2021-O-17 , §§ 1, 3, passed 6-1-2021; Ord. No. 2021-O-32 , § 1, passed 8-3-2021)

Sec. 154.05.6. Multiple family residential district (R-3).

5.6.A Description. This residential district provides for medium to high-density city neighborhood development. The primary land use allows for single-family dwellings, two-to-four family dwelling units, and multiple family housing buildings and complexes platted as one parcel and sole source management. All R-3 zoning will be appropriate to a city-style neighborhood. Recreational, religious and educational uses are also permitted so

as to contribute to the natural elements of a convenient, balanced and attractive neighborhood. Development within this district is intended to be protected from the encroachment of land activities that do not contribute to the esthetic and functional well being of the intended district environment.

5.6.B Permitted Uses.

- (1) Single-family detached dwelling, limited to occupancy by a family having no more than three individuals who are unrelated by blood, legal adoption, marriage or conservatorship. The owner and any agent of the owner shall be legally responsible for directly or indirectly allowing, permitting, causing, or failing to prohibit residential use of a dwelling in this district by more than three unrelated individuals;
- (2) Two-to-four family dwellings, with each family limited as in division (1) above;
- (3) Multiple family dwellings, with each family limited as in division (1) above; Student living complexes will be subject to a variance request for units designed to occupy more than three unrelated students per unit;
- (4) Assisted living center;
- (5) Convalescent, nursing or long term-care facility;
- (6) Retirement housing complex;
- (7) Accessory buildings;
- (8) Churches, temples, mosques and related facilities;
- (9) Community home;
- (10) Park or playground;
- (11) SISD school—public;
- (12) Bed and breakfast/boarding house;
- (13) Group day care home;
- (14) Registered family home;
- (15) Day care center; and
- (16) Fraternity or sorority house.

5.6.C Conditional Uses.


- (1) Home occupation;
- (2) Common facilities as the principal use of one or more platted lots in a subdivision;
- (3) Adult and/or children's day care centers;
- (4) Foster group home; and
- (5) Residence hall.

5.6.D Height, Area, Yard and Lot Coverage Requirements.

- (A) *Single family dwelling.*
 - (1) Minimum lot area: 5,000 ft².
 - (2) Minimum lot width and lot frontage: 50 feet.
 - (3) Minimum lot depth: 100 feet.
 - (4) Minimum depth of front setback: 25 feet.

- (5) Minimum depth of rear setback: 25 feet.
- (6) Minimum width of side setback:
 - (a) Internal lot: five feet.
 - (b) Corner lot: 25 feet from intersecting side street.
- (7) Building size:
 - (a) Maximum coverage as a percentage of lot area: 40%.
 - (b) Single family dwelling: 1,000 ft².
- (8) Accessory buildings:
 - (a) Maximum accessory buildings coverage of rear yard: 20%.
 - (b) Maximum number of accessory buildings: one.
 - (c) Minimum depth of side setback: five feet.
 - (d) Minimum depth of rear setback: five feet.
 - (e) Minimum depth from the edge of the main building: 12 feet.
- (9) Maximum height of structures: 35 feet.
- (10) Public, semi-public or public service buildings, hospitals, institutions or schools may not exceed a height of 60 feet. Churches, temples and mosques may not exceed 75 feet, if the building is set back from each yard line at least one foot for each two feet additional height above the height limit in this district.

Height, Area, Yard and Lot Coverage Requirements
Single-Family Dwelling




(B) *Two-to-four family.*

- (1) Minimum lot area: 7,500 ft² for two dwelling units, plus 1,000 ft² for each additional dwelling unit.

- (2) Minimum lot width and lot frontage: 75 feet.
- (3) Minimum lot depth: 100 feet.
- (4) Minimum depth of front setback: 25 feet.
- (5) Minimum depth of rear setback: 25 feet.
- (6) Minimum width of side setback:
 - (a) Internal lot: six feet.
 - (b) Corner lot: 25 feet from intersecting side street.
- (7) Building size:
 - (a) Maximum coverage as a percentage of lot area: 40%.
 - (b) Minimum area of each dwelling unit: 800 ft².
- (8) Accessory buildings:
 - (a) Maximum accessory building coverage of rear yard: 20%.
 - (b) Maximum area of each accessory building: 200 ft².
 - (c) Maximum number of accessory buildings: one per unit.
 - (d) Minimum depth of side setback: five feet.
 - (e) Minimum depth of rear setback: five feet.
 - (f) Minimum depth from the edge of the main building: 12 feet.
- (9) Maximum height of structures: 35 feet.
- (10) Public, semi-public or public service buildings, hospitals, institutions or schools may not exceed a height of 60 feet. Churches, temples and mosques may not exceed 75 feet, if the building is set back from each yard line at least one foot for each two feet additional height above the height limit in this district.

Height, Area, Yard and Lot Coverage Requirements
Two-to-Four Family Dwelling




(D) *Multiple family dwellings.*

- (1) Minimum lot area: maximum density of 24 dwelling units per acre, which includes parking, access and all other area improvements.
- (2) Minimum lot depth: 100 feet.
- (3) Minimum depth of front setback: 25 feet.
- (4) Minimum depth of rear setback: 20 feet.
- (5) Minimum width of side setback:
 - (a) Internal lot: ten feet.
 - (b) Corner lot: 25 feet from intersecting side street.
- (6) Building size: Minimum area of each dwelling unit: 500 ft² for one bedroom or less plus 125 ft² of floor area for each additional bedroom.
- (7) Maximum height of structures: 35 feet.
- (8) Public, semi-public or public service buildings, hospitals, institutions or schools may not exceed a height of 60 feet. Churches, temples and mosques may not exceed 75 feet, if the building is set back from each yard line at least one foot for each two feet additional height above the height limit in this district.

Height, Area, Yard and Lot Coverage Requirements
Multiple-Family Dwelling

5.6.D Height, Area, Yard and Lot Coverage Requirements

Multiple Family Dwelling




5.6.E Parking Regulations. Lots in this District shall provide a minimum of two vehicle parking spaces per dwelling unit, with a driveway connecting the parking spaces with a street or alley, and meet all the pertinent requirements contained in Section 154.11 *Parking spaces for vehicles* of this ordinance. Student housing whereby individual rooms are leased by unit must require 1.5 spaces per rented bed.

5.6.F Type of Construction.

- (1) The exterior walls of all new dwellings to the top plate, shall be constructed of at least 80% of the total exterior walls of primary materials, excluding doors, windows, and porches. See Section 10.E(1): Exterior Building Material Standard—Primary Materials.
- (2) Any remaining exterior walls of all new dwellings shall construct the remaining exterior walls of alternative materials. See Section 10.E(2): Exterior Building Material Standard—Alternative Materials.
- (3) Existing dwellings expanding the total square footage of the building 50% or less, or modifying the exterior walls, may use the same exterior construction material as the existing primary building. If the material is not available, similar material may be used if approved by the Community Development Director.
- (4) Existing dwellings expanding the total square footage of the building more than 50%, or proposing to use a material inconsistent with the primary structure for any expansion, must meet the 80% minimum primary materials, Section 10.E: Exterior Building Material Standard, for the total exterior walls of the structure.

5.6.F Exterior Building Material Standards



(Am. Ord. 2007-24, passed 12-4-2007; Am. Ord. 2008-13, passed 7-1-2008; Ord. 2011-26, passed 12-6-2011; Am. Ord. 2021-O-29, § 1, passed 9-7-2021)

ALTERNATIVES:

- 1) Recommend the City Council approve the rezoning and replat request.
- 2) Recommend the City Council deny the request for rezoning and replat.

Exhibit – Proposed Survey





Exhibit – Proposed R-3 Site Plan



UNIT SYNOPSIS		
UNIT TYPE	NUMBER OF UNITS	HEATED AREA/UNIT
1 BEDROOM	24	211.06 S.F.
2 BEDROOM	24	1,078.25 S.F.

HEATED AREA/UNIT IS BASED ON THE NET RENTABLE AREA (NRA) WHICH IS TO THE OUTSIDE FACE OF THE EXTERIOR WALL STUDS AND BACK OF STUDS AT CORNER WALLS.

SITE PLAN
 1" = 50'-0"
 7.664 ACRES



BUILDING SYNOPSIS										
BUILDING TYPE	NO. OF BUILDINGS	FLOOR AREA (S.F.)	NO. OF UNITS	NO. OF PARKING SPACES	NO. OF BICYCLE SPACES	NO. OF STORAGE SPACES	NO. OF TRASH ENCLOSURES	NO. OF TRASH ENCLOSURES	NO. OF TRASH ENCLOSURES	NO. OF TRASH ENCLOSURES
COMMUNITY BLDG	1	4,442.86 S.F.	1	0	0	0	0	0	0	0
BLDG. TYPE "A"	6	4,152.34 S.F.	24	24	0	0	0	0	0	0
BLDG. TYPE "B"	6	4,152.34 S.F.	24	24	0	0	0	0	0	0
TOTALS	13	12,747.54 S.F.	49	48	0	0	0	0	0	0

* THE COMMUNITY BUILDING IS COMMON AREA AND IS NOT INCLUDED IN THE NRA TOTALS.

REQUIRED PARKING
 88 SPACES PER BEDROOM
 72 BEDROOMS X 1.5 EQUALS 108 SPACES
 114 SPACES (SHOWN IN PLAN)
 SIDEWALKS 6' WIDE AT PARKING AND CONNECTING BETWEEN PARKING SPACES TO APARTMENT UNITS.
 DRIVEWAY TURNS 15' INSIDE RADIUS & 40' OUTSIDE.

REQUIRED WHEEL UNITS
 1/2 FOR 8000 UNITS
 8000 UNITS X 1/2 = 4000 REQUIRED BY "STANDARD"
 2/3 FOR AUTOMATIC UNITS
 24 X 45 = 1080 - 1 REQUIRED = 1081 UNITS



OPTIONAL PARKING FOR FUTURE YEARS IF AND WHEN NEEDED.