The Front Porch Project

PLANNED DEVELOPMENT DISTRICT

+/- 2.7 Acres

Prepared For:

TSU Catholic, LLC

APROVED:

XX-XX-2024

Section I: Introduction

In addition to applicable provisions of the City of Stephenville Zoning Ordinance, the Property, being within this Planned Development (PD) zoning district as proposed hereby, may be used in compliance with the following development and performance standards (the "Standards"):

The Property consists of tracts defined as:

- A. BEING all of Lots 1, 5, 18, 28, 30-A, 31 and 32 and a portion of Lot 12, Block 134, City Addition, an addition to the City of Stephenville, Erath County, Texas, as shown per King's 1956 Map of the City of Stephenville, as recorded in Volume 381, Page 105, Deed Records, Erath County, Texas (DRECT) and being all of Lot 40, Block 134, City Addition, as shown per replat recorded in Cabinet A, Slide 279A, Plat Records, Erath County, Texas, same being a portion of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-02799, Real Records, Erath County, Texas (RRECT) and all of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-02799, Real Records, Erath County, Texas (RRECT) and all of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-05473, RRECT, and being more particularly described by metes and bounds as follows: (Basis of bearing being U.S. State Plane Grid Texas North Central Zone (4202) NAD83 as established using the AllTerra RTKNet Cooperative Network. Reference frame is NAD83(2011) Epoch 2010.0000. Distances shown are U.S. Survey feet displayed in surface values).
- B. Exhibit A shows vicinity map of subject property, and Exhibit B shows the topographical survey

Section II: Zoning and Land Uses

The current zoning for all 2.648 acres is B-1, B-2, R-3. Exhibit A shows a vicinity map illustrating the location of the subject property. The proposed development is requesting to change the zoning to a Planned Development (PD) District. This Planned Development is intended to redevelop and enhance this site. Exhibits C and D show the conceptual exterior of the newly built structure. This site will be developed to accommodate a community-focused, mixed-use development on the front steps of Tarleton State University off of 1350 W. Washington St, and the development will be named 'The Front Porch'. The development will consist of approximately 13,025 SF of retail shell space and 66 residential beds.

The proposed change in the zoning district compliments the City of Stephenville's Comprehensive Plan. Object L1 (in Chapter 4 of the Comprehensive Plan) states the City's goal to "provide suitable areas for a variety of residential types and densities", object L2.2 states "coordinate with TSU regarding development plans...and need for appropriate student housing", and L4 states "expand retail, office and other commercial and development area". This zoning district will enhance a visible site to the University and Community by providing needed housing and a mixed-use element that will encourage an energetic site that's walkable morning, noon, and night.

- **A. Principal Uses:** No land may be used, and no building may be erected or converted to any use other than the following:
 - 1. Retail/Restaurant/Commercial
 - 2. Residential
 - 3. Telecommunications support structure and antenna facilities within the Tower and Antenna Facilities Site identified on the Minor Plat and the Concept and Development Plans.
- B. Development Schedule

1. The Front Porch Project has an approximate completion date of Q3 in 2024 upon City Council approval in Q2 2023. Dependent on City Council approval, building permits will be applied for in Q2 2023 and construction slated to commence shortly after.

Section III: Design and Requirements

The Site Plan for The Front Porch Development can be found in Exhibit E

A. Mixed-Use Requirements:

- 1. Structures within this PD are to abide by the following building setbacks:
 - a. Minimum front setback: 0'
 - b. Minimum rear setback: 5'
 - c. Minimum side setback: 10'

B. Telecommunications Support Structure and Antenna Facilities Requirements:

1. Telecommunications support structures and antenna facilities within the Tower and Antenna Facilities Site within this PD are to abide by the following:

- a. Setbacks:
 - i. Minimum front setback: 0'
 - ii. Minimum rear setback: 0'
 - iii. Minimum side setback: 0'
- b. Screening and fencing: Chain-link fencing is permitted
- c. Landscaping requirement: No landscaping requirement
- d. Telecommunications and Support Structure and antennas facilities height: 125' max height

C. Mixed-Use Design:

- 1. The proposed building height will be 51'5" to the top of the parapet wall, and 57'6" to the top of the elevator shaft roof access, on top of the 3rd floor roof.
- Maximum building height may be 65' not including rooftop structures, permanent or temporary, for uses including food service, event space including private or otherwise permitted alcohol service, signage, and educational uses. The conceptual exterior building design can be found in Exhibit C and D.

D. Screening and Fencing:

- **1.** The garbage refuse area will be screened per the requirements detailed in Section 6.7.K. of Stephenville's subdivision ordinance
- 2. Tubular steel fencing may be permitted in this Planned Development District

E. Budling Materials:

 Seventy-five percent (75%) of the exterior building façade may be masonry, split faced CMU, rock, stucco and the remaining percentage may be cladded in an appropriate metal surface as defined in City of Stephenville's Exterior Building Material Standard found in Stephenville's Code of Ordinances Section 154.10.E.

F. Lighting:

 Exterior lighting features may be placed and reflected to not create annoyances, nuisances, or hazards. The placement of the exterior lighting features, except for the signage, may follow the Exterior Lighting Plan as established in this PD. Exterior lighting specifications inspiration can be found in Exhibit L

G. Signage:

1. All signage will follow the requirements as stated in Section 154.12 of Stephenville's Zoning Regulations with the following exceptions:

- a. Neon/LED or similar types of lighting may be permitted in signage.
- 2. Side building signage may be permitted
- 3. Off-site advertising may be prohibited
- 4. Examples of signage inspiration can be found in Exhibit C, D, G, H, L

H. Sidewalks:

- 1. Sidewalks may be constructed to meet the requirements as stated in Section 155.6.11 of Stephenville's Subdivision Ordinance
- I. Mixed-Use Landscaping:
 - 1. The proposed landscaping plan for this Planned Development District is seen in Exhibit M. By redeveloping this tract the landscape requirement can be met. The development is proposing approximately 30% of total land area may be landscaped, city requirement of 15% landscape coverage is 18,245 square feet. The proposed landscaping coverage is 30% at 37,348 square feet. This 30% consists of trees and shrubs/grasses etc.- this exceeds the minimum quantities of trees and plants established in Section 154.13.C of the City of Stephenville's Landscape Requirements.

Section IV: Parking and Access Requirements

A. Mixed-Use Parking:

- 1. (191) parking spaces will be provided for this Planned Development, (6) of these spaces will meet ADA requirements.
- 2. (99) parking spaces may be provided for all units OR 1.5 per bed. Resident parking will be designated through the use of 'Resident Only" reserved signage towards the south, as shown in Exhibit E, and N.

B. Access:

1. The development has frontage on Washington Street, and McNeil Street

Section V: Considerations

A. Comprehensive Plan:

 This proposed development compliments the goals outlined in the City of Stephenville's Comprehensive Plan. The proposed development revitalizes a key area for the community and University, and the development will increase the vitality, walkability, and energy of this main corridor by providing residential occupancy and retail/commercial options walkable to and from TSU campus.

B. Infrastructure:

- 1. Water and Sewer are available to the site, and adequate infrastructure will be provided to serve the development. Water, sewer, and paving specifications are detailed in the Civil Construction Plans accompanying this Planned Development District.
- 2. Design Development DD plans can be found in Exhibit C,D,G,H,I,J,K

Exhibit A- The Front Porch Project Vicinity Map Exhibit A.1- Current Status of the site Exhibit B- Topographical Land Survey Exhibit B.1- Current Status of the site Exhibit C- The Front Porch Project Conceptual Façade Exhibit D- The Front Porch Project Conceptual Façade (Top) Exhibit E- Development Site Plan Exhibit F- Civil Engineer Site Plan Exhibit G- North & South Elevation Conceptual Drawings/Exterior Building Material Inspiration Exhibit H- East & West Elevation Conceptual Drawings/ Exterior Building Material Inspiration Exhibit I- Building Layout Conceptual Design Exhibit J- Apartment Conceptual Loft Floor Plans Exhibit K- Apartment Conceptual Loft Interior Inspiration Exhibit L- Signage & Outdoor Amenity Green Space Inspiration Exhibit M- Conceptual Preliminary Landscaping Plan Exhibit N- Reserved Parking Sign Inspiration Exhibit O- Survey's (including minor-replat draft) Exhibit P – Site Utility Map

PD Exhibits



FRORT PORCH

Proposed Redevelopment Plan:

Boutique Mixed-Use Town Center with Efficiency Style Lofts

Lofts will feature Reserved Parking Spaces

1350 W. Washington Stephenville TX 76401

What type of development is this? Boutique Mixed-Use Development, not a Retail strip center, Not only housing What is the Retail SF of the current existing 2-story mixed-use structure? 19,400 SF with only 29 marked parking spaces currently What is the Retail SF of the New mixed-use development proposed? 13,025 SF How many Beds will there be? 66 Beds (38-1B/1B & 14-2B/2B), efficiency style 450SF to 900SF How will Residents park? 66 Total Residents/66 Beds will have 66 Reserved Parking spaces assigned, reserved, and numbered at 1space/Bed. Additional land was acquired just to account for reserved parking for residents at 100%, NOT 59% like other sites.

What is the parking ratio? Updated Revision #20 showing Retail = 13,025 SF (at 5 stalls/1000 SF = 65 spaces), Beds = 66 (at 1.5 space/bed = 99 spaces) = 164 spaces. 191 total spaces provided.

How did you arrive at current parking stall measurements? Based on the most efficient civil design to account for parking needed and studied surrounding areas, the measurements reflect this.

Is TXDOT involved? Yes, submissions to TXDOT have taken place for entrance off Washington St. to make more efficient and safer.

Do you have inquiries for the retail spaces from potential tenants? Yes, 11,000 Retail SF is pre-leased and excited to expand the Retail corridor

Additional Due Diligence conducted : Geotech, Asbestos, Environmental Ph I & II, TIA Traffic, TCEQ Fuel pump/tank removal, & Pedestrian studies over \$200k spent

What about the fuel station? We removed the fuel station pumps, tanks, and canopy which are within the 100' Right-of-Way, cost to remove is \$80,000

What is Total Investment? *Total Investment is \$20 MM approx.*

What is the proposed landscape ratio? 15% would be 17,301 SF, conceptual plan accounts for up to 30%

What about the pedestrian traffic? We conducted a \$20,000 traffic and pedestrian TIA study to submit to TXDOT & City, We are also improving the entry/exits off of Washington St for better flow including a decel lane.

What about trash during construction? We want to me a good neighbor and will have a construction fence with screening for security, once the project is completed we will keep a clean site with trash dumpsters for trash.

Any Light Pollution ? We will be using updated parking lights that have a low profile that illuminate light for the parking lot

Questions & Answers





2.648 acre site at the Front Porch of fastgrowing Tarleton State University

TRADE AREA DEMOGRAPHICS

115,080

Trade Area Population

37.33

Median Age

\$80,806


Avg. Household Income

54,000


Daytime Population


15,000+

TSU Student Population












TSU Campus (purple highlighted area)

Development Site sits on the front porch of Tarleton State University







Topographical Survey

2.648 acres +/- running along Washington St. on the North, McNeil Street to the South, surrounded by commercial businesses to the E. & W., student housing currently exists on all sides, TSU Campus to the N. and residential and student housing to the S.

LEGEND:	NOTES	5:	
ACAir Conditioning Unit AVAir and Vacuum BOLBollard	C	asis of bearing bein entral Zone (4202) TKNet Cooperative	NAD
CIRF1/2" Capped Iron Rod Found Marked "PRICE SURVEYING" CIRS5/8 Inch Capped Iron Rod Found Marked "NATIVE CO., LLC" COCleanout EMElectric Meter	S 2. V	AD83(2011) Epoch urvey feet displaye ertical Datum estal ooperative Networ	d in s blishe
ETElectric Transformer FCPFence Corner Post GMGas Meter	т	BM #1 Magnail in a	isphal
GPGas Pump GYGuy Wire ICVIrrigation Control Valve	e	y scaled location of ffective date Nover rithin Zone X (unsha	nber
IRFLron Rod Found LTLight Pole MBMailbox	4. T	ne 0.2% annual cha his Survey Reflects he surveyor makes	the a
OEOverhead Electric PDPhone Pedestal PECPoint for Corner	co a	omprise all such uti bandoned. his survey was prep	lities
PMKPhone Marker P.O.BPoint of Beginning	C	ommitment for title estrictions may affe	e insu
P.O.CPoint of Commencement PPPower Pole PVPhone Vault			
UMHUnknown Manhole (Fuel?) VLVUnknown Valve (Fuel)	LI	NE DATA TA	BLE
WMWater Meter D.R.E.C.TDeed Records, Erath County, Texas	NO.	BEARING	DI
P.R.E.C.TPlat Records, Erath County, Texas	L1	S30°03'54"E	25.
Chainlink Fence —————————————————————————————————	L2	S59°16'28"W	49.

LEGAL DESCRIPTION:

BEING all of Lots 1, 5, 18, 28, 30-A, 31 and 32 and a portion of Lot 12, Block 134, City Addition, an addition to the City of Stephenville, Erath County, Texas, as shown per King's 1956 Map of the City of Stephenville, as recorded in Volume 381, Page 105, Deed Records, Erath County, Texas (DRECT) and being all of Lot 40, Block 134, City Addition, as shown per replat recorded in Cabinet A, Slide 279A, Plat Records, Erath County, Texas, same being a portion of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-02799, Real Records, Erath County, Texas (RRECT) and all of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-05473, RRECT, and being more particularly described by metes and bounds as follows: (Basis of bearing being U.S. State Plane Grid - Texas North Central Zone (4202) NAD83 as established using the AllTerra RTKNet Cooperative Network. Reference frame is NAD83(2011) Epoch 2010.0000. Distances shown are U.S. Survey feet displayed in surface values). COMMENCING at a 5/8 inch iron rod found in the south right-of-way line of W. Washington St. for the northeast corner of Lot 18 and the northwest corner of Lot 33, being the northeast corner of the herein described trac

THENCE South 59°18'33" West, with the south line of W. Washington St., passing the northeast corner of said Lot 40 at a distance of 78.55 feet, continuing for a total distance of 80.12 feet to an X-Cut found for the northeast corner of the herein described tract:

THENCE South 30°03'54" Fast, over and across said Lot 40, a distance of 207.48 feet to a cotton spindle found for an inner corner of the herein described tract THENCE North 59°48'38" East, over and across said Lot 40, the remainder of Lot 12, and Lot 18, a distance of 80.11 feet to a 5/8 inch capped iron rod found marked "NATIVE CO., LLC" (CIRF)

in the east line of said Lot 18 and the west line of Lot 33; THENCE South 30°03'54" East, with the common line of Lots 18 and 33, a distance of 25.14 feet to a 1/2 inch capped iron rod found marked "PRICE SURVEYING" for the northwest corner of Lot 32 and the southwest corner of Lot 33;

THENCE North 59°18'33" East, with the common line of Lots 32 and 33, a distance of 59.75 feet to a point for the northeast corner of Lot 32 being in the west line of Lot 38, from which a 3/4 inch iron rod found bears South 66°46'13" East, a distance of 1.18 feet;

THENCE South 30°03'54" East, with the common line of Lots 32 and 38, a distance of 233.10 feet to a 3/8 inch iron rod found in the north right-of-way line of W. McNeil St. for the southeast corner of Lot 32 and the southeast corner of the herein described tract:

THENCE South 59°16'28" West, with the north right-of-way line of W. McNeil St., passing a 1/2 inch pipe found for the southwest corner of Lot 31 and the southeast corner of Lot 30-A, at a distance of 120.33 feet, continuing for a total distance of 190.11 feet to a 1/2 inch pipe found for the southwest corner of Lot 30-A and the southeast corner of Lot 29; THENCE North 30°03'54" West, with the common line of Lots 29 and 30-A, a distance of 150.01 feet to a CIRF for the northwest corner of Lot 30-A and being the northeast corner of a remainder of Lot 29, also being in the south line of Lot 40

THENCE South 59°16'28" West, with the south line of Lot 40, a distance of 49.92 feet to a railroad spike found for the northwest corner of the remainder of Lot 29 and being in the east line of Lot 28 for an inner corner of the herein described tract:


THENCE South 30°03'54" East, with the common line of Lots 28 and 29, a distance of 150.01 feet to a 3/8 inch iron rod found in the north right-of-way line of W. McNeil St. for the southeast corner of Lot 28;

THENCE South 59°16'28" West, with the north right-of-way line of W. McNeil St., a distance of 52.13 feet to a 1/2 inch capped iron rod found marked "PRICE SURVEYING" for the southwes corner of Lot 28 and the southeast corner of Lot 27, being southernmost southwest corner of the herein described tract; THENCE North 30°03'54" West, with the common line of Lots 27 and 28, a distance of 234.96 feet to a 2.5 inch pipe fence corner post for the northwest corner of Lot 28 and being in the south line of Lot 1

THENCE South 59°51'21" West, a distance of 101.54 feet to a magnail found for the southwest corner of Lot 5 and the southeast corner of Lot 6, being the westernmost southwest corner of the herein described tract

THENCE North 30°05'56" West, with the common line of Lots 5 and 6, a distance of 230.67 feet to a 3/8 inch iron rod found in the south right-of-way line of W. Washington St. for the northwest corner of Lot 5

THENCE North 59°18'33" East, with the south right-of-way line of W. Washington St., a distance of 253.98 feet to the POINT OF BEGINNING and containing 121,697 Square Feet or 2.794 Acres of Land



rawing: D:\Jobs\2021\2021.451 WASHINGTON ST. PROJECT\DWG\Topographic Boundary.dwg

eing U.S. State Plane Grid - Texas North 02) NAD83 as established using the AllTerra ive Network. Reference frame is och 2010.0000. Distances shown are U.S.

ayed in surface values. tablished using the AllTerra RTKNet work. All elevations shown are NAVD88


in asphalt. Elevation = 1321.23'

n of FEMA FIRM Map No. 48143C0430D. vember 16, 2011, the subject property lies shaded) - Areas determined to be outside hance floodplain. cts the above ground indications of utilities.


kes no guarantee that the utilities shown utilities in the area, either in service, or


repared without the benefit of a current title insurance. Additional easements and/or affect this property.

LINE DATA TABLE						
NO.	BEARING	DIST				
L1	S30°03'54"E	25.14'				
L2	S59°16'28"W	49.92'				
L3	S59°16'28"W	52.13'				




W. MCNEIL ST. (A 50' PUBLIC RIGHT-OF-WAY)








current status of the site









C CONCEPTUAL FAÇADE FRONT



Referenced from Martsolf Architecture conceptual rendering

C CONCEPTUAL FAÇADE REAR




Referenced from Martsolf Architecture conceptual rendering

D CONCEPTUAL FAÇADE (TOP) FRONT




CONCEPTUAL FAÇADE (TOP) REAR








DEVELOPMENT CONCEPTUAL SITE PLAN








Revision #20 showing 191 total spaces provided Ratio: Retail = 13,025 SF (at 5 spaces/1,000 SF = 65 spaces), Beds = 66 (at 1.5 spaces/bed= 99 spaces) = 164 spaces

Front Porch Project: 66 efficiency Beds, 1B & 2B. 100% of beds will have an assigned reserved & numbered parking space, leaving 0 beds


without an assigned stall. 1/bed = 100% stalls Reserved

0 64 8 1624 ³²40 48 56 96 128

martsolf architecture JANUARY 31, 2023



CIVIL ENGINEER PRELIMINARY SITE PLAN updated 4.13.23 191 parking spaces total, decel lane shown



<u>ADA NOTES:</u>

- CONTRACTOR TO ASSURE SITE ADA ACCESS AREAS AND ROUTES WITHIN: a. ASSURE THE RUNNING SLOPE AT THE WALKS ALONG THE ACCESSIBLE ROUTE HAVE A RUNNING SLOPE OF 1:20 OR 5% MAXIMUM (EXCEPT AT THE CURB RAMPS, WHICH CAN BE UP TO 1:12 OR 8.33%) AND A CROSS SLOPE OF 1:48 OR 2% MAXIMUM. THIS INCLUDES AT THE
- CROSSING OF DRIVE LANES (A COMMON ISSUE).
 ASSURE THE MANEUVERING CLEARANCE AT THE EXTERIOR SIDE OF ALL ENTRY DOORS HAVE A SLOPE OF 1:48 OR 2% MAXIMUM IN ANY
- DIRECTION. c. ASSURE A 30" X48" CLEAR FLOOR SPACE IS PROVIDED ADJACENT TO THE EXTERIOR SITE ELEMENTS SUCH AS THE BENCHES, TRASH CANS AND BIKE RACKS AND HAVE A SLOPE OF 1:48 OR 2% MAXIMUM IN
- ANY DIRECTION.
 CONTRACTOR SHALL ENSURE ACCESSIBLE PARKING SPACES, SIGNAGE, AND STRIPING COMPLY WITH CURRENT ADA STANDARDS/REGULATIONS.
- e. THE WORDS 'NO PARKING' SHALL BE PAINTED ON ANY ACCESS AISLE ADJACENT TO AN ADA PARKING SPACE.

SITE DATA TABLE SITE AREA 2.80 AC (122,201 SF) BLDG USES: RETAIL 13.025 SF 8,727 SF COMMON STORAGE 2,486 SF INDOOR AMENITY 660 SF INDOOR TERRACE 5,069 SF LOFTS 32,376 SF CORRIDOR 4,667 SF AMENTIY 3,154 SF TOTAL BLDG SQUARE FOOTAGE 70,164 SF TOTAL BEDS: 66 PARKING PROVIDED 185 ADA PARKING PROVIDED TOTAL (INCLUDING ADA) PARKING PROVIDED

REFER TO ARCHITECTURAL PLANS FOR DETAILED SQUARE FOOTAGE BREAKDOWN PER FLOOR

DIMENSION CONTROL NOTES: ALL DIMENSIONS ARE TO THE FACE OF CURB UNLESS OTHERWISE NOTED. ALL WORK SHALL CONFORM TO THESE PLANS AND CONTRACT DOCUMENTS AND THE INTERNATIONAL BUILDING CODE. CONTRACTOR SHALL REFER TO BUILDING PLANS FOR ACTUAL BUILDING DIMENSIONS. DIMENSIONS SHOWN ARE TO OUTSIDE FACE OF BUILDING. THE CONTRACTOR IS RESPONSIBLE FOR ENSURING THAT CURB RAMPS ARE INSTALLED IN CONFORMANCE WITH ALL APPLICABLE LOCAL, STATE AND/OR FEDERAL REGULATIONS AND STANDARDS INCLUDING BUT NOT LIMITED TO, THE AMERICANS WITH DISABILITIES ACT (ADA), THE FAIR HOUSING ACT (FHA) AND THE AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI). EXISTING UTILITY DATA IS PROVIDED FOR INFORMATION ONLY. ALTHOUGH DATA IS SHOWN AS ACCURATELY AS POSSIBLE, THE CONTRACTOR IS CAUTIONED THAT THE DEVELOPER AND THE ENGINEER NEITHER ASSUMES NOR IMPLIES ANY RESPONSIBILITY FOR THE ACCURACY OF THIS DATA. CONTRACTOR IS TO VERIFY LOCATION AND ELEVATION OF EXISTING UTILITIES PRIOR TO CONSTRUCTION, SHALL ASSUME RESPONSIBILITY FOR REPAIRS TO EXISTING FACILITIES DAMAGED BY CONTRACTOR'S ACTIVITIES. PAVING NOTES: THE SUBGRADE SHALL BE PROOF-ROLLED WITH HEAVY PNEUMATIC EQUIPMENT. ANY SOFT OR PUMPING AREAS SHALL BE EXCAVATED TO FIRM SUBGRADE AND BACKFILLED AND RECOMPACTED FOLLOWING THE MASS GRADING REQUIREMENTS. THE SUBGRADE SHOULD BE UNIFORMLY COMPACTED TO A MINIMUM OF 95 PERCENT OF ASTM D698 BETWEEN 0 TO 4 PERCENT OF THE OPTIMUM MOISTURE CONTENT DETERMINED BY THAT TEST. IT SHOULD BE PROTECTED AND MAINTAINED IN A MOIST CONDITION UNTIL THE PAVEMENT IS PLACED. PAVEMENT JOINTING NOTES: SAW CUTTING SHALL BE DONE WITHIN 8 HOURS OF POUR OR AS SOON AS CONCRETE CAN SUPPORT WEIGHT, AND PROVIDE A NEAT 1. CUT WHICH IS TRUE IN ALIGNMENT. ALL JOINTS ARE TO CONTINUE THROUGH THE CURB. RADIAL JOINTS SHOULD BE NO GREATER THAN 18". ALL CONSTRUCTION JOINTS SHALL BE SAWED CLEANED OF DEBRIS, BLOWN DRY AND IMMEDIATELY SEALED. ODD SHAPED PANELS SHALL BE REINFORCED WITH #3 BARS AT 5. 18" EACH WAY, AN ODD SHAPED PANEL IS CONSIDERED TO BE ONE IN WHICH THE SLAB TAPERS TO A SHARP ANGLE WHEN THE LENGTH TO WIDTH RATIO EXCEEDS 3 TO 1 OR WHEN SLAB IS NEITHER SQUARE OR RECTANGLE. LEGEND: SIDEWALK PAVEMENT PARKING PAVEMENT DRIVE AISLE/FIRE LANE PAVEMENT 25' ROW DEDICATION HESE PLANS ARE ISSUED FO THE PURPOSE OF PRELIMINARY REVIEW AND ARE NOT INTENDE FOR CONSTRUCTION. WHEN ISSUED IN FINAL FORM, THEY WILL BE SIGNED, SEALED, AND ATED BY: M. REECE FLANAGAN, P.E. TEXAS REGISTRATION NO. 129 SCALE: 1" = 30' 1 1 FLANAGAN land solutions Dallas, Texas | P: 940.327.7963 | flanagan-Is.com | TBPE Firm No. F-22910 THE FRONT PORCH STEPHENVILLE, TEXAS PRELIMINARY SITE PLAN

REVISIONS

DATE

DESCRIPTION



DESIGNED: MR

CHECKED: FLS

MR

DRAWN:


PROJECT #: ISSUE DATE:

2021-11-02 4/13/2023

SHEET

OF 1

G NORTH ELEVATION CONCEPTUAL DRAWING / EXTERIOR BUILDING MATERIAL IINSPIRATION



Referenced from Martsolf Architecture conceptual rendering showing upper in Brick and Base in Split-faced CMU inspiration

G SOUTH ELEVATION CONCEPTUAL DRAWING / EXTERIOR BUILDING MATERIAL IINSPIRATION






Referenced from Martsolf Architecture conceptual rendering showing upper in Brick and Base in Split-faced CMU inspiration

H EAST ELEVATION CONCEPTUAL DRAWING / EXTERIOR BUILDING MATERIAL INSPIRATION

Building Height is approx. 51'5" (Top of Parapet), and 57'6" to top of Elevator Roof Access




WASHINGTON ST. STUDY - E



martsolf architecture JANUARY 6, 2023

H WEST ELEVATION CONCEPTUAL DRAWING / EXTERIOR BUILDING MATERIAL INSPIRATION


Building Height is approx. 51'5" (Top of Parapet), and 57'6" to top of Elevator Roof Access



Referenced from Martsolf Architecture conceptual rendering

Building Layout Design

Inspiration includes outdoor & indoor amenity space, study lounges, Juliet balconies, amenity center, rooftop balcony patio, terrace, natural light, modern features





JANUARY 24, 2023



Apartment Loft Floor Plans Inspiration from Martsolf Architecture

J






1B/1B & 2B/2B efficiency Lofts: 66 beds total. 34 1B/1B, 14 2B/2B

A Units = 450 SF 1B/1B

B Units = 680 SF 1B/1B

C Units = 910 SF 2B/2B









Loft Floor Plan Interior Inspiration from Martsolf Architecture

A Units = 450 SF 1B/1B


B Units = 680 SF 1B/1B


C Units = 910 SF 2B/2B





signage design aesthetics inspiration below.









Conceptual Preliminary Landscape Design Layout

Property = 121,697 sqft Landscape @ 15% = 18,254sqft Landscape @ 17.1%= 20,834 sqft



Reserved Parking Sign for 66 Beds : Assigned & Numbered, Reserved 1/bed







University

PROJECT J

Go



ans hurch

BUS

377

Stephenville, Texas


9




Minor Re-plat survey draft

(pending final review from Cell Tower Company, then will submit minor-replat to the city)

2.7 Acres





NOTES:

- Basis of bearing being U.S. State Plane Grid Texas North Central Zone (4202) NAD83 as established using the AllTerra RTKNet Cooperative Network. Reference frame is NAD83(2011) Epoch 2010.0000. Distances shown are U.S. Survey feet displayed in surface values.
 By scaled location of FEMA FIRM Map No. 48143C0430D, effective date November 16, 2011, the subject property lies within Zone X (unshaded) Areas determined to be outside the 0.2% annual chance floodplain.
 This Survey Reflects the above ground indications of utilities. The surveyror makes no guarantee that the utilities shown
- The surveyor makes no guarantee that the utilities shown comprise all such utilities in the area, either in service, or ndoned. This plat was prepared without the benefit of a current
- commitment for title insurance. Additional easements and/or restrictions may affect this property. All corners are 5/8 inch capped iron rods marked "NATIVE CO., LLC" unless otherwise specified.

§ COUNTY OF ERATH

BEING all of Lots 1, 5, 18, 28, 30-A, 31, and 32, Block 134, City Addition, an addition to the City of Stephenville, Erath County, Texas, as shown per King's 1956 Map of the City of Stephenville, as recorded in Volume 381, Page 105, Deed Records, Erath County, Texas (DRECT) and being all of Lt 40, Block 134, Clty Addition, as shown per replat recorded in Cabinet A, Silder 273A, Plat Records, Erath County, Texas (DRECT) and being all of that tract of land described the deed to TSU Catholic, LLC, as recorded in Document No. 2022-02799, Real Records, Erath County, Texas (RRECT), all of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-02799, Real Records, Erath County, Texas (RRECT), all of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-02799, Real Records, Erath County, Texas (RRECT), all of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-05743, RRECT, and all of that tract of land described in the deed to Barefoot Equity Partners, LLC, as recorded in Document No. 2022-08301, RRECT, and being more particularly described by metes and bounds as follows: (Basis of bearing being U.S. State Plane Grid - Texas North Central Zone (4202) NAD83 as established using the AllTerra RTKNet Cooperative Network. Reference frame is NAD83(2011) Epoch 2010.0000. Distances shown are U.S. Survey feet displayed in surface values

BEGINNING at a 5/8 inch iron rod found in the south right-of-way line of W. Washington St. for the northeast corner of Lot 18 and the northwest corner of Lot 33, being the northeast corner of the herein described tract; THENCE South 30°03'54" East, with the common line of said Lots 18 and 33, a distance of 233.33 feet to a 1/2 inch capped iron rod found marked "PRICE SURVEYING" for the southeast corner of Lot 18 and the southwest corner of Lot 33, also being the northwest corner of Lot 32, being an inner corner of the herein described tract;

THENCE North 59°18'33" East, with the common line of Lots 32 and 33, a distance of 59.75 feet to a point for the northeast corner of Lot 32 being in the west line of Lot 38, from which a 3/4 inch iron rod found bears South 66°46'13" East, a distance of 1.18 feet

THENCE South 30°03'54" East, with the common line of Lots 32 and 38, a distance of 233.10 feet to a 3/8 inch iron rod found in the north right-of-way line of W. McNeil St. for the southeast corner of Lot 32 and the southeast corre of the herein described tra

THENCE South 59°16'28" West, with the north right-of-way line of W. McNeil St., a distance of 190.11 feet to a 1/2 inch pipe found for the southwest corner of Lot 30-A and the southeast corner of Lot 29; THENCE North 30°03'54" West, with the common line of Lots 29 and 30-A, a distance of 150.01 feet to an IRS for the northwest corner of Lot 30-A and being the northeast corner of a remainder of Lot 29, also being in the south line

of Lot 40; THENCE South 59°16'28" West, with the south line of Lot 40, a distance of 49.92 feet to a railroad spike found for the northwest corner of the remainder of Lot 29 and being in the east line of Lot 28 for an inner corner of the herein

THENCE South 30°03'54" East, with the o on line of Lots 28 and 29, a distance of 150.01 feet to a 3/8 inch iron rod found in the north right-of-way line of W. McNeil St. for the southeast corner of Lot 28; THENCE South 59°16'28" West, with the north right-of-way line of W. McNeil St., a distance of 52.13 feet to a 1/2 inch capped iron rod found marked "PRICE SURVEYING" for the southwest corner of Lot 28 and the southeast corne

of Lot 27, being southernmost southwest corner of the herein described tract, THENCE North 30°03'54" West, with the common line of Lots 27 and 28, a distance of 234.96 feet to a 2.5 inch pipe fence corner post for the northwest corner of Lot 28 and being in the south line of Lot 1; THENCE South 59°51'21" West, a distance of 101.54 feet to a magnail found for the southwest corner of Lot 5 and the southeast corner of Lot 6, being the westernmost southwest corner of the herein described trac

THENCE North 30°05'56" West, with the common line of Lots 5 and 6, a distance of 230.67 feet to a 3/8 inch iron rod found in the south right-of-way line of W. Washington St. for the northwest corner of Lot 5; THENCE North 59°18'33" East, with the south right-of-way line of W. Washington St., a distance of 334.09 feet to the POINT OF BEGINNING and containing 3.176 Acres of Land.

NOW, THEREFORE, KNOW ALL MEN BY THESE PRESENTS

THAT, BAREFOOT EQUITY PARTNERS, LLC AND TSU CATHOLIC, LLC, acting by and through the undersigned, their duly authorized agents, does hereby adopt this plat designating the herein above described real property as LOTS 40R & 41R, BLOCK 134, CITY ADDITION, an addition to the City of Stephenville, Texas. The streets and easements shown thereon are hereby dedicated to the Public use forever. The streets are dedicated for street purposes. The easements, as shown, are dedicated for the public use forever, for the purposes indicated on this plat. No buildings, fences, trees, shrubs, or other improvements or growths shall be constructed, reconstructed, or placed upon, over or across the easements shown. Said easements being hereby reserved for the mutual use and accommodation of all public utilities using or desiring to use the same. Any, and all public utility shall have the right to remove and kee emoved all or part of any buildings, fences, trees, or other improvements or growths which in any way endanger or interfere with the construction, maintenance, or efficiency of its respective system on the easements and all publi utilities shall at all times have full right of ingress and egress to or from and upon reconstructing, inspecting, patrolling, maintaining, respective systems without the necessity at any time of procuring the permission of anyone

Any public utility shall have the right of ingress and egress to private property for the purpose of reading meters and/or for any maintenance and service required or ordinarily performed by that utility. The easements dedicated are for the specific use of installing and maintaining water, sewer, electrical, natural gas, telephone, fiber or cablevision lines, and are not intended to be used for garbage dumpsters, the collection of garbage, or for the use of garbage vehicles in any manner.

This plat does not alter or remove existing deed restrictions or covenants, if any, on this property.

Barefoot Equity Partners, LLC - Owner/Reprentative

§ STATE OF TEXAS § COUNTY OF ERATH

BEFORE ME, the undersigned authority, on this day personally appeared, _______, known to me to be the personally appeared, ______, known to me to be the person executed the same for the purposes and consideration therein expressed, in the capacity therein stated, and as the act and deed of said p known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that h

GIVEN UNDER MY HAND AND SEAL OF OFFICE on the day of

Notary Public in and fo

the State of Texas

TSU Catholic, LLC - Owner/Reprentative

§ STATE OF TEXAS COUNTY OF ERATH

BEFORE ME, the undersigned authority, on this day personally appeared, _______, known to me to be the personally appeared, ______, known to me to be the personal executed the same for the purposes and consideration therein expressed, in the capacity therein stated, and as the act and deed of said personal executed the same for the purposes and consideration therein expressed. known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he

GIVEN UNDER MY HAND AND SEAL OF OFFICE on the _____ day of ____

Notary Public in and for the State of Texa


My commission expires


SURVEYOR'S CERTIFICATION:

I, N. Zane Griffin, do hereby certify that I prepared this plat from an actual on the ground survey of the land, and that the corner monuments shown hereon were properly placed under my personal supervision in accordance with the platting rules and regulations of the City of Stephenville, Erath County, Texas.

N. Zane Griffin, RPLS No. 6810

Date: January 18, 2023







2.7 acres +/- running along Washington St. on the North, McNeil Street to the South, surrounded by commercial businesses to the E. & W., student housing currently exists on all sides, TSU Campus to the N. and residential and student housing to the S. (cell tower easement being updated)

onditioning Unit
nd Vacuum
rd
Capped Iron Rod Found Marked "PRICE SURVEYING"
Inch Capped Iron Rod Found Marked "NATIVE CO., LLC
nout
ric Meter
ric Transformer
e Corner Post
Meter
Pump
Wire
ation Control Valve
Rod Found
t Pole
box
rhead Electric
ne Pedestal
nt for Corner ne Marker
nt of Beginning nt of Commencement
ver Pole
ne Vault
nown Manhole (Fuel?)
nown Valve (Fuel)
ter Meter
d Records, Erath County, Texas
Records, Erath County, Texas

9, also being in the south line of Lot 40;

NOTES:

this plat

- 1. Basis of bearing being U.S. State Plane Grid Texas North Central Zone (4202) NAD83 as established using the AllTerra RTKNet Cooperative Network. Reference frame is NAD83(2011) Epoch 2010.0000. Distances shown are U.S. Survey feet displayed in surface values.
- 2. By scaled location of FEMA FIRM Map No. 48143C0430D, effective date November 16, 2011, the subject property lies within Zone X (unshaded) - Areas determined to be outside the 0.2% annual chance floodplain.
- 3. This Survey Reflects the above ground indications of utilities. The surveyor makes no guarantee that the utilities shown comprise all such utilities in the area, either in service, or abandoned.
- 4. This survey was prepared without the benefit of a current commitment for title insurance. Additional easements and/or restrictions may affect this property. 5. See separate metes and bounds description prepared with

IPTION:

, 5, 18, 28, 30-A, 31 and 32 and a portion of Lot 12, Block 134, City Addition, an addition to the City of Stephenville, Erath County, Texas, as shown per King's 1956 Map of nville, as recorded in Volume 381, Page 105, Deed Records, Erath County, Texas (DRECT) and being all of Lot 40, Block 134, City Addition, as shown per replat recorded in '9A, Plat Records, Erath County, Texas, same being a portion of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-02799, h County, Texas (RRECT) and all of that tract of land described in the deed to TSU Catholic, LLC, as recorded in Document No. 2022-05473, RRECT, and being more bed by metes and bounds as follows: (Basis of bearing being U.S. State Plane Grid - Texas North Central Zone (4202) NAD83 as established using the AllTerra RTKNet ork. Reference frame is NAD83(2011) Epoch 2010.0000. Distances shown are U.S. Survey feet displayed in surface values). a 5/8 inch iron rod found in the south right-of-way line of W. Washington St. for the northeast corner of Lot 18 and the northwest corner of Lot 33, being the northeast

in described tract 18'33" West, with the south line of W. Washington St., passing the northeast corner of said Lot 40 at a distance of 78.55 feet, continuing for a total distance of 80.12 feet

for the northeast corner of the herein described tract: 03'54" East, over and across said Lot 40, a distance of 207.48 feet to a cotton spindle found for an inner corner of the herein described tract;

'48'38" East, over and across said Lot 40, the remainder of Lot 12, and Lot 18, a distance of 80.11 feet to a 5/8 inch capped iron rod found marked "NATIVE CO., LLC" (CIRF said Lot 18 and the west line of Lot 33;

03'54" East, with the common line of Lots 18 and 33, a distance of 25.14 feet to a 1/2 inch capped iron rod found marked "PRICE SURVEYING" for the northwest corner of thwest corner of Lot 33

18'33" East, with the common line of Lots 32 and 33, a distance of 59.75 feet to a point for the northeast corner of Lot 32 being in the west line of Lot 38, from which a pund bears South 66°46'13" East, a distance of 1.18 feet

03'54" East, with the common line of Lots 32 and 38, a distance of 233.10 feet to a 3/8 inch iron rod found in the north right-of-way line of W. McNeil St. for the southeas nd the southeast corner of the herein described tract;

16'28" West, with the north right-of-way line of W. McNeil St., passing a 1/2 inch pipe found for the southwest corner of Lot 31 and the southeast corner of Lot 30-A, at a feet, continuing for a total distance of 190.11 feet to a 1/2 inch pipe found for the southwest corner of Lot 30-A and the southeast corner of Lot 29; 03'54" West, with the common line of Lots 29 and 30-A, a distance of 150.01 feet to a CIRF for the northwest corner of Lot 30-A and being the northeast corner of a

16'28" West, with the south line of Lot 40, a distance of 49.92 feet to a railroad spike found for the northwest corner of the remainder of Lot 29 and being in the east line her corner of the herein described tract:

03'54" East, with the common line of Lots 28 and 29, a distance of 150.01 feet to a 3/8 inch iron rod found in the north right-of-way line of W. McNeil St. for the southeast

16'28" West, with the north right-of-way line of W. McNeil St., a distance of 52.13 feet to a 1/2 inch capped iron rod found marked "PRICE SURVEYING" for the southwest nd the southeast corner of Lot 27, being southernmost southwest corner of the herein described tract; 03'54" West, with the common line of Lots 27 and 28, a distance of 234.96 feet to a 2.5 inch pipe fence corner post for the northwest corner of Lot 28 and being in the

51'21" West. a distance of 101.54 feet to a magnail found for the southwest corner of Lot 5 and the southeast corner of Lot 6, being the westernmost southwest corner of

ed tract;

of Lot 5;


'18'33" East, with the south right-of-way line of W. Washington St., a distance of 253.98 feet to the POINT OF BEGINNING and containing 121,697 Square Feet or 2.794



SURVEYOR'S CERTIFICATION:


Fo: Catholic Financial Ecosystem Flexible Income Fund, L.P.

, N. Zane Griffin, a Registered Professional Land Surveyor licensed in the State of Texas, do hereby declare that this survey is true and correct and was prepared from an actual survey made under my supervision on the ground. To my knowledge all isible and apparent improvements, encroachments, and or encumbrances are shown.




PELS Firm No. 10194572

2021.451 WASHINGTON ST. PROJECT\DWG\Survey Plat as of 12-2-22.dwg







1245 McNeil St. Survey

.209 acres running along McNeil St.

SURVEY PLAT

LEGEND:


ACAir Conditioning Unit	
CIRS5/8" Capped Iron Rod Set Marked "NATIVE CO.,	LLC"
COCleanout	
EMElectric Meter	
GMGas Meter	
MBMailbox	
OEOverhead Electric	
PFPipe Found	
PPPower Pole	
WMWater Meter	
D.R.E.C.TDeed Records, Erath County, Texas	
R.R.E.C.TReal Records, Erath County, Texas	
Chainlink Fence — O	
Wooden Fence	

NOTES:

- 1. Basis of bearing being U.S. State Plane Grid Texas North Central Zone (4202) NAD83 as established using the AllTerra RTKNet Cooperative Network. Reference frame is NAD83(2011) Epoch 2010.0000. Distances shown are U.S. Survey feet displayed in surface values.
- 2. According to the scaled location of FEMA Firm Map No. 48143C0430D, effective date November 16, 2011, the subject property lies within Zone X - Areas determined to be outside the 0.2% chance annual flood.
- 3. This survey was prepared without the benefit of a current commitment for title insurance. Additional easements and/or restrictions may affect the surveyed property.
- 4. See separate metes and bounds description prepared with this survey.




Drawing: C:\Jobs\2021\2021.451 WASHINGTON ST. PROJECT\DWG\Portion Lot 31 Survey Plat.dwg



SURVEYOR'S CERTIFICATION

I, N. Zane Griffin, a Registered Professional Land Surveyor licensed in the State of Texas, do hereby declare that this survey is true and correct and was prepared from an actual survey made under my supervision on the ground.






Site Utility Map


P




Civil Engineering Diligence

Civil Engineering study conducted reflects current site has majority impervious state already, will align with public works to account for proper drainage, main sizes, and fire safety






partial utility locating where geotech boring sites were conducted info. only




partial utility locating where geotech boring sites were conducted info. only








- STEAM_EOI STEAM_MISC ST STRM_ENDPIPE 🔀 STRM_EOI (ST) STRM_MANHOLE ST STRM_MISC T STRM_UST V STRM_VAULT STRM_VENT B TRAF_BOX C TRAF_CABINET TRAF_EOI TRAF_MANHOLE T TRAF_MISC S TRAF_SIGN
 - STEAM_CONTINUES STEAM_MANHOLE STEAM_VALVE STRM_ CATCHBASINROUND CB STRM_ CATCHBASINSQUARE STRM_CLEANOUT STRM_CONTINUES CI STRM_CURBINLET LS STRM_LIFTSTATION (D) STRM_ROOFDRAIN D STRM_TRENCHDRAIN 🔞 STRM_YARDBASIN TRAF_CONTINUES M M TRAF_PARKINGMETER TRAF_SIGNAL TRAF_STREETLIGHT
 - TREE_CONIFEROUS TREE_DECIDUOUS UNKN_CONTINUES X UNKN_EOI UNKN_MANHOLE UNKN_MISC WINKN_VALVE WTR_ BACKFLOWPREVENTOR •• WTR_CONTINUES X WTR_EOI WTR_HYDRANT WTR_MANHOLE M WTR_METER W WTR_MISC WTR_ POSTINDICATORVALVE R WTR_RISER WTR_VALVE WTR_WELLHEAD 🚫 BUILDING CORNER FLAGPOLE GRAVE GRAVE HEADSTONE NO GRAVE MAILBOX POST SATELLITE SIGN - SOIL BORING MARKER SOIL BORING MARKER



Existing TXDOT crosswalk on Washington St. exists and is faded on Washington



TIA Traffic & Pedestrian Study Report

Traffic Impact Analysis

Front Porch Development Stephenville, Texas



for

Prepared for:

TSU Catholic, LLC 201 Main Street, Suite 1198 Fort Worth, TX 76102

Prepared by:



3/14/23

March 14, 2023

-

T2061.01

TRIP GENERATION COMAPRISON

EXISTING DEVELOPMENT									
Land Use	DAILY AM PEAK HOUR			PM PEAK HOUR					
	Code	Size DAILY	TOTAL	ENTER	EXIT	TOTAL	ENTER	EXIT	
Strip Retail Plaza (<40K)	822	12,161 sq ft	662	29	17	12	89	45	44
Convenience Store/Gas Station		3,072 sq ft	1,483	64	32	32	74	37	37
	945	4 vfp	1,916	125	62	63	149	74	75
		Average	1,700	95	47	48	112	56	56
TOTAL				124	64	60	201	101	100

FRONT PORCH DEVELOPMENT									
Land Use ITE Size DAILY AM PEAK HOUR PM PEAK HO									
Land Use	Code	5120	DAILY	TOTAL	ENTER	EXIT	TOTAL	ENTER	EXIT
Off-Campus Student Apartment (Low-Rise) 225 66 Bedrooms Adjacent to Campus				19	7	12	27	14	13
Strip Retail Plaza (<40K)	822	22,417 sq ft	1,222	53	32	21	148	74	74
TOTAL 1,630 72 39 33 175 88							87		

Difference in Trips from Existing I

Kelly D. Parma, P.E., PTOE

Development -732 -52 -25 -27 -26 -13 -13							
	Development	-732	-25	-27	-26	-13	-13

Zoning Amendment Application



City of Stephenville 298 W. Washington Stephenville, TX 76401 (254) 918-1213

ZONING AMENDMENT APPLICATION

1.

2.	PROPERTY DESCRIPTION

3.	LEGAL DESCRIPTION:	
		1

4.

5.

APPLICANT/OWNER	TSU Catholic, LLC		
	First Name		Last Name
ADDRESS:	201 Main St, Suite 1198		817.533.317
	Street/P.O. Box		Phone No.
	Fort Worth	тх	76102
	City	State	Zip Code
	Reagan@reloadcap.com		
	Email Address		te heles here he
LEGAL DESCRIPTIO	BERT Sall of Lots 1, 5, 18, 2 City Addition, an addition to per King's 1956 Map of the	28, 30-A, 31 and second a porti the City of Stephenville, Erath City of Stephenville, as record	County, Texas, as shown ed in Volume 381. Page
	105, Deed Records, Erath C City Addition	County, Texas (DRECT) and be	aing all of Lot 40, Block 134,
PRESENT ZONING:_	B-1, B-2, R-3		
	Zoning District		Title
PROPOSED ZONING	:PD		
	Zoning District		Title
APPLICANTS REQU	EST FOR ZONING CH	ANGE IS AS FOLLOW	S:
(Attach an additional sh	eet if necessary)		
			1.18.23
Signature of Applicant			Date

Signature of City Official Received

NO.

CITY OF STEPHENVILLE

Date Received

Study Results - Environmental Ph I & Ph II conducted on fuel station tanks – no abnormal leakage found



ENVIRONMENTAL SITE INVESTIGATION on Commercial Property 1296, 1348 and 1350 W. Washington Street and 1353 W. McNeill Stephenville, Texas

ALPHA REPORT NO. E213715-2 January 6, 2022

Prepared for:

Advancement Foundation Catholic Diocese of Fort Worth

201 Main Street, Suite 1198 Fort Worth, Texas 76102 Attention: Mr. Clint Weber

PREPARED BY: Alpha Testing, LLC 2209 Wisconsin Street, Suite 100 Dallas, Texas 75229



PHASE I ENVIRONMENTAL SITE ASSESSMENT on Commercial Property 1296, 1348 & 1350 W. Washington Street and 1353 W. McNeill Stephenville, Texas

ALPHA REPORT NO. E213715 January 5, 2022

Prepared for:

Advancement Foundation Catholic Diocese of Fort Worth 201 Main Street, Suite 1198 Fort Worth, Texas 76102 Attention: Mr. Clint Weber

> PREPARED BY: Alpha Testing, LLC. 2209 Wisconsin Street, Suite 100 Dallas, Texas 75229

. ~

P&Z, City Council submittal dates

Application Deadline (26 days prior to P&Z meeting)		Publish Notice (Min of 16 days prior	Mailed Notice (Min of 11 days prior to P&Z	Packets go to P&Z Members	P&Z Meeting	City Council Meeting
		to P&Z meeting)	meeting)	(Friday prior to P&Z meeting)		
December 23, 2022	December 28, 2022	December 31, 2022	January 6, 2023	January 13, 2023	January 18, 2023	February 7, 2023
January 20, 2023	January 25, 2023	January 28, 2023	February 3, 2023	February 10, 2023	February 15, 2023	March 7, 2023
February 17, 2023	February 22, 2023	February 25, 2023	March 3, 2023	March 10, 2023	March 15, 2023	April 4, 2023
March 24, 2023	March 29, 2023	April 1, 2023	April 6, 2023	April 14, 2023	April 19, 2023	May 2, 2023
April 21, 2023	April 26, 2023	April 29, 2023	May 5, 2023	May 12, 2023	May 17, 2023	June 6, 2023
May 26, 2023	May 31, 2023	June 3, 2023	June 9, 2023	June 16, 2023	June 21, 2023	TBD
lune 23, 2023	June 28, 2023	July 1, 2023	July 7, 2023	July 14, 2023	July 19, 2023	August 1, 2023
July 21, 2023	July 26, 2023	July 29, 2023	August 4, 2023	August 11, 2023	August 16, 2023	September 5, 2023
August 25, 2023	August 30, 2023	September 2, 2023	September 8, 2023	September 15, 2023	September 20, 2023	October 3, 2023
September 21, 2023	September 27, 2023	September 30, 2023	October 6, 2023	October 13, 2023	October 18, 2023	November 7, 2023
October 20, 2023	October 25, 2023	October 28, 2023	November 3, 2023	November 9, 2023	November 15, 2023	December 5, 2023
November 22, 2023	November 29, 2023	December 2, 2023	December 8, 2023	December 15, 2023	December 20, 2023	TBD
		PLEASE	NOTE: DATES ARE SUBJECT	TO CHANGE		
