



**ST. TAMMANY PARISH DRAINAGE DISTRICT NO. 2
RESOLUTION 2024-04**

**A RESOLUTION OF THE BOARD OF COMMISSIONERS OF THE ST. TAMMANY PARISH DRAINAGE DISTRICT
NO. 2, PROVIDING FOR THE ACCEPTANCE OF THE UPDATED DRAINAGE DISTRICT BOUNDARY LINES**

WHEREAS, St. Tammany Parish Drainage District No. 2 (hereinafter the "District" is a drainage district as provided for in Louisiana Revised Statute R.S. 38:1602 et seq and most particularly Louisiana Revised Statute 38:1674.15 and established pursuant to St. Tammany Parish Ordinances, Article 111, Section 115-138, of St. Tammany Ordinances

WHEREAS, the District retained CSRS Inc., a professional engineering firm, in April 2024 to assist in the process of identifying and confirming areas that flow to the District Pump Station, ensuring the accuracy of the District's drainage infrastructure and services; and

WHEREAS, CSRS Inc. conducted thorough analyses and provided the District with an updated map and boundary lines to accurately reflect the areas that flow into the District's Pump Station; and

WHEREAS, in accordance with applicable law, the District conducted a public hearing to allow for public input on the proposed updated drainage district boundary lines; and

WHEREAS, the public hearing was properly noticed and advertised in the St. Tammany Farmer Newspaper and was posted at the Slidell Administrative Complex, located at 520 Old Spanish Trail, Slidell, LA 70458, in compliance with public notification requirements; and

WHEREAS, the public hearing was duly held to solicit input and comments from the public on the updated boundary lines and no substantive objections were raised;

**NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS OF THE ST. TAMMANY
PARISH DRAINAGE DISTRICT NO. 2 that:**

Section 1: The updated Drainage District Boundary Lines, as presented by CSRS Inc., are hereby accepted and adopted as the official boundaries for the District.

Section 2: The Board acknowledges the professional services provided by CSRS Inc. in identifying and confirming the areas that contribute flow to the District's Pump Station, which has led to the updated boundary lines.


Section 3: The Board recognizes that a public hearing was properly held to allow for community engagement and input regarding the updated boundary lines, and that all necessary procedures for public notice and participation were followed.

Section 4: The District shall take all necessary actions to implement and enforce the newly adopted boundary lines.


BE IT FURTHER RESOLVED, that the Board directs the Secretary and Chairman to maintain updated records of the new boundaries and ensure that all stakeholders are informed of the changes.

Passed and Adopted this 4th day of December of the year 2024

Attest:


Secretary

St. Tammany Drainage
District 2


Chairman