

ST. TAMMANY PARISH COUNCIL

RESOLUTION

RESOLUTION COUNCIL SERIES NO.: C-7351

COUNCIL SPONSOR: MR. PHILLIPS/PRES. COOPER

PROVIDED BY: UTILITIES/CIVIL ADA

RESOLUTION ACKNOWLEDGING THE RECEIPT AND REVIEW OF THE
2025 MUNICIPAL WATER POLLUTION PREVENTION
ENVIRONMENTAL AUDIT REPORT FOR THE PREFERRED EQUITIES
WASTEWATER TREATMENT PLANT (WARD 5, DISTRICT 5)

WHEREAS, the St. Tammany Parish Government owns and operates the Preferred
Equities Wastewater Treatment Plant; and

WHEREAS, the Louisiana Pollutant Discharge Elimination System (LPDES) permit which
authorizes effluent discharge from the Preferred Equities Wastewater Treatment Plant mandates
the Parish to institute a program directed towards pollution prevention in order to improve
operating efficiency and extend the useful life of the treatment facility; and

WHEREAS, as part of Other Conditions, Section H. of LPDES permit LA0117439, the Parish
Government must complete an annual Environmental Audit Report for the life of the permit, and
said Environmental Audit Report is attached hereto.

ST. TAMMANY PARISH GOVERNMENT HEREBY RESOLVES that the St. Tammany Parish
Council acknowledges the receipt of the 2025 Municipal Water Pollution Prevention
Environmental Audit Report for the Preferred Equities Wastewater Treatment Plant and its
finding that no actions are necessary at this time to maintain compliance.

THIS RESOLUTION HAVING BEEN SUBMITTED TO A VOTE, THE VOTE THEREON WAS AS
FOLLOWS:

MOVED FOR ADOPTION BY: _____

SECONDED BY: _____

YEAS:

NAYS:

ABSTAIN:

ABSENT:

THIS RESOLUTION WAS DECLARED ADOPTED ON THE 6TH DAY OF AUGUST, 2026 AT A
REGULAR MEETING OF THE PARISH COUNCIL, A QUORUM OF THE MEMBERS BEING PRESENT
AND VOTING.

CHERYL TANNER, COUNCIL CHAIR

ATTEST:

KATRINA L. BUCKLEY, COUNCIL CLERK

Administrative Comment

Council Meeting Date - August 6, 2026

Department – Utilities by Civil Division ADA

Pursuant to the permit authorizing effluent discharge, this Resolution is required to acknowledge the Environmental Audit and identify any compliance actions to be taken. No compliance actions were indicated. (Ward 5, District 5)