

CITY COUNCIL MEETING REGULAR SESSION

Tuesday, March 21, 2023 at 6:00 PM

City Hall, 102 W. Ashley Wilson Rd, Sweeny, Texas

MINUTES

CALL TO ORDER/ROLL CALL

Mayor Farley called the meeting to order at 6 P.M.

Councilmen Mark Morgan Jr., Bill Hayes, Brian Brooks, and John Rambo were in attendance. Tim Pettigrew was absent.

City Officials present included City Manager Lindsay Koskiniemi, City Attorney Charlie Stevenson, Mayor Jeff Farley, City Secretary Kaydi Smith, Finance Director Karla Wilson, Public Works Director Ross Aguirre, Water Treatment Plant Operator Kevin Eskridge, Public Works Supervisor Mark Niemeyer, and Police Chief Brad Caudle

PLEDGES & INVOCATION

Bill Hayes led the pledges and Charlie Stevenson gave the prayer.

CITIZENS WISHING TO ADDRESS CITY COUNCIL

No Visitor Comments.

EXECUTIVE SESSION IN ACCORDANCE WITH THE TEXAS GOVERNMENT CODE SECTION 551.071, 551.072 AND 551.074- Closed Open Session at 6:03 P.M. to convene in Executive Session

The City Council will now convene into executive session pursuant to the provision of Chapter 551 Texas Government Code, in accordance with the authority contained therein:

1. Consultation with attorney, pursuant to Section 551.071(1)(b) of the Texas Government Code - Construction contract and project scope for 2019 Bond Issue Water Line Improvements.

OPEN SESSION Reconvened at 6:30 P.M.; Closing Executive Session

The City Council will now adjourn Executive Session, reconvene into Open Session pursuant to the Provisions of Chapter 551 Texas Government Code and take action, if any, on item(s) discussed during Closed Executive Session.

No Action Taken.

CONSENT AGENDA

All of the following items on the Consent Agenda are considered to be self-explanatory by the Council and will be enacted with one motion. There will be no separate discussion of these items unless requested by the Mayor or a Council Member; in which event, the items will be removed from the consent agenda and considered separately.

2. Fair Housing Month - April 2023
Child Abuse Prevention Month - April 2023
Mayor stated the Proclamations will be signed and posted.
3. Minutes of the Regular Session - February 21, 2023

Mark Morgan Jr. made the motion to accept the minutes of the Regular Session held on February 21, 2023. Bill Hayes seconded. All in favor. Motion Carried.

4. Discussion and action on review and approval of minutes of the Special Meeting - March 09, 2023
Mark Morgan Jr. made the motion to accept the minutes of the Special Session held on March 9, 2023. John Rambo seconded. All in favor. Motion carried.

REGULAR AGENDA

5. Discuss/ Take Action on proposed Re-plat at 1101 Avenue B
City Secretary explained the owners of 1101 Avenue B currently have two separate lots adjoining and are requesting to combine into one property.
John Rambo made the motion to approve the proposed replat at 1101 Avenue B. Mark Morgan Jr. seconded. All in favor. Motion carried.
6. Discussion and possible action to any follow up information received regarding independent water samples taken and tested the week of March 06, 2023.
City Manager addressed all regarding the coloration of the water. Results from the independent samples taken from Water Utility Services, Inc. and Envirodyne Laboratories, Inc., as well as the TCEQ samples have been received. The independent samples do show an elevation in manganese. This does increase the coloration in the water but is safe for consumption. City staff will be working closely with TCEQ with the received results. Discussion ensued and questions from the public were addressed by the City Manager, Water Treatment Plant Operator, Public Works Director, Supervisor, and Council. Per the City Manager, water sample results will be attached to the meeting minutes for viewing. Councilman Rambo did state they would definitely consider looking at the water rates possibly at the next meeting.
Brian Brooks made the motion to provide updates to the city's Facebook page with any communications from TCEQ regarding the Public Water in Sweeny. Bill Hayes seconded. All in favor. Motion carried.
7. Variance requested to exceed maximum height of a flagpole at the Sweeny Fire Department, located at 222 Pecan.
City Secretary stated that the fire department is requesting a variance to the height of a proposed newly installed flag pole. Current ordinance states twenty (20) feet is the maximum and the proposed requested variance is for ten (10) feet additional, making the pole thirty (30) feet tall.
Mark Morgan Jr. made the motion to approve the variance of the flagpole. Bill Hayes seconded. Councilman Hayes did state he thought the fire department wanted the flags to be seen from Main Street. Discussion was held about the height of the flagpoles at the Veterans Park Memorial in which they believe to be twenty-two (22) to thirty (30) foot tall. All in favor. Motion carried.
8. Discussion and possible action on approval of a resolution in support of the Sweeny Beautification Committee-sponsored parades to be held along FM 524, more commonly known as Main Street for the next five (5) years.
Councilman Rambo stated the City of Sweeny hosted the Veterans parade last November and TxDot required this information for DOT approvals. We are trying to get ahead by completing five years of parades within one resolution in order to pursue the multiyear agreement with TxDot. Attorney Stevenson stated there are three parades a year by Beautification and Txdot requires a resolution to complete their agreement. This would suffice for the next five years instead of approving a resolution for each parade throughout the year.

John Rambo made the motion to approve the resolution in support of the Sweeny Beautification Committee sponsored parades to be held along FM 524, more commonly known as Main Street for the next five (5) years. Mark Morgan Jr. seconded. All in favor. Motion carried.

9. Discussion and possible action on approval of a multi-year agreement with Texas Department of Transportation (TxDOT) concerning the closure of FM 524 better know as Main Street, a TxDot right of way, for upcoming parades.
The resolution previously voted on in item number eight (8) is required in order to complete the multiyear agreement with TxDot. The multiyear agreement is required per TxDot for all parades as Main Street is a TxDot roadway.
John Rambo made the motion to approve the multiyear agreement with TxDot concerning the closure of FM 524 better known as Main Street, a TxDot right of way, for upcoming parades. Mark Morgan Jr. seconded. All in favor. Motion carried.
10. Discuss/ Take Action on re-scheduling the Regular Session Council Meeting from April 18, 2023 to April 25, 2023.
City Manager stated she will be out of town at a governmental finance training for continuing education the week of the regularly scheduled April council meeting and is requesting approval to change the date of the April council meeting to April 25, 2023.
Brian Brooks made the motion to reschedule the Regular Session Council Meeting from April 18, 2023 to April 25, 2023. John Rambo seconded. All in favor. Motion carried.
11. Discussion and action on a request to recognize significant contributions of Pastor Larry Lamb at Chick Anderson Park consistent with a proposed ordinance on City parks naming rights.
Caniel "Shawn" Massey of the Parks and Recreation Board is wanting approvals to honor those individuals that have made significant contributions to the city. He is requesting council's approval to make recognition of those individuals on city property. Years ago, Larry Lamb made contributions to Chick Anderson Park, known as Gazebo Park. The Parks and Recreation Board is wanting to honor him for those contributions. They are proposing something similar to the standing plaques in Backyard Park.
Bill Hayes made the motion to allow the Parks and Recreation Board to proceed in gathering information of the plaque and to move forward with the recognition of Pastor Larry Lamb at the Chick Anderson Park. Brian Brooks seconded. All in favor. Motion carried.
12. Discussion and action on a recommendation to City Council concerning a naming rights policy ordinance.
City Manager stated the city does not currently have a policy for naming rights. The proposed ordinance is a naming rights policy for standard processing going forward and requirements to be met prior too naming.
John Rambo made the motion to adopt the naming rights policy ordinance. Brian Brooks seconded. Discussion by Mark Morgan Jr. was raised on the risks proceeding without an ordinance. City Manager stated the policy would just provide a standard process for selection of naming. Bill Hayes asked who would make the final determinations. Per the ordinance proposed, Mayor stated Council shall have final authority. All in favor. Motion carried.
13. Discuss and act (as needed) choosing a contractor for road and utility expansion of Calvie Brown road at the Industrial Park
Nina Christie, EDC President, stated that three contractors submitted bids for the roadway and utility expansion at the Industrial Park down Calvie Brown Road. The three bids received were by RollCon, Southern Gulf Solutions, and Tindol Construction. All bidders were in attendance. The request for bids were requested by Colby Lowery with Altamira, EDC's engineering firm.

Bids received were not all the same. Discussion ensued regarding each bid, timing for completion, and property concerns.

Brian Brooks made the motion to award the turnkey bid to Tindol construction. John Rambo seconded. All in favor. Motion carried.

14. Discuss and act (as needed) financing for road and utility extension of Calvie Brown road at the Industrial Park

Nina Christie, EDC President, stated EDC is requesting approvals to move forward with pursuing financing options for the utility and roadway expansion at the Industrial Park.

John Rambo made the motion to approve EDC to pursue financing for the road and utility extension of Calvie Brown Road in the amount of \$1,385,950.00. Mark Morgan Jr. seconded. All in favor. Motion carried.

15. Discussion and possible action on city services to the Bennet Outlar Park Complex.

Councilman Brooks stated he is wanting the Sweeny Little League to offer Softball to allow all children the opportunity to play ball in Sweeny. He is recommending that if the Little League Baseball and Girls Softball Association cannot come to an agreement that the City of Sweeny cut ties with their in-kind contributions currently provided to the Sweeny Little League. The City Manager stated the city currently provides water, wastewater, electrical, and trash services at no cost to the complex. Brooks proposed to allow two (2) months for both sides to come to an agreement or have the city cut ties on the donated services.

Brian Brooks made the motion to table for two (2) months to consider severing ties. Discussion was made regarding the two-month time frame. All in favor. Motion carried.

16. Discuss and act as needed on city owned property adjacent to Bennett-Outlar baseball fields and complex.

City Manager stated that Councilman Pettigrew had asked for this item to be on the agenda as he feels the property owned by the City of Sweeny, due to its location, poses a risk of injury and/or liability claims.

John Rambo made the motion to table until Councilman Pettigrew is in attendance. Mark Morgan Jr. seconded. All in favor. Motion carried.

17. Discussion and possible action on a 2023 Consumer Price Index (CPI) Adjustment to Municipal Telecommunication Right-of-Way Access Line Rates.

City Manager stated the Consumer Price Index Adjustment to Municipal Telecommunication Right of Way Access Line Rates is an annual adjustment provided to council for determination. The new 2023 CPI adjusted maximum rates proposed are: residential \$0.61, non-residential \$1.30 and point to point \$1.90. The default rates for 2023 would be the same as the 2022 rates if not raised, and they are: residential \$.54, non-residential \$1.18, and point to point \$1.74. Attorney Stevenson stated that previously the fees were collected and paid thru franchise fees from the provider but have since changed. Councilman Rambo stated that this is a tax that would raise rates on citizens and then in turn be paid to the city.

John Rambo made the motion to leave the CPI at the 2022 rate. Mark Morgan Jr. seconded. All in favor. Motion carried.

18. Discussion and action on proposal to Assess an Annual Membership and/or One Time Usage Fee for Groups Utilizing of the Seniors Building and possible amendment reflective on Master Fee Schedule

City Manager is proposing to assess an annual membership fee and/or a one-time usage fee for groups utilizing the Seniors Building in order to recoup janitorial supplies and cleaning expenses. Proposal is for assessing a one-time annual fee of \$250.00 for those groups that use

it on a regular basis/weekly. The proposal of a one-time \$50.00 fee would be for those one-time users. Discussion ensued.

Item died for lack of motion.

19. Discuss and act as necessary in the matter of following up with residents within 3 business days after a work order is created from resident complaint or request.

Councilman Rambo stated he previously touched on this request but is wanting to address it again in order to mitigate problems that are reported to the city.

John Rambo made the motion that after a resident calls to make a complaint, or request something to be looked at, or a work order created, within three (3) business days, they (complainant) are followed-up with communication with a resolution or with ongoing work being done. Mark Morgan Jr. seconded. City Manager did state that the city does use a work order system to assist in complaints. Council stated they want responses to complaints monitored more closely and for the city manager to police this. Discussion ensued on the system currently used and processes followed. All in favor. Motion carried.

EXECUTIVE SESSION IN ACCORDANCE WITH THE TEXAS GOVERNMENT CODE SECTION 551.071, 551.072 AND 551.074 - Closed Open Session at 8:32 P.M. with a five (5) minute recess. Reconvene to Executive Session at 8:37 P.M.

The City Council will now convene into executive session pursuant to the provision of Chapter 551 Texas Government Code, in accordance with the authority contained therein:

20. Consultation with attorney, pursuant to Section 551.071(1)(b) of the Texas Government Code, City Engineer contract.

OPEN SESSION Reconvened at 9:18 P.M.; Closing Executive Session

The City Council will now adjourn Executive Session, reconvene into Open Session pursuant to the Provisions of Chapter 551 Texas Government Code and take action, if any, on item(s) discussed during Closed Executive Session.

Brian Brooks made the motion to recommend Strand for the City Engineer Contract for the City of Sweeny. Mark Morgan Jr. seconded. All in favor. Motion carried.

EXECUTIVE SESSION IN ACCORDANCE WITH THE TEXAS GOVERNMENT CODE SECTION 551.071, 551.072 AND 551.074 - Closed Open Session at 9:19 P.M. and Reconvened to Executive Session.

The City Council will now convene into executive session pursuant to the provision of Chapter 551 Texas Government Code, in accordance with the authority contained therein:

21. Deliberation regarding personnel matters regarding the appointment, employment, evaluation, reassignment, duties, discipline, or dismissal of a public officer or employee, pursuant to Section 551.074 of the Texas Government Code. (City Manager Evaluation)

OPEN SESSION Reconvened at 9:30 P.M.; Closing Executive Session

The City Council will now adjourn Executive Session, reconvene into Open Session pursuant to the Provisions of Chapter 551 Texas Government Code and take action, if any, on item(s) discussed during Closed Executive Session.

Bill Hayes made the motion to table item until next scheduled council meeting. Mark Morgan Jr. seconded. All in favor. Motion carried.

ITEMS OF COMMUNITY INTEREST- No items of community interest noted; Please sign mylars of approved plat before leaving stated by City Secretary.

ADJOURN REGULAR SESSION at 9:32 P.M.

Attachments: Water Sample Results as indicated from Open Session Item #6 to accompany meeting minutes.

- | | |
|-----------|--|
| Exhibit A | Water Utility Services, Inc. |
| Exhibit B | Envirodyne Laboratories, Inc |
| Exhibit C | Texas Commission on Environmental Quality (TCEQ) |

Approved this _____ day of _____, 2023.

Kaydi Smith, City Secretary

Exhibit A



Envirodyne Laboratories, Inc
11011 Brooklet Dr., # 230
Houston, TX 77099
281.568.7880 Phone
www.envirodyne.com

21 March 2023

Sweeny, City of
Gene West
102 W. Ashley Wilson
Sweeny, TX 77480

Sweeny, (City of) Water

Enclosed are the results of analyses for samples received by the laboratory on 08-Mar-23 08:29. The analytical data provided relates only to the samples as received in this laboratory report.

ELI certifies that all results are NELAP compliant and performed in accordance with the referenced method except as noted in the Case Narrative or as noted with a qualifier. Any reproductions of this laboratory report should be in full and only with the written authorization from the client.

The total number of pages in this report is 18

Thank you for selecting ELI for your analytical needs. If you have any questions regarding this report, please contact us.

Sincerely,

A handwritten signature in blue ink that reads 'Monica Smith'.

Monica Smith
Client Services Representative



Certificate No: T104704265-22-20



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
Project: Sweeny, (City of) Water
Work Order: 23C1353

Reported:
 21-Mar-23 13:40

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
GST	23C1353-01	Water	07-Mar-23 14:54	08-Mar-23 08:29

No Tentatively Identified Compounds (tics) found in the sample.
 L-Sample analyzed by TNI accredited lab T104704231-22-29

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

GST
 23C1353-01 (Water) Sampled: 07-Mar-23 14:54

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	---------	-------

Envirodyne Laboratories, Inc.

Volatile Organic Compounds by EPA 524.2

Dichlorodifluoromethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Chloromethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Vinyl Chloride	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Bromomethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Chloroethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Trichlorofluoromethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Diethyl ether	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,1-Dichloroethene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Carbon Disulfide	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Methylene Chloride	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
MTBE (Methyl tert-butyl ether)	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
trans-1,2-Dichloroethene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,1-Dichloroethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
2,2-Dichloropropane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
cis-1,2-Dichloroethene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Bromochloromethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Chloroform	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,2-Dichloroethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,1,1-Trichloroethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Methyl Acrylate	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Tetrahydrofuran	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Carbon Tetrachloride	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,1-Dichloropropene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Benzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Trichloroethene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,2-Dichloropropane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Methyl methacrylate	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Dibromomethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Bromodichloromethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
cis-1,3-Dichloropropene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
11011 Brooklet Dr., # 230
Houston, TX 77099
281.568.7880 Phone
www.envirodyne.com

Client: Sweeny, City of
Project: Sweeny, (City of) Water
Work Order: 23C1353

Reported:
21-Mar-23 13:40

GST

23C1353-01 (Water) Sampled: 07-Mar-23 14:54

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	---------	-------

Envirodyne Laboratories, Inc.

Volatile Organic Compounds by EPA 524.2

trans-1,3-Dichloropropene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,1,2-Trichloroethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Dibromochloromethane	1.02	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,2-Dibromoethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Toluene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Tetrachloroethene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,3-Dichloropropane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Chlorobenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,1,1,2-Tetrachloroethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Ethylbenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
m,p-Xylene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
o-Xylene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Styrene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Bromoform	1.91	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Isopropylbenzene (Cumene)	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,1,2,2-Tetrachloroethane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,2,3-Trichloropropane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Bromobenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
2-Chlorotoluene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,3,5-Trimethylbenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
4-Chlorotoluene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
tert-butyl Benzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,2,4-Trimethylbenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
sec-butyl Benzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
p-Isopropyltoluene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,3-Dichlorobenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,4-Dichlorobenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
n-butyl Benzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,2-Dichlorobenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,2-Dibromo-3-chloropropane	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

GST
23C1353-01 (Water) Sampled: 07-Mar-23 14:54

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	---------	-------

Envirodyne Laboratories, Inc.

Volatile Organic Compounds by EPA 524.2

1,2,4-Trichlorobenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Hexachlorobutadiene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Naphthalene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
1,2,3-Trichlorobenzene	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Total Trichloroethanes	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Total Trihalomethanes	2.93	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
Total Xylenes	<1.00	1.00	ug/L	1	B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
<i>Surrogate: 4-Bromofluorobenzene</i>		106 %	70-130		B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>		110 %	70-130		B3C4311	09-Mar-23	09-Mar-23 20:06	EPA 524.2	BPC	

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

Blank (B3C4311-BLK1)

Prepared & Analyzed: 09-Mar-23

Dichlorodifluoromethane	<1.00	1.00	ug/L							
Chloromethane	<1.00	1.00	"							
Vinyl Chloride	<1.00	1.00	"							
Bromomethane	<1.00	1.00	"							
Chloroethane	<1.00	1.00	"							
Trichlorofluoromethane	<1.00	1.00	"							
Diethyl ether	<1.00	1.00	"							
1,1-Dichloroethene	<1.00	1.00	"							
Carbon Disulfide	<1.00	1.00	"							
Methylene Chloride	<1.00	1.00	"							
MTBE (Methyl tert-butyl ether)	<1.00	1.00	"							
trans-1,2-Dichloroethene	<1.00	1.00	"							
1,1-Dichloroethane	<1.00	1.00	"							
2,2-Dichloropropane	<1.00	1.00	"							
cis-1,2-Dichloroethene	<1.00	1.00	"							
Bromochloromethane	<1.00	1.00	"							
Chloroform	<1.00	1.00	"							
1,2-Dichloroethane	<1.00	1.00	"							
1,1,1-Trichloroethane	<1.00	1.00	"							
Methyl Acrylate	<1.00	1.00	"							
Tetrahydrofuran	<1.00	1.00	"							
Carbon Tetrachloride	<1.00	1.00	"							
1,1-Dichloropropene	<1.00	1.00	"							
Benzene	<1.00	1.00	"							
Trichloroethene	<1.00	1.00	"							
1,2-Dichloropropane	<1.00	1.00	"							
Methyl methacrylate	<1.00	1.00	"							
Dibromomethane	<1.00	1.00	"							
Bromodichloromethane	<1.00	1.00	"							
cis-1,3-Dichloropropene	<1.00	1.00	"							
trans-1,3-Dichloropropene	<1.00	1.00	"							
1,1,2-Trichloroethane	<1.00	1.00	"							

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
Project: Sweeny, (City of) Water
Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

Blank (B3C4311-BLK1)

Prepared & Analyzed: 09-Mar-23

Dibromochloromethane	<1.00	1.00	ug/L							
1,2-Dibromoethane	<1.00	1.00	"							
Toluene	<1.00	1.00	"							
Tetrachloroethene	<1.00	1.00	"							
1,3-Dichloropropane	<1.00	1.00	"							
Chlorobenzene	<1.00	1.00	"							
1,1,1,2-Tetrachloroethane	<1.00	1.00	"							
Ethylbenzene	<1.00	1.00	"							
m,p-Xylene	<1.00	1.00	"							
o-Xylene	<1.00	1.00	"							
Styrene	<1.00	1.00	"							
Bromoform	<1.00	1.00	"							
Isopropylbenzene (Cumene)	<1.00	1.00	"							
1,1,2,2-Tetrachloroethane	<1.00	1.00	"							
1,2,3-Trichloropropane	<1.00	1.00	"							
Bromobenzene	<1.00	1.00	"							
2-Chlorotoluene	<1.00	1.00	"							
1,3,5-Trimethylbenzene	<1.00	1.00	"							
4-Chlorotoluene	<1.00	1.00	"							
tert-butyl Benzene	<1.00	1.00	"							
1,2,4-Trimethylbenzene	<1.00	1.00	"							
sec-butyl Benzene	<1.00	1.00	"							
p-Isopropyltoluene	<1.00	1.00	"							
1,3-Dichlorobenzene	<1.00	1.00	"							
1,4-Dichlorobenzene	<1.00	1.00	"							
n-butyl Benzene	<1.00	1.00	"							
1,2-Dichlorobenzene	<1.00	1.00	"							
1,2-Dibromo-3-chloropropane	<1.00	1.00	"							
1,2,4-Trichlorobenzene	<1.00	1.00	"							
Hexachlorobutadiene	<1.00	1.00	"							
Naphthalene	<1.00	1.00	"							
1,2,3-Trichlorobenzene	<1.00	1.00	"							

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
 Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

Blank (B3C4311-BLK1)

Prepared & Analyzed: 09-Mar-23

Total Trichloroethanes	<1.00	1.00	ug/L							
Total Trihalomethanes	<1.00	1.00	"							
Total Xylenes	<1.00	1.00	"							
Surrogate: 4-Bromofluorobenzene	26		"	25.0		105	70-130			
Surrogate: 1,2-Dichlorobenzene-d4	27		"	25.0		110	70-130			

LCS (B3C4311-BS1)

Prepared & Analyzed: 09-Mar-23

Dichlorodifluoromethane	17.2	1.00	ug/L	20.0		86.2	80-120			
Chloromethane	18.6	1.00	"	20.0		93.0	80-120			
Vinyl Chloride	19.8	1.00	"	20.0		99.2	80-120			
Bromomethane	21.2	1.00	"	20.0		106	80-120			
Chloroethane	21.8	1.00	"	20.0		109	80-120			
Trichlorofluoromethane	19.1	1.00	"	20.0		95.6	80-120			
Diethyl ether	18.5	1.00	"	20.0		92.4	80-120			
1,1-Dichloroethene	17.8	1.00	"	20.0		88.9	80-120			
Carbon Disulfide	17.5	1.00	"	20.0		87.6	80-120			
Methylene Chloride	17.8	1.00	"	20.0		88.8	80-120			
MTBE (Methyl tert-butyl ether)	17.2	1.00	"	20.0		86.0	80-120			
trans-1,2-Dichloroethene	17.6	1.00	"	20.0		87.9	80-120			
1,1-Dichloroethane	18.5	1.00	"	20.0		92.6	80-120			
2,2-Dichloropropane	17.4	1.00	"	20.0		87.2	80-120			
cis-1,2-Dichloroethene	18.7	1.00	"	20.0		93.4	80-120			
Bromochloromethane	18.1	1.00	"	20.0		90.6	80-120			
Chloroform	16.5	1.00	"	20.0		82.6	80-120			
1,2-Dichloroethane	17.3	1.00	"	20.0		86.7	80-120			
1,1,1-Trichloroethane	18.3	1.00	"	20.0		91.5	80-120			
Methyl Acrylate	16.7	1.00	"	20.0		83.4	80-120			
Tetrahydrofuran	16.9	1.00	"	20.0		84.6	80-120			
Carbon Tetrachloride	17.7	1.00	"	20.0		88.4	80-120			
1,1-Dichloropropene	16.4	1.00	"	20.0		82.0	80-120			
Benzene	18.1	1.00	"	20.0		90.6	80-120			
Trichloroethene	18.3	1.00	"	20.0		91.6	80-120			

Envirodyne Laboratories, Inc.

Monica Smith

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

LCS (B3C4311-BS1)

Prepared & Analyzed: 09-Mar-23

1,2-Dichloropropane	18.3	1.00	ug/L	20.0		91.3	80-120			
Methyl methacrylate	17.5	1.00	"	20.0		87.6	80-120			
Dibromomethane	19.4	1.00	"	20.0		97.0	80-120			
Bromodichloromethane	18.8	1.00	"	20.0		94.2	80-120			
cis-1,3-Dichloropropene	18.7	1.00	"	20.0		93.5	80-120			
trans-1,3-Dichloropropene	18.8	1.00	"	20.0		93.8	80-120			
1,1,2-Trichloroethane	19.2	1.00	"	20.0		96.0	80-120			
Dibromochloromethane	18.8	1.00	"	20.0		94.1	80-120			
1,2-Dibromoethane	18.5	1.00	"	20.0		92.4	80-120			
Toluene	19.2	1.00	"	20.0		96.2	80-120			
Tetrachloroethene	19.4	1.00	"	20.0		96.8	80-120			
1,3-Dichloropropane	19.1	1.00	"	20.0		95.4	80-120			
Chlorobenzene	19.0	1.00	"	20.0		95.2	80-120			
1,1,1,2-Tetrachloroethane	19.2	1.00	"	20.0		96.1	80-120			
Ethylbenzene	19.2	1.00	"	20.0		95.9	80-120			
m,p-Xylene	39.3	1.00	"	40.0		98.3	80-120			
o-Xylene	19.4	1.00	"	20.0		97.0	80-120			
Styrene	19.2	1.00	"	20.0		96.0	80-120			
Bromoform	17.7	1.00	"	20.0		88.4	80-120			
Isopropylbenzene (Cumene)	19.2	1.00	"	20.0		96.2	80-120			
1,1,2,2-Tetrachloroethane	18.6	1.00	"	20.0		93.2	80-120			
1,2,3-Trichloropropane	19.2	1.00	"	20.0		96.0	80-120			
Bromobenzene	19.6	1.00	"	20.0		97.8	80-120			
n-Propylbenzene	20.2	1.00	"	20.0		101	80-120			
2-Chlorotoluene	19.8	1.00	"	20.0		98.8	80-120			
1,3,5-Trimethylbenzene	21.0	1.00	"	20.0		105	80-120			
4-Chlorotoluene	20.2	1.00	"	20.0		101	80-120			
tert-butyl Benzene	20.1	1.00	"	20.0		100	80-120			
1,2,4-Trimethylbenzene	19.9	1.00	"	20.0		99.7	80-120			
sec-butyl Benzene	20.1	1.00	"	20.0		101	80-120			
p-Isopropyltoluene	20.1	1.00	"	20.0		100	80-120			
1,3-Dichlorobenzene	19.7	1.00	"	20.0		98.5	80-120			

Envirodyne Laboratories, Inc.

Monica Smith

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

LCS (B3C4311-BS1)

Prepared & Analyzed: 09-Mar-23

1,4-Dichlorobenzene	19.1	1.00	ug/L	20.0		95.4	80-120			
n-butyl Benzene	19.8	1.00	"	20.0		98.9	80-120			
1,2-Dichlorobenzene	18.4	1.00	"	20.0		92.0	80-120			
1,2-Dibromo-3-chloropropane	17.7	1.00	"	20.0		88.7	80-120			
1,2,4-Trichlorobenzene	19.6	1.00	"	20.0		97.9	80-120			
Hexachlorobutadiene	19.5	1.00	"	20.0		97.3	80-120			
Naphthalene	19.4	1.00	"	20.0		96.8	80-120			
1,2,3-Trichlorobenzene	19.6	1.00	"	20.0		97.9	80-120			
Total Trichloroethanes	37.5	1.00	"	40.0		93.8	80-120			
Total Trihalomethanes	71.9	1.00	"	80.0		89.8	80-120			
Total Xylenes	58.7	1.00	"	60.0		97.9	80-120			
Surrogate: 4-Bromofluorobenzene	26		"	25.0		105	70-130			
Surrogate: 1,2-Dichlorobenzene-d4	26		"	25.0		104	70-130			

LCS Dup (B3C4311-BS1)

Prepared & Analyzed: 09-Mar-23

Dichlorodifluoromethane	16.5	1.00	ug/L	20.0		82.4	80-120	4.45	20	
Chloromethane	20.2	1.00	"	20.0		101	80-120	8.30	20	
Vinyl Chloride	20.9	1.00	"	20.0		104	80-120	5.16	20	
Bromomethane	21.6	1.00	"	20.0		108	80-120	1.54	20	
Chloroethane	23.7	1.00	"	20.0		118	80-120	8.09	20	
Trichlorofluoromethane	20.7	1.00	"	20.0		104	80-120	8.08	20	
Diethyl ether	20.2	1.00	"	20.0		101	80-120	8.90	20	
1,1-Dichloroethene	19.6	1.00	"	20.0		97.9	80-120	9.64	20	
Carbon Disulfide	18.3	1.00	"	20.0		91.4	80-120	4.24	20	
Methylene Chloride	19.1	1.00	"	20.0		95.4	80-120	7.17	20	
MTBE (Methyl tert-butyl ether)	19.5	1.00	"	20.0		97.4	80-120	12.4	20	
trans-1,2-Dichloroethene	19.4	1.00	"	20.0		97.2	80-120	10.0	20	
1,1-Dichloroethane	20.0	1.00	"	20.0		99.8	80-120	7.48	20	
2,2-Dichloropropane	18.8	1.00	"	20.0		94.2	80-120	7.66	20	
cis-1,2-Dichloroethene	20.4	1.00	"	20.0		102	80-120	8.99	20	
Bromochloromethane	20.2	1.00	"	20.0		101	80-120	10.8	20	
Chloroform	18.1	1.00	"	20.0		90.3	80-120	8.91	20	

Envirodyne Laboratories, Inc.

Monica Smith

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

LCS Dup (B3C4311-BSD1)

Prepared & Analyzed: 09-Mar-23

1,2-Dichloroethane	20.1	1.00	ug/L	20.0		101	80-120	14.8	20	
1,1,1-Trichloroethane	19.2	1.00	"	20.0		96.2	80-120	5.06	20	
Methyl Acrylate	19.3	1.00	"	20.0		96.3	80-120	14.3	20	
Tetrahydrofuran	18.8	1.00	"	20.0		94.2	80-120	10.8	20	
Carbon Tetrachloride	19.2	1.00	"	20.0		95.8	80-120	8.04	20	
1,1-Dichloropropene	17.6	1.00	"	20.0		88.0	80-120	6.94	20	
Benzene	19.2	1.00	"	20.0		96.2	80-120	5.94	20	
Trichloroethene	17.9	1.00	"	20.0		89.6	80-120	2.21	20	
1,2-Dichloropropane	18.0	1.00	"	20.0		89.9	80-120	1.55	20	
Methyl methacrylate	18.3	1.00	"	20.0		91.6	80-120	4.52	20	
Dibromomethane	19.9	1.00	"	20.0		99.4	80-120	2.49	20	
Bromodichloromethane	18.7	1.00	"	20.0		93.6	80-120	0.532	20	
cis-1,3-Dichloropropene	18.5	1.00	"	20.0		92.6	80-120	1.02	20	
trans-1,3-Dichloropropene	19.0	1.00	"	20.0		94.8	80-120	1.17	20	
1,1,2-Trichloroethane	19.0	1.00	"	20.0		95.0	80-120	1.15	20	
Dibromochloromethane	18.7	1.00	"	20.0		93.6	80-120	0.479	20	
1,2-Dibromoethane	19.0	1.00	"	20.0		94.8	80-120	2.57	20	
Toluene	18.9	1.00	"	20.0		94.6	80-120	1.62	20	
Tetrachloroethene	18.6	1.00	"	20.0		93.2	80-120	3.79	20	
1,3-Dichloropropane	19.3	1.00	"	20.0		96.6	80-120	1.25	20	
Chlorobenzene	18.3	1.00	"	20.0		91.6	80-120	3.91	20	
1,1,1,2-Tetrachloroethane	18.3	1.00	"	20.0		91.4	80-120	4.96	20	
Ethylbenzene	18.2	1.00	"	20.0		91.2	80-120	5.08	20	
m,p-Xylene	37.7	1.00	"	40.0		94.3	80-120	4.21	20	
o-Xylene	18.8	1.00	"	20.0		94.2	80-120	3.03	20	
Styrene	18.5	1.00	"	20.0		92.4	80-120	3.87	20	
Bromoform	18.5	1.00	"	20.0		92.6	80-120	4.53	20	
Isopropylbenzene (Cumene)	18.2	1.00	"	20.0		91.0	80-120	5.56	20	
1,1,2,2-Tetrachloroethane	17.9	1.00	"	20.0		89.5	80-120	4.05	20	
1,2,3-Trichloropropane	17.9	1.00	"	20.0		89.6	80-120	6.84	20	
Bromobenzene	18.2	1.00	"	20.0		90.9	80-120	7.36	20	
n-Propylbenzene	17.9	1.00	"	20.0		89.4	80-120	12.1	20	

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

LCS Dup (B3C4311-BSD1)

Prepared & Analyzed: 09-Mar-23

2-Chlorotoluene	17.9	1.00	ug/L	20.0		89.4	80-120	10.0	20	
1,3,5-Trimethylbenzene	18.6	1.00	"	20.0		93.0	80-120	12.1	20	
4-Chlorotoluene	18.1	1.00	"	20.0		90.4	80-120	11.3	20	
tert-butyl Benzene	18.1	1.00	"	20.0		90.4	80-120	10.6	20	
1,2,4-Trimethylbenzene	17.7	1.00	"	20.0		88.6	80-120	11.7	20	
sec-butyl Benzene	18.0	1.00	"	20.0		90.2	80-120	10.9	20	
p-Isopropyltoluene	17.7	1.00	"	20.0		88.6	80-120	12.5	20	
1,3-Dichlorobenzene	17.8	1.00	"	20.0		89.0	80-120	10.2	20	
1,4-Dichlorobenzene	17.0	1.00	"	20.0		84.8	80-120	11.8	20	
n-butyl Benzene	18.3	1.00	"	20.0		91.3	80-120	7.99	20	
1,2-Dichlorobenzene	17.2	1.00	"	20.0		85.8	80-120	6.97	20	
1,2-Dibromo-3-chloropropane	18.1	1.00	"	20.0		90.5	80-120	2.01	20	
1,2,4-Trichlorobenzene	17.4	1.00	"	20.0		87.0	80-120	11.8	20	
Hexachlorobutadiene	17.4	1.00	"	20.0		86.8	80-120	11.4	20	
Naphthalene	18.6	1.00	"	20.0		93.2	80-120	3.74	20	
1,2,3-Trichlorobenzene	17.4	1.00	"	20.0		87.0	80-120	11.8	20	
Total Trichloroethanes	38.2	1.00	"	40.0		95.6	80-120	1.93	20	
Total Trihalomethanes	74.0	1.00	"	80.0		92.5	80-120	2.97	20	
Total Xylenes	56.5	1.00	"	60.0		94.2	80-120	3.82	20	
Surrogate: 4-Bromofluorobenzene	24		"	25.0		97.4	70-130			
Surrogate: 1,2-Dichlorobenzene-d4	24		"	25.0		97.5	70-130			

Matrix Spike (B3C4311-MS1)

Source: 23B3780-01

Prepared & Analyzed: 09-Mar-23

Dichlorodifluoromethane	19.6	1.00	ug/L	20.0	ND	97.8	80-120			
Chloromethane	24.2	1.00	"	20.0	ND	121	80-120			Q
Vinyl Chloride	25.4	1.00	"	20.0	ND	127	80-120			Q
Bromomethane	24.7	1.00	"	20.0	ND	123	80-120			Q
Chloroethane	28.8	1.00	"	20.0	ND	144	80-120			Q
Trichlorofluoromethane	25.1	1.00	"	20.0	ND	125	80-120			Q
Diethyl ether	24.1	1.00	"	20.0	ND	120	80-120			
1,1-Dichloroethene	22.9	1.00	"	20.0	ND	115	80-120			
Carbon Disulfide	22.2	1.00	"	20.0	ND	111	80-120			

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
Project: Sweeny, (City of) Water
Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

Matrix Spike (B3C4311-MS1)

Source: 23B3780-01

Prepared & Analyzed: 09-Mar-23

Methylene Chloride	23.0	1.00	ug/L	20.0	ND	115	80-120			
MTBE (Methyl tert-butyl ether)	21.4	1.00	"	20.0	ND	107	80-120			
trans-1,2-Dichloroethene	22.6	1.00	"	20.0	ND	113	80-120			
1,1-Dichloroethane	24.0	1.00	"	20.0	ND	120	80-120			
2,2-Dichloropropane	16.2	1.00	"	20.0	ND	81.2	80-120			
cis-1,2-Dichloroethene	22.1	1.00	"	20.0	ND	111	80-120			
Bromochloromethane	21.2	1.00	"	20.0	ND	106	80-120			
Chloroform	21.2	1.00	"	20.0	ND	106	80-120			
1,2-Dichloroethane	22.2	1.00	"	20.0	ND	111	80-120			
1,1,1-Trichloroethane	22.0	1.00	"	20.0	ND	110	80-120			
Methyl Acrylate	20.4	1.00	"	20.0	ND	102	80-120			
Tetrahydrofuran	20.4	1.00	"	20.0	ND	102	80-120			
Carbon Tetrachloride	23.4	1.00	"	20.0	ND	117	80-120			
1,1-Dichloropropene	19.9	1.00	"	20.0	ND	99.5	80-120			
Benzene	21.8	1.00	"	20.0	ND	109	80-120			
Trichloroethene	19.9	1.00	"	20.0	ND	99.7	80-120			
1,2-Dichloropropane	20.4	1.00	"	20.0	ND	102	80-120			
Methyl methacrylate	18.6	1.00	"	20.0	ND	93.1	80-120			
Dibromomethane	22.4	1.00	"	20.0	ND	112	80-120			
Bromodichloromethane	22.5	1.00	"	20.0	ND	112	80-120			
cis-1,3-Dichloropropene	20.1	1.00	"	20.0	ND	100	80-120			
trans-1,3-Dichloropropene	19.4	1.00	"	20.0	ND	97.2	80-120			
1,1,2-Trichloroethane	21.5	1.00	"	20.0	ND	107	80-120			
Dibromochloromethane	22.5	1.00	"	20.0	ND	113	80-120			
1,2-Dibromoethane	21.1	1.00	"	20.0	ND	105	80-120			
Toluene	22.6	1.00	"	20.0	ND	113	80-120			
Tetrachloroethene	21.4	1.00	"	20.0	ND	107	80-120			
1,3-Dichloropropane	21.5	1.00	"	20.0	ND	108	80-120			
Chlorobenzene	19.1	1.00	"	20.0	ND	95.5	80-120			
1,1,1,2-Tetrachloroethane	21.0	1.00	"	20.0	ND	105	80-120			
Ethylbenzene	20.2	1.00	"	20.0	ND	101	80-120			
m,p-Xylene	41.8	1.00	"	40.0	ND	104	80-120			

Envirodyne Laboratories, Inc.

Monica Smith

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

Matrix Spike (B3C4311-MS1)	Source: 23B3780-01			Prepared & Analyzed: 09-Mar-23						
o-Xylene	20.3	1.00	ug/L	20.0	ND	102	80-120			
Styrene	20.4	1.00	"	20.0	ND	102	80-120			
Bromoform	21.6	1.00	"	20.0	ND	108	80-120			
Isopropylbenzene (Cumene)	20.0	1.00	"	20.0	ND	100	80-120			
1,1,2,2-Tetrachloroethane	19.7	1.00	"	20.0	ND	98.3	80-120			
1,2,3-Trichloropropane	19.8	1.00	"	20.0	ND	99.1	80-120			
Bromobenzene	19.4	1.00	"	20.0	ND	96.8	80-120			
n-Propylbenzene	19.0	1.00	"	20.0	ND	94.8	80-120			
2-Chlorotoluene	18.5	1.00	"	20.0	ND	92.6	80-120			
1,3,5-Trimethylbenzene	20.2	1.00	"	20.0	ND	101	80-120			
4-Chlorotoluene	19.0	1.00	"	20.0	ND	95.0	80-120			
tert-butyl Benzene	19.5	1.00	"	20.0	ND	97.5	80-120			
1,2,4-Trimethylbenzene	19.0	1.00	"	20.0	ND	94.8	80-120			
sec-butyl Benzene	18.9	1.00	"	20.0	ND	94.6	80-120			
p-Isopropyltoluene	19.5	1.00	"	20.0	ND	97.4	80-120			
1,3-Dichlorobenzene	18.9	1.00	"	20.0	ND	94.4	80-120			
1,4-Dichlorobenzene	17.5	1.00	"	20.0	ND	87.5	80-120			
n-butyl Benzene	18.9	1.00	"	20.0	ND	94.6	80-120			
1,2-Dichlorobenzene	18.7	1.00	"	20.0	ND	93.4	80-120			
1,2-Dibromo-3-chloropropane	19.6	1.00	"	20.0	ND	98.0	80-120			
1,2,4-Trichlorobenzene	17.8	1.00	"	20.0	ND	89.0	80-120			
Hexachlorobutadiene	18.3	1.00	"	20.0	ND	91.3	80-120			
Naphthalene	18.7	1.00	"	20.0	ND	93.4	80-120			
1,2,3-Trichlorobenzene	17.8	1.00	"	20.0	ND	89.0	80-120			
Total Trichloroethanes	43.4	1.00	"	40.0	ND	109	80-120			
Total Trihalomethanes	87.8	1.00	"	80.0	ND	110	80-120			
Total Xylenes	62.1	1.00	"	60.0	ND	104	80-120			
Surrogate: 4-Bromofluorobenzene	24		"	25.0		98.0	70-130			
Surrogate: 1,2-Dichlorobenzene-d4	25		"	25.0		101	70-130			

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
 Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

Matrix Spike Dup (B3C4311-MSD1)

Source: 23B3780-01

Prepared & Analyzed: 09-Mar-23

Dichlorodifluoromethane	17.5	1.00	ug/L	20.0	ND	87.7	80-120	10.9	20	
Chloromethane	23.5	1.00	"	20.0	ND	117	80-120	3.10	20	
Vinyl Chloride	24.4	1.00	"	20.0	ND	122	80-120	3.94	20	Q
Bromomethane	26.2	1.00	"	20.0	ND	131	80-120	5.98	20	Q
Chloroethane	27.8	1.00	"	20.0	ND	139	80-120	3.53	20	Q
Trichlorofluoromethane	24.5	1.00	"	20.0	ND	123	80-120	2.30	20	Q
Diethyl ether	23.8	1.00	"	20.0	ND	119	80-120	0.961	20	
1,1-Dichloroethene	22.8	1.00	"	20.0	ND	114	80-120	0.701	20	
Carbon Disulfide	21.9	1.00	"	20.0	ND	110	80-120	1.54	20	
Methylene Chloride	22.5	1.00	"	20.0	ND	112	80-120	2.55	20	
MTBE (Methyl tert-butyl ether)	20.9	1.00	"	20.0	ND	104	80-120	2.69	20	
trans-1,2-Dichloroethene	22.6	1.00	"	20.0	ND	113	80-120	0.133	20	
1,1-Dichloroethane	23.3	1.00	"	20.0	ND	116	80-120	3.17	20	
2,2-Dichloropropane	15.6	1.00	"	20.0	ND	78.0	80-120	4.08	20	Q
cis-1,2-Dichloroethene	20.9	1.00	"	20.0	ND	104	80-120	5.82	20	
Bromochloromethane	20.7	1.00	"	20.0	ND	103	80-120	2.34	20	
Chloroform	21.0	1.00	"	20.0	ND	105	80-120	0.807	20	
1,2-Dichloroethane	22.3	1.00	"	20.0	ND	112	80-120	0.629	20	
1,1,1-Trichloroethane	21.4	1.00	"	20.0	ND	107	80-120	2.63	20	
Methyl Acrylate	20.4	1.00	"	20.0	ND	102	80-120	0.294	20	
Tetrahydrofuran	19.8	1.00	"	20.0	ND	99.0	80-120	2.84	20	
Carbon Tetrachloride	22.7	1.00	"	20.0	ND	114	80-120	2.65	20	
1,1-Dichloropropene	19.4	1.00	"	20.0	ND	97.2	80-120	2.39	20	
Benzene	21.6	1.00	"	20.0	ND	108	80-120	0.783	20	
Trichloroethene	18.5	1.00	"	20.0	ND	92.7	80-120	7.28	20	
1,2-Dichloropropane	19.2	1.00	"	20.0	ND	96.2	80-120	5.60	20	
Methyl methacrylate	18.0	1.00	"	20.0	ND	89.8	80-120	3.61	20	
Dibromomethane	20.9	1.00	"	20.0	ND	104	80-120	7.21	20	
Bromodichloromethane	21.4	1.00	"	20.0	ND	107	80-120	5.25	20	
cis-1,3-Dichloropropene	19.0	1.00	"	20.0	ND	94.8	80-120	5.89	20	
trans-1,3-Dichloropropene	18.5	1.00	"	20.0	ND	92.4	80-120	5.06	20	
1,1,2-Trichloroethane	20.2	1.00	"	20.0	ND	101	80-120	5.85	20	

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
Project: Sweeny, (City of) Water
Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

Matrix Spike Dup (B3C4311-MSD1)

Source: 23B3780-01

Prepared & Analyzed: 09-Mar-23

Dibromochloromethane	21.3	1.00	ug/L	20.0	ND	106	80-120	5.66	20	
1,2-Dibromoethane	19.8	1.00	"	20.0	ND	99.0	80-120	6.22	20	
Toluene	20.9	1.00	"	20.0	ND	105	80-120	7.99	20	
Tetrachloroethene	20.0	1.00	"	20.0	ND	99.8	80-120	7.01	20	
1,3-Dichloropropane	20.3	1.00	"	20.0	ND	101	80-120	5.89	20	
Chlorobenzene	18.6	1.00	"	20.0	ND	93.0	80-120	2.71	20	
1,1,1,2-Tetrachloroethane	20.2	1.00	"	20.0	ND	101	80-120	3.73	20	
Ethylbenzene	19.7	1.00	"	20.0	ND	98.4	80-120	2.76	20	
m,p-Xylene	39.9	1.00	"	40.0	ND	99.8	80-120	4.50	20	
o-Xylene	20.1	1.00	"	20.0	ND	101	80-120	1.04	20	
Styrene	20.0	1.00	"	20.0	ND	100	80-120	1.93	20	
Bromoform	21.4	1.00	"	20.0	ND	107	80-120	0.928	20	
Isopropylbenzene (Cumene)	19.4	1.00	"	20.0	ND	97.2	80-120	2.84	20	
1,1,2,2-Tetrachloroethane	19.4	1.00	"	20.0	ND	96.8	80-120	1.54	20	
1,2,3-Trichloropropane	19.8	1.00	"	20.0	ND	99.2	80-120	0.151	20	
Bromobenzene	19.7	1.00	"	20.0	ND	98.4	80-120	1.64	20	
n-Propylbenzene	19.6	1.00	"	20.0	ND	97.8	80-120	3.22	20	
2-Chlorotoluene	18.9	1.00	"	20.0	ND	94.5	80-120	2.09	20	
1,3,5-Trimethylbenzene	20.1	1.00	"	20.0	ND	101	80-120	0.248	20	
4-Chlorotoluene	19.1	1.00	"	20.0	ND	95.4	80-120	0.420	20	
tert-butyl Benzene	19.6	1.00	"	20.0	ND	98.2	80-120	0.766	20	
1,2,4-Trimethylbenzene	19.0	1.00	"	20.0	ND	95.0	80-120	0.211	20	
sec-butyl Benzene	19.3	1.00	"	20.0	ND	96.4	80-120	1.88	20	
p-Isopropyltoluene	19.3	1.00	"	20.0	ND	96.3	80-120	1.19	20	
1,3-Dichlorobenzene	19.4	1.00	"	20.0	ND	96.8	80-120	2.51	20	
1,4-Dichlorobenzene	18.8	1.00	"	20.0	ND	94.0	80-120	7.22	20	
n-butyl Benzene	19.3	1.00	"	20.0	ND	96.4	80-120	1.83	20	
1,2-Dichlorobenzene	19.0	1.00	"	20.0	ND	95.2	80-120	1.96	20	
1,2-Dibromo-3-chloropropane	20.9	1.00	"	20.0	ND	104	80-120	6.18	20	
1,2,4-Trichlorobenzene	18.0	1.00	"	20.0	ND	89.8	80-120	1.01	20	
Hexachlorobutadiene	18.6	1.00	"	20.0	ND	93.2	80-120	2.01	20	
Naphthalene	19.2	1.00	"	20.0	ND	96.2	80-120	3.01	20	

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
 11011 Brooklet Dr., # 230
 Houston, TX 77099
 281.568.7880 Phone
 www.envirodyne.com

Client: Sweeny, City of
 Project: Sweeny, (City of) Water
 Work Order: 23C1353

Reported:
 21-Mar-23 13:40

Volatile Organic Compounds by EPA 524.2 - Quality Control
 Envirodyne Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B3C4311 - Organics

Matrix Spike Dup (B3C4311-MSD1)	Source: 23B3780-01			Prepared & Analyzed: 09-Mar-23						
1,2,3-Trichlorobenzene	18.0	1.00	ug/L	20.0	ND	89.8	80-120	1.01	20	
Total Trichloroethanes	41.7	1.00	"	40.0	ND	104	80-120	4.21	20	
Total Trihalomethanes	85.1	1.00	"	80.0	ND	106	80-120	3.19	20	
Total Xylenes	60.0	1.00	"	60.0	ND	100	80-120	3.36	20	
Surrogate: 4-Bromofluorobenzene	24		"	25.0		97.8	70-130			
Surrogate: 1,2-Dichlorobenzene-d4	25		"	25.0		101	70-130			

Envirodyne Laboratories, Inc.

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Envirodyne Laboratories, Inc
11011 Brooklet Dr., # 230
Houston, TX 77099
281.568.7880 Phone
www.envirodyne.com

Client: Sweeny, City of
Project: Sweeny, (City of) Water
Work Order: 23C1353

Reported:
21-Mar-23 13:40

Notes and Definitions

- Q QC did not meet ELI acceptance criteria
- ND Analyte NOT DETECTED at or above the reporting limit
- < Result is less than the RL
- a Analyte not available for TNI/NELAP accreditation
- n Not accredited

Envirodyne Laboratories, Inc.

A handwritten signature in blue ink that reads "Monica Smith".

Monica Smith, Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2301353

Envirodyne Laboratories, Inc.
11011 Brooklet, Ste. 230
Houston, Texas 77099-3543

E A399985

TCEQ Certification # T104704265

Name: City of Sweeney
Address: 102 W. Ashley Wilson Rd
City: Sweeny, TX 77480
Contact: Gene West

Analysis Request and Chain of Custody Record

Phone: 979-482-3152 Fax: 979-548-7745

Page ____ Of ____

Project No.		Client/Project					City of Sweeney		D.O.	Temp.	Analysis Time
Lab ID No.	Field Sample No./ Identification	Date & Time	Sample Container (Size/Mat)	Sample Type (Liquid, Sludge, etc)	Preservative	ANALYSIS REQUESTED					
	GST	3-7-73 1454	1 Gall P	Liquid	ICE	Ph, Water Package		7.11	22	1457	
			500 ml/P	Liquid	HNO3, ice	Metals					
			3-40ml VOA	Liquid	ICE	VOC Scan					
Samplers: (Signature)		Relinquished by: (Signature)		Date: Time:		Received by: (Signature)		Date: Time:		Seal intact?	
<i>AS</i>		<i>AS</i>				<i>AS</i>					
Affiliation		Relinquished by: (Signature)		Date: Time:		Received by: (Signature)		Date: Time:		Seal intact?	
		<i>AS</i>				<i>AS</i>					
Remarks:		Relinquished by: (Signature)		Date: Time:		Received by: (Signature)		Date: Time:		Seal intact?	
<i>AS</i>		<i>AS</i>				<i>AS</i>					
FLOW: Meter Reading: _____		Arrival Temp:		Date: Time:		Received by: (Signature)		Date: Time:		Seal intact?	
Cl. Residual: _____		34131				<i>AS</i>					
Mn Correction: _____		1RTH				<i>AS</i>					
Mn Correction: _____						<i>AS</i>					
Site Representative:		Date: Time:		Date: Time:		Received by: (Signature)		Date: Time:		Laboratory No.	
<i>AS</i>		3/7/23				<i>AS</i>		3/7/23			

Water Utility Services, Inc.

P.O. Box 2628
 Spring, Texas 77383
 281-290-0704

Client: City of Sweeny
 102 W. Ashley Wilson Rd.
 Sweeny, TX 77480
 Lindsay Koskiniemi

Test Report

PROJECT LOCATION: City of Sweeny
 SAMPLE TYPE: Grab
 COLLECTION DATE: 3/8/2023

COLLECTED BY: JG
 SAMPLE MATRIX: Potable Water

SAMPLE LOCATION	Iron mg/L	Manganese mg/L	Iron Related Bacteria
508 2nd Street Outside	< 0.10	0.070	negative
508 2nd Street Inside	< 0.10	0.060	negative
1111 Alice Outside	< 0.10	0.086	negative
1111 Alice Inside	< 0.10	0.072	negative
109 Ballard Outside	0.36	0.553	negative
109 Ballard Inside	0.15	0.312	negative
1664 1/2 N. Main Outside	< 0.10	0.061	negative
1664 1/2 N. Main other side	< 0.10	0.035	negative

Method:	Hach 8008	Hach 8149	BART
Analyst:	SG	SG	SG
Date:	3/8/2023	3/8/2023	3/8/2023

Steve Grychka

Steve Grychka
 Laboratory Director

TCEQ EXIT INTERVIEW FORM: Potential Violations and/or Records Requested					
Regulated Entity/Site Name	City of Sweeny			TCEQ Add. ID No. RN No. (optional)	0200009
Investigation Type	Complaint	Contact Made In-House (Y/N)	compliance		
Regulated Entity Contact	Kevin Eskridge		Telephone No.	Date Contacted	
Title	Operator		Fax No.	Date Faxed	

NOTICE: The information provided in this form is intended to provide clarity to issues that have arisen during the investigation process between the TCEQ and the regulated entity named above and does not represent final TCEQ findings related to violations. Any potential or alleged violations discovered after the date on this form will be communicated by telephone to the regulated entity representative prior to the issuance of a notice of violation or enforcement. Conclusions drawn from this investigation, including additional violations or potential violations discovered (if any) during the course of this investigation, will be documented in a final investigation report.

Issue		Description of Issue
No.	Type ¹	Rule Citation (if known)
1	AV	290.46(f)(3)(A)(iv) Failure to have the dates that all dead-end mains were flushed
2	AV	290.118(b) Failure to meet the secondary constituent level for color

For Records Request: identify the necessary records, the company contact and date due to the agency. For Alleged and Potential Violation issues: include the rule in question with the clearly described potential problem. Other type of issues: fully describe.

Issue Type Can Be One or More of: AV (Alleged Violation), PV (Potential Violation), O (Other), or RR (Records Request)

Did the TCEQ document the regulated entity named above operating without proper authorization?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Did the investigator advise the regulated entity representative that continued operation is not authorized?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

Document Acknowledgment. Signature on this document establishes only that the regulated entity (company) representative received a copy of this document and associated continuation pages on the date noted. If contact was made by telephone, document will be faxed to regulated entity; therefore, signature not required.

Vatricia Morrow	3/20/2023
Investigator Name (Signed & Printed)	Date
Regulated Entity Representative Name (Optional)	Date

If you have questions about any information on this form, please contact your local TCEQ Regional Office. Individuals are entitled to request and review their personal information that the agency gathers on its forms. They may also have any errors in their information corrected. To review such information, call 512-239-3282.