

TFLS-I0490 August 29, 2022 *Via Email* 

Michelle Hutchinson, Borough Clerk Borough of Tinton Falls 556 Tinton Avenue Tinton Falls, NJ 07724

Re: Maintenance Guarantee Release

**Greenbriar Falls – Phases 2A Detention Basin** 

Block 16, Lot 1 & Block 19, Lot 11.02

**Borough of Tinton Falls, NJ** 

Dear Ms. Hutchinson:

The maintenance bond for the above referenced project was recently set to expire. Accordingly, this office conducted an inspection of the property for purposes of releasing the maintenance bond. Based on the observations at the time of inspection, it appears that all bonded items remain in acceptable condition. Accordingly, I have no objection to the release of the maintenance bond in the amount of \$15,356.25.

Should you have any questions or require additional information, please do not hesitate to contact me.

Very truly yours,

**T&M ASSOCIATES** 

THOMAS P. NEFF, P.E., P.P., C.M.E. TINTON FALLS BOROUGH ENGINEER

TPN:

cc: Charles Terefenko, Borough Administrator

Thomas Fallon, CFO

Kevin Starkey, Esq., Director of Law Lynn Coppola, Zoning Assistant

Keri Stencel, Borough Finance Department

Wayne Birchler, Lennar

G:\Projects\TFLS\I0490\Correspondence\Hutchinson\_TPN\_Greenbriar Falls Ph 2A Detention Basin Maint Bond Release Approval.docx