

August 4, 2020

Honorable Mayor and Members of the City Council c/o Steve Koper, Planning Manager City of Tualatin Planning Division 18880 SW Martinazzi Avenue Tualatin, OR 97062-7092

## RE: Revision to the Basalt Creek RML Plan Text Amendment Application (PTA-20-0003)

Dear Mayor Bubenik and Members of the City Council:

Lennar Northwest, Inc. and Venture Properties, Inc. are co-applicants for the Basalt Creek Medium Low-Density Residential (RML) Plan Text Amendment (PTA-20-0003) land use application. After discussion with the Tualatin Planning Commission and review of the Staff Report, the Applicants understand that attached housing is an important component of Tualatin's future housing supply.

In recognition of this, the Applicants have provided a revision to the proposed Text Amendment application to accommodate a minimum of 15% attached housing to match the findings of the 2019 Housing Needs Analysis (HNA). Amended code language is attached to this letter for your reference.

With this additional revision, the proposed Text Amendment provides for attached housing, diverse lot sizes for detached homes, and removes regulatory barriers to housing – all goals outlined in Tualatin 2040.

We look forward to discussing this matter with the City Council on August 10, 2020.

Sincerely, AKS ENGINEERING & FORESTRY, LLC

Mimi Doukas, AICP, RLA 12965 SW Herman Road, Suite 100 Tualatin, OR 97062 (503) 563-6151 | mimid@aks-eng.com

Attachment: Revised Code Amendment

c. David Force and Michael Anders, Lennar Northwest, Inc Kelly Ritz, Venture Properties, Inc

## TDC 41.220. - Housing Types.

Table 41-2 lists Housing Types permitted in the RML zone. Housing types may be Permitted Outright (P), Conditionally Permitted (C), or Not Permitted (N) in the RML zone.

HOUSING TYPE	STATUS	LIMITATIONS AND CODE REFERENCES	
Single-Family Dwelling	C/P	Limited to single-family dwellings in a small lot subdivision,	
		with conditional use permit, subject to TDC 36.410.	
		Permitted for a maximum of 85% of the proposed dwelling	
		units within the Basalt Creek Planning Area subject to TDC	
		41.330.	
Accessory Dwelling Unit	Ρ	Subject to TDC 34.600.	
Duplex			
Townhouse (or Rowhouse)	Р	See TDC definition in 31.060.	
Multi-Family Structure	Р	See TDC definition in 31.060.	
Manufacturing Dwelling	Ν	See TDC definition in 31.060.	
Manufactured Dwelling	Р	Limited to locations designated by the Tualatin Community	
Park		Plan Map and subject to TDC 34.190.	
Retirement Housing Facility	С	Subject to TDC 34.400.	
Residential Home	Р	See TDC definition in 31.060.	

Table 41-2Housing Types in the RML Zone

## TDC 41.300. - Development Standards.

Development standards in the RML zone are listed in Table 41-3. Additional standards may apply to some uses and situations, see TDC 41.310 and TDC 41.330. The standards in Table 41-3 may be modified for greenway and natural area dedications as provided in TDC 36.420. The standards for lot size, lot width, building coverage, and setbacks that apply to single-family dwellings in small lot subdivisions are provided in TDC 36.410(2)(b).

STANDARD	REQUIREMENT	LIMITATIONS AND CODE REFERENCES
MAXIMUM DENSITY		
Household Living Uses	10 units per acre	
Manufactured Dwelling Parks	12 units per acre	Limited to single-wide dwelling parks or any
		part of a single-wide dwelling park.
Retirement Housing Facility, or	15 units per acre	
Congregate Care Facility		
Nursing Facility	15 units per acre	
Group Living Uses	15 units per acre	
MINIMUM LOT SIZE		
Townhouse		
(or Rowhouse)	1,400 square feet	
Multi-Family Structure and		
Duplex		
Development on Less than	10,000 square feet	For up to two units, plus an additional 4,195
One Acre		square feet for each unit exceeding two.

Table 41-3Development Standards in the RML Zone

Development on More than	4,356 square feet per unit	
One Acre		
Multi-Family Structure under	20,000 square feet	Limited to the primary condominium lot.
Condominium Ownership		
All Other Permitted Uses	10,000 square feet	
Conditional Uses	20,000 square feet	
Infrastructure and Utilities Uses	_	As determined through the Subdivision,
		Partition, or Lot Line Adjustment process
MINIMUM AVERAGE LOT WIDTH		
Townhouse (or Rowhouse)	14 feet	
Multi-Family Structure	75 feet	May be 40 feet on a cul-de-sac street.
Multi-Family Structure under	100 feet	Limited to the primary condominium lot.
Condominium Ownership		Minimum lot width at street is 40 feet.
All Other Permitted Uses	75 feet	
Conditional Uses	100 feet	Minimum lot width at street is 40 feet.
Flag Lots	_	Must be sufficient to comply with minimum
		access requirements of TDC 73C.
MINIMUM SETBACKS		
Front Setback		Minimum setback to a garage door must be 20 feet.
<ul> <li>1 story structure</li> </ul>	20 feet	
<ul> <li>1.5 story structure</li> </ul>	25 feet	
<ul> <li>2 story structure</li> </ul>	30 feet	
• 2.5 story structure	35 feet	
Townhouse (or Rowhouse)	0-20 feet	As determined through Architectural Review process.
Side and Rear Setback		Where living spaces face a side yard, the minimum setback must be ten feet
• 1 story structure	5 feet	
1.5 story structure	7 feet	
2 story structure	10 feet	
2.5 story structure	12 feet	
Corner Lots	_	On corner lots, the setback is the same as
		the front yard setback on any side facing a street other than an alley.
Minimum Distance Between	10 feet	For Townhouses, determined through the
Buildings within One		Architectural Review process
Development		
Parking and Vehicle Circulation	10 feet	For Townhouses, determined through the
Areas		Architectural Review process
Conditional Uses	1_	As determined through Architectural Review
		process. No minimum setback must be
		greater than 50 feet
Any Yard Area Adjacent to Basalt	50 feet	
Creek Parkway		
MAXIMUM STRUCTURE HEIGHT		
All Uses	35 feet	May be increased to a maximum of 50 feet
		with a conditional use permit, if all setbacks
		are not less than 1½ times the height of the
		building.

MAXIMUM LOT COVERAGE		
Townhouse (or Rowhouse)	90%	
All Other Permitted Uses	40%	
Conditional Uses	45%	

## TDC 41.330. - Development Standards.

Development standards for Household Living Uses in the RML zone within the Basalt Creek Planning Area are listed in Table 41-4. The standards of TDC 41.330 apply to RML-zoned properties within the Basalt Creek Planning Area with project sites which are greater than 15 acres in size. Additional standards may apply to some uses and situations, see TDC 41.310.

Table 41-4Development Standards in the RML Zone within the Basalt Creek Planning Area

STANDARD	REQUIREMENT	LIMITATIONS AND CODE REFERENCES
MAXIMUM DENSITY		
Household Living Uses	10 units per acre	Up to a maximum of 85% of proposed dwelling units may be detached single- family homes.
MINIMUM AVERAGE LOT SIZE		
Single Family Lot	3,000 square feet	
MINIMUM AVERAGE LOT WIDTH		
Single Family Detached Lot	26 feet	
Townhouse (or Rowhouse)	14 feet	
Flag Lots	—	Must be sufficient to comply with minimum
		access requirements of TDC 73C.
MINIMUM SETBACKS		
Front Setback		
building	10 feet	
• garage	20 feet	
Side Setback	5 feet	
Rear Setback	10 feet	
Street side setback	10 feet	
Any Yard Area Adjacent to Basalt Creek Parkway	50 feet	
MAXIMUM STRUCTURE HEIGHT		
All Uses	35 feet	May be increased to a maximum of 50 feet with a conditional use permit, if all setbacks are not less than 1½ times the height of the building.
MAXIMUM LOT COVERAGE		
Single Family Detached Lot	55%	
Townhouse (or Rowhouse)	90%	