

INVITATION, BID AND ACCEPTANCE

CITY OF TUPELO, MS
PUBLIC WORKS DEPARTMENT

Invitation No. 8080-018PW

Public Works Department

TO _____

ADDRESS _____

DATE 6-3-20

Sealed bids for the items listed below and subject to the conditions on the reverse side hereof will be received in the office of the Purchasing Agent, City of Tupelo, Mississippi until 10:00 o'clock AM July 1 20 20, and then publicly opened for the furnishing of the following materials and supplies or services to be delivered NET F.O.B. Tupelo, Mississippi. Identify your bid if other than exact article specified. Delivery to be made at once unless otherwise specified.

By Mac Dillard
CITY OF TUPELO

PURCHASING OFFICE

ARTICLES OR SERVICES	UNIT	UNIT PRICE	AMOUNT	
			DOL	CTS
<p>The City of Tupelo Public Works Department is accepting bids on concrete curb and gutter for a twelve-month period. Sealed bids will be received until 10:00 a.m. on <u>July 1</u>, 2020 at Tupelo City Hall, 71 East Troy Street, Tupelo, MS 38804. Bids can also be submitted electronically at www.centralbidding.com until 10:00 a.m., <u>July 1</u>, 2020. Any questions about electronic bidding or purchasing bid documents should be directed to Central Bidding at (225) 810-4814.</p> <p>SPECIFICATIONS: Maintenance of Traffic: The contractor shall provide qualified flagmen where necessary to direct the traffic; and shall take all necessary precautions for the protection of the work and the safety of the public. The contractor shall erect warning signs (men working) in advance of all places on the project where operations may interfere with the use of road by traffic, and at all intermediate points where the new work crosses or coincides with existing traveled roads.</p> <p>All warning signs, flagmen and signaling devices shall conform to the minimum requirements contained in the Manual on Uniform Traffic Control Devices and its revisions published by the United States Government Printing office current at the time bids are received.</p> <p>Section 601- Structural Concrete 601.02 Materials 601.02.1 General: Materials for structural concrete and their use, care and handling shall be in accordance with Subsection 804.02. In addition, Type IP</p>				

CITY MAY EXPECT DELIVERY BY

DATE _____

BIDDER _____

ADDRESS _____

TELEPHONE _____

BY _____

INVITATION, BID AND ACCEPTANCE

**CITY OF TUPELO, MS
PUBLIC WORKS DEPARTMENT**

Invitation No. 2020-018PW

Public Works Department

TO _____

ADDRESS _____

DATE 6-3-20

Scaled bids for the items listed below and subject to the conditions on the reverse side hereof will be received in the office of the Purchasing Agent, City of Tupelo, Mississippi until 10:00 o'clock A M July 1 20 20, and then publicly opened for the furnishing of the following materials and supplies or services to be delivered NET F.O.B. Tupelo, Mississippi. Identify your bid if other than exact article specified. Delivery to be made at once unless otherwise specified.

CITY OF TUPELO
By Mac Dillard

PURCHASING OFFICE

ARTICLES OR SERVICES	UNIT	UNIT PRICE	AMOUNT	
			DOL.	CTS.
<p>Hydraulic Cement (e.g. Portland Cement) meeting the requirements of Subsection 701.04 will be permitted. Sampling and testing will be in accordance with Subsection 804.02.3.</p> <p>601.02.2 Classification of Concrete: Concrete for this work shall be the class specified on the plans or in the bid schedule of the contract. Classes of concrete are identified in Subsection 804.02.6.</p> <p>804 Concrete Bridges and Structures 804.02 Materials 804.02.6 Classification and Uses of Concrete: When a specific class of concrete is not specified on the plans or in the contract documents, the structure parts thereof shall be constructed with the class of concrete as directed by the Engineer / City of Tupelo.</p> <p>The classes and their uses are as follows –</p> <ol style="list-style-type: none"> 1) Class AA – Concrete for bridge construction and concrete exposed to seawater. 2) Class B – General use, heavily reinforced sections, cast-in place concrete piles, and conventional concrete piles. 3) Class BD – Concrete for bridge decks 4) Class C – Massive sections or lightly reinforced sections 5) Class D – Massive unreinforced sections and riprap 6) Class F – Concrete for prestressed members 				

CITY MAY EXPECT DELIVERY BY _____

2

DATE _____

BIDDER _____

ADDRESS _____

TELEPHONE _____

BY _____

INVITATION, BID AND ACCEPTANCE

**CITY OF TUPELO, MS
PUBLIC WORKS DEPARTMENT**

Invitation No. 2080-018PW

Public Works Department

TO _____

ADDRESS _____

DATE 6-3-20

Sealed bids for the items listed below and subject to the conditions on the reverse side hereof will be received in the office of the Purchasing Agent, City of Tupelo, Mississippi until 10:00 o'clock A July 1 2020, and then publicly opened for the furnishing of the following materials and supplies or services to be delivered NET F.O.B. Tupelo, Mississippi. Identify your bid if other than exact article specified. Delivery to be made at once unless otherwise specified.

CITY OF TUPELO
By Mac Dulan

PURCHASING OFFICE

ARTICLES OR SERVICES	UNIT	UNIT PRICE	AMOUNT	
			DOL	CTS.
7) Class FX – Extra strength concrete for prestressed members, as shown on plans				
8) Class S – For all seal concrete deposited under water				
9) Class DS – Drilled shaft				
<p>Section 609 Concrete curb, gutter and combination curb and gutter. 609.01 Description: This work consists of constructing curb, gutter, and combination curb and gutter in accordance with these specifications and in reasonably close conformity with the lines, grades, dimensions, and cross sections shown on the plans or as established.</p> <p>609.02 Materials: Concrete for detached curb, gutter and combination curb and gutter shall meet the requirements of Section 601*. Concrete for curbs integral with concrete pavement shall meet the requirements of Section 501*.</p> <p>609.03 Construction Requirements</p> <p>609.03.2 Cast in place Hydraulic Cement Concrete (e.g. Portland cement)</p> <p>609.03.2.1 Forms: Forms, except for divider plates and templates, may be wood or metal. All forms shall be full depth, straight, and free of warp and shall be securely staked, braced and sufficiently tight to prevent leakage of mortar. All forms shall be cleaned thoroughly and oiled before placing concrete against them.</p>				

CITY MAY EXPECT DELIVERY BY

DATE _____

BIDDER _____

ADDRESS _____

TELEPHONE _____

BY _____

INVITATION, BID AND ACCEPTANCE

CITY OF TUPELO, MS
PUBLIC WORKS DEPARTMENT

Invitation No. 2000-018 PW

Public Works Department

TO _____

ADDRESS _____

DATE 6-3-20

Sealed bids for the items listed below and subject to the conditions on the reverse side hereof will be received in the office of the Purchasing Agent, City of Tupelo, Mississippi until 10:00 o'clock A M. July 1 20 20, and then publicly opened for the furnishing of the following materials and supplies or services to be delivered NET F.O.B. Tupelo, Mississippi. Identify your bid if other than exact article specified. Delivery to be made at once unless otherwise specified.

CITY OF TUPELO
By Trac Dilla

PURCHASING OFFICE

ARTICLES OR SERVICES	UNIT	UNIT PRICE	AMOUNT	
			DOL	CTS.
Lumber for wood forms shall be sound, free of bulges, loose knots, and warps and of uniform width. All lumber shall be dressed and at least two (2) inches thick, except the City of Tupelo may permit the use of another size of lumber along with flexible material on short radii.				
Metal forms shall be of approved sections and shall have a flat surface on top. They shall present a smooth surface and be of sufficient strength when braced to withstand the weight of the concrete without bulging or displacement. Special care shall be exercised to keep metal forms free from rust, grease, or other foreign matter that would discolor the concrete.				
Metal templates or dividing plates shall be of sufficient thickness and of such design as to hold the forms rigidly in place and to produce a smooth vertical joint after the plates are removed. They shall be of the full dimensions shown on the plans for curb, gutter or combination curb or gutter.				
609.03.2.2 Proportioning, Mixing and Placing Concrete: Unless otherwise specified, concrete used for detached curb, gutter and combination curb and gutter shall be Class "B" proportioned, mixed and placed in accordance with the provisions of Section 601".				

CITY MAY EXPECT DELIVERY BY

4

DATE _____

BIDDER _____

ADDRESS _____

TELEPHONE _____

BY _____

INVITATION, BID AND ACCEPTANCE

CITY OF TUPELO, MS
PUBLIC WORKS DEPARTMENT

Invitation No. 2080-018PW

Public Works Department

TO _____

ADDRESS _____

DATE 6-3-20

Sealed bids for the items listed below and subject to the conditions on the reverse side hereof will be received in the office of the Purchasing Agent, City of Tupelo, Mississippi until 10:00 o'clock A M July 1 2020, and then publicly opened for the furnishing of the following materials and supplies or services to be delivered NET F.O.B. Tupelo, Mississippi. Identify your bid if other than exact article specified. Delivery to be made at once unless otherwise specified.

CITY OF TUPELO
By Tracy D. Daw

PURCHASING OFFICE

ARTICLES OR SERVICES	UNIT	UNIT PRICE	AMOUNT	
			DOL	CTS.
<p>Concrete used for curb integral with concrete pavement shall be proportioned, mixed and placed in accordance with the provisions of Section 501*.</p> <p>The concrete shall be placed on a moist grade and consolidated by vibration or other acceptable methods. Weep holes shall be placed through curbs where indicated on the plans or as directed.</p> <p>609.03.2.3 Extruded Construction: Concrete curb and gutter may be constructed by the use of a curb forming machine. Such a machine shall conform to (a), (b), and (e) of 609.03.3.2, and in addition, its continued use shall be contingent upon it producing curb with the specified section, line and grade.</p> <p>If these conditions cannot be met, construction shall be by conventional methods. Also, expansion joints will need to be cut with a concrete saw.</p> <p>In the event a curb forming machine is used, minor modifications in the concrete mix design may have to be made to improve placement, subject to approval of the City of Tupelo.</p> <p>609.03.2.4 Sections and Joints: Concrete curb, gutter or combination curb and gutter shall be constructed in uniform sections of the length specified on the plans. These lengths may be reduced where necessary for closure, but no section less than six feet will be permitted. The templates shall be accurately set before placing the concrete and, to the extent possible, allowed to remain in place until the concrete has set sufficiently to hold its shape. The templates</p>				

CITY MAY EXPECT DELIVERY BY

5

DATE _____

BIDDER _____

ADDRESS _____

TELEPHONE _____

BY _____

INVITATION, BID AND ACCEPTANCE

CITY OF TUPELO, MS
PUBLIC WORKS DEPARTMENT

Invitation No. 2000-018PW

Public Works Department

TO _____

ADDRESS _____

DATE 6-3-20

Sealed bids for the items listed below and subject to the conditions on the reverse side hereof will be received in the office of the Purchasing Agent, City of Tupelo, Mississippi until 10:00 o'clock A M July 1 20 20, and then publicly opened for the furnishing of the following materials and supplies or services to be delivered NET F.O.B. Tupelo, Mississippi. Identify your bid if other than exact article specified. Delivery to be made at once unless otherwise specified.

CITY OF TUPELO
By Trac D. Dill

PURCHASING OFFICE

ARTICLES OR SERVICES	LNT	UNIT PRICE	AMOUNT	
			DOL	CTS.
shall be removed while the forms are still in place.				
Expansion joints shall be formed of pre-molded joint filler of the specified thickness, and shall be placed in line with expansion joints in the adjoining pavement or structure and at other locations designated on the plans. All joint fillers shall be cut to full cross section and shall extend for full depth, width and length. All expansion joint material protruding after the concrete is finished shall be trimmed as directed. Immediately after removal of forms, the outer edges of filled joints shall be carefully exposed.				
609.03.2.5 Finishing: The concrete shall be finished smooth and even by an approved float. Forms on the face of curbs shall be removed as soon as the concrete will hold its shape, and the surface shall be finished with a float to a smooth even texture. Plastering will not be permitted. Strike-off templates of the form and shape of the gutter shall be used to shape the top surface of gutters. Before final finishing the surface of gutters shall be checked with a 10-foot straightedge, and all irregularities of more than 1/8 inch in 10 feet shall be corrected.				
Edges on the faces of curbs shall be rounded with finishing tools and having the radii shown on the plans or to match existing. Edges where templates have been removed or expansion joint material has been placed shall be finished with an edging tool having a radius of 1/4 inch. All exposed surfaces against which some rigid type of construction is to be made shall be left smooth and uniform so as to permit free movement of the curb, gutter, or combination curb and gutter.				

CITY MAY EXPECT DELIVERY BY

6

DATE _____

BIDDER _____

ADDRESS _____

TELEPHONE _____

BY _____



INVITATION, BID AND ACCEPTANCE

CITY OF TUPELO, MS
PUBLIC WORKS DEPARTMENT

Invitation No. 2020-018PW

Public Works Department

TO _____

ADDRESS _____

DATE 6-3-20

Sealed bids for the items listed below and subject to the conditions on the reverse side hereof will be received in the office of the Purchasing Agent, City of Tupelo, Mississippi until 10:00 o'clock A M. July 1 20 20, and then publicly opened for the furnishing of the following materials and supplies or services to be delivered NET F.O.B. Tupelo, Mississippi. Identify your bid if other than exact article specified. Delivery to be made at once unless otherwise specified.

CITY OF TUPELO

By Trac Dillard

PURCHASING OFFICE

ARTICLES OR SERVICES	LNT	UNIT PRICE	AMOUNT	
			DOL	CTS.
All tool marks shall be removed with a wetted brush or wood float. The finished surface shall be a uniform color free from discolorations.				
609.03.2.6 Protection and Curing: The contractor shall have materials available at all times for the protection of unhardened concrete against rain. During the curing period all traffic, both pedestrian and vehicular, shall be kept off the concrete. Vehicular traffic shall be kept off for such additional times as the City of Tupelo may direct. The contractor shall protect the work from damage until release of maintenance. All sections damaged before release of maintenance shall be removed and reconstructed by the Contractor without extra compensation.				
609.03.4 Backfilling and Cleaning Up: After the concrete has set sufficiently, all surplus material shall be disposed of as directed, and the entire area shall be left in a neat and satisfactory condition.				
609.04 Method of measurement: Complete In-place Concrete gutter, curb and combination curb and gutter will be measured by the linear foot along the face of the curb or flow line of the gutter. Deduction will be made of driveway openings. Concrete integral curb, complete in place, will be measured by the linear foot along the face of the curb including the full length of curb returns for driveways. No deduction in length will be made for drainage structures such as catch basins and inlets installed in the curbing.				

CITY MAY EXPECT DELIVERY BY _____

DATE _____

BIDDER _____

ADDRESS _____

TELEPHONE _____

BY _____

INVITATION, BID AND ACCEPTANCE

CITY OF TUPELO, MS
PUBLIC WORKS DEPARTMENT

Invitation No. 2000-018PW

Public Works Department

TO _____

ADDRESS _____

DATE 6-3-20

Sealed bids for the items listed below and subject to the conditions on the reverse side hereof will be received in the office of the Purchasing Agent, City of Tupelo, Mississippi until 10:00 o'clock A M July 20 20, and then publicly opened for the furnishing of the following materials and supplies or services to be delivered NET F.O.B. Tupelo, Mississippi. Identify your bid if other than exact article specified. Delivery to be made at once unless otherwise specified.

By Tracy Dillard
CITY OF TUPELO

PURCHASING OFFICE

ARTICLES OR SERVICES	UNIT	UNIT PRICE	AMOUNT	
			DOL.	CFS.
<p>609.05 Basis of payment: The work - concrete gutter, curb, combination curb and gutter will be paid for at the contract unit prices per linear foot, complete in place, which shall be full compensation for completing the work.</p>				

GENERAL BIDDER REQUIREMENTS:

- All bids must be submitted on the bid form. The bid form is the signed form with the date, bid number and the vendor address on it.
- The bidder shall sign and date the bid at the bottom of the form.
- If the bid is delivered to City Hall, the outside of the envelope shall be clearly marked with vendor, invitation number, time and date to be opened, and Certificate of Responsibility Number. If the bid is submitted electronically through Central Bidding, the Certificate of Responsibility shall be included with the bid documents.
Responsibility number or state work will be under \$50,000.
- Bidder must show evidence of Worker's Compensation insurance submitted with bid.
- Bid must show evidence of \$1,000,000 general liability insurance with submitted bid.
- Bidder must have and show evidence of Mississippi State Contractor's license with submitted bid.
- Bidder must have current Privilege License with the City of Tupelo and show proof with submitted bid.

CITY MAY EXPECT DELIVERY BY

8

DATE _____

BIDDER _____

ADDRESS _____

TELEPHONE _____

BY _____

INVITATION, BID AND ACCEPTANCE

CITY OF TUPELO, MS
PUBLIC WORKS DEPARTMENT

Invitation No. 2020-018PW

Public Works Department

TO _____

ADDRESS _____

DATE 6-3-20

Sealed bids for the items listed below and subject to the conditions on the reverse side hereof will be received in the office of the Purchasing Agent, City of Tupelo, Mississippi until 10:00 o'clock A M July 20 20, and then publicly opened for the furnishing of the following materials and supplies or services to be delivered NET F.O.B. Tupelo, Mississippi. Identify your bid if other than exact article specified. Delivery to be made at once unless otherwise specified.

By [Signature]
CITY OF TUPELO

PURCHASING OFFICE

ARTICLES OR SERVICES	LNT	LNT PRICE	AMOUNT	
			DGL	CTS.
8. Successful bidder must provide traffic control when needed.				
9. Successful bidder must be willing to accept curb and gutter jobs as short as ten linear feet.				
10. The City of Tupelo reserves the right to reject any and all bids, to waive any informalities in the bid, or award the bid to whomever they may choose.				
*of the Mississippi Standard Specifications for Road and Bridge Construction 2017 edition by the Mississippi Department of Transportation				
Up to 5,000 linear feet of broom finish Price per linear foot – broom finish.....				
(1) Material and Labor per Linear Foot – to form and pour (Public Works will excavate.)			<u>-\$18.50 per linear foot</u> <u>Concrete + labor price</u>	
Up to 500 linear feet of aggregate finish Price per linear foot – aggregate finish for each.....				
(1) Material and Labor per Linear Foot – to form and pour (Public Works will excavate.)			<u>-\$22.50 per linear foot.</u>	

CITY MAY EXPECT DELIVERY BY

DATE 7-1-20

BIDDER Slaytons Concrete

ADDRESS 11122119 Sathilo, ms 38866

TELEPHONE 869-11766

BY [Signature]