

BID FORM

CONCRETE SUPPLY AND DELIVERY 6 MONTH SUPPLY Bid # 2024-057PW

.....

The undersigned proposes to furnish Six (6) months of Concrete Product(s) supply on an as needed basis, which meets the specifications provided. The undersigned certifies that the minimum specifications, terms and conditions contained in this BID have been considered and understood. By submitting a proposal, I/We do certify that the commodities offered do meet the specifications contained in this Invitation to Bid.

This Bid is submitted for: Concrete Supply and Delivery- 6 Month Supply

This bid is submitted to: City of Tupelo, 71 East Troy Street, Tupelo, MS 38804
(Owner)

PRODUCTS	U/M	UNIT PRICE
CONCRETE, CLASS B	CY	\$ 174.00
CONCRETE, GENERAL USE 3500 PSI PEA GRAVEL MIX	CY	\$ 174.00
CONCRETE, GENERAL USE 3500 PSI COARSE AGGREGATE	CY	\$ 180.00
HIGH STRENGTH GROUT MIX	CY	
FLOWABLE FILL	CY	\$ 147.00
STRUCTURAL FIBER- STRUCTURAL OR MICRO	LB	\$ 5.00
CALCIUM ADMIXTURE	CY	1% - \$5.00 / 2% - \$10.00

.....

Signed: Billy Cook Printed: Billy Cook Title: Manager

Company: Senter Transit Mix

Address: P.O. Box 106 Tupelo, MS 38802

Phone: 662-842-7305 Fax: 662-690-9846 Email: billy@sentertransit.com

SEE ATTACHED



Senter Transit Mix

401 Elizabeth St.

Tupelo, MS, 38804

662.842.7305

www.sentertransit.com

PROJECT CITY OF TUPELO 6 MONTH QUOTE

DATE 11 Nov 2024

CUSTOMER TUPELO PUBLIC WORKS DEPT.

BID DATE 12 Nov 2024

CONTACT JOSH GRUBBS

END DATE 31 May 2025

ADDRESS

EST. QUANTITY 300 CY

Concrete products

Name	Price	Notes
3500 PSI AE W/57 WG	\$174.00/CY	4" MAXIMUM SLUMP
CLASS B CONCRETE WITH C ASH - 4" MAX SLUMP (CLB4TT)	\$174.00/CY	
3500 PSI AE CONCRETE W/ PG	\$180.00/CY	
EXCAVATABLE FLOWABLE FILL WITH DARAFILL	\$147.00/CY	

Admix products

Name	Price
1% CAL ACCEL	\$5.00/CY
2% CAL. ACCEL.	\$10.00/CY
3% CAL. ACCEL.	\$15.00/CY

Fee products

Name	Price
1 - 2.75 YD LIGHT LOAD CHARGE	\$150.00/EA
3 - 4.75 YD LIGHT LOAD CHARGE	\$100.00/EA
MIN. SATURDAY DEL.	\$300.00/EA
FUEL SURCHARGE - \$3.50 - \$3.99 PER GAL	\$25.00/LD
FUEL SURCHARGE - \$4.00 - \$4.49 PER GAL	\$35.00/LD
FUEL SURCHARGE - \$4.50 - \$4.99 PER GAL	\$45.00/LD
FUEL SURCHARGE - \$5.00 - \$5.49 PER GAL	\$55.00/LD
FUEL SURCHARGE - \$5.50 - \$5.99 PER GAL	\$65.00/LD
FUEL SURCHARGE - \$6.00 - \$6.49 PER GAL	\$75.00/LD
FUEL SURCHARGE - \$6.50 - \$6.99 PER GAL	\$85.00/LD
FUEL SURCHARGE - \$7.00 - \$7.49 PER GAL	\$95.00/LD
FUEL SURCHARGE - \$3.00 - \$3.49 PER GAL	\$15.00/LD

Additional products

Name	Price
MONOFILLAMENT MICROFIBER @ 1/2 LB PER CUBIC YARD	\$5.00/BG
STRUX 90/40 - 3 LB PER CUBIC YARD	\$21.00/CY

NOTES

Salesperson

NAME BILLY COOK

EMAIL billy@sentertransit.com

TITLE PLANT MANAGER

MOBILE PHONE (662) 316 1282

Signature

Subject to being awarded the contract for the project described above and subject to the prices, terms, and conditions accompanying this proposal, we hereby authorize you to furnish the material quoted.

SENER TRANSIT MIX REPRESENTATIVE

SIGNATURE

Billy Cook

NAME (PRINT)

Billy Cook

DATE

11.11.24

CUSTOMER REPRESENTATIVE

SIGNATURE

NAME (PRINT)

DATE

Terms and conditions

- 1) TERMS: Unless otherwise specified herein or on a contract for this specific project, terms are net 10th prox. from date of seller's invoice. A service charge of 1.5% per month will be assessed on all past due accounts. In the event that any sum due seller shall not be paid as and when due, buyer agrees to pay in addition to the amount due all costs of collection, including a reasonable attorney's fee, cost of court, and waives any exemption allowed buyer by operation of law.
- 2) QUALITY: All warranties either expressed or implied are voided if either water is added to the concrete to increase slump beyond the maximum slump specified on the ticket, or water is added after the load has been on the jobsite over 30 minutes. The concrete strength as delivered and shown is guaranteed as per the Strength Section of ASTM C 94 if the concrete is sampled, cast, handled, cured, and tested as per the appropriate ASTM specification. The seller does not guarantee finished results or in-place concrete strengths, durability, color and serviceability obtained from this load of concrete, as many factors affecting the ultimate quality of the finished concrete are outside the scope of the seller's responsibility and control.
- 3) DELIVERY: All prices are for street curb delivery. When requesting delivery off a paved public street or highway, purchaser agrees to assume responsibility for:
 - a) any property damage including the cost of repairing lawn or terrain damage.
 - b) cost of removing and placing concrete from any vehicle that becomes mired.
 - c) the value of the concrete itself when in the judgement of the seller, the concrete must be dumped to prevent set within the mixer
 - d) cost of wrecker service to extricate the mixer truck, if necessary to do so in the judgement of the seller.Adequate access must be provided so that any fully loaded mixer may reach the placement site under its own power and with no danger to seller's equipment. At seller's option, seller may refuse to make delivery beyond the nearest public roadway and all cost transporting concrete beyond this point shall be borne by the purchaser. If because of job conditions or other reasons, mixer trucks must go by a longer route than what is normally the shortest route to a placement site, a fair additional charge will be negotiated with the buyer on that portion of concrete.
- 4) SCHEDULING: Estimated delivery schedules will be maintained to the best of our ability, but we will not consider any claims for damages for failure to do so.
- 5) CLAIMS: Any claim of the purchaser must be made in writing within 72 hours of the time of delivery to be considered. Seller's liability is restricted to refunding the purchase price as delivered of the concrete immediately involved. Further, it is understood that seller shall not be liable for any incidental or consequential damages, including but not limited to damages occasioned by delays due to strikes, floods, fires, labor difficulties, or inability to obtain materials and equipment from normal sources.
- 6) MINIMUM ORDER: Minimum order size is 2 cubic yards.
- 7) MINIMUM LOADS: Orders of less than 5 cubic yards will have a below minimum charge. No charge for a below minimum load where small tag-back load finishes order otherwise delivered in full mixer loads. Below minimum charge is \$150 for loads less than 3 cubic yards or \$100 for loads less than 5 cubic yards but equal to or greater than 3 cubic yards.
- 8) UNLOADING TIME: Unloading time in excess of 45 minutes is chargeable at the company's overtime rate of \$120 per hour.
- 9) CUSTOMER SUPPLIED COLOR: A fee of \$100 per truck will be assessed on orders of integral color concrete if customer supplies own color.
- 10) OUTSIDE NORMAL HOURS: Concrete delivered outside normal weekday working hours of 7:00 a.m. to 4:00 p.m. is subject to a fee of \$120/hour. Saturday orders must be pre-arranged and carry an opening fee of \$300 per order for orders less than 60 cubic yards. Sunday or holiday orders must be pre-arranged and carry an opening fee quoted on a per-project basis.
- 11) TAXES: All products are subject to applicable sales tax.
- 12) ENFORCEABILITY: Should any provision of this agreement be found unenforceable, such provision shall be deemed omitted, and this agreement with such provision omitted shall remain in effect.
- 13) ACCEPTANCE: Acceptance (discharge) of this load of concrete by purchaser or purchaser's authorized agent signifies purchaser's agreement with the above terms and conditions of sale.

ADDITIONAL CONDITIONS OF THIS PROPOSAL

- 1) No mix design or testing costs included however standard plant mixes with test data from other jobs can normally be furnished.
 - 2) Quotation is based on the cementitious factor shown or the cementitious factor of company standard mixes. If mix design by others shows a different cementitious factor, price of mix to be adjusted up or down in accordance with this producer's net cost of delivered truck bulk cementitious materials.
 - 3) Strength designations are based on test specimens being taken as per ASTM C172 with slump measuring 4" or less or designated maximum slump on submitted mix design and with test specimens made and cured as per ASTM C 31.
 - 4) Quotation is based on locally available aggregates which generally meet ASTM C33 specifications with coarse aggregate of 1" nominal size, unless otherwise specified on the quotation.
 - 5) Use of a single brand or source of cementitious material cannot be guaranteed. Quotation is based on low sulfate conditions.
 - 6) No mix temperature control is provided in the quotation other than sprinkling of coarse aggregate upon request during hot weather period. If job specifications for temperature control require additional measures, equipment, labor, material or truck delays for this purpose, all such additional measures shall be at the purchaser's expense, and a fair extra charge will be negotiated with the purchaser.
 - 7) Adequate access must be provided to job site so that a fully loaded mixer may safely reach pour sites under its own power. After leaving a public road, street, or thoroughfare, producer will be directed to the job site delivery route by buyer or buyer's representative. Producer will not be responsible for damage caused by mixer trucks on private property.
 - 8) Quotation is based on mixer trucks going nearest route on public road, street, or thoroughfare. If because of job conditions or other reasons mixer trucks must go by a longer route, a fair additional charge will be negotiated with the buyer on that portion of the concrete.
 - 9) This quotation is subject to expiration thirty days from the date of the quotation.
- agreement with the above terms and conditions of sale.