
Z4.UP.045 -

# NOTICE OF PROPOSED UTILITY WORK IN WALLER COUNTY RIGHT-OF-WAY


Formal notice is hereby given that	AT&T		(utility contractor)	proposes to place a	
TELEPHONE LINE within the right-o	f-way of	COCHRAI	N RD (street)	as follows:	
Provide details for location, length, construction met pavement), etc.  Installation of buried telephone line and handho				edge of curb or	
All installation will have a minimum DOC of 36". Total buried installation	n = 15,369 LF.				
The	n accordance sures as the for adoption	e with gover se complying n by the "Tra	g with applicable portion insportation Code" (Ch 2	ther understands ns of the <u>Texas</u> 251).	
Construction is proposed to begin on or after the	23RD	day of	SEPTEMBER	, <b>2</b> 0 <sup>24</sup> .	
Firm: CABLETEX		s:			
By: TROY HART		PARK ROW, TX 77494			
Signature:	Phone:		713-230-8366		
Title: LEAD SUPERVISOR					
	APPROV	AL		-	
This application is hereby approved subject to the fo	ollowing und	lerstandings	and restrictions.		
It is expressly understood that the said Waller Count or upon this County Road; and it is further understowork, improve, relocate, widen, increase, add to, deway, this line, if affected, will be moved at the direction (30) days written notice.	ood that in t crease, or in	he future, sh any manner	nould Waller County, for change the structure of	any reason, need to this road or right-of-	
This installation work shall not damage any part of minimum of inconvenience to traffic and adjacent promal Notice presentation in Commissioners Court, extension after a written request is sent and approved	property ow , for a durati	ners. Permon on of one (1	it shall be effective upo ) year, with the opportu	n acceptance date of	
County Engineer or Road Administrator  9-17-24  Date	DEPT.	Traffic Cont Bond: Y Floodplain Permit #: _	rols Required: (Y) N rols Reviewed By: (S) Bond Amount (\$) Dev. Permit Required: Precinct #: tor: POBMIT J.	Y (1)	






CONSTRUCTION NOTE: ALL BORE DEPTHS AND HAND DIG DEPTHS ARE MINUMUM 36" COVER.


PROJECT # A02VLZP			DATE SVC REQ'D				
NPANNX	GEO LOC	CLLI					
PRIMARY ENGR.:							
ENGR. ID:		PERMIT REQ'D.	Υ				
PHONE #:			PRINT 1				




AT&T Proprietary (Internal Use Only.) Not for use or disclosure outside of AT&T companies except under written agreement.



AT&T Proprietary (Internal Use Only.) Not for use or disclosure outside of AT&T companies except under written agreement.



AT&T Proprietary (Internal Use Only.) Not for use or disclosure outside of AT&T companies except under written agreement.



### TRAFFIC CONTROL PLAN SECTION SHALL BE COMPLETED BY ENGINEER

ROADWAY	POSTED SPEED	TAPER LENGTH	CHANN	SPACING CHANNELIZING DEVICES		BUFFER SPACE
	JI LLD	LLITO III	TAPER TANGENT		SPACING	
ROCHEN RD	40	265	40	80	240	155
PENICK DR	45	450	45	90	320	195
SHILOH RD	30	150	30	60	120	90
GUY RD	30	150	30	60	120	90

LEGEND						
~~~	Type 3 Barricade		Channelizing Devices			
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)			
	Trailer Mounted Flashing Arrow Board	(M	Portable Changeable Message Sign (PCMS)			
4	Sign	♡	Traffic Flow			
$\Diamond$	Flag	ПО	Flagger			

Posted Speed	Formula	D	dinimum esirable Length: * *	s "L"	Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "x"	Suggested Longitudinal Buffer Space
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent	Distance	"B"
30	ws <sup>2</sup>	150'	165'	180'	30'	60'	120'	90'
35	$L = \frac{WS}{60}$	205'	225'	245'	35'	70'	160'	120'
40	80	265'	295'	320'	40'	80'	240'	155'
45		450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55	L=WS	550'	605'	660'	55'	110'	500'	295'
60	- "3	600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75		750'	825'	900'	75'	150'	900'	540'

<sup>\*</sup> Conventional Roads Only

#### GENERAL NOTES

WALLER COUNTY ENGINEERING DEPARTMENT



FOR INTERIM REVIEW ONLY

DOCUMENT INCOMPLETE: NOT INTENDED FOR CONSTRUCTION, BIDDING, OR PERMIT PURPOSES

ENGINEER: NAME P.E. SERIAL No. NUMBER DATE: / /

NOOLOT TITLE.						
		TRAFFIC STANDARD				
TRAFFI	C CONTROL PLAN (SHOULDER WORK)	TCP-SW				
RAWN BY: BSH		DATE: <b>8/18/17</b>				
KTD BY: BSH	SCALE: NONE	SHEET NO:				

<sup>\*\*</sup> Taper lengths have been rounded off. L=Length of Taper(FT) W=Width of Offset(FT) S=Posted Speed(MPH)

## PERMIT TO CONSTRUCT UTILITY IN WALLER COUNTY RIGHT-OF-WAY

**ROAD: Cochran Rd** 

DATE: **09/17/2024** 

To: Cabletex
[AT&T Communications]
23603 W Fernhurst Dr, Suite 2105
Park Row, TX 77494
Permit # 24.UP.045

The location on the right-of-way of your proposed buried line as shown by the accompanying notice dated **09/17/2024** is approved.

Your attention is directed to Art. 1436A (for power lines) and Art. 1416 (for communication lines) Vernon's Annotated Texas Civil Statutes with particular attention to the following provisions:

- 1. The Court Commission may designate the place along the right-of-way where such lines shall be constructed.
- 2. Emplacement of buried lines shall be a minimum of 36 inches below the flow line of the existing ditch. For installations parallel to the right-of-way, the utility shall be located within three (3) feet of the edge of the right-of-way, unless otherwise approved by the County.
- 3. All placement of lines beneath roadways and asphalt or concrete paved driveways shall be jacked or bored. No open cut will be allowed within five feet of the edge of roadways or such driveways. Open cuts on unpaved driveways shall be performed only with a trenching machine and shall not be excavated. In such cases the trench shall be backfilled and compacted. The driveway surface shall be restored to its original condition. Any variance to these requirements shall have the Commissioners' Court approval.
- 4. All buried water lines shall be marked thoroughly with detectable tracer wire. All other lines shall be marked thoroughly with detectable underground warning tape. Public to be safe-guarded by use of construction signs and barricades. Identification markers shall be placed along right-of-way lines, that is readily identifiable, indicating name of Company, type of line and emergency contact number.
- 5. Restore roads to their original condition. Trench is to be back-tracked, dragged, graded and filled as necessary to minimize erosion and sedimentation resulting from the proposed installation. Ditches are to be left clear for drainage.
- 6. The Court Commission may require the owner to relocate this line, for valid reasons under the law by giving thirty (30) days written notice.

The contractor must notify the County Engineer at (979) 826-7670, forty-eight (48) hours prior to starting construction of the line in order that we may have a

representative present. An inspection of the line installation is required prior to backfilling the excavation to confirm proper cover depth.

### SPECIAL PROVISIONS:

### WALLER COUNTY COMMISSIONERS' COURT

Ca	rbett "Trey" J. Duhon III, County Judge
6000	
	E . O &
It is ORDERED by the Court on motion by	Commissioner, duly
seconded by Commissioner	, that the above and foregoing request be
and the same is hereby approved, with	members present voting in favor and
members present voting opposed.	The County Engineer is authorized to comply
with the above requests.	Z4/// / Z 8
Date	
Debbie Hollan, County Clerk	
Deputy	
R	
	0000