

PERMIT TO CONSTRUCT UTILITY IN WALLER COUNTY RIGHT-OF-WAY

ROAD: SEE ATTACHED ROAD LIST (11)

DATE: **08/07/2024**

To: A T & T
[Millenium Geospatial]
2676 Noel Dr.
Green Bay, WI 54311

Permit # 24.UP.026

The location on the right-of-way of your proposed buried line as shown by the accompanying notice dated **09/02/2024** is approved.

Your attention is directed to Art. 1436A (for power lines) and Art. 1416 (for communication lines) Vernon's Annotated Texas Civil Statutes with particular attention to the following provisions:

1. The Court Commission may designate the place along the right-of-way where such lines shall be constructed.
2. Emplacement of buried lines shall be a minimum of 36 inches below the flow line of the existing ditch. For installations parallel to the right-of-way, the utility shall be located within three (3) feet of the edge of the right-of-way, unless otherwise approved by the County.
3. All placement of lines beneath roadways and asphalt or concrete paved driveways shall be jacked or bored. No open cut will be allowed within five feet of the edge of roadways or such driveways. Open cuts on unpaved driveways shall be performed only with a trenching machine and shall not be excavated. In such cases the trench shall be backfilled and compacted. The driveway surface shall be restored to its original condition. Any variance to these requirements shall have the Commissioners' Court approval.
4. All buried water lines shall be marked thoroughly with detectable tracer wire. All other lines shall be marked thoroughly with detectable underground warning tape. Public to be safe-guarded by use of construction signs and barricades. Identification markers shall be placed along right-of-way lines, that is readily identifiable, indicating name of Company, type of line and emergency contact number.
5. Restore roads to their original condition. Trench is to be back-tracked, dragged, graded and filled as necessary to minimize erosion and sedimentation resulting from the proposed installation. Ditches are to be left clear for drainage.
6. The Court Commission may require the owner to relocate this line, for valid reasons under the law by giving thirty (30) days written notice.

The contractor must notify the County Engineer at (979) 826-7670, forty-eight (48) hours prior to starting construction of the line in order that we may have a representative present. An inspection of the line installation is required prior to backfilling the excavation to confirm proper cover depth.

SPECIAL PROVISIONS:

WALLER COUNTY COMMISSIONERS' COURT

Carbett "Trey" J. Duhon III, County Judge

It is ORDERED by the Court on motion by Commissioner _____, duly seconded by Commissioner _____, that the above and foregoing request be and the same is hereby approved, with _____ members present voting in favor and _____ members present voting opposed. The County Engineer is authorized to comply with the above requests.

Date

Debbie Hollan, County Clerk

Deputy

24. UP.024

(+)

ROW Affected

1. Lakeside Dr
2. Robinhood Ln
3. Friar Tuck Dr
4. King Arthur Ct
5. Sherwood Green Dr
6. Sir Lancelot Cir
7. Castle Ln
8. Shoreline Rd
9. Forest Cir
10. Shady Oak Dr
11. Winding Way
12. River Run
13. Silver Springs Rd
14. Ridge View Rd

24.0P.024

NOTICE OF PROPOSED UTILITY WORK IN WALLER COUNTY RIGHT-OF-WAY

Formal notice is hereby given that AT&T (utility contractor) proposes to place a
NEW FIBER OPTIC CABLE within the right-of-way of SEE ATTACHMENT as follows:
(street)

Provide details for location, length, construction method, design (i.e. the dimensions from ROW line, edge of curb or pavement), etc.

PROJECT WILL PLACE NEW FIBER OPTIC SERVICE IN THE LAKESIDE ESTATES, CLEAR FOREST

SUBDIVISIONS

The NEW FIBER OPTIC CABLE will be constructed and maintained on the road right-of-way as directed by Waller County Road & Bridge in accordance with governing laws. Our firm further understands that the County considers proper traffic control measures as those complying with applicable portions of the Texas Manual on Uniform Traffic Control Devices required for adoption by the "Transportation Code" (Ch 251).

The location and description of the proposed work and appurtenances is more fully shown by a PDF drawing and traffic control attached to this notice.

Construction is proposed to begin on or after the 1ST day of AUGUST, 20 24.

Firm: MILLENNIUM GEOSPATIAL

Address: 2676 NOEL DR. GREEN BAY, WI 54311

By: MATTHEW GAUGER

Signature: MATTHEW GAUGER

Phone: 920-415-1677

Title: DESIGN ENGINEER

Email: MATTHEW.GAUGER@MILLENNIUMGEOSPATIAL.COM

APPROVAL

This application is hereby approved subject to the following understandings and restrictions.

It is expressly understood that the said Waller County does not hereby imply to grant any right, claim, title or easement in or upon this County Road; and it is further understood that in the future, should Waller County, for any reason, need to work, improve, relocate, widen, increase, add to, decrease, or in any manner change the structure of this road or right-of-way, this line, if affected, will be moved at the direction of the Waller County Engineer or Road Administrator with thirty (30) days written notice.

This installation work shall not damage any part of the roadway and adequate provisions shall be made to cause a minimum of inconvenience to traffic and adjacent property owners. Permit shall be effective upon acceptance date of Formal Notice presentation in Commissioners Court, for a duration of one (1) year, with the opportunity of a six (6) month extension after a written request is sent and approved by the County Engineer.

APPROVED BY WALLER COUNTY ROAD & BRIDGE DEPT.

[Signature]
County Engineer or Road Administrator

Date

8-5-2024

Traffic Controls Required: Y N

Traffic Controls Reviewed By: RIPG

Bond: Y N Bond Amount (\$): —

Floodplain Dev. Permit Required: Y N

Permit #: — Precinct #: 2

R&B Inspector: ROBERT J. GODSPEED

Waller County Road & Bridge Department

775 Business 290 East, Hempstead, TX 77445 Phone (979) 826-7670

R:\Construction Inspection\Forms\Waller County Utility Installation and NOTICE.docx

Rev. 082023.1

24. UP.024


(14)

ROW Affected

1. Lakeside Dr
2. Robinhood Ln
3. Friar Tuck Dr
4. King Arthur Ct
5. Sherwood Green Dr
6. Sir Lancelot Cir
7. Castle Ln
8. Shoreline Rd
9. Forest Cir
10. Shady Oak Dr
11. Winding Way
12. River Run
13. Silver Springs Rd
14. Ridge View Rd

WALLER PERMIT PRINT


- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS



CAUTION!!

BURIED GAS, ELECTRIC
CATV IN ROUTE. LOCATI

ALL FIBER CABLES PLACED ON THI
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLES
SPECIFICALLY NOTED OTHERWISE



RSK

PROJECT: A02QKSD
PRINT 1 OF 29

WALLER PERMIT PRINT




- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

- 4 (1978) 45C 517'
ALAW-50
- 5 (1985) 45C 1056'
AFAM-25
- 6 (1978) 45C 1067'
ALAW-50

CAUTION!!

BURIED GAS, ELECTRIC
CATV IN ROUTE. LOCAT

ALL FIBER CABLES PLACED ON THI
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLES
SPECIFICALLY NOTED OTHERWISE



RLK

PROJECT: A02QKSD
PRINT 2 OF 29




WALLER PERMIT PRINT

CAUTION!! BURIED GAS, ELECTRIC CATV IN ROUTE. LOCATE

- 1 PROPOSED AT&T 2" INNERDUCT E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT E/W FIBER OPTICS

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE

3 (1985) 45C 1056' AFAW-25



WALLER PERMIT PRINT

1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS

2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS


CAUTION!! BURIED GAS, ELECTRIC,
CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLESS
SPECIFICALLY NOTED OTHERWISE

TYPICAL
BORE
DETAIL

36"

BORE



6 (1978) 45C 1067'
ALAW-50

7 (1977) 45C 177'
ALAW-25

8 (1977) 45C 1696'
ALAW-50


PROJECT: A02QKSI
PRINT 4 OF 29

WALLER PERMIT PRINT



- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

CAUTION!! BURIED GAS, ELECTRIC, CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE



25091



(1977) 45C 1696'
ALAW-50

PROJECT: A02QKSD
PRINT 5 OF 29


WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT E/W FIBER OPTICS

4 (1977) 45C 1696' ALAW-50

CAUTION!! BURIED GAS, ELECTRIC & CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE






WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

CAUTION!! BURIED GAS, ELECTRIC
CATV IN ROUTE. LOCAT

ALL FIBER CABLES PLACED ON TH
PROJECT ARE BORED @ 36" DEEF
AND PLACED IN INNERDUCT UNLES
SPECIFICALLY NOTED OTHERWISE!






RJH

WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

CAUTION!! BURIED GAS, ELECTRIC, CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE






RJPK
PROJECT: A02QKSI
PRINT 8 OF 29

WALLER PERMIT PRINT

1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS


CAUTION!! BURIED GAS, ELECTRIC /
CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLESS
SPECIFICALLY NOTED OTHERWISE





WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS



CAUTION!! BURIED GAS, ELECTRIC
CATV IN ROUTE. LOCAT


ALL FIBER CABLES PLACED ON THE
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLESS
SPECIFICALLY NOTED OTHERWISE!



WALLER PERMIT PRINT



- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS
- 7 (1997) 45C 815'
ANAW-300

SHADY OAK DR
60' ROW



CAUTION!! BURIED GAS, ELECTRIC, CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE




PROJECT: A02QKSC
PRINT 11 OF 29

WALLER PERMIT PRINT

1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS

2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS




5 (1997) 45C 815'
ANAW-300

6 (1999) 45C 45'
ANMW-300

7 (1999) 45C 389'
ANMW-300


8 (2000) 45C 992'
ANAW-25

9 (2000) 45C 992'
ANAW-25





CAUTION!! BURIED GAS, ELECTRIC & CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE




WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS
- 5 (2000) 45C 992'
ANAW-25
- 6 (2000) 45C 992'
ANAW-25



CAUTION!! BURIED GAS, ELECTRIC
CATV IN ROUTE. LOCAT

ALL FIBER CABLES PLACED ON TH
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLESS
SPECIFICALLY NOTED OTHERWISE



RJH

**PROJECT: A02QKSD
PRINT 13 OF 29**

WALLER PERMIT PRINT




CAUTION!!

BURIED GAS, ELECTRIC & CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE

- 1 PROPOSED AT&T 2" INNERDUCT E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT E/W FIBER OPTICS

- 4 (2000) 45C 992' ANAW-25
- 5 (2000) 45C 992' ANAW-25



4


PROJECT: A02QKSD
PRINT 14 OF 29

WALLER PERMIT PRINT

CAUTION!! BURIED GAS, ELECTRIC, CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE

- 1 PROPOSED AT&T 2" INNERDUCT E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT E/W FIBER OPTICS
- 6 (1999) 45C 389' ANMW-300
- 7 (1971) 45C 748' BHAH-50
- 8 (1975) 45C 280' AJAW-50
- 9 (1978) 45C 581' ALMW-25






WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

- 4 (1975) 45C 280'
AJAW-50
- 5 (1975) 45C 745'
AJAW-25
- 6 (1971) 45C 766'
BHBH-25

CAUTION !! BURIED GAS, ELECTRIC, CATV IN ROUTE. LOCATE




ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE



1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS

2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

4 (1975) 45C 745'
AJAW-25






PROJECT: A02QKSI
PRINT 17 OF 29

WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS
- 4 (1971) 45C 766'
BHHH-25

CAUTION!! BURIED GAS, ELECTRIC
CATV IN ROUTE. LOCAT

ALL FIBER CABLES PLACED ON TH
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLES
SPECIFICALLY NOTED OTHERWISE






PROJECT: A02QKSD
PRINT 18 OF 29

WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS
- 6 (1971) 45C 766'
BHBH-25

CAUTION!! BURIED GAS, ELECTRIC &
CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLESS
SPECIFICALLY NOTED OTHERWISE






**PROJECT: A02QKS
PRINT 19 OF 29**

WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

CAUTION!! BURIED GAS, ELECTRIC & CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE



WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

- 4 (1978) 45C 581'
ALMW-25
- 5 (1971) 45C 748'
BHAH-50

RIDGE VIEW RD
60' ROW

TO FIELD



FOREST CIR
60' ROW

25115

25107

TO C.O.

25166

25146

25128

25108

CAUTION!!


BURIED GAS, ELECTRIC &
CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLESS
SPECIFICALLY NOTED OTHERWISE

TYPICAL
BORE
DETAIL

36"

BORE



PROJECT: A02QKSI
PRINT 21 OF 29

WALLER PERMIT PRINT

CAUTION!!

BURIED GAS, ELECTRIC & CATV IN ROUTE. LOCATE


ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE

- 1 PROPOSED AT&T 2" INNERDUCT E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT E/W FIBER OPTICS
- 5 (1972) 45C 2552' BHBH-300

TYPICAL BORE DETAIL

36"

BORE



PROJECT: A02QKS
PRINT 22 OF 29

WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS
- 4 (1972) 45C 2552'
BHBH-300

CAUTION!!


BURIED GAS, ELECTRIC &
CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLESS
SPECIFICALLY NOTED OTHERWISE

TYPICAL
BORE
DETAIL

36"

BORE





PROJECT: A02QKS
PRINT 23 OF 29

WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS
- 4 (1972) 45C 2552'
BHBH-300

CAUTION!! BURIED GAS, ELECTRIC
CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLESS
SPECIFICALLY NOTED OTHERWISE



PSK

PROJECT: A02QK
PRINT 24 OF 29

WALLER PERMIT PRINT

1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS


2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

6 (1972) 45C 2552'
SHBH-300

7 (1978) 45C 352'
ALAW-25



8 (1978) 45C 581'
ALMW-25

9 (1971) 45C 748'
BHAH-50



CAUTION!!! BURIED GAS, ELECTRIC & CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE





PROJECT: A02QKS
PRINT 27 OF 29

WALLER PERMIT PRINT

- 1 PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 2 PROPOSED AT&T 1.25" INNERDUCT
E/W FIBER OPTICS

CAUTION!! BURIED GAS, ELECTRIC &
CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS
PROJECT ARE BORED @ 36" DEEP
AND PLACED IN INNERDUCT UNLESS
SPECIFICALLY NOTED OTHERWISE



WALLER PERMIT PRINT

- 1

PROPOSED AT&T 2" INNERDUCT
E/W FIBER OPTICS
- 3

(1974) 45C 426'
AJAW-100
- 4

(1971) 45C 1421'
BHAH-50
- 5


(1997) 45C 454'
ANAW-400
- 6

(1997) 45C 488'
ANAW-400
- 7

(1997) 45C 168'
ANAW-200
- 8



(1968) 45C 981'
BHBA-16
- 9

(1985) 45C 209'
AFAW-50



CAUTION!! BURIED GAS, ELECTRIC & CATV IN ROUTE. LOCATE

ALL FIBER CABLES PLACED ON THIS PROJECT ARE BORED @ 36" DEEP AND PLACED IN INNERDUCT UNLESS SPECIFICALLY NOTED OTHERWISE



DISCLAIMER:
The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE:
FILE:

