

WALLER COUNTY

Yancy Scott, P.E., CFM
County Engineer



MEMORANDUM

To: Honorable Commissioners' Court

Item: Final RePlat Approval for Sunterra Section 29 Partial Replat No.1


Date January 10, 2024

Background

Final RePlat of Sunterra Section 29 Partial Replat No.1 to change street names of Sol Vida Drive to Apple Rose Lane and Harbor Ridge Drive to Golden Dust Drive in Precinct 3.

Staff Recommendation

Approve Plat



VICINITY MAP

Scale: NTS

KEY MAP 443 D

SUNTERRA

SEC 29 PARTIAL REPLAT NO 1

A SUBDIVISION OF 0.53 ACRE OF LAND
BEING A REPLAT OF THE RIGHT-OF-WAY OF "TANTARA
DRIVE", "SOL VIDA DRIVE" AND "HARBOR RIDGE DRIVE",
SUNTERRA SEC 29, RECORDED UNDER C.C.F. NO. 2212972
O.P.R.W.C.T. OUT OF THE
H. & T. C. RAILROAD SURVEY SECTION 121, A-201
WALLER COUNTY, TEXAS
REASON FOR REPLAT: TO CHANGE STREET NAMES OF
"SOL VIDA DRIVE" TO "APPLE ROSE LANE" AND "HARBOR
RIDGE DRIVE" TO "GOLDEN DUST DRIVE"
MAY 2023

DATE: MAY 2023	SUNTERRA SEC 29 PARTIAL REPLAT NO. 1	OWNER/DEVELOPER: Astro Sunterra L.P. a Delaware Limited Partnership 2450 FONDREN ROAD, SUITE 210 HOUSTON, TEXAS 77063 (713) 783-6702 Sobryant@andtejas.com	ENGINEER/PLANNER/SURVEYOR:  QUIDDITY Quiddity Engineering, LLC Texas Board of Professional Engineers and Land Surveyors Registration Nos. # 23290 & 10044-100 1329 Corporate Drive, Suite 100 - Rosenberg, TX 77471-2813-2233 Cjarnik@quiddity.com
SCALE NTS			
SHEET 1A OF 1			

K:\18537\18537-0088-00 Sunterra Section 29 WSD\28 Phase Planning\REPLAT\Sunterra Sec 29.dwg Nov 28/2023 - 7:04am CJO

A METES & BOUNDS description of an 0.53 acre strip of land in the H. & T. C. Railroad Company Survey Section 121, Abstract 201, Waller County, Texas, being over, through and across Sunterra Sec 29, according to map or plat thereof recorded under County Clerk's File Number 2212972, Official Public Records, Waller County, Texas, with all bearings based upon the Texas Coordinate System of 1983, South Central Zone, based upon GPS observations.

Beginning at a 5/8 inch iron rod with cap marked "Quiddity" found for the southeast corner of the herein described tract, being the southwest corner of the adjoining Lot 19, Block 4 and the northwest corner of the adjoining Lot 18, Block 4 of said Sunterra Sec 29, being in the easterly line of Harbor Ridge Drive (width varies this location);

Thence establishing the south line of the herein described tract, crossing said Harbor Ridge Drive to points at the following courses and distances:

North 88 degrees 10 minutes 18 seconds West, 50.00 feet;

North 80 degrees 28 minutes 41 seconds West, 25.22 feet to a point for the southwest corner of the herein described tract, being in the southeast line of the adjoining Lot 18, Block 5 of said Sunterra Sec 29, being in the westerly line of said Harbor Ridge Drive, and being in a non-tangent curve to the left;

Thence establishing the westerly line of said Harbor Ridge Drive, same being the northeast line of the adjoining Lots 13 through 18, Block 5 the westerly line of Harbor Ridge Drive, and the westerly line of Sol Vida Drive (50-foot wide) to points at the following courses and distances:

Thence with said non-tangent curve to the left, having a central angle of 44 degrees 23 minutes 27 seconds, an arc length of 19.37 feet, a radius of 25.00 feet, and a chord bearing North 01 degree 59 minutes 03 seconds West, 18.89 feet to a found 1/4 inch iron rod with cap marked "Quiddity";

North 24 degrees 10 minutes 46 seconds West, 279.62 feet to a 1/4 inch iron rod with cap marked "Quiddity" found at the beginning of a curve to the left;

Thence with said curve to the left, having a central angle of 03 degrees 38 minutes 09 seconds, an arc length of 7.93 feet, a radius of 125.00 feet, and a chord bearing North 25 degrees 59 minutes 51 seconds West, 7.93 feet to a found 1/4 inch iron rod with cap marked "Quiddity";

North 27 degrees 48 minutes 55 seconds West, 19.74 feet to a 1/4 inch iron rod with cap marked "Quiddity" found at the beginning of a curve to the left;

Thence with said curve to the left, having a central angle of 64 degrees 16 minutes 34 seconds, an arc length of 28.05 feet, a radius of 25.00 feet, and a chord bearing North 59 degrees 57 minutes 12 seconds West, 26.60 feet to a 1/4 inch iron rod with cap marked "Quiddity" found in the north line of said Lot 13, Block 5 and the southerly line of Tantara Drive (50-foot wide);

North 02 degrees 05 minutes 29 seconds West, crossing said Tantara Drive, 50.00 feet to the lower northwest corner of the herein described tract, being in the northerly line of said Tantara Drive and the south line of the adjoining Lot 66, Block 1 of said Sunterra Sec 29;

Thence along an interior line of the herein described tract, being the south line of said Lot 66, Block 1, and the northerly line of said Tantara Drive to points at the following courses and distances:

North 87 degrees 54 minutes 31 seconds East, 7.32 feet to a 1/4 inch iron rod with cap marked "Quiddity" found at the beginning of a curve to the left;

Thence with said curve to the left, having a central angle of 90 degrees 48 minutes 23 seconds, an arc length of 39.62 feet, a radius of 25.00 feet, and a chord bearing North 42 degrees 30 minutes 19 seconds East, 35.60 feet to a 1/4 inch iron rod with cap marked "Quiddity" found for the upper northwest corner of the herein described tract, same being the southeast corner of said Lot 66, Block 1, and being in the westerly line of said Apple Rose Lane (50-foot wide);

Thence North 87 degrees 06 minutes 09 seconds East establishing the north line of the herein described tract, crossing said Apple Rose Lane, 50.00 feet to a 1/4 inch iron rod with cap marked "Quiddity" found for the northeast corner of the herein described tract, being in the easterly line of said Apple Rose Lane, and the west line of Lot 77, Block 1, and being in a non-tangent curve to the right;

Thence establishing the easterly line of the herein described tract, being the easterly line of said Apple Rose Lane, the easterly line of said Sol Via Drive, the westerly line of Lot 77 and 78, Block 1, the westerly line of Restricted Reserve "B" and Restricted Reserve "C", and the westerly line of Lots 22 through 19, Block 4, crossing Seaglass Arbor Drive (60-foot wide) to points at the following courses and distances:

Thence with said non-tangent curve to the right, having a central angle of 35 degrees 04 minutes 56 seconds, an arc length of 45.92 feet, a radius of 75.00 feet, and a chord bearing South 14 degrees 38 minutes 37 seconds West, 45.21 feet to a 1/4 inch iron rod with cap marked "Quiddity" found at the beginning of a reverse curve to the left;

Thence with said reverse curve to the left, having a central angle of 60 degrees 00 minutes 00 seconds, an arc length of 26.18 feet, a radius of 25.00 feet, and a chord bearing South 02 degrees 11 minutes 05 seconds West, 25.00 feet to 1/4 inch iron rod with cap marked "Quiddity" found at the end of said curve;

South 27 degrees 48 minutes 55 seconds East, 20.05 feet to 3/4 inch iron rod with cap marked "Quiddity" found at the beginning of a curve to the right;

Thence with said curve to the right, having a central angle of 03 degrees 38 minutes 09 seconds, an arc length of 11.10 feet, a radius of 175.00 feet, and a chord bearing South 25 degrees 59 minutes 51 seconds East, 11.10 feet to a 1/4 inch iron rod with cap marked "Quiddity" found at the end of said curve;

South 24 degrees 10 minutes 46 seconds East, 267.69 feet to a 1/4 inch iron rod with cap marked "Quiddity" found at the beginning of a curve to the left;

Thence with said curve to the left, having a central angle of 35 degrees 22 minutes 22 seconds, an arc length of 15.43 feet, a radius of 25.00 feet, and a chord bearing South 41 degrees 51 minutes 57 seconds East, 15.19 feet to a 1/4 inch iron rod with cap marked "Quiddity" found at the beginning of a reverse curve to the right;

Thence with said reverse curve to the right, having a central angle of 61 degrees 22 minutes 51 seconds, an arc length of 53.56 feet, a radius of 50.00 feet, and a chord bearing South 28 degrees 51 minutes 43 seconds East, 51.04 feet to the Place of Beginning and containing 0.53 acre, more or less.

DATE: MAY 2023	SUNTERRA SEC 29 PARTIAL REPLAT NO. 1	OWNER/DEVELOPER: Astro Sunterra L.P. a Delaware Limited Partnership 2450 FONDREN ROAD, SUITE 210 HOUSTON, TEXAS 77063 (713) 783-6702 Sabryant@landtejas.com	ENGINEER/PLANNER/SURVEYOR:  QUIDDITY Quiddity Engineering, LLC Texas Board of Professional Engineers and Land Surveyors Registration Nos. E-13390 & L20646-02 1228 Corporate Drive, Suite 100 Houston, TX 77031 281 342 2031 Cjamnik@quiddity.com
SCALE NTS			
SHEET 18 OF 1			

K:\B537\B537-0088-00 Sunterra Section 29 WSDP\Y Design Phase\Planning\WFLAT\WFLAT Sunterra Sec 29.dwg Nov 29, 2023 - 7:04am CK

General Notes:

- AE "Aerial Easement"
- BL "Building Line"
- C.C.F. "County Clerk's File"
- C.L. "Center Line"
- GBL "Garage Building Line"
- No "Number"
- O.P.R.W.C.T. . . . "Official Public Records, Waller County, Texas"
- O.P.R.R.P.H.C.T. . "Official Public Records of Real Property,
Harris County, Texas"
- ROW "Right-of-Way"
- SSE "Sanitary Sewer Easement"
- Sq Ft "Square Feet"
- UE "Utility Easement"
- Vol — Pg — . . . "Volume and Page"
- WLE "Waterline Easement"
- "Set 3/4-inch Iron Rod With Cap Stamped
"Quiddity" as Per Certification"
- ① "Block Number"
- ↗ "Street Name Break"

- 1. This subdivision is proposed for single-family residential, detention and other related uses.
- 2. The radius on all block corners is 25 feet, unless otherwise noted.
- 3. All easements are centered on lot lines unless otherwise shown. All 14 foot utility easements shown extend 7 feet on each side of a common lot line unless otherwise indicated.
- 4. With respect to recorded instruments within this plat, surveyor relied on City Planning Letter issued by the representative Title Company dated March 6, 2023.
- 5. All coordinates shown are grid based on the Texas Coordinate System of 1983, South Central Zone, and may be converted to surface by applying the combined scale factor of 0.99989805999.
- 6. All bearings are based on the Texas Coordinate System of 1983, South Central Zone, and the project coordinates were determined with GPS observations. All of the distances shown are in U.S. survey feet.
- 7. A minimum of ten (10) feet shall be provided between sides of residential dwellings.
- 8. New development within the subdivision plat shall obtain a storm water quality permit before the issuance of any development permits.
- 9. Absent written authorization by the affected utilities, all utility and aerial easements must be kept unobstructed from any non-utility improvements or obstructions by the property owner. Any unauthorized improvements or obstructions may be removed by any public utility at the property owner's expense. While wooden posts and paneled wooden fences along the perimeter and back to back easements and alongside rear lots lines are permitted, they too may be removed by public utilities at the property owner's expense should they be an obstruction. Public utilities may put said wooden posts and paneled wooden fences back up, but generally will not replace with new fencing.
- 10. Structures built on lots in the designated flood plain shall be elevated to two (2) feet or more above the 500-year floodplain elevation, in the 100-year floodplain. Within the 500-year, these structures must be elevated to one (1) foot above the 500-year floodplain level. No development permits will be issued in a Flood Hazard Area below the base flood elevation (B.F.E.) Contact the County Engineer's office for specific information.
- 11. No structure in this subdivision shall be occupied until connected to a public sewer system.
- 12. No structure in this subdivision shall be occupied until connected to an individual water supply or a state - approved community water system.
- 13. This tract lies within within Zone "A" with no defined B.F.E. and Unshaded Zone X of the Flood Insurance Rate Map, Community No. 480640, Map Number 48473C0375E, Panel 0375, suffix "E" dated February 18, 2009 for Waller County, Texas and incorporated areas. Unshaded Zone "X": is defined as areas determined to be outside the 0.2% annual chance floodplain. Zone "A": is defined as Special Flood Hazard areas subject to inundation by the 1% annual chance flood, with no Base Flood Elevations defined.
- 14. Unless otherwise indicated, the building line (B.L.), whether one or more, shown on this subdivision plat are established to evidence compliance with the applicable provisions of Chapter 42, Code of Ordinances, City of Houston, Texas, in effect at the time this plat was approved, which may be amended from time to time.
- 15. Single Family Residential shall mean the use of a lot with one building designed for and containing no more than two separate units with facilities for living, sleeping cooking and eating therein. A lot upon which is located a free-standing building containing one dwelling unit and a detached secondary dwelling unit of no more than 900 square feet also shall be considered single family residential. A building that contains one dwelling unit on one lot that is connected by a party wall to another building containing one dwelling unit on an adjacent lot shall be single family residential.
- 16. Each lot shall provide a minimum of two off-street parking spaces per dwelling unit on each lot. In those instances where a secondary unit is provided only one additional space shall be provided.
- 17. Right-of-way easements for widening streets or improving drainage shall be maintained by the landowner until all street or drainage improvements are actually constructed on the property. The county has the right at any time to take possession of any street widening easement for construction, improvement or maintenance.
- 18. The building of all streets, bridges or culverts is the responsibility of the owners in accordance with the plans prescribed by the Commissioners Court. The Commissioners Court assumes no obligation to build or maintain any of the streets shown on the plat or constructing any of the bridges or drainage improvements. Upon completion of all obligations by the developer and written approval from the Commissioners Court, the County will assume full responsibility for maintenance of the public streets. The county will assume no responsibility for the drainage ways or easements in the subdivision, other than those draining or protecting the streets. The county assumes no responsibility for the accuracy of representations by other parties on the plat. Flood plain data, in particular, may change depending on subsequent development. The owners of land covered by this plat must install at their own expense all traffic control devices and signage that may be required before the streets in the subdivision have finally been accepted for maintenance by the county.
- 19. The property subdivided herein is further restricted in its use as specified under the terms and conditions of restrictions filed separately. A copy of said restrictions will be furnished by aforesaid Astro Sunterra, L.P., a Delaware Limited Partnership, to the purchaser of each and every lot in the subdivision prior to culmination of each sale include certification that the subdivider has complied with the requirements of section 232.032 and that:
 - (a) the water quality and connections to the lots meet, or will meet, the minimum state standards;
 - (b) sewer connections to the lots or septic tanks meet, or will meet, the minimum requirements of state standards;
 - (c) electrical connections provided to the lot meet, or will meet, the minimum state standards; and
 - (d) gas connections, if available, provided to the lot meet, or will meet, the minimum state standards.
- 20. Project site is within City of Houston ETJ.
- 21. All pipelines and pipeline easements that exist within the boundaries of this plat are shown hereon.
- 22. All lots shall have adequate wastewater collection services.
- 23. TBM "7520" being a set cotton picker spindle. Located on the west edge of asphalt in Schilpf Road, being +/- 2,490' North of the Intersection of Schilpf Road and Clay Road, and +/- 2,786' South of the Intersection of Schilpf Road and Stockdick School Road. Elevation = 164.00 (NAVD88, 2001 Adjustment).
- 24. Elevations shown hereon are based on TSARP Monument 190105, being located along Pitts Road, approximately 1,485 feet north of the Intersection of Pitts Road and Clay Road. Benchmark is west of Pitts Road and north of Cane Island Branch, on the north high bank of Cane Island Branch between the end of a guardrail and an existing fence running north-south. Elevation = 156.48' (NAVD88, 2001 Adjustment)
- 25. Tract is subject to Grant of Easement and Surface Use Agreement recorded under C.C.F. NOS. 1910725, 1910726, and 2007577, O.P.R.W.C.T.

DATE: MAY 2023	SUNTERRA SEC 29 PARTIAL REPLAT NO. 1	OWNER/DEVELOPER: Astro Sunterra L.P. a Delaware Limited Partnership 2450 FONDREN ROAD, SUITE 210 HOUSTON, TEXAS 77063 (713) 783-6702 Sobryant@andtejas.com	ENGINEER/PLANNER/SURVEYOR:  QUIDDITY Quiddity Engineering, LLC Texas Board of Professional Engineers and Land Surveyors Registration No. 1-21290 & 12046-120 1229 Corporate Drive, Suite 100 Houston, TX 77071-1813 281.942.2031 Cjamnik@quiddity.com
SCALE NTS			
SHEET 10 OF 1			

K:\6537\16537-0008-00 Sunterra Section 29 WSD\29 Design Phase\Planning\REPLAT\Mapia_Sunterra Sec 29.dwg Nov 21, 2023 7:05am UC

Certificate of Surveyor
This is to certify that I, Chris D. Kalkomey, a Registered Professional Land Surveyor of the State of Texas, have platted the above subdivision from an actual survey on the ground; and that all block corners, lot corners and permanent referenced monuments have been set, that permanent control points will be set at completion of construction and that this plat correctly represents that survey made by me.

A portion of this subdivision lies within the boundaries of any municipality's corporate city limits, or area of extra territorial jurisdiction.

A portion of this subdivision lies within the boundaries of the 1% annual chance (100 year) flood plain as delineated on Waller County Community Panel #480640 dated 2/18/2009, and revised in LOMR 19-06-1115P dated 4/27/2020.


A portion of this subdivision lies within the boundaries of the 0.2% annual chance (500 year) flood plain as delineated on Waller County Community Panel #480640 dated 2/18/2009, and revised in LOMR 19-06-1115P dated 4/27/2020.




Chris D. Kalkomey
Registered Professional Land Surveyor
Texas Registration No. 5869



This is to certify that the Planning Commission of the City of Houston, Texas, has approved this plat and subdivision of Sunterra Sec 29 Partial Replat No 1 in conformance with the laws of the State of Texas and the ordinances of the City of Houston, as shown hereon, and authorized the recording of this plat this 3 day of JULY, 2023.

By: 
Martha L. Stein or M. Sonny Garza
Chair Vice Chairman

By: 
Margaret Wallace Brown, AICP, GNU-A
Secretary



BROOKSHIRE- KATY DRAINAGE DISTRICT
APPROVED BY THE BOARD OF SUPERVISORS ON

3-23-2022
DATE

PRESIDENT

SECRETARY

DISTRICT ENGINEER

THE ABOVE HAVE SIGNED THESE PLANS AND/OR PLAT BASED ON THE RECOMMENDATION OF THE DISTRICT'S ENGINEER WHO HAS REVIEWED ALL SHEETS PROVIDED AND FOUND THEM TO BE IN GENERAL COMPLIANCE WITH THE DISTRICT'S "RULES, REGULATIONS, AND GUIDELINES". THIS APPROVAL IS ONLY VALID FOR THREE HUNDRED SIXTY-FIVE (365) CALENDAR DAYS. AFTER THAT TIME RE-APPROVAL IS REQUIRED. PLEASE NOTE, THIS DOES NOT NECESSARILY MEAN THAT ALL THE CALCULATIONS PROVIDED IN THESE PLANS AND/OR PLATS HAVE BEEN COMPLETELY CHECKED AND VERIFIED. PLANS SUBMITTED HAVE BEEN PREPARED, SIGNED AND SEALED BY A PROFESSIONAL ENGINEER LICENSED TO PRACTICE ENGINEERING IN THE STATE OF TEXAS AND PLAT HAS BEEN SIGNED AND SEALED BY A REGISTERED PROFESSIONAL LAND SURVEYOR LICENSED TO PRACTICE IN THE STATE OF TEXAS, WHICH CONVEYS THE ENGINEER'S AND/OR SURVEYOR'S RESPONSIBILITY AND ACCOUNTABILITY.

BROOKSHIRE- KATY DRAINAGE DISTRICT Permit No. 2022-24 REVISED

DATE: MAY 2023	SUNTERRA SEC 29 PARTIAL REPLAT NO. 1	OWNER/DEVELOPER: Astro Sunterra L.P. a Delaware Limited Partnership 2450 FONDREN ROAD, SUITE 210 HOUSTON, TEXAS 77063 (713) 783-6702 Sabryant@andtejas.com	ENGINEER/PLANNER/SURVEYOR:  QUIDDITY Quiddity Engineering, LLC Texas Board of Professional Engineers and Land Surveyors Registration Nos. E-232795 & L20446120 1229 Corporate Drive, Suite 100 - Houston, TX 77057-2813 Cjamnik@quiddity.com
SCALE NTS			
SHEET 1D OF 1			

K:\16537\16537-00889-00 Sunterra Section 29 WSD23-02 Design Phase\Planning\REPLAT\Sunterra Sec 29.dwg May 01, 2023 - 11:47am CJK

STATE OF TEXAS 5
COUNTY OF WALLER 5

We, Astro Sunterra, L.P., a Delaware Limited Partnership, acting by and through Melanie Ohl, Authorized Signer, owner hereinafter referred to as Owners of the 0.53 acre tract described in the above and foregoing map of Sunterra Sec 29 Partial Replat No 1, do hereby make and establish said subdivision and development plan of said property according to all lines, dedications, restrictions, and notations on said maps or plat and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets, or permanent access easements), alleys, parks, water courses, drains, easements and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors and assigns to warrant and forever defend the title on the land so dedicated.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11' 6") for ten feet (10' 0") perimeter ground easements or seven feet, six inches (7' 6") for fourteen feet (14' 0") perimeter ground easements or five feet, six inches (5' 6") for sixteen feet (16' 0") perimeter ground easements, from a plane sixteen feet (16' 0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21' 6") in width.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10' 0") for ten feet (10' 0") back-to-back ground easements, or eight feet (8' 0") for fourteen feet (14' 0") back-to-back ground easements or seven feet (7' 0") for sixteen feet (16' 0") back-to-back ground easements, from a plane sixteen feet (16' 0") above ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30' 0") in width.

FURTHER, we do hereby certify that we are the owners of all property immediately adjacent to and adjoining the boundaries of the above and foregoing subdivision, Sunterra where public utility easements are to be established outside the boundaries of the above and foregoing subdivision and to hereby make and establish and dedicated to the use of the public utilities forever all public utility easements show in said adjacent acreage.

FURTHER, all of the property subdivided in the above and foregoing plat shall be restricted in its use, which restrictions shall run with the title to the property and shall be enforceable at the option of Waller County, by Waller County, or any citizen thereof, by injunction as follows:

- 1. That drainage of septic tanks into roads, streets, alleys or public ditches, streams, ect., either directly or indirectly is strictly prohibited.
- 2. All stock animals, horses and fowl, shall be fenced in and not allowed to run at large in the subdivision.
- 3. Drainage structures under private drives shall have a new drainage opening area of sufficient size to permit the free flow of water without backwater and shall be a minimum of one and three quarters (1-1/4) square feet (15" diameter pipe) reinforced concrete pipe, unless specified by the County Road Administrator or County Engineer. Culverts and bridges must be used for all driveway and/or walks, although dip-style driveways are encouraged where appropriate.
- 4. Property owners will obtain Development Permits/Permit Exemptions from the County Flood Plain Administrator for all development.
- 5. There are no underground pipelines within the confines of the subdivision except as shown on the plat.
- 6. There shall be no sanitary sewer systems or any water well constructed within 50 feet of any lot line that does not adjoin with a public road.

FURTHER, Owners hereby certify that this replat does not attempt to alter, amend, or remove any covenants or restrictions;

IN TESTIMONY WHEREOF, the Astro Sunterra, L.P., a Delaware Limited Partnership has caused these presents to be signed by Melanie Ohl, its Authorized Signer, thereunto authorize, this 3rd day of May, 2023.

Astro Sunterra, L.P.,
a Delaware Limited Partnership


By: Astro Sunterra GP LLC
a Delaware Limited Liability Company
Its General Partner
Melanie Ohl
By: Melanie Ohl
Title: Authorized Signer

STATE OF TEXAS 5
COUNTY OF HARRIS 5

BEFORE ME, the undersigned authority, on this day personally appeared Melanie Ohl Authorized Signer known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that they executed the same for the purposes and considerations therein expressed.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this 3rd day of May, 2023.

Samantha Doff
Notary Public in and for the State of Texas
Samantha Doff
Print Name
My commission expires: 3-8-2025



DATE: MAY 2023	SUNTERRA SEC 29 PARTIAL REPLAT NO. 1	OWNER/DEVELOPER: Astro Sunterra L.P. a Delaware Limited Partnership 2450 FONDREN ROAD, SUITE 210 HOUSTON, TEXAS 77063 (713) 783-6702 Sobryant@landtejas.com	ENGINEER/PLANNER/SURVEYOR:  QUIDDITY Quiddity Engineering LLC Texas Board of Professional Engineering and Land Surveyors Registration No. 4-23240-00000000 1229 Corporate Drive, Suite 200 • Houston, TX 77057 • 281.342.2211 Cjamnik@quiddity.com
SCALE 1" = 250'			
SHEET 1E OF 1			

K:\16557\16557-0088-00 Sunterra Section 29 WSDAP\2 Design\Phone\Planning\REPLAT\Sunterra Sec 29.dwg May 01, 2023 - 2:31pm OKJ

Line Table		
Line	Bearing	Distance
L1	N87°06'08"E	50.00'
L2	S27°48'55"E	20.05'
L3	S24°10'46"E	267.69'
L4	N88°10'18"W	50.00'
L5	N80°28'41"W	25.22'
L6	N24°10'46"W	279.62'
L7	N27°48'55"W	19.74'
L8	N02°05'29"W	50.00'
L9	N87°54'31"E	7.32'
L10	N65°49'14"E	25.00'
L10	N27°48'55"W	56.65'
L11	N24°10'46"W	279.62'
L12	N87°54'31"E	7.32'

Curve Table						
CURVE	RADIUS	DELTA ANGLE	ARC LENGTH	CHORD BEARING	CHORD LENGTH	TANGENT
C1	75.00'	35°04'57"	45.92'	S14°38'36"W	45.21'	23.71'
C2	25.00'	60°00'00"	26.18'	S02°11'05"W	25.00'	14.43'
C3	175.00'	3°38'09"	11.10'	S25°59'51"E	11.10'	5.55'
C4	25.00'	35°22'22"	15.43'	S41°51'57"E	15.19'	7.97'
C5	50.00'	61°22'51"	53.56'	S28°51'43"E	51.04'	29.68'
C6	25.00'	44°23'27"	19.37'	N01°59'03"W	18.89'	10.20'
C7	125.00'	3°38'09"	7.93'	N25°59'51"W	7.93'	3.97'
C8	25.00'	64°16'34"	28.05'	N59°57'12"W	26.60'	15.71'
C9	25.00'	90°48'23"	39.62'	N42°30'19"E	35.60'	25.35'
C10	50.00'	39°01'22"	34.05'	N04°40'05"W	33.40'	17.72'
C11	150.00'	3°38'09"	9.52'	N25°59'51"W	9.52'	4.76'
C12	50.00'	90°48'23"	79.24'	N42°30'19"E	71.21'	50.71'

DATE: MAY 2023	SUNTERRA SEC 29 PARTIAL REPLAT NO. 1	OWNER/DEVELOPER: Astro Sunterra L.P. a Delaware Limited Partnership 2450 FONDREN ROAD, SUITE 210 HOUSTON, TEXAS 77063 (713) 783-6702 Sobryant@landtejas.com	ENGINEER/PLANNER/SURVEYOR:  QUIDDITY Quiddity Engineering, LLC Texas Board of Professional Engineers and Land Surveyors Registration Nos. 9-23290 & 10045-000 11279 Corporate Drive, Suite 100 Houston, TX 77067-1128; 842 7011 Cjamnik@quiddity.com
SCALE NTS			
SHEET 1F OF 1			

X:\1853\1853-0088-00 Sunterra Section 29 WSDP\2 Design Phase\Planning\REPLAT\Maplat_Suntterra Sec 29.dwg Nov 29, 2023 - 7:05am CKJ

C:\16537\16537-0088-00 Sunterra Section 29 WSD&P\2 Design Phase Planning\REPLAT\Sunterra Sec 29.dwg Nov 29, 2023 - 7:06am CKJ

