


Attachment A – Photos and Plans

Vicinity Map –



Attachment A – Photos and Plans



Attachment A – Photos and Plans

Photos/Plans (*Please see Applicant provided plans for high resolution and for product specifications – not all Applicant-provided plans and drawings are shown here):

All Work Shall be in Compliance with applicable 2021 ICC Model Codes with adopted technical amendments prescribed in the 2021 USBC.



54 E Lee Street, Suite 100 Warrenton, VA 20186

EXISTING



37.5 feet wide on side where doors are from corner to corner.

100 feet wide on front of building (Lee St. side)

10.5 feet high up on corner for hanging sign

All Work Shall be in Compliance with applicable 2021 ICC Model Codes with adopted technical amendments prescribed in the 2021 USBC.

PROPOSED



Attachment A – Photos and Plans

FASTENER SCHEDULE		
	1/4" BLUE & LAG SCREW	FOR USE WITH WOOD OR STUCCO WALL SYSTEMS 1-1/2" MIN PENETRATIONS (EXCL. TIP)
	1/4" SNAP TOGGLE	FOR USE WITH WOOD OR STUCCO WALL SYSTEMS 1-1/2" MIN PENETRATIONS (EXCL. TIP)
	1/4" LAG SCREW	FOR USE WITH WOOD OR EIFS WALL SYSTEMS 1-1/2" MIN PENETRATIONS (EXCL. TIP)
	1/4" LAG & SHIELD	FOR USE WITH WOOD OR EIFS WALL SYSTEMS 1-1/2" MIN PENETRATIONS (EXCL. TIP)
	1/4" DIA. THREADED ROD & BEARING PLATES	FOR USE WITH WOOD, CONCRETE BLOCK OR EIFS WALL SYSTEMS
	1/4" DIA. THREADED ROD	FOR USE WITH WOOD, CONCRETE BLOCK OR EIFS WALL SYSTEMS
	1/4" RED HEAD L.D.T. (LARGE DIAMETER TAPCON)	FOR USE WITH CONCRETE BLOCK, BRICK OR CONCRETE. EMBED A MIN. OF 2-1/2"
	1/4" DIA. HILTI HT ROD WITH H ₂ 150 MAX. ADHESIVE	FOR USE WITH CONCRETE. EMBED A MIN. OF 2"
	1/4" DIA. HILTI HT ROD WITH H ₂ 20 ADHESIVE	FOR USE WITH MASONRY AND BRICK. EMBED A MIN. OF 3-3/8"
	1/4" DIA. HILTI HT ROD WITH H ₂ 20 ADHESIVE	FOR USE WITH CONCRETE BLOCK. EMBED A MIN. OF 2"
	1/4" DIA. HILTI HLC SLEEVE ANCHOR	FOR USE WITH CONCRETE, MASONRY AND BRICK. EMBED A MIN. OF 3-3/8"



18" W x 18" H

All Work Shall be in Compliance with applicable 2021 ICC Model Codes with adopted technical amendments prescribed in the 2021 USBC.