



2300VinylCollection

Single Hung Windows



Building choice into every view.

 **Ply Gem**[®]
WINDOWS & DOORS

2300 Single Hung Windows



Upgrade your view

- High performance in a builder's window
- Traditional frame design
- GBG grilles
- Forced-Entry Resistant lock
- Egress Size: 3050SH or 3052SH
- Limited Lifetime Warranty

When you build a lot of homes, you expect a lot from your windows. Quality. Performance. Value. A company you can count on. Our new 2300 vinyl windows offer all that and more, including a full range of options to meet your every need.

Frame Options



Brickmould

The perfect trim solution that adds lasting durability, and can be used in a variety of architectural styles, complementing any home.

Window Anatomy

Multi-chamber construction with fusion-welded sash and frame

7/8" insulated glass with Warm Edge spacer saves energy

Sloped sill drains water away from home exterior

Integral J-channel for simple, secure siding installation (optional double utility trim)



Color options



Grille types

Also available with no grilles.

GBG Grilles



3/4" Flat

ONE Package



The NVR 2300 SH uses Double Glazed 13/16" high performance HPSC Low-E insulated glass with argon gas coupled with a stainless steel WarmEdge+ spacer system that performs whether you are heating or cooling and reduces interior glare.

Performance values with GBG

U-Factor	.30
SGHC	.20
VT	.38
STC Rating	26

easyinstall

for a quick, correct fit

- Alignment clips
- Double utility trim
- Integral J-channel
- Jamb extensions or drywall receiver options
- Accessory grooves
- Protective construction film

Window Highlights



Optional
H-LC 50
Upgrade
in Limited
Sizes



Interior



Jamb Alignment Clips

Aligns and holds frame in place during installation; enables one person to center smaller windows.



Removable Meeting Rail

Patented meeting rail anchor makes removing rail simple; ideal for drywall applications.

Patent #: 9624713



Recessed Tilt-Latch

Dead-bolt action locks securely with a sleek, unobtrusive design. Enclosed mechanism does not collect construction debris.



Interlocking Sashes

Sashes lock tightly together to help keep out intruders, drafts and inclement weather while improving structural performance.



Forced Entry Resistant Locks

Enhanced security locks meet tough AAMA forced entry requirements. ADA accessible and auto-lock options available.



WindowSpecs

FRAME

3 1/2" dual wall Brickmould frame depth
1 3/8" Nail Fin Set Back
Optional J-channel filler simplifies stone exterior applications
Interior glazed top glass
Exterior glazed bottom glass
Fusion-welded frame and sash
Sloped sill

SASH

Interlock sash design with dual pile weatherstripping
Tilt-latch for easy cleaning of exterior glass
Inverted block & tackle balances
Dual lift rails for easy operation
Half Screens (shipped separately)

GLASS

Dual pane IG units
Standard Warm Edge+ spacers
Configurable STC values
H-LC50 performance upgrade
Impact, tempered, obscure and rain options
Spandrel glass option
Easy Clean option

GRILLES

GBG (Grilles Between Glass) 3/4" Flat
Colonial, Plaza, Prairie, Diamond, Gothic patterns available

LOCKS

Standard Forced-Entry Resistant cam lock
Self-latching auto lock option

COLOR

White, Beige or Dark Bronze/White


1 Select a color.



White



Beige



Bronze

2



Add character with grilles and shapes.

Choose from a variety of distinctive looks.

3



Multiply the effect.

Combine fixed and operating windows to make a dramatic statement.

4

Enjoy the view.



For more information, call 888-9PLYGEM.