


# ROLLOUTWARRENTON! PARKLET DESIGN GUIDE



Parklet color/finish should follow the Town of Warrenton Guide to Historic Resources and resemble the period of the applicant's current occupancy.

## PLATFORM



 **Four (4) treated 2" x 4" x 7'-9"**

\*place with 1 1/2" side up at 24" on-center

 **Six (6) 2" x 4" x 7'-9"**

\*place with 3 1/2" side up across treated 2" x 4"s at approximately 18 1/2" on-center

MAKE SURE UNIT IS SQUARE AND PLACE 2 SCREWS AT EACH POINT THAT BOARDS INTERSECT

 **Four (4) 2" x 4" x 8' with 45° angle on each end**

\*install as band board on perimeter

 **Two (2) 4' x 8' x 1/2" plywood**

\*screw down plywood across 3 1/2" 2" x 4"s

**WOOD MAY BE  
SUBSTITUTED WITH OTHER  
ENGINEERED MATERIALS**

## HAND RAILING



**Two (2) posts with 45° angle slants on the top**

\*2" x 6" x 38" to long point of 45° angle & 2" x 4" x 40 1/2" to long point of 45° angle

**One (1) 2" x 6" x 7'-9"**

\*screw to top of 45° angles on posts

MAKE SURE ENDS OF THE BOARD & OUTSIDE EDGE OF POSTS ARE FLUSH

**Four (4) 2" x 6" x 7'-2 1/4"**

\*attach to posts

MAKE SURE SPACE BETWEEN RAILS ARE LESS THAN OR EQUAL TO 4"

**INSTALL HANDRAIL UNIT TO PLATFORM USING 1/2" x 3 1/2" LAG SCREWS**