

## Red Cross On-Site Shelter Survey Form

The Red Cross surveyor records the information on this form. (Instructions and definitions below form.)

Site Name:Warrenton Aquatic and Recreation Facility	Address: 800 Waterloo Rd, Warrenton, VA 20186	
Red Cross representative: Viviana Cristian	Red Cross contact info: 434-242-5585	
Person completing form: Viviana Cristian	Date completed: 7/14/2025	
Check and describe all modifications that may be required to use this site as a shelter. Refer to the last page for definitions.		
■ Accessible Parking¹	■ Accessible Sidewalk or Walkway²	
■ Accessible Entrance <sup>3</sup>	■ Accessible Route to Service Areas⁴	
■ Accessible Toilets <sup>5</sup>	■ Distraction Reduced Area <sup>6</sup>	
■ Accessible Sinks <sup>7</sup>	■ Accessible Shower Facilities <sup>8</sup>	
Power Supply Access <sup>9</sup>	■ Refrigeration¹0	
Other Needs and Details:		
AREA INFO	PRMATION:	
Most facilities have multiple, separate spaces available that can be used. Record details about each area.		
	Length: 44 Width: 33 Sq Ft of Area: 1452	
Intended Uses: ■ Dormitory □ Feeding □ Safest Refuge¹² □ Reception □ Client Meeting Areas □ Pet Shelter □ Administration/Storage □ Client Isolation Area		
Windows in the A	Long or Open Roof Spans in Dormitory: ☐ Y ■ N	
If any of the items below are accessible to multiple areas, please split them up amongst the areas.		
Total Manuel and Ed. D. dec. of	Number of Accessible toilets: 1	
Total Number of showers: 0	Number of Accessible showers: 0	
Total Number of bathroom sinks: 3	Number of Accessible bathroom sinks: 1	

To Be Used by Red Cross Surveyor

AREA INFORMATION:  Most facilities have multiple, separate spaces available that can be used. Record details about each area.		
Area Name: Overage open area		
	Length: 94 Width: 14 Sq Ft of Area: 1316	
Intended Uses: ■ Dormitory □ Feeding □ Safest Refuge □ Reception ■ Client Meeting Areas □ Pet Shelter		
■ Administration/Storage ☐ Client Isolation A	rea	
Windows in the Area: ■ Y □ N	Long or Open Roof Spans in Dormitory: ☐ Y ■ N	
If any of the items below are accessible to multiple areas, please split them up amongst the areas.		
Total Number of toilets: 2	Number of Accessible toilets: 1	
	·	
Total Number of showers: 0	Number of Accessible showers: ()	
	Mattings of Accessing Stiomers: 0	
Total Number of hothroom sinks of		
Total Number of bathroom sinks: 3	Number of Accessible bathroom sinks: 1	
	4	
AREA INFORMATION:		
Most facilities have multiple, separate spaces available that can be used. Record details about each area.		
Area Name: Lobby	Length: 60 Width: 28 Sq Ft of Area: 1680	
Intended Uses: ☐ Dormitory ☐ Feeding ☐ Safest Refuge ≣ Reception ■ Client Meeting Areas ☐ Pet Shelter		
$\square$ Administration/Storage $\square$ Client Isolation An	ea	
Windows in the Area: ▣ Y ☐ N	Long or Open Roof Spans in Dormitory: ☐ Y ■ N	
f any of the items below are accessible to multiple areas, please split them up amongst the areas.		
Total Number of toilets: 2	Number of Accessible toilets: 1	
Total Number of showers: 0	Number of Accessible showers: 0	

Please print additional pages for each area being surveyed.

Number of Accessible bathroom sinks: 0

To Be Used by Red Cross Surveyor

Total Number of bathroom sinks: 3

AREA INFORMATION:  Most facilities have multiple, separate spaces available that can be used. Record details about each area.		
Area Name: downstairs room by elevator	Length: 24 Width: 17 Sq Ft of Area: 408	
Intended Uses: ■ Dormitory □ Feeding □ Safest Re	efuge ☐ Reception  ☐ Client Meeting Areas ☐ Pet Shelter	
■ Administration/Storage ■ Client Isolation Area		
Windows in the Area: ■ Y □ N	Long or Open Roof Spans in Dormitory: ☐ Y ■ N	
If any of the items below are accessible to multiple areas, please split them up amongst the areas.		
Total Number of toilets: 7	Number of Accessible toilets: 2	
Total Number of showers: 8	Number of Accessible showers: 2	
Total Number of bathroom sinks: 6	Number of Accessible bathroom sinks: 2	
Ç	2	
AREA INFORMATION:		
Most facilities have multiple, separate spaces available that can be used. Record details about each area.		
Area Name: Downstairs open area w/tables	Length: 53 Width: 13 Sq Ft of Area: 689	
Intended Uses: □ Dormitory ■ Feeding □ Safest Ref	ruge □ Reception ■ Client Meeting Areas □ Pet Shelter	
$\square$ Administration/Storage $\square$ Client Isolation Area		
Windows in the Area: □ Y ■ N	Long or Open Roof Spans in Dormitory: ☐ Y ■ N	
If any of the items below are accessible to multiple areas, please split them up amongst the areas.		
Total Number of toilets: 6	Number of Accessible toilets: 1	
Total Number of showers: 7		
Total Nutriber of Showers: 1	Number of Accessible showers: <sup>1</sup>	
Total Number of bathroom sinks: 5	Number of Accessible bathroom sinks: 1	

Please print additional pages for each area being surveyed.

To Be Used by Red Cross Surveyor

## **DEFINITIONS**

- <sup>1</sup> Accessible Parking The parking space surface appears level and is marked with an accessibility symbol. It is adjacent to an accessible walkway, is at least 96-inches wide and there is at least 98-inches of overhead clearance.
- <sup>2</sup> Accessible Sidewalk or Walkway At least 36-inches wide, level surface without hazards on the route or overhead that does not require any steps or curb to the walkway.
- <sup>3</sup> Accessible Entrance Entrance connected to an accessible route with a 32-inch-wide passage when the door is open. Door hardware is usable with one hand (lever, pull).
- <sup>4</sup> Accessible Route to Service Areas Hallways and corridors at least 36-inches wide with level surface, and no hazards on the route or overhead to all service areas. Elevator access is available when above and below ground.
- <sup>5</sup> Accessible Toilets Accessible entrance to the toilet area. The stall must be at least 60-inch wide and 59-inch deep with a door that swings out from the stall, grab bars, and toilet seat 17 to 19 inches above the floor.
- <sup>6</sup> Distraction Reduced Area Separate area from main sleeping and service areas with space for physical distancing and low lighting.
- <sup>7</sup> Accessible Sinks Sinks and countertops no more than 34-inches above the floor, with mirrors no more than 40 inches above the floor. There must be an open space below the sink for knee clearance at least 27-inches high and 8-inches deep
- <sup>8</sup> Accessible Shower Facilities Entrance to shower allows roll-in, is at least 30-inches wide and 60-inches deep, with grab bars and a seat.
- 9 Power Supply Access Area Backup source of power is available for clients with life-saving equipment.
- 10 Refrigeration Facility has refrigerator available to store life-saving medication for clients.
- $^{11}$  Area Name The surveyor should record the name used by the facility (i.e.: East Gymnasium, Cafeteria Hall, Conference Room 3, etc.)
- <sup>12</sup> Safest Refuge Area The designated safest area for the population to take temporary refuge during external threats such as gale force winds or tornado. Identify an interior, enclosed hallway or room which does not have windows or a wide roof span.