Exhibit 'B' Pod V-2 PLAT

THIS PAGE WAS LEFT BLANK ON PURPOSE

DEDICATION AND RESERVATIONS:

KNOW ALL MEN BY THESE PRESENTS THAT MINTO PBLH, LLC, A FLORIDA LIMITED LIABILITY COMPANY, OWNER OF THE LAND SHOWN AND DESCRIBED HEREON AS POD V-2, BEING A PORTION OF SECTION 5, TOWNSHIP 43 SOUTH, RANGE 41 EAST, CITY OF WESTLAKE, PALM BEACH COUNTY, FLORIDA. BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE NORTHWEST CORNER OF SECTION 5, TOWNSHIP 43 SOUTH, RANGE 40 EAST; THENCE S.01°57'47"W., ALONG THE WEST LINE OF SAID SECTION 5, TOWNSHIP 43 SOUTH, RANGE 41 EAST, A DISTANCE OF 2712.17 FEET TO A POINT OF INTERSECTION WITH THE SOUTH LINE OF THE NORTHWEST QUARTER OF SECTION 5, TOWNSHIP 43 SOUTH, RANGE 41 EAST; THENCE S.89°56'04"E., DEPARTING SAID WEST LINE OF SAID SECTION 5 AND ALONG SAID SOUTH LINE OF THE NORTHWEST QUARTER OF SECTION 5, A DISTANCE OF 1336.65 FEET TO THE **POINT OF BEGINNING**, ALSO BEING A POINT OF NON-TANGENT INTERSECTION WITH A CURVE CONCAVE TO THE SOUTHWEST WITH A RADIUS OF 4694.00 FEET AND A RADIAL BEARING OF S.77°40'53"W., AT SAID INTERSECTION; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 05°44'32", A DISTANCE OF 470.44 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE SOUTHEAST, WITH A RADIUS OF 40.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 62°38'56", A DISTANCE OF 43.74 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE NORTHWEST, WITH A RADIUS OF 2190.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE. THROUGH A CENTRAL ANGLE OF 09°58'36". A DISTANCE OF 381.34 FEET TO A POINT OF NON-TANGENT INTERSECTION; THENCE N.46°08'59"E., A DISTANCE OF 6.43 FEET TO A POINT OF NON-TANGENT INTERSECTION WITH A CURVE CONCAVE TO THE SOUTHWEST, WITH A RADIUS OF 5049.00 FEET AND A RADIAL BEARING OF S.69°11'29"W., AT SAID INTERSECTION; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 03°06'15". A DISTANCE OF 273.56 FEET TO A POINT OF NON-TANGENT INTERSECTION WITH A CURVE CONCAVE TO THE NORTHEAST, WITH A RADIUS OF 318.00 FEET AND A RADIAL BEARING OF S.72°01'51"E., AT SAID INTERSECTION: THENCE SOUTHEASTERLY. ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 61°49'03". A DISTANCE OF 343.10 FEET TO POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE SOUTHWEST, WITH A RADIUS OF 64.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE. THROUGH A CENTRAL ANGLE OF 30°07'30". A DISTANCE OF 33.65 FEET TO A POINT OF NON-TANGENT INTERSECTION WITH A CURVE CONCAVE TO THE SOUTHWEST, WITH A RADIUS OF 5041.00 FEET AND A RADIAL BEARING OF S.76°22'14"W., AT SAID INTERSECTION; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 04°15'26", A DISTANCE OF 374.56 FEET TO A POINT OF NON-TANGENT INTERSECTION; THENCE S.81°54'45"W., A DISTANCE OF 347.09 FEET TO A POINT OF NON-TANGENT INTERSECTION WITH A CURVE CONCAVE TO THE SOUTHWEST, WITH A RADIUS OF 4694.00 FEET AND A RADIAL BEARING OF S.80°31'58"W., AT SAID INTERSECTION; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 02°51'04", A DISTANCE OF 233.58 FEET TO POINT OF BEGINNING

CONTAINING: 289,262 SQUARE FEET OR 6.640 ACRES, MORE OR LESS.

HAS CAUSED THE SAME TO BE SURVEYED AND PLATTED AS SHOWN HEREON AND DO HEREBY DEDICATE AND **RESERVE AS FOLLOWS:**

DEDICATION:

"FUTURE DEVELOPMENT" TRACT

TRACT "FUTURE DEVELOPMENT", AS SHOWN HEREON, IS HEREBY RESERVED FOR WESTLAKE MASTER HOMEOWNERS ASSOCIATION, INC., A FLORIDA CORPORATION NOT FOR PROFIT, ITS SUCCESSORS AND ASSIGNS, FOR FUTURE DEVELOPMENT AND PURPOSES CONSISTENT WITH THE ZONING REGULATIONS OF CITY OF WESTLAKE, FLORIDA, AND IS THE PERPETUAL MAINTENANCE OBLIGATION OF SAID WESTLAKE MASTER HOMEOWNERS ASSOCIATION, INC., A FLORIDA CORPORATION NOT FOR PROFIT, ITS SUCCESSORS AND ASSIGNS, WITHOUT RECOURSE TO CITY OF WESTLAKE.

UTILITY EASEMENTS

ALL UTILITY EASEMENTS DESCRIBED ON THIS PLAT ARE PRIVATE NON-EXCLUSIVE EASEMENTS UNLESS EXPRESSLY STATED OTHERWISE THEREIN. ALL UTILITY RIGHTS AND EASEMENTS ESTABLISHED BY OR RESERVED BY THIS PLAT ARE HEREBY DEDICATED IN PERPETUITY TO THE SEMINOLE IMPROVEMENT DISTRICT, (A LOCAL UNIT OF SPECIAL PURPOSE GOVERNMENT ESTABLISHED PURSUANT TO CHAPTERS 189 AND 298, FLORIDA STATUTES, AS A PUBLIC UTILITY PROVIDER OF WATER. SEWER AND RECLAIMED WATER). ITS SUCCESSORS AND ASSIGNS, SUBJECT TO THOSE CERTAIN RESTRICTION OF RIGHTS, COVENANTS AND DEDICATIONS AS MAY HEREAFTER BE IMPOSED BY GRANTOR: PROVIDED FURTHER SAID GRANTS OR ASSIGNMENTS SHALL NOT BE DEEMED A PUBLIC DEDICATION OF SAID RIGHTS OR EASEMENTS. THE SEMINOLE IMPROVEMENT DISTRICT SHALL HAVE THE RIGHT TO GRANT OTHER UTILITY PROVIDERS THE ABILITY TO USE THE EASEMENT, IN ITS SOLE DISCRETION.

IN FURTHERANCE OF THE FOREGOING, THERE IS HEREBY GRANTED TO FLORIDA POWER & LIGHT COMPANY, A FLORIDA CORPORATION, ITS AFFILIATES, LICENSEES, AGENTS, SUCCESSORS, AND ASSIGNS ("FPL"), A NON-EXCLUSIVE EASEMENT FOREVER OVER, UNDER, IN, ON, ÚPON AND ACROSS THE UTILITY EASEMENTS DESCRIBED ON THE PLAT, FOR THE CONSTRUCTION, OPERATION AND MAINTENANCE OF UNDERGROUND ELECTRIC UTILITY FACILITIES (INCLUDING CABLES, CONDUITS, APPURTENANT EQUIPMENT, AND APPURTENANT ABOVE-GROUND EQUIPMENT) TO BE INSTALLED FROM TIME TO TIME; TOGETHER WITH THE RIGHT TO PERMIT FLORIDA POWER & LIGHT TO ATTACH OR PLACE WIRES TO OR WITHIN ANY FACILITIES HEREUNDER AND LAY CABLE AND CONDUIT WITHIN THE EASEMENT AREA AND TO OPERATE THE SAME FOR FLORIDA POWER & LIGHT'S COMMUNICATIONS PURPOSES IN CONNECTION WITH ELECTRIC SERVICE AND THE RIGHT OF INGRESS AND EGRESS TO THE UTILITY EASEMENTS AT ALL TIMES.

IN WITNESS WHEREOF, MINTO PBLH, LLC, A FLORIDA LIMITED LIABILITY COMPANY HAS CAUSED THESE PRESENTS TO BE SIGNED BY ITS MANAGER AND ITS COMPANY SEAL TO BE AFFIXED HERETO BY AND WITH THE AUTHORITY OF ITS MEMBERS THIS _____ DAY OF ___ , 2022.

PRINT NAME:

A FLORIDA LIMITED LIABILITY COMPANY BY: JOHN F. CARTER, MANAGER

MINTO PBLH, LLC

WITNESS:

PRINT NAME: _____

ACKNOWLEDGEMENT STATE OF FLORIDA

COUNTY OF PALM BEACH

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME BY MEANS OF
PHYSICAL PRESENCE OR , 20 , BY JOHN CARTER, AS MANAGER FOR ONLINE NOTARIZATION, THIS DAY OF MINTO PBLH, LLC, A FLORIDA LIMITED LIABILITY COMPANY, ON BEHALF OF THE COMPANY, WHO IS PERSONALLY KNOWN TO ME OR HAS PRODUCED AS IDENTIFICATION.

MY COMMISSION EXPIRES:

(SEAL)

SIGNATURE

(PRINT NAME) - NOTARY PUBLIC

ACCEPTANCE OF DEDICATION STATE OF FLORIDA COUNTY OF PALM BEACH

WESTLAKE MASTER HOMEOWNERS ASSOCIATION, INC., ITS SUCCESSORS AND ASSIGNS, HEREBY ACCEPTS THE DEDICATIONS AND RESERVATIONS TO SAID ASSOCIATION AS STATED AND SHOWN HEREON, AND HEREBY ACCEPTS ITS MAINTENANCE OBLIGATIONS FOR SAME AS STATED HEREON, DATED THIS DAY OF , 2022.

WITNESS:

PRINT NAME:

WITNESS:

PRINT NAME:

ACKNOWLEDGEMENT STATE OF FLORIDA

MY COMMISSION EXPIRES:

(SEAL)

STATE OF FLORIDA COUNTY OF PALM BEACH

WITNESS:

PRINT NAME:

PRINT NAME:

WITNESS:

ACKNOWLEDGEMENT STATE OF FLORIDA

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME BY MEANS OF □ PHYSICAL PRESENCE OR □ ONLINE NOTARIZATION, THIS DAY OF , 20 , BY SCOTT MASSEY AS PRESIDENT FOR SEMINOLE IMPROVEMENT DISTRICT, AN INDEPENDENT SPECIAL DISTRICT OF THE STATE OF FLORIDA, ON BEHALF OF THE DISTRICT, WHO IS 🗆 PERSONALLY KNOWN TO ME OR HAS PRODUCED AS IDENTIFICATION.

MY COMMISSION EXPIRES:

(SEAL)

POD V-2

BEING A PORTION OF SECTION 5, TOWNSHIP 43 SOUTH, RANGE 41 EAST, CITY OF WESTLAKE, PALM BEACH COUNTY, FLORIDA

WESTLAKE MASTER HOMEOWNERS ASSOCIATION, INC. A FLORIDA CORPORATION NOT-FOR-PROFIT

JOHN CARTER, PRESIDENT

CITY OF WESTLAKE'S APPROVAL

THIS CERTIFIES THAT THIS PLAT HAS BEEN ACCEPTED AND APPROVED BY THE CITY COUNCIL FOR THE CITY OF WESTLAKE BY A RESOLUTION DULY ADOPTED BY THE CITY COUNCIL THIS DAY OF 2022, IN ACCORDANCE WITH SEC. 177.071(2), F.S., AND HAS BEEN REVIEWED BY A PROFESSIONAL SURVEYOR & MAPPER EMPLOYED BY THE CITY OF WESTLAKE IN ACCORDANCE WITH SEC. 177.081(1), F.S.

ATTEST CITY MANAGER, KEN CASSEL

COUNTY OF PALM BEACH

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME BY MEANS OF □ PHYSICAL PRESENCE OR □ ONLINE NOTARIZATION, THIS DAY OF , 20 , BY JOHN CARTER, AS PRESIDENT FOR WESTLAKE MASTER HOMEOWNERS ASSOCIATION, INC., ON BEHALF OF THE ASSOCIATION, WHO IS D PERSONALLY AS IDENTIFICATION. KNOWN TO ME OR HAS PRODUCED

SIGNATURE

(PRINT NAME) - NOTARY PUBLIC

ACCEPTANCE OF DEDICATION

SEMINOLE IMPROVEMENT DISTRICT, AN INDEPENDENT SPECIAL DISTRICT OF THE STATE OF FLORIDA, HEREBY ACCEPTS THE DEDICATIONS AND RESERVATIONS TO SAID DISTRICT AS STATED AND SHOWN HEREON, AND ITS MAINTENANCE OBLIGATIONS FOR SAME. AND HEREBY JOINS IN AND CONSENTS TO THE UTILITY EASEMENTS DEDICATION, DATED THIS DAY OF ___, 20___.

> SEMINOLE IMPROVEMENT DISTRICT AN INDEPENDENT SPECIAL DISTRICT OF THE STATE OF FLORIDA

BY: SCOTT MASSEY, PRESIDENT

PRINT NAME:

COUNTY OF PALM BEACH

SIGNATURE


(PRINT NAME) - NOTARY PUBLIC


TITLE CERTIFICATION

STATE OF FLORIDA COUNTY OF

WE, FOUNDERS TITLE, A TITLE INSURANCE COMPANY, AS DULY AUTHORIZED TO DO BUSINESS IN THE STATE OF FLORIDA DO HEREBY CERTIFY THAT WE HAVE EXAMINED THE TITLE TO THE HEREON DESCRIBED PROPERTY; THAT WE FIND THE TITLE TO THE PROPERTY IS VESTED IN MINTO PBLH, LLC; THAT THE CURRENT TAXES HAVE BEEN PAID; AND THAT ALL PALM BEACH COUNTY SPECIAL ASSESSMENT ITEMS, AND ALL OTHER ITEMS HELD AGAINST SAID LANDS HAVE BEEN SATISFIED; THAT ALL MORTGAGES NOT SATISFIED OR RELEASED OF RECORD NOR OTHERWISE TERMINATED BY LAW ARE SHOWN HEREON; AND THAT THERE ARE ENCUMBRANCES OF RECORD BUT THOSE ENCUMBRANCES DO NOT PROHIBIT THE CREATION OF THE SUBDIVISION DEPICTED BY THIS PLAT.

DATED:





CITY MAYOR. JOHN PAUL O'CONNOR


SURVEYORS NOTES

- PERMANENT REFERENCE MONUMENTS ARE SHOWN THUS: " " A 1 1/2" BRASS DISK STAMPED "PRM LB7768" SET IN A 4"x4"x24" CONCRETE MONUMENT. PERMANENT CONTROL POINTS ARE SHOWN AS THUS: " " A MAGNETIC NAIL AND DISK STAMPED "PCP LB7768". (UNLESS OTHERWISE NOTED)
- BEARINGS SHOWN HEREON ARE BASED ON THE WEST LINE OF SECTION 5, TOWNSHIP 43 SOUTH, RANGE 41 EAST, HAVING A GRID BEARING OF S.01°57'47"W. BEARINGS SHOWN HEREON, REFER TO THE STATE PLANE COORDINATE SYSTEM, NORTH AMERICAN DATUM OF 1983 (NAD 83 / '07) FOR THE EAST ZONE OF FLORIDA. SAID BASIS OF BEARING IS THE SAME IN THE NORTH AMERICAN DATUM OF 1983 (NAD 83 / '90).
- NO BUILDING OR ANY KIND OF CONSTRUCTION OR TREES OR SHRUBS SHALL BE PLACED ON ANY EASEMENT WITHOUT PRIOR WRITTEN CONSENT OF ALL EASEMENT BENEFICIARIES AND ALL APPLICABLE CITY OR SEMINOLE IMPROVEMENT DISTRICT APPROVALS OR PERMITS AS REQUIRED FOR SUCH ENCROACHMENTS. THERE WILL BE NO ABOVE GROUND ENCROACHMENTS WHERE LAKE MAINTENANCE EASEMENTS AND UTILITY EASEMENTS OVERLAP.
- 4. THE BUILDING SETBACKS SHALL BE AS REQUIRED BY THE CITY OF WESTLAKE ZONING REGULATIONS .
- 5. NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF PALM BEACH COUNTY.
- IN THOSE CASES WHERE EASEMENTS OF DIFFERENT TYPES CROSS OR OTHERWISE COINCIDE, DRAINAGE EASEMENTS SHALL HAVE FIRST PRIORITY, UTILITY EASEMENTS SHALL HAVE SECOND PRIORITY, ACCESS EASEMENTS SHALL HAVE THIRD PRIORITY. AND ALL OTHER EASEMENTS SHALL BE SUBORDINATE TO THESE WITH THEIR PRIORITIES BEING DETERMINED BY USE RIGHTS GRANTED.
- 7. ALL LINES INTERSECTING CIRCULAR CURVES ARE RADIAL UNLESS OTHERWISE NOTED 8. COORDINATES SHOWN HEREON ARE FLORIDA STATE PLANE GRID
- DATUM = NAD83 2007 ADJUSTMENT ZONE = FLORIDA EAST
- LINEAR UNITS = US SURVEY FEET
- COORDINATE SYSTEM = 1983 STATE PLANE
- PROJECTION = TRANSVERSE MERCATOR
- ALL DISTANCES ARE GROUND SCALE FACTOR: 1.0000
- GROUND DISTANCE X SCALE FACTOR = GRID DISTANCE
- PLAT BEARING = GRID BEARING
- NO ROTATION ALL TIES TO SECTION CORNERS AND QUARTER CORNERS ARE GENERATED FROM MEASURED VALUES

SURVEYOR & MAPPER'S CERTIFICATE


THIS IS TO CERTIFY THAT THE PLAT SHOWN HEREON IS A TRUE AND CORRECT REPRESENTATION OF A SURVEY MADE UNDER MY RESPONSIBLE DIRECTION AND SUPERVISION; THAT SAID SURVEY IS ACCURATE TO THE BEST OF MY KNOWLEDGE AND BELIEF; THAT PERMANENT REFERENCE MONUMENTS ("P.R.M.S") HAVE BEEN PLACED AS REQUIRED BY LAW, AND THAT PERMANENT CONTROL POINTS ("P.C.P.S"), AND MONUMENTS ACCORDING TO SEC. 177.091(9), F.S., WILL BE SET UNDER THE GUARANTEES POSTED WITH THE CITY OF WESTLAKE FOR THE REQUIRED IMPROVEMENTS; AND, FURTHER, THAT THE SURVEY DATA COMPLIES WITH ALL THE REQUIREMENTS OF CHAPTER 177, FLORIDA STATUTES, AS AMENDED, AND THE ORDINANCES OF CITY OF WESTLAKE, FLORIDA.

HARRY BINNIE, PRESIDENT, FOUNDERS TITLE



NOTICE:

THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY.



SCALE: 1" = 60'

COORDINATES SHOWN HEREON ARE FLORIDA STATE PLANE GRID DATUM = NAD83 2007 ADJUSTMENT ZONE = FLORIDA EAST LINEAR UNITS = US SURVEY FEET COORDINATE SYSTEM = 1983 STATE PLANE PROJECTION = TRANSVERSE MERCATOR ALL DISTANCES ARE GROUND SCALE FACTOR: 1.0000 GROUND DISTANCE X SCALE FACTOR = GRID DISTANCE PLAT BEARING = GRID BEARING NO ROTATION ALL TIES TO SECTION CORNERS AND QUARTER CORNERS ARE GENERATED FROM MEASURED VALUES

BASIS OF BEARINGS

BEARINGS SHOWN HEREON ARE BASED ON THE WEST LINE OF SECTION 5, TOWNSHIP 43 SOUTH, RANGE 41 EAST, HAVING A GRID BEARING OF S.01°57'47"W. (MEASURED). BEARINGS SHOWN HEREON, REFER TO THE STATE PLANE COORDINATE SYSTEM, NORTH AMERICA DATUM OF 1983 (NAD 83 - '07) FOR THE EAST ZONE OF FLORIDA. SAID BASIS OF BEARING IS THE SAME IN THE NORTH AMERICAN DATUM OF 1983 (NAD 83 - '90).

LEGEND

	 DOINT OF RECININING
	POINT OF BEGINNING
	POINT OF COMMENCEMENT
	PLAT BOOK
	DEED BOOK
·	OFFICIAL RECORDS BOOK
PG./PG(s)	
	NORTH AMERICAN DATUM
	WATER MANAGEMENT TRACT
	OPEN SPACE TRACT PALM BEACH COUNTY
	UTILITY EASEMENT
	DRAINAGE EASEMENT
	LAKE MAINTENANCE ACCESS EASEMENT SECTION-TOWNSHIP-RANGE
	RADIUS
	ARC LENGTH
	DELTA ANGLE
	CHORD BEARING
	CHORD BEARING CHORD
	NON-TANGENT
	NON-TANGENT CURVATURE
	POINT OF CURVATURE
	POINT OF TANGENCY
	RADIAL INTERSECTION
	POINT OF REVERSE CURVATURE
<i>C.C.</i>	POINT OF COMPOUND CURVATURE
	RIGHT-OF-WAY
-	RADIAL
	NON-RADIAL
. ,	HOMEOWNERS ASSOCIATION
	SEMINOLE IMPROVEMENT DISTRICT
	PERMANENT REFERENCE MONUMENT
	ACRES
	PERMANENT CONTROL POINT
	FOUND PERMANENT REFERENCE MONUMENT
•	 SET 4"x4" CONCRETE MONUMENT WITH 2" ALUMINUM DISK STAMPED "PRM LB 7768"

