



WESTLAKE PLAZA

A REPLAT OF A PORTION TRACT M-3, PERSIMMON BOULEVARD WEST - REPLAT,
RECORDED IN PLAT BOOK 129, PAGES 129 AND 130, OF THE PUBLIC RECORDS OF PALM BEACH COUNTY, FLORIDA
AND A PORTION OF SECTION 1, TOWNSHIP 43 SOUTH, RANGE 40 EAST,
CITY OF WESTLAKE, PALM BEACH COUNTY FLORIDA

THIS INSTRUMENT PREPARED BY
DAVID P. LINDLEY


CAULFIELD and WHEELER, INC.

SURVEYORS - ENGINEERS - PLANNERS
7900 GLADES ROAD, SUITE 100
BOCA RATON, FLORIDA 33434 - (561)392-1991
CERTIFICATE OF AUTHORIZATION NO. LB3591



STATE OF FLORIDA
COUNTY PALM BEACH
THIS PLAT WAS FILED FOR
RECORD AT _____ M.
THIS _____ DAY OF _____
A.D. 2022 AND DULY RECORDED
IN PLAT BOOK _____ ON
PAGE S _____ AND
SHARON R. BOCK
CLERK AND COMPTROLLER

BY: _____
DEPUTY CLERK



SHEET 1 OF 4

DEDICATION AND RESERVATIONS:

KNOW ALL MEN BY THESE PRESENTS THAT MINTO PBLH, LLC, A FLORIDA LIMITED LIABILITY COMPANY, OWNER OF THE LAND SHOWN AND DESCRIBED HEREON AS WESTLAKE PLAZA, A REPLAT OF A PORTION TRACT M-3, PERSIMMON BOULEVARD WEST - REPLAT, RECORDED IN PLAT BOOK 129, PAGES 129 AND 130, OF THE PUBLIC RECORDS OF PALM BEACH COUNTY, FLORIDA, AND A PORTION OF SECTION 1, TOWNSHIP 43 SOUTH, RANGE 40 EAST, CITY OF WESTLAKE, PALM BEACH COUNTY FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE NORTHWEST CORNER OF SECTION 1, TOWNSHIP 43 SOUTH, RANGE 40 EAST; THENCE S.00°59'07"W, ALONG THE WEST BOUNDARY OF SAID SECTION 1, A DISTANCE OF 3483.11 FEET TO A POINT ON THE SOUTHERLY BOUNDARY OF M-CANAL, A 250 FOOT WIDE CITY OF WEST PALM BEACH RIGHT-OF-WAY, DESCRIBED IN DEED BOOK 1198, PAGE 58, OF THE PUBLIC RECORDS OF PALM BEACH COUNTY; THENCE S.87°42'02"E, ALONG SAID SOUTHERLY BOUNDARY OF M-CANAL, AS FOUND MONUMENTED, A DISTANCE OF 370.84 FEET; THENCE N.88°36'51"E, ALONG SAID SOUTHERLY BOUNDARY OF M-CANAL, AS FOUND MONUMENTED, A DISTANCE OF 1406.04 FEET TO THE WEST RIGHT-OF-WAY LINE OF SEMINOLE-PALM WHITNEY ROAD, A 100 FOOT WIDE RIGHT-OF-WAY, DESCRIBED IN OFFICIAL RECORDS BOOK 1544, PAGE 378, AND ROAD PLAT BOOK 4, PAGE 34, BOTH OF SAID PUBLIC RECORDS; THENCE S.01°42'52"W, ALONG SAID WEST RIGHT-OF-WAY LINE, A DISTANCE OF 2323.29 FEET; THENCE N.87°17'15"W, A DISTANCE OF 30.00 FEET TO A POINT ON THE WEST LINE OF RIGHT-OF-WAY PARCEL 101, AS RECORDED IN OFFICIAL RECORDS BOOK 28479, PAGE 822, OF SAID PUBLIC RECORDS, SAID POINT BEING THE POINT OF BEGINNING.

THENCE THE FOLLOWING COURSES BEING ALONG SAID WEST LINE OF RIGHT-OF-WAY PARCEL 101; THENCE S.01°42'52"W, A DISTANCE OF 13.97 FEET; THENCE S.04°59'07"W, A DISTANCE OF 210.34 FEET; THENCE S.01°42'52"W, A DISTANCE OF 50.63 FEET; THENCE S.01°32'22"E, A DISTANCE OF 210.34 FEET; THENCE S.01°42'52"W, A DISTANCE OF 123.26 FEET; THENCE S.14°59'41"W, A DISTANCE OF 52.24 FEET; THENCE S.01°42'52"W, A DISTANCE OF 200.78 FEET; THENCE S.46°42'45"W, A DISTANCE OF 56.57 FEET; THENCE N.88°17'15"W, A DISTANCE OF 33.03 FEET; THENCE N.70°52'48"W, ALONG THE NORTH RIGHT-OF-WAY LINE OF PERSIMMON BOULEVARD, AS SHOWN ON PERSIMMON BOULEVARD WEST - REPLAT, RECORDED IN PLAT BOOK 129, PAGES 129 AND 130, OF SAID PUBLIC RECORDS, AND ITS EASTERLY EXTENSION, A DISTANCE OF 69.82 FEET; THENCE CONTINUE ALONG SAID NORTH RIGHT-OF-WAY LINE OF PERSIMMON BOULEVARD, FOR THE FOLLOWING SEVEN (7) COURSES:

- 1) N.88°17'15"W, A DISTANCE OF 440.37 FEET;
- 2) THENCE S.46°42'45"W, A DISTANCE OF 14.54 FEET;
- 3) THENCE S.89°29'36"W, A DISTANCE OF 48.11 FEET;
- 4) THENCE N.78°03'38"W, A DISTANCE OF 51.20 FEET;
- 5) THENCE S.89°29'36"W, A DISTANCE OF 179.16 FEET;
- 6) THENCE S.44°29'36"W, A DISTANCE OF 16.30 FEET;
- 7) THENCE N.88°17'15"W, A DISTANCE OF 27.23 FEET.

THENCE N.44°29'36"E, A DISTANCE OF 29.47 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE WEST, WITH A RADIUS OF 50.00 FEET; THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 42°22'36", A DISTANCE OF 37.08 FEET TO A POINT OF TANGENCY; THENCE N.02°00'00"E, A DISTANCE OF 50.84 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE EAST, WITH A RADIUS OF 1000.00 FEET; THENCE NORTHERLY, ALONG THE ARC OF A SAID CURVE THROUGH A CENTRAL ANGLE OF 02°00'00", A DISTANCE OF 34.91 FEET; THENCE N.04°00'00"E, A DISTANCE OF 90.00 FEET; THENCE N.02°00'00"E, A DISTANCE OF 80.00 FEET; THENCE S.88°17'08"E, A DISTANCE OF 681.00 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTH, WITH A RADIUS OF 500.00 FEET; THENCE EASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 06°00'43", A DISTANCE OF 52.46 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE SOUTH, WITH A RADIUS OF 5000.00 FEET; THENCE EASTERLY, ALONG THE ARC SAID CURVE THROUGH A CENTRAL ANGLE OF 06°00'43", A DISTANCE OF 52.46 FEET TO THE POINT ON THE WEST LINE OF RIGHT-OF-WAY PARCEL 101, AS RECORDED IN OFFICIAL RECORDS BOOK 28479, PAGE 822, OF SAID PUBLIC RECORDS; THENCE S.88°17'08"E, ALONG SAID WEST LINE OF RIGHT-OF-WAY PARCEL 101, A DISTANCE OF 52.00 FEET; THENCE S.43°17'08"E, ALONG SAID WEST LINE OF RIGHT-OF-WAY PARCEL 101, A DISTANCE OF 56.57 FEET TO THE POINT OF BEGINNING.

CONTAINING 20.3205 ACRES, 885,162 SQ. FT. MORE OR LESS.

HAVE CAUSED THE SAME TO BE SURVEYED AND PLATTED, AS SHOWN HEREON, AND DO HEREBY DEDICATE AS FOLLOWS:

DEVELOPMENT TRACT

PARCEL A, AS SHOWN HEREON, IS HEREBY RESERVED FOR MINTO PBLH, LLC, A FLORIDA LIMITED LIABILITY COMPANY, ITS SUCCESSORS AND ASSIGNS, FOR FUTURE DEVELOPMENT AND PURPOSES CONSISTENT WITH THE ZONING REGULATIONS OF THE CITY OF WESTLAKE, FLORIDA, AND IS THE PERPETUAL MAINTENANCE OBLIGATION OF SAID MINTO PBLH, LLC, ITS SUCCESSORS AND ASSIGNS, WITHOUT RECOURSE TO THE CITY OF WESTLAKE.

UTILITY EASEMENTS

ALL UTILITY EASEMENTS DESCRIBED ON THE PLAT ARE PRIVATE NON-EXCLUSIVE EASEMENTS UNLESS EXPRESSLY STATED OTHERWISE THEREIN. ALL UTILITY RIGHTS AND EASEMENTS ESTABLISHED BY OR RESERVED BY THIS PLAT ARE HEREBY DEDICATED IN PERPETUITY TO THE SEMINOLE IMPROVEMENT DISTRICT, (A LOCAL UNIT OF SPECIAL PURPOSE GOVERNMENT ESTABLISHED PURSUANT TO CHAPTERS 189 AND 296, FLORIDA STATUTES, ITS SUCCESSORS AND ASSIGNS IN PERPETUITY, AS A PUBLIC UTILITY PROVIDER OF WATER, SEWER AND RECLAIMED WATER), ITS SUCCESSORS AND ASSIGNS, SUBJECT TO THOSE CERTAIN RESTRICTIONS OF RIGHTS, COVENANTS AND DEDICATIONS AS MAY HEREAFTER BE IMPOSED BY GRANTOR. PROVIDED FURTHER SAID GRANTS OR ASSIGNMENTS SHALL NOT BE DEEMED A PUBLIC DEDICATION OF SAID RIGHTS OR EASEMENTS, THE SEMINOLE IMPROVEMENT DISTRICT SHALL HAVE THE RIGHT TO GRANT OTHER UTILITY PROVIDERS THE ABILITY TO USE THE EASEMENT, IN ITS SOLE DISCRETION. IN FURTHERANCE OF THE FOREGOING, THERE IS HEREBY GRANTED TO FLORIDA POWER & LIGHT COMPANY, A FLORIDA CORPORATION, ITS AFFILIATES, LICENSEES, AGENTS, SUCCESSORS, AND ASSIGNS (FPL), A NON-EXCLUSIVE EASEMENT FOREVER OVER, UNDER, IN, ON, UPON AND ACROSS THE UTILITY EASEMENT DESCRIBED ON THE PLAT, FOR THE CONSTRUCTION, OPERATION AND MAINTENANCE OF UNDERGROUND ELECTRIC UTILITY FACILITIES INCLUDING CABLES, CONDUITS, APPURTENANT EQUIPMENT, AND APPURTENANT ABOVE GROUND EQUIPMENT) TO BE INSTALLED FROM TIME TO TIME, TOGETHER WITH THE RIGHT TO PERMIT FPL TO ATTACH OR PLACE WIRE TO OR WITHIN ANY FACILITIES HEREUNDER AND LAY CABLE AND CONDUIT WITHIN THE EASEMENT AREA AND TO OPERATE THE SAME FOR FPL'S COMMUNICATIONS PURPOSES IN CONNECTION WITH ELECTRIC SERVICE AND THE RIGHT OF INGRESS AND EGRESS TO THE UTILITY EASEMENTS AT ALL TIME.

IN WITNESS WHEREOF, MINTO PBLH, LLC, A FLORIDA LIMITED LIABILITY COMPANY HAS CAUSED THESE PRESENTS TO BE SIGNED BY ITS MANAGER AND ITS COMPANY SEAL TO BE AFFIXED HERETO BY AND WITH THE AUTHORITY OF ITS MEMBERS THIS _____ DAY OF _____ 2020.

MINTO PBLH, LLC
A FLORIDA LIMITED LIABILITY COMPANY

BY: JOHN F. CARTER, MANAGER


WITNESS: _____

PRINT NAME: _____

WITNESS: _____

PRINT NAME: _____

MINTO PBLH, LLC



ACKNOWLEDGEMENT:

STATE OF FLORIDA
COUNTY OF PALM BEACH

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME BY MEANS OF _____ PHYSICAL PRESENCE OR _____ ONLINE NOTARIZATION, THIS _____ DAY OF _____ 2020, BY JOHN CARTER, AS MANAGER OF MINTO PBLH, LLC, A FLORIDA LIMITED LIABILITY COMPANY, ON BEHALF OF THE COMPANY, WHO IS _____ PERSONALLY KNOWN TO ME OR HAS PRODUCED _____ AS IDENTIFICATION.

WITNESS MY HAND AND OFFICIAL SEAL THIS _____ DAY OF _____ 2020.

(SEAL)

NOTARY PUBLIC
PRINT NAME
MY COMMISSION EXPIRES: _____
COMMISSION NUMBER: _____

ACCEPTANCE OF DEDICATIONS:

SEMINOLE IMPROVEMENT DISTRICT, AN INDEPENDENT SPECIAL DISTRICT OF THE STATE OF FLORIDA, HEREBY ACCEPTS THE DEDICATIONS TO SAID DISTRICT AS STATED AND SHOWN HEREON, AND ITS MAINTENANCE OBLIGATIONS FOR SAME, AND HEREBY JOINS IN AND CONSENTS TO THE UTILITY EASEMENTS DEDICATION, DATED THIS _____ DAY OF _____ 2020.

SEMINOLE IMPROVEMENT DISTRICT
AN INDEPENDENT SPECIAL DISTRICT
OF THE STATE OF FLORIDA

WITNESS: _____ BY: _____
PRINT NAME: _____ PRINT NAME: KEN CASSELL
CITY MANAGER

WITNESS: _____ BY: _____
PRINT NAME: _____ PRINT NAME: ROGER MANNING
CITY MANAGER

ACKNOWLEDGEMENT:

STATE OF FLORIDA
COUNTY OF PALM BEACH


THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME BY MEANS OF [] PHYSICAL PRESENCE OR [] ONLINE NOTARIZATION, THIS _____ DAY OF _____ 2020, BY SCOTT MASSEY, AS PRESIDENT OF SEMINOLE IMPROVEMENT DISTRICT, AN INDEPENDENT SPECIAL DISTRICT OF THE STATE OF FLORIDA, ON BEHALF OF THE DISTRICT, WHO IS [] PERSONALLY KNOWN TO ME OR HAS PRODUCED _____ AS IDENTIFICATION.

WITNESS MY HAND AND OFFICIAL SEAL THIS _____ DAY OF _____ 2020.

(SEAL)

NOTARY PUBLIC
PRINT NAME
MY COMMISSION EXPIRES: _____
COMMISSION NUMBER: _____

SEMINOLE IMPROVEMENT DISTRICT



CITY OF WESTLAKE APPROVAL:

THIS CERTIFIES THAT THIS PLAT HAS BEEN ACCEPTED AND APPROVED BY THE CITY COUNCIL FOR THE CITY OF WESTLAKE BY A RESOLUTION DULY ADOPTED BY THE CITY COUNCIL, THIS _____ DAY OF _____ 2020, IN ACCORDANCE WITH SEC. 177.071(2), F.S., AND HAS BEEN REVIEWED BY A PROFESSIONAL SURVEYOR AND MAPPER EMPLOYED BY THE CITY OF WESTLAKE IN ACCORDANCE WITH SECTION 177.081(1), F.S.

BY: _____
KEN CASSELL
CITY MANAGER

BY: _____
ROGER MANNING
CITY MANAGER


TITLE CERTIFICATION:

STATE OF FLORIDA
COUNTY OF PALM BEACH

WE, FOUNDERS TITLE, A TITLE INSURANCE COMPANY, AS DULY AUTHORIZED TO DO BUSINESS IN THE STATE OF FLORIDA DO HEREBY CERTIFY THAT WE HAVE EXAMINED THE TITLE TO THE HEREON DESCRIBED PROPERTY; THAT WE FIND THE TITLE TO THE PROPERTY IS VESTED IN MINTO PBLH, LLC, THAT THE CURRENT TAXES HAVE BEEN PAID, AND THAT ALL PALM BEACH COUNTY SPECIAL ASSESSMENT ITEMS, AND ALL OTHER ITEMS HELD AGAINST SAID LANDS HAVE BEEN SATISFIED; THAT ALL MORTGAGES NOT SATISFIED OR RELEASED OF RECORD NOR OTHERWISE TERMINATED BY LAW ARE SHOWN HEREON; AND THAT THERE ARE ENCUMBRANCES OF RECORD BUT THOSE ENCUMBRANCES DO NOT PROHIBIT THE CREATION OF THE SUBDIVISION DEPICTED BY THIS PLAT.

DATED: _____ HARRY BINNIE, PRESIDENT,
FOUNDERS TITLE

CITY OF WESTLAKE



AREA TABULATION

| | |
|-----------------|---------------|
| PARCEL A | 20.3205 ACRES |
| TOTAL THIS PLAT | 20.3205 ACRES |

SURVEYOR & MAPPER'S NOTES:


1. IN THOSE CASES WHERE EASEMENTS OF DIFFERENT TYPES CROSS OR OTHERWISE CONDUCE, DRAINAGE EASEMENTS SHALL HAVE FIRST PRIORITY, UTILITY EASEMENTS SHALL HAVE SECOND PRIORITY, ACCESS EASEMENTS SHALL HAVE THIRD PRIORITY, AND ALL OTHER EASEMENTS SHALL BE SUBORDINATE TO THESE WITH THEIR PRIORITIES BEING DETERMINED BY USE RIGHTS GRANTED.
2. BUILDING SETBACK LINES SHALL BE AS REQUIRED BY CURRENT CITY OF WESTLAKE ZONING REGULATIONS.
3. NO BUILDING OR ANY KIND OF CONSTRUCTION OR TREES OR SHRUBS SHALL BE PLACED ON ANY EASEMENT WITHOUT PRIOR WRITTEN CONSENT OF ALL EASEMENT BENEFICIARIES AND ALL APPLICABLE CITY OF WESTLAKE AND SEMINOLE IMPROVEMENT DISTRICT APPROVALS, OR PERMITS AS REQUIRED FOR SUCH ENCROACHMENTS. THERE WILL BE NO ABOVE GROUND ENCROACHMENTS WHERE LAKE MAINTENANCE EASEMENTS AND UTILITY EASEMENTS CONDUCE.
4. BEARINGS SHOWN HEREON ARE RELATIVE TO A GRID BEARING OF SOUTH 88°7'15" EAST ALONG THE CENTER LINE OF PERSIMMON BOULEVARD WEST OF SECTION 01-40-43 RELATIVE TO THE FLORIDA STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).
5. COORDINATES SHOWN HEREON ARE RELATIVE TO THE FLORIDA STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT), AND BASED ON REDUNDANT G.P.S. OBSERVATIONS UTILIZING THE CERTIFIED LENZEMAN NETWORK.
6. LINES INTERSECTING CURVES ARE RADIAL UNLESS SHOWN OTHERWISE.
7. THE "DESCRIPTION" SHOWN HEREON IS IN ACCORD WITH THE DESCRIPTION PROVIDED BY THE CLIENT.
8. "NOTICE" THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEFINITION OF THE SUBDIVIDED LANDS DESCRIBED HEREON AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF PALM BEACH COUNTY.

SURVEYOR & MAPPER'S CERTIFICATE:

THIS IS TO CERTIFY THAT THE PLAT SHOWN HEREON IS A TRUE AND CORRECT REPRESENTATION OF A SURVEY MADE UNDER MY RESPONSIBLE DIRECTION AND SUPERVISION; THAT SAID SURVEY IS ACCURATE TO THE BEST OF MY KNOWLEDGE AND BELIEF; THAT PERMANENT REFERENCE MONUMENTS (P.R.M.'S) ACCORDING TO SEC. 177.091(9), F.S., HAVE BEEN PLACED AS REQUIRED BY LAW AND, FURTHER, THAT THE SURVEY DATA COMPLIES WITH ALL THE REQUIREMENTS OF CHAPTER 177, PART 1, FLORIDA STATUTES, AS AMENDED, AND THE ORDINANCES OF THE CITY OF WESTLAKE, FLORIDA.

DATED: _____
DAVID P. LINDLEY
PROFESSIONAL LAND SURVEYOR #5005
STATE OF FLORIDA
LB #3591



SURVEYOR




WESTLAKE PLAZA

A REPLAT OF A PORTION TRACT M-3, PERSIMMON BOULEVARD WEST - REPLAT,
RECORDED IN PLAT BOOK 129, PAGES 129 AND 130, OF THE PUBLIC RECORDS OF PALM BEACH COUNTY, FLORIDA
AND A PORTION OF SECTION 1, TOWNSHIP 43 SOUTH, RANGE 40 EAST,
CITY OF WESTLAKE, PALM BEACH COUNTY FLORIDA

THIS INSTRUMENT PREPARED BY
DAVID P. LINDLEY
OF
CAULFIELD and WHEELER, INC.
SURVEYORS - ENGINEERS - PLANNERS
7900 GLADES ROAD, SUITE 100
BOCA RATON, FLORIDA 33434 - (561)392-1991
CERTIFICATE OF AUTHORIZATION NO. LB3591



SHEET 2 OF 4



NOTES
COORDINATES, BEARINGS AND DISTANCES
COORDINATES SHOWN ARE GRID
DATUM = NAD 83 (2007 ADJUSTMENT)
ZONE = FLORIDA EAST
LINEAR UNIT = US SURVEY FEET
COORDINATE SYSTEM 1983 STATE PLANE
TRANSVERSE MERCATOR PROJECTION
ALL DISTANCES ARE GROUND
SCALE FACTOR = 1.000017
GROUND DISTANCE X SCALE FACTOR = GRID DISTANCE
BEARINGS AS SHOWN HEREIN ARE GRID DATUM,
NAD 83 (2007 ADJUSTMENT), FLORIDA EAST ZONE.

LEGEND / ABBREVIATIONS

- ℄ = CENTERLINE
- Δ = DELTA (CENTRAL ANGLE)
- CB = CHORD BEARING
- CD = CHORD DISTANCE
- DE = DRAINAGE EASEMENT
- E = EASTING (WHEN USED WITH COORDINATES)
- L = ARC LENGTH
- LB = LICENSED BUSINESS
- N = NORTHING (WHEN USED WITH COORDINATES)
- (NR) = NON-RADIAL LINE
- ORB = OFFICIAL RECORD BOOK
- PB = PLAT BOOK
- PC = POINT OF CURVATURE
- PT = POINT OF TANGENCY
- PRT = POINT OF NON-TANGENCY
- PRC = POINT OF REVERSE CURVATURE
- R = RADIUS
- R.P.B. = ROAD PLAT BOOK
- RPE = RURAL PARKWAY EASEMENT
- U.E. = UTILITY EASEMENT
- PRM = SET PERMANENT REFERENCE MONUMENT SET 5/8" IRON ROD WITH CAP STAMPED "C&W PRM LB3591"
- PRM = FOUND PERMANENT REFERENCE MONUMENT 4" X 4" X 24" CONCRETE MONUMENT WITH DISK STAMPED "PRM LB7768"
- △ = DENOTES HORIZONTAL CONTROL POINT
- ▲ = DENOTES SET PERMANENT REFERENCE MONUMENT NAIL AND DISK STAMPED "PRM LB 3591"

HORIZONTAL CONTROL TIES SHEET

