

## MEMORANDUM

To: White Lake Township Board

From: Parks and Recreation Committee / Township Staff

Date: August 13, 2026

Re: Parks and Recreation Committee Recommendations and Township Board Action Items

### **ACTION ITEM: Stanley Park Playground Selection**

#### **Requested Township Board Action:**

**Approve the Parks and Recreation Committee's recommendation to proceed with Option 2 for the Stanley Park playground, with the preferred placement of the swing set between the two age-specific play structures if feasible and authorize the use of an amount not to exceed \$75,000 from the Parks budget, in addition to the \$75,000 being donated by The Kroger Co., for a total project funding authorization of up to \$150,000.**

#### **Overview:**

At its August 12, 2026, meeting, the Parks and Recreation Committee continued its review of the proposed playground at Stanley Park.

The Township has received a commitment from The Kroger Co. to provide \$75,000 toward the Stanley Park playground project. The Committee reviewed several playground concepts from Play Environments Design, LLC, and, at the August 12 meeting, passed a motion recommending Option 2 for the new playground, finding that it provides a good mix of equipment for children of varying ages.

**The Committee also emphasized the importance of including a swing set as part of the playground design.** While the swing set shown with Option 2 was viewed favorably, the Committee expressed a preference that it be located between the two age-specific play structures, if feasible, rather than in the location currently shown.

The Committee further recommended that the Township Board authorize an additional contribution from the Township's Parks budget in an amount not to exceed \$75,000 toward the project. Combined with the Kroger contribution, this would provide up to \$150,000 in total funding for the playground.

Play Environments Design, LLC has provided a total project quote of **\$150,000**, which includes the playground equipment, freight, equipment installation, engineered wood fiber surfacing, and fabric weed barrier. The quote reflects a **\$17,659 discount from the original \$167,659 price, or approximately 10.5 percent**. Play Environments Design is providing

this discount by matching the value of an equipment grant the Township previously received from Sinclair Recreation, LLC earlier this year.

Site grading, excavation, and related site preparation will be completed separately as part of the Phase 2 Stanley Park improvements. Accordingly, these costs are not anticipated to require additional funding through the playground equipment contract.

The playground equipment is anticipated to be purchased and paid for by **December 2026**, with installation occurring in **2027** after the necessary grading and concrete work is completed as part of the Phase 2 Stanley Park improvements.

Stanley Park-2  
SITE PLAN 3D

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 15       | 11/8       | 0/0             | 14/5   | 12/3  |

Mixed  
Types


FOR KIDS  
AGES  
[Mixed]

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



**Stanley Park-2**  
**SE VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R502118BA  
**PROJECT #** R35PC5488  
**DATE** 7/10/2026

**Stanley Park-2**  
**SW VIEW**

**R35**


FOR KIDS  
AGES  
2-5



**STRUCTURE #** R35PC5488  
**PROJECT #** R35PC5488  
**DATE** 7/10/2026

**Stanley Park-2**  
**SW VIEW**


FOR KIDS  
AGES  
5-12



STRUCTURE # 6  
PROJECT # R35PC5488  
DATE 7/10/2026


**Stanley Park-2**  
**SW VIEW**

FOR KIDS  
AGES  
2-5



STRUCTURE # 2  
PROJECT # R35PC5488  
DATE 7/10/2026


**Stanley Park-2**  
**SW VIEW**



STRUCTURE # 3  
PROJECT # R35PC5488  
DATE 7/10/2026

**Stanley Park-2**  
**SW VIEW**

FOR KIDS  
AGES  
5-12



STRUCTURE # 5  
PROJECT # R35PC5488  
DATE 7/10/2026



PO Box 160  
Hudsonville, MI 49426  
Ph: 616-395-2565  
Email: heathervk@playenviro.com

**BILL TO:**

White Lake Township  
ATTN:David  
7525 Highland Road  
White Lake, MI 48383  
[davidw@whitelaketwp.com](mailto:davidw@whitelaketwp.com)

**QUOTE**

Stanley Park Option 2 \$150,000

7/12/26

**SHIP TO:**

White Lake Township  
7525 Highland Road  
White Lake, MI 48383  
PHONE

| QTY | MODEL<br>NUMBER | VND TX | DESCRIPTION                                                 | UNIT<br>VEIGH PRICE | EXT.<br>PRICE |
|-----|-----------------|--------|-------------------------------------------------------------|---------------------|---------------|
|     |                 |        | 2026 Pricing                                                | -                   | -             |
| 1   | PR-R35          | PC     | R35 Custom Play System - R35PC5488                          | 29,899.00           | 29,899.00     |
| 1   | A2-2478         | PC     | PC 2478 Spin Max Pod                                        | 5,264.00            | 5,264.00      |
| 1   | CATR-IG         | PC     | Caterpillar (IG)                                            | 4,856.00            | 4,856.00      |
| 1   | BFLY-O-IG       | PC     | Butterfly, Orange (IG)                                      | 1,540.00            | 1,540.00      |
| 1   | PR-R5           | PC     | R5 Custom Play System - R502118BA                           | 53,545.00           | 53,545.00     |
| 1   | A2-2181         | PC     | PC 2181 8ft Single Post Swing Bay (2                        | 1,790.00            | 1,790.00      |
| 1   | A2-2181-AB      | PC     | PC 2181 8ft Single Post Swing Bay (2                        | 1,335.00            | 1,335.00      |
| 3   | A2-313010       | PC     | Belt Seat                                                   | 171.00              | 513.00        |
| 1   | A2-131410       | PC     | Inclusive Seat                                              | 1,048.00            | 1,048.00      |
| 1   | A2-1906-H       | PC     | PC 1906-H Thunder Half Wedge                                | 5,119.00            | 5,119.00      |
| 1   | Freight         | PC     | Freight Charges                                             | 11,375.00           | 11,375.00     |
|     |                 |        |                                                             | -                   | -             |
| 1   | Install         | OS     | Install of Equipment                                        | 39,375.00           | 39,375.00     |
|     |                 |        |                                                             | -                   | -             |
|     |                 |        |                                                             | -                   | -             |
| 250 | Wood Fiber      | Sg     | Wood Fiber material and install                             | 45.00               | 11,250.00     |
| 2   | fabric          | HNS    | Fabric weed barrier                                         | 375.00              | 750.00        |
|     |                 |        |                                                             | -                   | -             |
|     |                 |        | <b>Note: This quote does not include tax, excavation of</b> | -                   | -             |
|     |                 |        | <b>area, and restoration.</b>                               | -                   | -             |
|     |                 |        |                                                             | -                   | -             |
|     |                 |        |                                                             | -                   | -             |
|     |                 |        |                                                             | -                   | -             |
|     |                 |        |                                                             | -                   | -             |
|     |                 |        |                                                             | -                   | -             |
|     |                 |        |                                                             | -                   | -             |
|     |                 |        |                                                             | -                   | -             |

**COMMENTS: Prices good for 30 days w/2026 Delivery.**

THE PRICE DOES NOT INCLUDE: TAX, UNLOADING, TRASH REMOVAL  
SURFACING, SITE WORK, INSTALLATION, OR BAD DIGGING CONDITIONS  
UNLESS SPECIFICALLY QUOTED.

**SUB-TOTAL:**

**167,659.00**

DISCOUNT:

17,659.00

**TOTAL:**

**\$ 150,000.00**

**SIGNED: \_\_\_\_\_ ACCEPTED BY: \_\_\_\_\_**

**MAKE PURCHASE ORDERS OUT TO: Play Environments Design, 563 College, Holland, MI 49423**

Acceptance of this quote indicates your agreement to abide by Play Environments Design terms of sale

TERMS: TBD

**Stanley Park-2**
**Project #** R35PC5488

**Date** 7/10/2026

| Item / Part Number   | Description                                | Qty |
|----------------------|--------------------------------------------|-----|
| <b>[R35PC5488]</b>   |                                            |     |
| HS-1004-R35          | Collars                                    | 41  |
| GG-8135              | Dome Cap, R3.5                             | 4   |
| S-1010-R35-10ft      | Post, 10ft R3.5                            | 3   |
| S-1011-R35-11ft      | Post, 11ft R3.5                            | 1   |
| S-1014-R35-14ft      | Post, 14ft R3.5                            | 8   |
| S-1101-R35           | Square Deck                                | 2   |
| S-1105-R35           | Half Deck                                  | 4   |
| S-1109-R35-MT        | Balcony Deck w/ Wheel                      | 1   |
| S-1209-24-R35        | Transfer Station, 36in-R                   | 1   |
| S-1222-4R35          | Climber, Snake 42-48in                     | 1   |
| S-1223-4R35          | Climber, Spiral 42-48in                    | 1   |
| S-1249-DGH           | Climber, Inc. Geo-Wave 30-36in (H, DTG, R) | 1   |
| S-1301-R35           | Poly Wall (Standard)                       | 2   |
| S-1304-R35           | Single Slide SitDown Wall                  | 2   |
| S-1309-2-R35         | Half Walls (Pair) R35                      | 1   |
| S-1325-R35           | Wall w/ Telescope (2-5)                    | 1   |
| S-1501-R35           | Bridge, Arch (42in)                        | 1   |
| S-1645-R35G          | Store Panel (Open)                         | 1   |
| S-1701-3             | Slide, Single 36in (Straight)              | 1   |
| S-1704-4             | Slide, Wave 48in (Single)                  | 1   |
| S-1802-R35           | Roof, Square Pyramid (Ribbed)              | 2   |
| S-1812-R35           | Driver Wheel (Post Mounted)                | 1   |
| S-1937-R35           | Crunch Handle                              | 1   |
| <b>[Spinner]</b>     |                                            |     |
| A2-2478              | PC 2478 Spin Max Pod                       | 1   |
| <b>[Music items]</b> |                                            |     |
| BFLY-O-IG            | Butterfly, Orange (IG)                     | 1   |
| CATR-IG              | Caterpillar (IG)                           | 1   |
| <b>[R502118BA]</b>   |                                            |     |
| HS-1004-R            | Collars                                    | 57  |
| GF-7002              | Dome Cap, R5                               | 19  |
| S-1009-R5-09ft       | Post, 09ft R5                              | 5   |
| S-1011-R5-11ft       | Post, 11ft R5                              | 9   |
| S-1012-R5-12ft       | Post, 12ft R5                              | 3   |
| S-1014-R5-14ft       | Post, 14ft R5                              | 2   |
| S-1101-R5            | Square Deck                                | 2   |

| <b>Item / Part Number</b> | <b>Description</b>                            | <b>Qty</b> |
|---------------------------|-----------------------------------------------|------------|
| S-1102-R5                 | Tri-Deck                                      | 3          |
| S-1106-R5                 | Hex Deck, Half (4 Post)                       | 1          |
| S-1109-R5                 | Balcony Deck                                  | 2          |
| S-1201-2R5                | Easy Access Stairs, 24in                      | 1          |
| S-1209-36-R5              | Transfer Station, 48in-R                      | 1          |
| S-1233-2-HW               | Climber, Disc 18-24in (w/ HW)                 | 1          |
| S-1249-DDV4R5             | Geo-Wave Link 24in (Vert., Incl. DTD, 48-24)  | 1          |
| S-1298-5R5                | Climber, Cord 60in                            | 1          |
| S-1301-1830-S-R5          | Wall w/ Telescope                             | 1          |
| S-1402-R5                 | End Access Ladder (2-Rung)                    | 1          |
| S-1429-R5                 | Traverse, Horizontal Ladder (90 deg)          | 1          |
| S-1500-2S575R5            | Crawl Tube, S-Shaped 57.495 (2-Sect., R)      | 1          |
| S-1517-R5                 | Link, Web 24in                                | 1          |
| S-1655-4R5                | Reach Panel, 48in                             | 1          |
| S-1661-R5                 | Panel Pal, Bell                               | 1          |
| S-1710-3-5R5-LS4R         | Slide, Triple Twister 60in (L-S-R)            | 1          |
| S-1710-4-L                | Slide, Twister 48in (L)                       | 1          |
| S-1962-R5                 | Playseat                                      | 1          |
| <b>Swings</b>             |                                               |            |
| A2-131410                 | Inclusive Seat                                | 1          |
| A2-2181                   | PC 2181 8ft Single Post Swing Bay (2 Seat)    | 1          |
| A2-2181-AB                | PC 2181 8ft Single Post Swing Bay (2 Seat) AB | 1          |
| A2-313010                 | Belt Seat                                     | 3          |
| <b>H Thunder Wedge</b>    |                                               |            |
| A2-1906-H                 | PC 1906-H Thunder Half Wedge                  | 1          |

# Stanley Park-2

## TOP VIEW - 0

### ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED       | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 6              | 6/3        | 0/0             | 3/2    | 2/2   |
| CHILD CAPACITY | 62         | MAX FALL HEIGHT | 60     |       |


**R35**

FOR KIDS  
AGES  
2-5

### GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R35PC5488  
PROJECT # R35PC5488  
DATE 7/10/2026

**Play Environments Design, LLC**

MIN. USE ZONE 33' x 34' (9.81m x 10.138m)

Stanley Park-2

TOP VIEW - 0

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE


| ELEVATED       | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 0              | 0/0        | 0/0             | 1/0    | 1/0   |
| CHILD CAPACITY | 2          | MAX FALL HEIGHT | 12     |       |

FOR KIDS  
AGES  
2-5

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PC  
2478  
SPIN  
MAX  
POD

STRUCTURE # 2  
PROJECT # R35PC5488  
DATE 7/10/2026

Play Environments Design, LLC  
MIN. USE ZONE 16' x 16' (4.628m x 4.628m)



Stanley Park-2  
TOP VIEW - 0

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED       | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 0              | 0/0        | 0/0             | 2/0    | 2/0   |
| CHILD CAPACITY | 0          | MAX FALL HEIGHT | 0      |       |

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



CATR-IG  
Caterpillar



Butterfly,  
Orange  
(IG)

Stanley Park-2  
TOP VIEW - 0

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED       | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 9              | 5/5        | 0/0             | 3/3    | 5/3   |
| CHILD CAPACITY | 88         | MAX FALL HEIGHT | 84     |       |


R5

FOR KIDS  
AGES  
5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R502118BA  
PROJECT # R35PC5488  
DATE 7/10/2026

Play Environments Design, LLC  
MIN. USE ZONE 38' x 43' (11.304m x 12.869m)



Stanley Park-2  
TOP VIEW - 0

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE


| ELEVATED       | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 0              | 0/0        | 0/0             | 4/0    | 1/0   |
| CHILD CAPACITY | 4          | MAX FALL HEIGHT | 96     |       |

FOR KIDS  
AGES  
5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # 5  
PROJECT # R35PC5488  
DATE 7/10/2026

Play Environments Design, LLC  
MIN. USE ZONE 36' x 31' (10.909m x 9.246m)



# Stanley Park-2

## TOP VIEW - 0

### ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE


| ELEVATED       | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------------|------------|-----------------|--------|-------|
| 0              | 0/0        | 0/0             | 1/0    | 1/0   |
| CHILD CAPACITY | 6          | MAX FALL HEIGHT | 60     |       |

FOR KIDS  
AGES  
5-12

### GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

**WARNING:** Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PC 1906-H  
THUNDER  
HALF  
WEDGE

STRUCTURE # 6  
PROJECT # R35PC5488  
DATE 7/10/2026

**Play Environments Design, LLC**

MIN. USE ZONE 19' x 23' (5.675m x 6.829m)



Stanley Park-2  
SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 15       | 11/8       | 0/0             | 14/5   | 12/3  |

Mixed  
Types


FOR KIDS  
AGES  
[Mixed]

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



**Stanley Park-2**  
**SE VIEW**

**R35**

FOR KIDS  
AGES  
2-5



**STRUCTURE #** R35PC5488  
**PROJECT #** R35PC5488  
**DATE** 7/10/2026

**Stanley Park-2**  
**NE VIEW**

**R35**

FOR KIDS  
AGES  
2-5



**STRUCTURE #** R35PC5488  
**PROJECT #** R35PC5488  
**DATE** 7/10/2026

**Stanley Park-2**  
**NW VIEW**

**R35**

FOR KIDS  
AGES  
2-5



**STRUCTURE #** R35PC5488  
**PROJECT #** R35PC5488  
**DATE** 7/10/2026

**Stanley Park-2**  
**SW VIEW**

**R5**

FOR KIDS  
AGES  
5-12




**STRUCTURE #** R502118BA  
**PROJECT #** R35PC5488  
**DATE** 7/10/2026

**Stanley Park-2**  
**NE VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R502118BA  
**PROJECT #** R35PC5488  
**DATE** 7/10/2026

**Stanley Park-2**  
**NW VIEW**

**R5**

FOR KIDS  
AGES  
5-12



**STRUCTURE #** R502118BA  
**PROJECT #** R35PC5488  
**DATE** 7/10/2026