

PART NO	S	DESCRIPTION	QTY	
		Shop Release Date:		
		SFD:		
00-00-0800		Customer Contact Person (Required For Factory Use) Specify Name And Number:T.B.A.	1	
00-00-0805		Customer End User Contact Person & E-mail (Required For Factory Use) Specify Name and E-mail:	1	
00-00-2100		Sales Rep: James Schulenburg 608-574-2264 Jefferson Fire & Safety, Inc.	1	
00-00-FL00		Fill Unit With Fuel For Delivery (Charge To Dealer Account)	1	
00-00-FN00		Specify FORD Fleet Number If Available (FORD Chassis Only) Specify FIN Number:T.B.A. If Available.	1	
00-00-PU00		Specify Previous Unit Number: (FACTORY USE ONLY) ***BODY STYLE***	1	
00-02-1000	S	167" x 96" SUPERLINER TYPE I PASS-THRU (F-450/550 OR RAM) Call for factory approval before quoting your customer. Call for chassis pricing. ***CHASSIS***	1	
10-00-0100		Chassis VIN Number: (FACTORY USE ONLY)	1	
10-00-5110	S	2025 Ford F-550 193" W.B. 18,000 GVWR 4 WD Cab/Chassis (Gas V8 Engine) Includes the standard Ford O.E.M. 3 year/36,000 mile warranty. CHASSIS MODEL YEAR & PRICE MAY VARY. CHASSIS PAYMENT WILL BE DUE WITHIN 30 DAYS OF THE CHASSIS ARRIVAL AT LIFE LINE EMERGENCY VEHICLES.	1	
10-00-5310		Order Ford Chassis with OEM Aluminum Wheels ILOS Steel Wheels This option ordered with the chassis.	1	
10-00-5401		Ford XLT (17V) Value Package Ford XLT value package (17V) Includes: -Remote Start -Auto lock/unlock -Power adjustable pedals -Eight-way powered driver's seat	1	
10-00-6055	S	Liquid Spring Suspension Kit For Ford F-550 Controller location will be to the right of the steering column. NOTE: This option is provided by an off-site vendor. Be sure to have the Liquid Spring	1	Serial #

PART NO	S	DESCRIPTION	QTY
		(Located in the Electrical Cabinet) & the date in service of the LL unit before calling. All warranty claims/issues are to be referred to Liquid Spring support at this number: 765-474-7816 Ext. 136	
10-00-6150	S	Liquid Spring Front End Suspension Kit For Ford F-Series NOTE: This option is provided by an off-site vendor. Be sure to have the Liquid Spring Serial # (Located in the Electrical Cabinet) & the date in service of the LL unit before calling. All warranty claims/issues are to be referred to Liquid Spring support at this number: 765-474-7816 Ext. 136	1
10-01-3400		**FACTORY USE ONLY** Spare key and owner's manual to be shipped loose with the completed vehicle.	1
10-01-8000		Delete Standard Wheel Covers	1
10-01-9500		Ship The Spare Tire Loose	1
10-02-1200		F-Series O.E.M. Door Mirrors Dual arm, powered, heated trailer tow mirrors.	1
10-02-3500		O.E.M. Radio W/Cab Speakers	1
10-02-5000		Low Voltage Throttle Manager	1
10-02-5700		Hand Held Cab Spot Light This option includes a 12v outlet for the light.	1
		Standard location of outlet is behind the driver seat next to console unless otherwise specified.	
		Spot light to ship loose unless otherwise specified.	
10-03-0000		Large Custom Floor Console Top Flat Area * Air horn button (Drivers side) * Suspension dump warning light (Centered) * Air horn button (Passenger side) Angled Section * Elite touch screen mounted as high as possible (Centered) See 10-03-0035 For 15 degree wedge. * Siren controller mounted under touch screen drivers side * 12 Volt Outlet & Dual USB-C & USB-A outlet to the passenger side of the siren controller Rear Flat Area * Space for 2 Radios * 2 cup holders * 3 Glove box storage * Approx 2" area for map storage.	1
10-03-0035		Add 15 Degree Wedge to Front Electrical Control Panel Screen Life Line part #P07210-REV C	1
10-03-8200		Add Auto Dump Feature To Rear O.E.M. Lowering Suspension System w/"OS" Light Wire a circuit to automatically dump the rear suspension when the secondary rear module door is opened. There will be an ON-OFF style switch, with a stainless guard, installed on the inner door panel of the primary rear module entry door. This switch will prevent the dump feature from activating with secondary rear door. The switch will only be lit when it is activated. There shall be a Whelen Red "OS" System Dumped Warning Light On Front Console.	1

PART NO	S	DESCRIPTION	QTY
		Please specify the location for the light: Front Console Centered on the forward flat area to the right of the air horn button	
10-03-8900		3 Battery Package Standard-All Matching CCA Of The Standard Battery Two of the OEM Batteries remain under the chassis hood, with the third battery in an exterior compartment. P2	1
10-04-3500		Owner's Manual (1 Included With Unit)	1
10-05-4010		Ignition Override Theft Protection Device For By Sound Off Signal This device works with the following chassis: G-Series, F-Series, E-Series, Freightliner, Navistar	1
MODULAR BODY TYPE I			
15-01-1655		Federal K-Spec Package Thru Change Notice 14 Includes: - Upgraded vinyl 40oz or better - (2) 5# Badger fire extinguishers, shipped loose. - Oxygen wrench, shipped loose. - Lock on cab-to-module door or window that is lockable from cab side. - Will meet federal K-Spec through the current change notice. - Includes Weight Labels on all interior storage compartments. - Label in cab "On Board Battery Charger, Plug in Ambulance" - Includes SSCOR suction canister clip #230-00003 - Units equipped with an A-Bar, it shall include a Wire Lock Pin/Spring Clip	1
15-01-5000		Standard 72" Finished Headroom	1
15-01-9005		Cab To Module Sliding Pass-Thru Window	1
15-01-9005		Cab To Module Sliding Pass-Thru Window	1
15-02-0000		Standard Perko Body Intake And Exhaust Vents (3-STD)	1
15-02-1600		1 Piece Stainless Steel Wheel Well Trim Rings (Small) 18.75" radius for Ford E-Series, F-Series, RAM, Chevy G-Series, and CK	1
15-02-2500		Standard Cast Fuel Fill Housing	1
15-CS-9902		Standard 3" Lowered Front Body Skirts F-Series & RAM Includes dual side entry door step well.	1
MODULE DOORS AND WINDOWS			
20-00-0100		2 Red Reflectors On Each Module Entry Door One Mounted At The Top And One Mounted At The Bottom.	1
20-00-0500		Combination Extruded/Pan Formed Module Entry Doors With Clean Seal #50512 Door Gaskets. Includes Stainless Steel Sill Plates. Non-Slip Tape on Side Entry Sill Plate	1
20-01-0000		Full Height Side Entry Door With Gas Style Hold-Open Position The Hold-Open At 90 Degrees.	1
20-01-1000		Side & Rear Entry Door Thresholds With Black/Yellow Safety Anti Slip Tape	1
20-01-2900		Sliding Side Entry Door Window (Solar Cool Bronze Tint) Sliding Window With Screen And Bronze Tint.	1

PART NO	S	DESCRIPTION	QTY
20-01-3500		Rear Doors With Grabber Style Hold-Opens	1
20-01-5400		Fixed Rear Entry Door Windows (Solar Cool Bronze Tint)	1
		With Bronze Tint Option.	
20-01-9000		Delete Exterior Assist Handle On Side Or Rear Entry Doors (Ea)	3
		Specify All Deletion Location(s): Side & Both Rear Entry Doors.	
20-02-0000		Tri-Mark 030-18 Free Float Handles with Chrome Exterior and Black Pocket	1
20-02-1500		Primary & Secondary Exterior & Interior Rear Door Free Float Handles Standard	1
20-02-1600		Secondary Door Release Latches On All Entry Doors	1
		Label LH Arrow	
		Label RH Arrow	
20-02-2500		Shielded Cable Activated Module/Compartment Door Latches	1
20-02-3500		Cage Nuts On All Door Panels	1
20-02-4000		Polished Diamond Plate Lower Module Entry Door Trim Panels	1
20-02-5500		Stainless Trim On Door Edge Position #3 (Ea)	1
		TO PROTECT P4 DOOR FROM STAIR CHAIR	
20-02-6000		Diamond Plate Side Entry Door Stepwell W/Sealed Seam Edges	1
		TYPE 1'S WILL HAVE DUAL SIDE ENTRY STEP STANDARD	
		E & G Series with 3" Lower Skirt Specified will have Dual Side Entry Step	
		EXTERIOR COMPARTMENTS	
25-00-0100		SPECIAL NOTE TO DEALER	1
		Custom Compartment Options/Designs Not Listed In The	
		Published Options List MAY Result In Additional Charges.	
25-00-0200		2 Red Reflectors On Each Full Height Compartment Door	1
		One Mounted At The Top And One Mounted At The Bottom.	
		One Reflector Mounted On Each Standard Height Compartment Door.	
25-00-0500		Combination Extruded/Pan Formed Compartment Doors	1
		With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates.	
		Includes Gas Style Hold-Opens Unless Otherwise Noted.	
		Special Note To Production:	
		Position All Gas Hold-Opens For Maximum Allowable Door Opening.	
		Does Not Include Doors That May Hit Other Compartment Doors.	
25-00-0600		Polished Diamond Plate Exterior Compartment Door Panels	1
25-01-0000		Magnetic Compartment Door Switches	1
25-01-1500		Polyurethane Compartment Lining-Colored	1
		Specify Color: Black	
25-01-2500		Standard TecNiq Model E41 LED Strip Lighting Surface Mounted Compartment Lights	1
		One Strip To Be Installed Vertically Inside Door Frame Against Wall #1 Or #3 As The	
		Standard.	
		The Standard Light Lengths Used Are:	
		18"	
		31.5"	
		54"	
		72"	

PART NO	S	DESCRIPTION	QTY
25-01-3300		Black Texture Coated Aluminum Exterior Compartment Vents	1
25-04-3000		Delete Superliner Curbside Front Backboard Compartment	1
		Specify Alternate Backboard Compartment: P4	
25-04-3500		Full Height Superliner Curbside Front IS/OS Compartment	1
		P1	
25-04-5500		1 Fixed And 2 Adjustable IS/OS Compartment PVC Shelves	1
		(1) Adjustable In The Upper Section.	
		(1) Adjustable In The Lower Section.	
25-04-7000		Cabinet Liner Lined Walls In The IS/OS Compartment	1
25-04-8000		Superliner Curbside Front Battery Compartment	1
		P2	
25-05-3000		Superliner Curbside Rear Backboard Compartment	1
		P4	
		Includes Fixed Vertical And Horizontal Divider.	
		Install The Vertical Divider 11" from Wall #3.	
		Install The Horizontal Divider On The Right Side Of The Vertical Divider, 42" Above The Floor.	
		The Right Side Lower Section Will Be Used To Store A Stryker Stair Chair.	
25-05-3500		Superliner Full Height Streetside Front Compartment	1
		D1	
25-05-5000		Superliner Streetside Double Door Intermediate Compartment	1
		D2	
		Air Horn Compressor To Be Mounted In The Upper Wall 1-2 Corner	
25-05-9000		3/4 Height Single Door Streetside Rear Compartment	1
		D3	
25-11-8015		Smooth Aluminum Adjustable Shelf W/ Dri-Dek Matting (Ea)	2
		Smooth Aluminum With Standard 2" Lips.	
		Specify Compartment:	
		(2) D2 - Evenly spaced	
25-12-8000		Add IS/OS Access To Exterior Compartment (Ea)	1
		Specify Compartment: P4 Upper Right	
25-12-9000		Black Dri-Dek On Compartment Floor (Ea)	5
		Specify Compartment: D1, D2, D3, P1, P4	
25-CS-0520		Double Plate Compartment Wall or Door Panel (Ea)	1
		Specify Compartment: D3, Wall #2	
25-DL-0100	S	Uni-Strut (Ea)	2
		Specify Custom Option: Install Two (2) Uni-Strut tracks, running vertically, on wall 2 of the D3 Compartment. This will be used for mounting SCBA brackets on after delivery.	
REAR STEP AND BUMPER ASSEMBLY			

PART NO	S	DESCRIPTION	QTY
30-01-0100		Rear Bumper With Angled Style End Caps Includes Standard Reinforced Corner Angle Supports & Aluminum Sub-Frame Bumper. Center Section And End Caps To Be At The Same Height.	1
		Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame	
30-01-3500		Full Width Diamond Plate Rear Kick Plate ***IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD***	1
35-01-0000		One Piece Body Side Panels With Aluminum Lower Impact Rails Includes Lower Impact Rails Only.	1
35-01-3000		Diamond Plate Running Boards With Grip Strut Grip strut welded into running board.	1
35-01-7000		Whelen TOCACCRR Surface Mounted Running Board Lights (Pr 2" Lights Are Mounted With TFLANGEC Chrome Flanges. Includes Deutsche Connectors	1
35-01-7500		Rear Mud Flaps With Metal Stabilizers	1
35-01-9000		Stainless Steel Compartment And Entry Door Sill Plates	1
35-02-0000		Drip Rail Over Doors Install over all doors	1
35-02-0900		Frame Rail Cover A Full Width Diamond Plate Frame Cover to Be Installed Between the Cab and the Module.	1
35-02-2500		36" High Front Stone Guards With Sealed Top Edge.	1
35-02-4500		Rear Corner Stone Guards (Kick Plate Height) With Sealed Top Edge.	1
35-02-5500		Polished Stainless Steel Plate Under Fuel Fill Area ***ELECTRICAL SYSTEM***	1
40-00-0110		Whelen CenCom Core System Base Package (1) Whelen #C399	1
40-00-0120		Whelen CenCom Core Expanded Package Includes: (1) Whelen #CEM16	2
40-00-0550		Elite G3 Touch Screen Electrical System Includes: (1) Front Switch Panel, (1) Rear Switch Panel. (2) Carling Switches "Includes Stainless Steel Guards" (1) Center Strip Lights (1) Momentary Disable Switch For Curb Side Scene Lights. Standard Location Is The R.F.S. Cabinet. (1) Electric Oxygen with Regulator And Oxygen Display. Regulator Mounted On A Bracket Remote From The Oxygen Tank. Includes High Pressure Hose From The Tank To The Regulator.	1

PART NO	S	DESCRIPTION	QTY
		(3) Power Point Studs - They Will Include A Full-time Hot, Battery On (Ignition Hot), & Ground. These Are Rated 20 AMPS Or Less. Dealer To Specify Location: Auxiliary Electrical Cabinet	
		(1) Back-Up Camera White (ASA VCMS24) (This Camera Will Always Be Displayed Thru The Elite Front Touch Screen And The Camera Head Will Be White Unless Otherwise Specified) Specify (VCMS24B) For Black	
		Dome Lights On Low With Entry Door. (On High Is Not An Option)	
		The R.F.S. Switch May Turn On the Dome Lights On High or the Center Strip Lights. Specify: Center Strip	
		Inverter Will Come On With Ignition If One Is Specified, Along With Button Provided On Switch Panel.	
40-00-6020		Additional Camera Head (Elite Touch Screen System Only) Specify Camera Head Color: VCMS24B-Black Specify Location(s): Patient Camera, Rear Facing, Mounted on at the Front of the Center Strip	1
40-01-2000		Reverse Activated Alarm With Momentary Auto Reset Switch ECCO #575 Alarm.	1
40-01-5000		Super Auto Eject Shoreline - 20 Amp Specify Location: Above D2 Specify Inlet Cover Color: Black SPECIAL NOTE ABOUT 115 VOLT CURRENT DRAW (AMPS) This Unit Has A 20 Amp Shoreline Inlet That At A Capacity Rating Of 125% Has A Maximum Amperage Load Of 16 Amps. This Unit As Ordered Has A Total 115 Volt Amp Draw Of ** Amps. This Leaves A Reserve Of ** Amps For Interior Outlets. This DOES NOT Include Any Customer/Dealer Installed Equipment.	1
40-01-6900		**FACTORY USE ONLY** Shoreline Inlet Adapter Plug Present.	1
40-01-7500		Shoreline On Indicator Light (Exterior) Mounted Above Or Near The Shoreline Inlet. (Red LED). Whelen "OS" Series Non-Flashing Is The Std. Light	1
40-02-3500		Vanner LSC12-1100 1100W Inverter With Display Includes 55 Amp Battery Charger Specify Remote Charger Display Location: Action Area Specify Remote Inverter Display Location: Action Area Installing Displays on any part of the exterior of the unit, Voids all Warranty issues from Vanner & Life Line.	1
40-03-0000		Action Area Dual 2.4 amp USB Charger And 20 amp 12v Outlet Full Time Hot Circuit.	1

PART NO	S	DESCRIPTION	QTY
40-03-2000		R.F.S. Cabinet Dual 2.4 amp USB Charger And 20 amp 12v Outlet Mounted In The Lower Section On Wall #1. Full Time Hot Circuit.	1
40-03-5500		Add 12 Volt Power Outlet (Ea) Full Time Hot Circuit. Specify Location: Front Cab Console - (1) above the DUAL USB ports & (2) on the rear of the console	3
40-03-6000		Action Area 125 Volt Standard Style Hospital Grade Outlet	1
40-03-7000		R.F.S. Cabinet 125 Volt Standard Style Hospital Grade Outlet Mounted In The Lower Section On Wall #1.	1
40-03-8500		Add 125 Volt Standard Style Hospital Grade Outlet (Ea) Specify Location: Specify Location: (1) Mounted In The Upper Section of RFS On Wall #1. (1) Action Area IATS - Spread out a bit (1) Cab Floor behind Passenger Seat near Console. (requires waterproof cover) (1) RFS Wall Above Lower Walk Thru Cabinet (1) Above the Head End of the Squad Bench Cabinet (1) D3 on Wall #3 as high up & close to Wall # 2 as possible All Cab Floor Requested Installs will Include Weatherproof Cover, Unless Otherwise Specified.	6
40-03-8611		Add Dual 2.4 amp USB Charger And 20 amp 12v Outlet Specify Location: One (1) Above the Head End Squad Bench Cabinet. One (1) Mounted in the Upper Section of the R.F.S. on Wall #1	2
40-03-8615		Kussmaul Dual USB-C & USB-A Charging Port LL Mounting Plate Specify Location: Front Cab Console	1
40-04-4000		Power Door Locks For Side Entry & Rear Entry Doors	1
40-04-4500		Additional Power Door Lock (Ea) Door Locks Are Thermally Protected With Pulsed Signals. Specify Compartment Location: D1, D2, D3, P1, P4	5
40-04-6000		Hidden Switch In Rear License Plate Housing (Unlock Only) Unlocks Cab & Module For RAM, G-Series & Freightliner Unlocks Modules Only For E & F Series Unlocks Cab & Module For International When Cab is Running Only	1
40-04-9000		Remote Entry System (Includes Two Key Fobs)	1
40-05-1510		12 Volt Power And Ground Circuit (Ea) Specify Location: (1) D3, Next to the 125V Outlet (1) D2, upper corner of the Wall 2-3 corner (1) Upper R.F.S., Wall 1-2 bottom corner (1) Inside front console Specify Hot or Battery On: All Constant Hot	4

PART NO	S	DESCRIPTION	QTY
		20amp circuit ea.	
40-06-1010		Webasto IsoTherm, Cruise 49 Elegance Electric Refirgerator Freezer AC/DC, 1.75cf CR EL 49	1
		Specify Color Silver Black:	
		Location: In Pass Through Cabinet	
		Not intended for Drug Storage	
		MANUFACTURER WARRANTY ONLY APPLIES.	
40-DL-0100	S	Whelen SCAPORT Cable Kit Ford	1
		Specify Custom Option: Whelen #C399SP SCAPORT Cable Kit Ford	
40-DL-0200	S	Whelen V2V Vehicle to Vehicle Sync Module	1
		Specify Custom Option: Whelen # CV2V Vehicle to Vehicle Sync Module	
		INTERIOR LIGHTING	
45-01-0000		Oxygen Compartment Light	1
45-01-0500		Side Entry Door Stepwell 3" Round LED Light	1
		Whelen 3" Round Super-LED Surface Mounted	
45-01-1500		8 Ceiling Lights Tecniq 8" LED Neutral White Frosted Dome With White Trim	1
		4-Streetside	
		4-Curbside	
		TecNiq# E08-LW00-1	
45-01-3000		TecNiq LED Action Area Light	1
		E32-L00S-1	
		14" Light	
45-01-7530		4-Tecniq Rectangular Low Profile LED E30 "LED" Center Strip Lights ILOS	1
		Model # E30-L0S0-1	
		This Light Includes A Switch On The Light.	
		EXTERIOR LIGHTING	
		All Lights to have Chrome Bezels	
50-01-0001		Whelen M6 Series "LED" Stop/Tail Lights (Pr)	1
		#M62BTT	
		Mounted Above The Rear Kick Plate.	
50-01-6001		Whelen M6 Series "LED" Amber Turn Lights (Pr)	1
		#M62T	
		Mounted Above The Rear M6 Series LED Stop/Tail Lights.	
		They shall flash sequentially in the direction of the arrow.	
50-02-7000		Whelen M62T Series "LED" Amber ArrowTurn Light IATS (Pr)	1
		Specify Location: Front of body below outer warning lights	
		To Flash Sequentially In The Direction Of The Arrow.	
50-02-9000		C.P.I. License Plate Housing	1
50-02-9501		Whelen M6 Series LED Back-Up Lights (Pr)	1
		#M62BU	

PART NO	S	DESCRIPTION	QTY
		Mounted Above The Rear Turn Lights Unless Otherwise Specified.	
50-03-4901		Whelen Two Reverse Activated M92SLC Rear Load Lights	1
50-03-8401		Whelen M92SLC Side Scene Lights (Two Each Side)	1
50-03-9000		Right Side Scene Lights On With Open Side Entry Door	1
50-04-2000		Rear Side Scene Lights On In Reverse IATS	1
50-04-5000		Wire Rear Emergency Light To Brake Circuit IATS	1
		Specify Light Location:	
		The brake light override feature shall function during all modes of lighting operation. The lights shall steady burn when the brake pedal switch is activated even when the emergency lighting is turned off. When the warning lights are in primary or secondary mode, then the rear lights specified above shall steady burn for the duration of the foot pedal depression and resume flashing when the foot brake is released.	
50-04-7501		Whelen "OS" Series LED ICC Marker Lights ILOS (Ea)	8
		Chrome Bezels	
		2 amber	
		6 red	
50-04-8000		Innovative Lighting Slimline Rear DOT/Brake Light Mounted Above The Rear Doors. Mounted Above The Drip Rail Unless Otherwise Specified. Mid Sections To Be Wired Thru The Brake Light Circuit.	1
50-04-8100		Innovative Lighting Slimline Front DOT Light Mounted Above The Drip Rail Unless Otherwise Specified.	1
		RADIO PROVISIONS AND AIR HORNS	
		Pricing does not include installation of customer supplied radio equipment unless otherwise stated. All customer supplied radio equipment must be received at Life Line prior to construction start date.	
55-01-3040		(2) 21" AHT Air Horns Mounted Thru Bumper Valance F-Series w/Comp	1
		Includes:	
		Standard Duty Compressor	
		Specify Compartment For Compressor Location: D2, Upper Corner of Wall 1-2	
		NOTE: There Is An Additional Charge If The Compressor Is Not Mounted In A Compartment.	
		Vortex Aluminum "L" shelf if needed and Mesh Cover Over Pump	
		One Standard Frame Mounted Air Tank	
		(2) AHT 21" Air Horn	
		Specify Floor Button, Push Button, or Rocker Switch	
		Button/Switch Location: Push Button - Top Flat Area of Driver Side of Front Console	
55-01-8500		KE-794 Antenna Base With Coax Specify Termination Location: (1) Front Module Roof To The Auxiliary Electrical Cabinet. (Unless Otherwise Specified). Coil, Zip Tie & Tag Include rain caps on all module roof antenna bases	1
55-02-1500		KE-794 Module Roof Antenna Base/Coax (Ea)	1
		Specify Termination Location: REAR MOD ROOF TO AUX ELECT CABINET	
		Coil, Zip Tie & Tag	
		Include rain caps on all module roof antenna bases	

PART NO	S	DESCRIPTION	QTY
55-02-5500		Radio Pre-Wire Power And Ground 20 AMP Or Less Circuit (Ea) Full Time Power And Ground And Battery On (Ignition On) Circuits. Butt Splice Termination Points. Specify Termination Location: (2) INSIDE FRONT CONSOLE (1) ACTION AREA BEHIND SWITCH PANEL Coil, Zip Tie & Tag 14 Gauge Wire Will Be Used in this Option. If Larger Gauge Wire is Required You Must Use Option 55-02-5700 or 55-02-5800.	3
55-02-6500		Install Customer Supplied Radio Cables (Ea) Specify Routing And Termination Location: RUN ONE (1) FROM THE AUX ELECTRICAL CABINET TO BEHIND THE ACTION AREA SWITCH PANEL & RUN TWO (2) CABLES FROM THE AUX ELECTRICAL CABINET TO THE INSIDE OF THE FRONT CONSOLE CABLES MUST BE AT LIFE LINE PRIOR TO CONSTRUCTION START. Ship to: Life Line Emergency Vehicles 1021 West 1st Street Sumner, IA 50674 **NO EXCEPTIONS** ALL CABLES MUST BE MARKED FOR ORIGIN AND TERMINATION. ANY CABLE THAT IS NOT MARKED WILL NOT BE INSTALLED. **NO EXCEPTIONS**	3
55-CS-0400		Install Customer Supplied Radio Heads (Ea) Specify Location(s): Two (2) in the front console & One (1) in the action area panel	3
55-DL-0100	S	Install Pull Wire Specify Custom Option: RUN A PULL WIRE FROM THE AUX ELECTRICAL CABINET TO BEHIND THE ACTION AREA SWITCH PANEL & A PULL WIRE FROM THE AUX ELECTRICAL CABINET TO THE INSIDE OF THE FRONT CONSOLE FOR A CUSTOMER SUPPLIED AND INSTALLED RADIO CABLE. CRITICAL - DO NOT ZIP TIE TO ANYTHING	2
55-DL-0200	S	2nd Air Horn Push Button Specify Custom Option: 2nd Air Horn Push Button Location: Passenger Side of Top Flat Portion of the Front Console ***SIRENS AND EMERGENCY LIGHTING***	1
60-00-0136		Whelen CenCom Core Control Head CCTL9 Whelen CCTL9	1
60-00-0145		Whelen CenCom Split Light Charge (pr)	5
60-01-3700		Delete Standard Whelen295HFS2 Siren System (Credit)	1
60-01-4514		(2) Whelen Behind Grille Siren Speakers (F-Series) Includes SAK61AD - Behind Grill Bracket, Driver SAK61AP - Behind Grill Bracket, Passenger (2) SA315P - Siren Speaker	1

PART NO	S	DESCRIPTION	QTY
60-01-7610		Whelen Howler Low Frequency Siren Specify Switch Style (Button or Rocker) and Location	1
		NOTE: CANNOT Use The Whelen Howler With The EQ2B Siren As Federal And Whelen Are Not Compatible.	
60-01-899A		*FACTORY USE ONLY* All Warning Lights To Be Steady Burn Part #90RR5FRR Mount The Side Lights Inline. Model # ILOS: Specify K-Spec Or Comet Flash Pattern: REQUIRES EXTERNAL FLASHER. NON K-SPEC PATTERNS REQUIRE AUX FLASHERS (#60-11-40).	1
60-01-9001		4 Whelen M9 Series "LED" Side Module Warning Lights Part # M9RC M9FC Chrome Flange Mount The Side Lights Inline. All lights set to Comet Flash Pattern if not specified: Moduflash On in Primary and Secondary unless otherwise specified: Includes DVI	1
60-02-5000		Delete The 2 Standard Front Module Warning Lights (Credit)	1
60-02-8100		Delete The Standard Center Front Module Warning Light (Credit)	1
60-02-9501		2 Whelen M9 Series "LED" Rear Module Warning Lights Part #M9RC M9FC Chrome Flange All lights set to Comet Flash Pattern if not specified: Moduflash On in Primary and Secondary unless otherwise specified: Includes DVI	1
60-03-3001		1 Whelen M9 Series "LED" Center Rear Module Warning Light Part #M9RC M9FC Chrome Flange Set to Steady, includes Brake Override Elite Comet Flash Pattern On in Primary and Secondary unless otherwise specified:	1
60-04-4610		Emergency Lights On In Reverse Specify which Button on the touch screen or flasher circuit is to be activated. Secondary on with Reverse	1
60-04-5271		2 Whelen TLI* ION T-Series Linear Super-LED Grille Lights w/Chrome Flange Includes TIONFC Chrome flange	1

PART NO	S	DESCRIPTION	QTY
		Specify Color: Red	
		Comet Flash	
		On in Primary and off in Secondary unless otherwise specified:	
60-05-0494		2 Whelen M7 Series "LED" Intersection Lights (Type I)	1
		Part #M7RC	
		Includes Chrome Flange	
		All lights set to Comet Flash Pattern if not specified: Moduflash	
		On in Primary and off in Secondary unless otherwise specified:	
60-06-6001		2 Whelen M7 Series "LED" Rear Wheel Well Lights	1
		Specify Whelen Light Number: M7RC	
		M7FC Chrome Flange	
		All lights set to Comet Flash Pattern if not specified: Moduflash	
		On in Primary and off in Secondary unless otherwise specified:	
60-07-1530		7 Whelen M9 Series "LED" Front Module Warning Lights Clear Lens	1
		Specify Whelen Part #:	
		(7) M9DD Red/White Duo lights	
		All light to have M9FC Chrome Flange.	
		LAYOUT	
		All front wall lights on in Primary.	
		In Primary lights #3 & #5 to flash Red/White and lights 1,2,4,6,7 to flash red.	
		Add a switch on the front screen to override all lights to come on in white for front scene lighting except for the two red outer lights. The red lights will activate on low power DVI when in secondary mode and the photo cell is active.	
		Specify KKK Or Comet Flash Pattern: MODUFLASH	
		Includes DVI.	
60-07-1905		Low Power Function For Light (ea.)	16
		Specify light(s): ALL M9-SERIES WARNING LIGHTS EXCEPT THE M9 REAR CENTER WILL HAVE THE DVI WIRE CONNECTED SO THAT IT WILL GO INTO THE DVI CONTROL WITH SECONDARY MODE.	
		Does not include grille, intersection rear wheel well lights.	
60-09-0495		Tomar Traffic Pre-Emption Strobe with Power Supply	1
		(1) RECT-37S Clear Light	
		(1) Chrome Bezel	
		(1) 401-1228-PREHI Emitter Power Supply	
		FRONT WALL BELOW THE 2ND M9 LIGHT IN FROM THE DRIVER SIDE.	
60-09-4455		2 Whelen TLI* ION T-Series Linear Super-LED Grille Lights Chrome Flange	1
		Includes TIONFC Chrome Flange	

PART NO	S	DESCRIPTION	QTY	
		Specify Color: Red		
		Lower Grille		
		On in Primary and off in Secondary unless otherwise specified:		
60-10-0160		Rear Window Level Whelen M9 Red Or Amber Or Blue Or Clear "LED" Lights (2)	1	
		Specify Color:M9RC		
		M9FC Chrome Flange		
		MODULFASH		
		Includes DVI.		
		On in Primary and Secondary		
60-11-4400		Whelen ULF44 LED Flasher 4-Outlet 60 Watts (Ea)	1	
60-11-5610		Whelen Photo Cell	1	
		The Whelen LCPHOTO Photo Cell provides for day/night input to flasher or light head to activate the dim feature at night.		
		Please note what light head(s) or Flasher(s) this will control.		
		For all M9 series lights. Set up like unit #5639 where this won't go into DVI mode in Secondary unless at night time.		
		Mounted on Front Dash Visible Thru Windshield.		
		and Switch to Mode Per Sensitivity.		
		PATIENT COMPARTMENT		
65-00-0100		Standard Solid Surface Construction Interior Cabinets	1	
65-00-9900		SPECIAL NOTE TO DEALER	1	
		Custom Cabinet Options/Designs Not Listed In The		
		Published Options List MAY Result In Additional Charges.		
65-01-2000		Standard Smooth Headliner	1	
65-01-3500		1/4" Gray Tinted Polycarbonate Sliding Doors On Cabinets	1	
		Includes Brushed Finish Interior Trim.		
65-02-2214		"LL Standard Package" Stryker Power Load System	1	
		This is the Stryker Power Load Option.		
		Will Be Center Mount Unless Otherwise Specified		
		Includes:		
		Floor Structure - Tapping Blocks		
		Pre-Wire with 10 Gauge Power and Ground with a 15 Amp Circuit Breaker Powered by		
		Battery HOT Power. The Power And Ground Is Run To Inside The Track.		
		Power & Performance Load Floor Plate Kit #639007000100		
		Needs To Include Track Cover #6390-001-109		
		Push Rail Floor Mount Only Stryker #6360-30-11		
		Includes Hardware Kit F09053 Which Is (2) Silver Knobs (2) Threaded Stryker Plates To		
		Install In The Track If Customer Or Dealer Needs To Install Antlers. These Are To Be Installed		
		In The Track By Life Line Installer.		
65-02-8000		L.R.O. Cabinet With Speed Load Door	1	
		With Positive Lock Feature.		
		To include [1] Adjustable PVC Shelf In Each Section		

PART NO	S	DESCRIPTION	QTY
65-03-3500		Cabinet Above The Side Seat With Speed Load Door To be 8.25"H With Positive Lock Feature.	1
65-03-7500		L.F.O. Cabinet With Speed Load Door With Positive Lock Feature. To include [1] Adjustable PVC Shelf In Each Section	1
65-04-1500		Left Rear Base Cabinet With Speed Load Door With Positive Lock Feature. Includes (2) Adjustable PVC shelves	1
65-04-6600		Delete Standard Telemetry Area Cabinet	1
65-04-8100		Delete Standard Lower Telemetry Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-04-8510		Action Area Cabinet With Side Hinged Frameless Heavy Polycarbonate Door (2) Hinged polycarbonate doors. Includes (2) Adjustable Shelves	1
65-05-0000		Slanted Action Area Switch Panel Includes Sliding Polycarbonate Doors Forward Of The Switch Panel Unless Otherwise Specified.	1
65-05-2100		Delete Standard Lower Action Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-05-3600		Delete STD Action Area Tip-Out Trash Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-05-4500		Side Facing CPR Seat w/Contoured ERGO Backrest & 4-Point Belt with Hinge Lid Includes Black IMMI 4-Point Seat Belt.	1
65-05-8505		Rear Facing Valor Vac Attendant Seat w/Child Safety Seat On Pedestal/Swivel Valor Vac Seat with Child Safety Seat & Life Line Logo Includes 4-Point Belt Question: Will there be an O2 Bottle Attached to the Head of the Cot? Yes Requires Lower Streetside Aisle Cabinet And Bulkhead Wall Cabinet For Overflow Electrical Equipment.	1
65-05-9795		Delete Contoured ERGO Backrest/IMMI 4 Point Seatbelt (Ea) (1) From Curbside Wall	1
65-06-2000		Rear Facing Electrical Cabinet And Door Vent Accordingly	1
65-07-0000		Right Front Upper ALS Cabinet With Solid/Polycarbonate Doors Solid Surface Doors With Vented Polycarbonate Inserts.	1
65-07-3000		Right Front Lower ALS Cabinet With Solid/Polycarbonate Doors Solid Surface Door With Vented Polycarbonate Inserts.	1
65-07-5300		Top R.F.S. Cabinet W/Top Hinged Solid Door ILOS Heat/AC Includes Gas Style Hold-Opens.	1
65-07-5410		Top R.F.S. Cabinet (Ducted Heat/AC In Ceiling Pkg Discount) Includes Gas Style Hold-Opens.	1

PART NO	S	DESCRIPTION	QTY
65-07-5410		Top R.F.S. Cabinet (Ducted Heat/AC In Ceiling Pkg Discount) Includes Gas Style Hold-Opens.	1
65-07-9000		Add Cabinet In The Lower Walk-Thru Area With Solid Surface Counter Top Area. No Doors, This cabinet will house the Fridge	1
65-08-0000		CS Squad Bench w/Contoured ERGO Backrests w/2 Piece Lid & No Divider Includes 3 Sets Of Black IMMI 4-Point Seat Belts Includes 3 Cot Restraints & Retractors.	1
65-08-3600		Superliner Head Of Squad Bench Work Cabinet INCLUDES CORIAN COUNTER TOP	1
65-08-8500		Squad Bench Headrest Cushion	1
65-09-2000		Two Section Bandage Cabinet With Speed Load Doors With Positive Lock Feature. Specify Cabinet Depth: 10" D x 8.25" H	1
65-09-6010		Latching Single Glove Box Holder w/Clear Lid In Cushion Area Above Doors(Ea) Recessed Storage Box With Top Hinged Clear Latching Polycarbonate Door. Specify Location: Above the rear entry doors, one each side	2
65-09-6110		Latching Triple Glove Box Holder w/Clear Lid In Cushion Area Above Doors(Ea) Recessed Storage Box With Top Hinged Clear Latching Polycarbonate Door. Specify Location: Above the side entry door	1
65-09-8500		100" Long Formed Streetside Ceiling Grab Rail	1
65-09-9500		100" Long Formed Curbside Ceiling Grab Rail	1
65-10-0500		Formed "L" Door Assist Rails Mounted On The Hinge Side	1
65-10-2000		Formed Assist Rail At The Head End Of The Squad Bench 12" Rail	1
65-10-2500		Formed Assist Rail On The Left Rear Wall 12" Assist Rail Is Std. Size.	1
65-10-5000		Two C.P.I. #IV2008 Rubber Recessed IV Brackets Mounted In The Mid/Rear Cot Position.	1
65-11-1000		Black Southco C5 Lever Cabinet Latches All Cabinets Except Polycarbonate Doors.	1
65-11-3000		Cabinet Drawer (Ea) Specify Cabinet Location: Curbside head end cabinet, drawer facing the bench seat Includes (3) Adjustable/Removable Poly Dividers For additional dividers see drop down 65-11-3800	1
65-12-2810		BRG LED Digital Clock Mounted In Rear Head Cushion	1
65-12-9500		Tip Out Sharps Container Specify Location: In the curbside head end cabinet facing the aisle	1
65-12-9700		Tip Out Trash Container Specify Location: In the curbside squad bench below the head end cabinet	1
65-15-0005		Interior Laminate: Designer White D354-60	1
65-17-0270		Seam Sealed Cushions "Federal K-Spec" Vinyl: DA-300 Black This Vinyl May Be Sent to EVS For Back Rests & Medi-Vac Seating For Exact Matches.	1

PART NO	S	DESCRIPTION	QTY
65-17-0417		ERGO Backrest Seamless/Medi-Vac Vinyl Color: Black MV117 (Black)	1
65-17-0612		Valor Vac-Form Vinyl Color: Black	1
65-18-0006		Welting Between Cabinets: Black	1
65-19-0005		Counter Tops (Main): Glacier White Standard with 1" Lip	1
65-20-0018		Counter Tops (Accent Stripe): Deep Nocturne	1
65-21-0009		Lonseal Floor Selection: Loncoin II Flecks #150 Onyx Specify: Rolled Up 4" On Both Sides Unless Otherwise Specified.	1
65-CS-3000		Total Available Seating Positions In this Unit Including Cab, Module And Cot	7
PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS			
70-01-0500		12 Volt Powered Fresh Air Intake Circuit Wired Thru The Exhaust Vent Circuit And Switch.	1
70-01-1000		12 Volt Powered Exhaust Fan	1
70-01-2301		Ducted Hoseline Center Mounted Heat/AC Location ILOS Includes Center Evaporator/Heater Core Location. Includes #65-07-5300 Top Hinged Top R.F.S. Cabinet. Evaporator Model #ACHU1158	1
70-01-2400		Inline Booster Coolant Pump 12 Volt Centrifugal Pump To Boost The Flow Capacity Of The Coolant System.	1
70-01-4510		Hoseline Front Wall Mounted Aux 12 Volt A/C Condenser (Type I Modular Body) Condenser Model #TMC2007	1
70-01-6520		Ultimate Additional Insulation Pkg with Yellow Certifoam Body/Floor/Doors (R-6) INCLUDES YELLOW CERTIFOAM R-6, LAVA TWIST ACCOUSTIC MATERIAL TO ALL 4 SIDES OF SIDE ENTRY STEPWELL, THERMAL HEAT/SOUND INSULATION BLANKET TO THE UNDERSIDE OF ALUMINUM FLOOR, NON-PERMEABLE SOUND DAMPENING BLANKET IATS VAPOR BARRIER. INCLUDES YELLOW CERTIFOAM R-6 IN THE FLOOR STRUCTURE TUBES AND ANY OTHER TUBES THAT COULD POSSIBLY BE FILLED WITH PLANK FOAM.	1
70-01-6610		Automotive Grade Underbody Undercoating W/2nd Coat On Module Floor ***OXYGEN SYSTEM***	1
75-01-0000		Ohio Style Action Area Oxygen Outlet	1
75-01-2000		Ohio Style Ceiling Mounted Oxygen Outlet	1
75-01-4000		Ohio Style Right Wall Mounted Oxygen Outlet	1
75-01-8000		Interior Oxygen Access/Viewing Door ACCESS DOOR WILL BE POLYCARBONATE FRAMED DOOR UNLESS OTHERWISE SPECIFIED.	1
75-01-8600		"M" Oxygen Tank Bracket In Streetside Front Compartment D-1 Mount on wall #2 close to wall #3	1
75-02-3710		Drill Mounting Plate For Both "H" or "M" Tank For O2 Bracket	1

PART NO	S	DESCRIPTION	QTY
SUCTION SYSTEM			
80-01-0000		12 Volt Gast Suction Pump Controlled By Switch on Switch Panel	1
80-01-1500		1 Ohio Style Action Area Suction Outlet Includes Disconnect For Outlet Hose Barb Must Fit The Suction Hose	1
80-01-1505		1 Ohio Style Recessed Suction Area Suction Outlet Includes Quick Disconnect For Outlet Hose Barb Must Fit The Suction Hose	1
80-01-7500		SSCOR 22000 Suction Unit W/23002 Disposable Trap Set Includes Flush Mounted Action Area Panel And Disposable Trap Set.	1
80-01-8500		Recessed Suction Unit Below Action Area Includes a 3/4 Height Solid Surface Door with Canister Mounted on Door Unless otherwise specified. 25-CS-0510 Required if Affects Exterior Compartment.	1
PAINT			
85-00-0100		Standard AkzoNobel Paint Process Includes 6 Year Pro-Rated LL Paint Warranty.	1
85-00-0210		Drawings to Show Paint Breaks Required	1
85-01-0500		Repaint Chassis ILOS O.E.M. White (Type I or Highliner) Specify Color: Touch-Up Paint Is Included For Colored Chassis. Black Over Red Paint Code: Akzo Nobel FRD19:UM Metallic Black Paint Code Akzo Nobel FLNA32625 Red	1
85-01-1500		Paint Module Body Other Color ILOS O.E.M. White Specify Color: Touch-Up Paint Is Included For Colored Module Body. Black Over Red Paint Code: Akzo Nobel FRD19:UM Metallic Black Paint Code Akzo Nobel FLNA32625 Red	1
85-01-4500		Delete Standard Beltline Stripe	1
85-02-8500		Custom Two-Tone Paint Specify Location And Color: Black Over Red Paint Code: Akzo Nobel FRD19:UM Metallic Black Paint Code Akzo Nobel FLNA32625 Red	1
85-02-9500		Do Not Paint The Nader Pins/Install After Paint Process	1
85-02-9585		Paint AC Condenser Cover	1
85-03-2500		Delete Standard Edge Pinstripe	1
EMBLEMS AND DECALS			
90-01-0000		Federal Star Of Life/Ambulance Decal Package Ship all Decals Loose for Customer to Install after delivery (1) Roof Star Of Life Decal. (2) 4" Star Of Life Decals.	1

PART NO	S	DESCRIPTION	QTY	
		(2) 12" Star Of Life Decals.		
		(2) 18" Star Of Life Decals.		
		(3) 6" AMBULANCE Decals.		
		(1) 4" Reverse AMBULANCE Decal.		
90-01-1100		"NO SMOKING" - "FASTEN SEAT BELT" Decals 1-Installed In The Cab. 1-Installed In The Module.	1	
90-01-1200		No Other Decals or Lettering Included Unless Specified Below	1	
90-01-5100		Install 3/4" White Reflective Tape Around Side And Rear Entry Doors K-Spec-F Certification Requirement.	1	
90-01-5500		Install 3/4" Red Reflective Tape Around All Door Extrusions ***SHIP LOOSE ITEMS***	1	
91-SL-0100		DEALER/CUSTOMER/LIFE LINE SUPPLIED SHIP LOOSE ITEMS All Ship Loose Items must Be Listed In This Option:	1	
95-DL-0100	S	Stryker Power Load System (Customer Supplied) Swap Customer's Stryker Power Load System from existing ambulance to this ambulance	1	
95-DL-0200	S	Stryker Power Pro 2 (Hi-Config) Cot Install new dealer supplied Stryker Power Pro 2 (Hi-Config) Cot. Includes Cot, Extra Battery, Charger & Cord	1	
		END OF QUOTE/PRODUCTION ORDER		
95-SP-0100		1 Original & 1 Revision Work Order Before Penalty Pricing 1 Original Draft & 1 Revision Draft Work Order Before Penalty Pricing. The Revision Rate Is \$175.00 Per Hour With 1 Hour Minimum Charge.	1	
95-SP-0200		1 Original & 1 Revision Drawing Before Penalty Pricing 1 Original Draft & 1 Revision Draft Drawing Before Penalty Pricing. The Revision Rate Is \$175.00 Per Hour With 1 Hour Minimum Charge.	1	
95-SP-0600		Change After Sign-Off (Published Price + 50%)	1	
95-SP-0700		Change After Production Start (Published Price + 75%)	1	
95-SP-0800		Change After Production Completion (Published Price + 100%)	1	
95-SP-0850		Life Line Indemnification Statement The purchaser agrees to defend, indemnify and hold Life Line harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by alteration or modification of, or changes or additions to the purchased products or use of product purposes it was not designed or intended for.	1	
		SIGNATURE-LIFE LINE EMERGENCY VEHICLES		
		This Is A Contract Between Life Line Emergency Vehicles And The Franchised Distributor Entering The Order. No Agreements Verbal Or Written Arrived At Between The Selling Distributor And The Purchasing Agency Not Listed On This Order Are Binding Upon Life Line Emergency Vehicles.		
		Life Line Emergency Vehicles reserves the right to request a surcharge on the price in the event of an increase in its costs resulting from any significant increases in cost of production, introduction of Government taxes on manufacturing, or any other		

PART NO	S	DESCRIPTION	QTY
		<p>circumstances beyond Life Line Emergency Vehicles' control and affecting the ambulance manufacturing industry in general. All adjustments shall become affective thirty (30) days following Life Line Emergency Vehicles' written notice of such surcharge. If Buyer is unwilling to accept any such surcharge, Buyer shall have the right to terminate this agreement within such thirty (30) day period.</p> <p>THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT IS THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICLE MEETS THE CUSTOMER SPECIFICATIONS.</p> <p>*****</p> <p>THE FORD CHASSIS & ANY DEALER SUPPLIED EQUIPMENT WILL BE INVOICED TO THE CUSTOMER WHEN THEY ARRIVE AT LIFE LINE PRIOR TO THE START OF PRODUCTION OF THE AMBULANCE BUILD. THE INVOICES WILL NEED TO BE PAID WITHIN 30 DAYS. THESE PAYMENTS WILL THEN BE DEDUCTED FROM THE FINAL INVOICE WHEN THE AMBULANCE IS COMPLETED.</p> <p>*****</p> <p>Date Of Order: SPECIFY</p> <p>Franchised Distributor: Jefferson Fire & Safety, Inc.</p> <p>Quote Number: 10330-0001</p> <p>Ordered By: _____</p>	
		Total	374,903.00
		APPROVED :	
		DATE :	