

**American Office Services, Inc.**

30257 Clemens Rd Ste C  
Westlake, OH 44145  
(440)899-6888  
scott@americanofficeservices.com

## Proposal

ADDRESS	SHIP TO	SHIP VIA	*	PROPOSAL	2023-2058
Dan Buckingham	Dan Buckingham	TRACKING#	*	DATE	09/08/2023
Whitewater Aquatic & Fitness	Whitewater Aquatic & Fitness			EXPIRATION	03/31/2024
Center	Center			DATE	
580 S Elizabeth St	580 S Elizabeth St				
Whitewater, WI 53190	Whitewater, WI 53190				

P.O. NUMBER	SALES REP
*	VM-MS

DESCRIPTION	QTY	RATE	AMOUNT
All necessary labor and materials associated with the on-site electrostatic painting, on all interior and exterior surfaces, of the following:			
FAMILY LOCKER ROOM			
(15) single tier 24 x 18 x 72 lockers	15	145.00	2,175.00
MENS AND WOMENS LOCKER ROOM			
(162) double tier locker openings	162	45.00	7,290.00
(39) single tier 12 x 15 x 72 lockers	39	89.00	3,471.00
(1) Spray out panel for color approval.	1	55.00	55.00

- Pricing is based on painting the quantity and size of lockers as listed in the scope of work above.
- Any additional lockers will be invoiced at a rate commensurate with the pricing of this estimate.
- Any variation in locker size or style will require a revised estimate.

\*\* Note that this quote is for painting only; we have reached out to our parts department for availability of replacement durable plastic locker bottoms, which we recommend for rusted surfaces. We will send an updated quote including those as soon as possible.

GALLERY: <https://www.americanofficeservices.com/gallery>

SOCIAL MEDIA: <https://www.facebook.com/AmericanOfficeServices/>

### ELECTROSTATIC REFINISHING SPECIFICATIONS FOR LOCKERS

1. Surfaces to be electrostatically refinished shall be lightly sanded using a suitable abrasive, if needed.
2. All exterior surface mount handles, locks, knobs, or any surface not to be refinished will be masked, utilizing masking tape, ensuring that no paint will be

applied to these surfaces. Interior coat hooks will be painted, not masked.

3. Sufficient area around the lockers will be masked off prior to painting. This will ensure protection of floors, walls, and any other adjoining areas from inadvertent over-spray.

4. Either a high-performance, two-component epoxy paint or a single component low VOC enamel (Sumter Coatings or Sherwin Williams Industrial Enamel), specifically formulated for electrostatic painting shall be utilized. Paint finish will be semi-gloss, as recommended by the paint manufacturer.

5. For color choices see Sumter Coatings Electrostatic Color Card [http://www.sumtercoatings.com/assets/pdfs/color-cards/Nu\\_Charge\\_It\\_Color\\_Card\\_2013.pdf](http://www.sumtercoatings.com/assets/pdfs/color-cards/Nu_Charge_It_Color_Card_2013.pdf). AOS can also match any color not on the color chart.

6. Following the paint manufacturer's recommended surface preparation, all lockers shall be electrostatically refinished on all interior and exterior locker surfaces, including door edges, with one of the two paint types referenced above.

7. Paint applied shall be smooth, non-textured, and 2 mils in thickness.

8. Application of paint shall be through the Ransburg Number 2 Process Hand-Gun from Ransburg Electrostatic Equipment Company. This process significantly reduces any mist or over spray on anything other than the substrate being refinished. Suitable ground-to-building connection shall be secured to ensure proper wrap of coating material so that the corners and undersides or otherwise inaccessible areas are covered.

9. Lockers that have been previously repainted, either by electrostatic process, brush, rolled or other methods not listed, are not guaranteed. Please note, this does not apply to projects where the lockers are the original factory finish. Following completion and acceptance, AOS will issue our standard one-year warranty statement which will start at the time of acceptance.

10. Metallic colors are not available.

11. Pricing structure is based on electrostatically painting the lockers in a neutral-based color from the Sumter Coatings NuCharge It Electrostatic Coatings color chart. Premium colors (shades of white, purple, yellow, orange, red, and burgundy ) are subject to an additional charge of \$5 per locker (if painting exteriors only). Additional amount for painting both interior and exterior. Premium color fees may be competitively discounted or waived on certain projects.

12. A lab fee charge of \$115 for any color needing to be matched by Sumter Coatings. Spray out samples are \$55 each; the cost of one spray out is included in the quote.

13. Proposal is based on a single color unless otherwise specified in the quote. Additional colors are subject to a \$195 materials fee per color.

14. Our crews must have access to the project site seven days a week for consecutive days until completion of the project. This must include weekends and possibly overnight hours.

15. Shop drawings will not be supplied.

16. American Office Services, Inc. is a Lead-Safe EPA Certified Firm. Our Certificate NAT-25896-1 can be viewed at <https://americanofficeservices.com/lead-safe-certified>

17. This Proposal is subject to AOS's standard contractual agreement, which will

incorporate this Proposal by reference. The standard contract will be provided to you upon agreement to financial terms between the parties. AOS will not be bound by the terms of this Proposal until AOS standard contract is executed by AOS and you.

**\*\*A 4% TRANSACTION FEE WILL BE ADDED TO ALL PAYMENTS MADE BY CREDIT CARD.**

PROJECT REQUIREMENTS

A. If, after a project has commenced, the client decides to cancel or withdraw from the project, or reduces any aspect of the scope of the project, a materials fee will be assessed by AOS for expenses incurred to fulfill the original project scope.

B. If painting is interrupted or suspended by the client after painting or any prep work has commenced, a daily fee will be assessed by AOS for extended time on the job site.

---

SUBTOTAL	12,991.00
TAX	0.00
<hr/>	
TOTAL	<b>\$12,991.00</b>

Accepted By

Accepted Date