

PETITION FOR VOLUNTARY ETJ EXPANSION AND INCLUSION

To the Mayor and City Council of the City of Willow Park:

The undersigned owner(s) of the property described below hereby voluntarily petition the City of Willow Park to expand its present extraterritorial jurisdiction ("ETJ") of the City so as to include the following property in the ETJ of the City of Willow Park: Approximately 317.732 acres as described by metes and bounds in attached Exhibit "A" and depicted in attached Exhibit "B" (the "Property").

I/We certify and swear that:

- 1. Beall-Dean Ranch, Ltd, a Texas limited partnership, is the sole owner of the Property.
- 2. The Property was in the ETJ of the City of Fort Worth and that property was released by the City of Fort Worth pursuant to Section 42.105(c) of the Texas Local Gov't Code after a petition was duly filed by us as the sole owners of the Property. The Property is not within the ETJ of the City of Fort Worth or any other municipality.
- 3. A portion of the Property is currently within the one-mile ETJ distance of the City of Willow Park and the remaining portion of the Property is contiguous to that Property.
- 4. If any portion of this Petition is invalid or unenforceable for any reason, including but not limited to parts of the Property being ineligible for inclusion in the City of Willow Park's ETJ, such invalidity or unenforceability shall not affect any other provision hereof or any part of the Property which is eligible for inclusion in the City of Willow Park's ETJ, and this Petition shall be construed as if such invalid or unenforceable provision had never been contained herein.

I/We certify and swear that this petition is signed by each and every person and legal entity owning the Property.


BEALL-DEAN RANCH, LTD., A TEXAS LIMITED PARTNERSHIP

By: RSB Realty Investment, LLC,
 a Texas limited liability company
 Its: General Partner

By: *Robert S. Beall*
 Name: Robert S. Beall
 Its: Manager

STATE OF TEXAS §
 §
 COUNTY OF PARKER §

This instrument was acknowledged before me on the 12th day of November, 2024, by Robert S. Beall, Manager of RSB Realty Investment, LLC, a Texas limited liability company, General Partner of Beall-Dean Ranch, Ltd., a Texas limited partnership, on behalf of said limited partnership.



Gwendolyn Ruth
 Notary Public in and for the State of Texas

Exhibit "A"

Property Description

Parts of the F.H. HAMMON SURVEY, Abstract No. 673, the HEIRS OF FRANCISCO SANCHEZ SURVEY, Abstract No. 2346, and the H.T. & B.R.R. CO. SURVEY NO. 5, Abstract No. 647 situated in Parker County, Texas; embracing all of Parcel 4, the 323-336/1000 acres tract described in the deed to John Henry Dean III recorded in volume 1441, page 424 of the Official Public Records of Parker County, Texas and described by metes and bounds as follows:

The basis for bearings is the Texas Coordinate System North Central Zone NAD 83 (2011). All 5/8" capped irons recovered called for in this description are marked "Brookes Baker Surveyors".

Beginning at the southwest corner of said 323-336/1000 acres tract, in Bankhead Highway, from which a 5/8" iron found bears north 00 degrees-20 minutes-08 seconds east 31-57/100 feet.

Thence north 00 degrees-20 minutes-08 seconds east, along a west line of said 323-336/1000 acres tract, to and along the east line of Blocks 3 and 4 of PRAIRIE RIDGE ADDITION, an Addition to Parker County, Texas according to the plat thereof recorded in Slide B-795 of the Plat Records of Parker County, Texas, 2636-23/100 feet to a 1" iron found for a re-entrant corner of said 323-336/1000 acres tract, and for the northeast corner of said Block 4.

Thence south 89 degrees-03 minutes-43 seconds west, along the north line of said Block 4, for a south line of said 323-336/1000 acres tract, 583-07/100 feet to the east line of Lot 2 Block 1 of PRAIRIE CREEK BUSINESS PARK, an Addition to Parker County, Texas according to the plat thereof recorded in Slide C-333 of the said Plat Records, for a southwest corner of said 323-336/1000 acres tract, from which a 1/2" iron found bears south 01 degree-40 minutes-07 seconds east 1-37/100 feet.

Thence north 01 degrees-25 minutes-41 seconds west, along the east line of said Lot 2, for a west line of said 323-336/1000 acres tract, 1322-67/100 feet to a 5/8" iron found for the northeast corner of said Lot 2, and for the southeast corner of the 1-010/1000 acres tract described in the deed to Twin Star Properties, LLC. recorded in Document No. 201704344 of the said Official Public Records.

Thence northwesterly, along the east line of said 1-010/1000 acres tract, for a west line of said 323-336/1000 acres tract, the following:

north 01 degrees-34 minutes-53 seconds west 216-25/100 feet to a 5/8" capped iron set;

north 01 degrees-09 minutes-20 seconds west 224-47/100 feet to a 1/2" capped iron found for the northeast corner of said 1-010/1000 acres tract, and for the northwest corner of said 323-336/1000 acres tract, in the south right-of-way of Interstate Highway No. I-20.

Thence southeasterly, along the north line of said 323-336/1000 acres tract, and the south

right-of-way of said Interstate Highway No. I-20, the following:

south 82 degrees-12 minutes-12 seconds east 48-05/100 feet to a 1/2" iron found;
south 74 degrees-57 minutes-27 seconds east 302-95/100 feet to a 3/4" iron found;
south 82 degrees-38 minutes-35 seconds east 99-98/100 feet to a 3/4" iron found;
south 89 degrees-05 minutes-24 seconds east 301-78/100 feet to a concrete highway monument found;
south 78 degrees-15 minutes-08 seconds east 401-38/100 feet to a concrete highway monument found;
south 71 degrees-54 minutes-15 seconds east 295-68/100 feet to a 1/2" capped iron found marked RPLS 5084.

Thence south 12 degrees-11 minutes-37 seconds west 365-80/100 feet to a 1/2" capped iron found marked RPLS 5084.

Thence south 77 degrees-35 minutes-12 seconds east 211-26/100 feet to a 4" pipe fence corner post.

Thence north 15 degrees-42 minutes-30 seconds east 225-02/100 feet to a 4" pipe fence post.

Thence north 27 degrees-41 minutes-15 seconds east 137-58/100 feet to a 1/2" capped iron found marked RPLS 5084, in the north line of said 323-336/1000 acres tract.

Thence southeasterly, along the north line of said 323-336/1000 acres tract, and the south right-of-way of said Interstate Highway No. I-20, the following:

south 78 degrees-34 minutes-21 seconds east 49-77/100 feet to a concrete highway monument found;
south 70 degrees-58 minutes-18 seconds east 458-94/100 feet to a concrete highway monument found at the beginning of a curve to the left having a radius of 2893-79/100 feet; along said curve to the left an arc length of 579-73/100 feet to a concrete highway monument found at its end. The long chord of said 579-73/100 feet arc is south 76 degrees-46 minutes-29 seconds east 578-76/100 feet;
south 82 degrees-31 minutes-55 seconds east 623-94/100 feet to a 5/8" capped iron set for the most northerly northeast corner of said 323-336/1000 acres tract, at the beginning of a curve to the right having a radius of 121-00/100 feet.

Thence southeasterly, along the northeasterly line of said 323-336/1000 acres tract, along said curve to the right an arc length of 104-31/100 feet to a 5/8" capped iron set for the most easterly northeast corner of said 323-336/1000 acres tract, in the west right-of-way of Farm-to-Market Highway No. 1187. The long chord of said 104-31/100 feet arc is south 57 degrees-23 minutes-08 seconds east 101-11/100 feet.

Thence southeasterly and southwesterly, along the east line of said 323-336/1000 acres tract, and the west right-of-way of said Farm-to-Market Highway No. 1187, the following:

south 08 degrees-46 minutes-55 seconds east 324-26/100 feet to a 5/8" capped iron set;
south 08 degrees-24 minutes-03 seconds east 2177-50/100 feet to a concrete highway monument found at the beginning of a curve to the right having a radius of 1859-86/100 feet;

along said curve to the right an arc length of 1193-70/100 feet to a corner from which a broken concrete highway monument found bears north 55 degrees-25 minutes-39 seconds east 0-41/100 of a foot. The long chord of said 1193-70/100 feet arc is south 10 degrees-02 minutes-00 seconds west 1173-31/100 feet; north 61 degrees-24 minutes-06 seconds west 15-00/100 feet to a concrete highway monument found; south 28 degrees-26 minutes-17 seconds west 695-87/100 feet to a corner from which a 4" pipe fence corner post bears north 46 degrees-30 minutes-49 seconds east 0-38/100 of a foot; south 46 degrees-56 minutes-17 seconds west 89-98/100 feet to a 5/8" iron recovered; south 49 degrees-06 minutes-54 seconds west 56-29/100 feet to the southeast corner of said 323-336/1000 acres tract, in said Bankhead Highway.

Thence southwesterly and northwesterly, along the south line of said 323-336/1000 acres tract, in said Bankhead Highway, the following:

south 84 degrees-24 minutes-35 seconds west 356-80/100 feet;
north 80 degrees-45 minutes-38 seconds west 131-78/100 feet;
north 58 degrees-48 minutes-33 seconds west 406-60/100 feet;
north 69 degrees-39 minutes-30 seconds west 312-20/100 feet;
north 73 degrees-44 minutes-04 seconds west 1450-58/100 feet to the place of beginning and containing 321-406/1000 acres, of which approximately 2-051/1000 acres lies within said F.H. HAMMON SURVEY, and approximately 300-327/1000 acres lies within said HEIRS OF FRANCISCO SANCHEZ SURVEY, and approximately 19-028/1000 acres lies within said H.T. & B.R.R. CO. SURVEY NO. 5, of said 321-406/1000 acres tract approximately 2-162/1000 acres lies within said Bankhead Highway.

SAVE AND EXCEPT THE FOLLOWING

Part of the HEIRS OF FRANCISCO SANCHEZ SURVEY, Abstract No. 2346, situated in Parker County, Texas; embracing all of the 3-673/1000 acres tract described in the deed to TXU Electric Company recorded in volume 1889, page 1878 of the Official Public Records of Parker County, Texas and described by metes and bounds as follows:

Commencing at the southwest corner of Parcel 4, the 323-336/1000 acres tract described in the deed to John Henry Dean III, recorded in volume 1441, page 424 of the said Official Public Records, in Bankhead Highway, and run, along the south line of said 323-336/1000 acres tract south 73 degrees-44 minutes-04 seconds east 1450-58/100 feet, the run south 69 degrees-39 minutes-30 seconds east 312-20/100 feet, the run south 58 degrees-48 minutes-33 seconds east 89-79/100 feet, the run north 31 degrees-11 minutes-27 seconds east 1375-16/100 feet to a 5/8" capped iron found for the most southerly and beginning corner of the tract being described.

Thence north 32 degrees-54 minutes-52 seconds west, along the southwesterly line of said 3-673/1000 acres tract, 400-06/100 feet to a 1/2" capped iron found for the most westerly corner of said 3-673/1000 acres tract.


Thence north 57 degrees-05 minutes-09 seconds east, along the northwesterly line of said 3-673/1000 acres tract, 400-06/100 feet to a 5/8" capped iron set for the most northerly corner

of said 3-673/1000 acres tract.

Thence south 32 degrees-54 minutes-52 seconds east, along the northeasterly line of said 3-673/1000 acres tract, 400-06/100 feet to a 5/8" capped iron set for the most easterly corner of said 3-673/1000 acres tract.

Thence south 57 degrees-05 minutes-08 seconds west, along the southeasterly line of said 3-673/1000 acres tract, 400-06/100 feet to the place of beginning and containing 3-673/1000 acres.

Exhibit "B"



NUMBER	DIRECTION	DISTANCE	NUMBER	DIRECTION	DISTANCE
1	S 78° 16' 08\"/>				

Sketch showing parts of the F. H. HAMMON SURVEY Abstract No. 673, the HEIRS OF FRANCISCO SANCHEZ SURVEY, Abstract No. 2346, and the H.T. & B.R.R. CO. SURVEY No. 5, Abstract No. 647 situated in Parker County, Texas. The location of the improvements relative to the tract lines is as shown herein. The visible conditions along the Tract lines are as shown herein. The basis for bearings is the Texas Coordinate System North Central Zone NAD 83 (2011). The lengths shown herein are horizontal ground lengths. Surveyed on the ground in March, 2021. BROOKES BAKER SURVEYORS

To: Brock Investments, LP, John Henry Deem III, James Anthony Berk/Fort Worth, Fidelity National Title Insurance Company OF TEXAS, 11111...
 Registered Professional Land Surveyor No. 5420
 March 31, 2021

