

SHRUBS				
QUANTITY	SYMBOL	COMMON NAME	SCIENTIFIC NAME	SIZE AND CONDITION
186	⊙	DWARF BURFORD HOLLY	Ilex cornuta Burfordii nana	5 gallon, 20"-24" H, 18"-20" spread, full, bushy specimen
17	⊙	MEXICAN FEATHER GRASS	Stipa tenuifolia	1 gallon, 12" H, 1/2" spread, full, bushy specimen
TURF GRASS / MISCELLANEOUS				
11,012 S.F.	⊙	57' GRASS BERMUDA GRASS	Cynodon dactylon	Solid sod
456 L.F.	—	RYERSON COMMERCIAL STEEL EDGE		


LARGE TREES				
QUANTITY	SYMBOL	COMMON NAME	SCIENTIFIC NAME	SIZE & CONDITION
10	⊙	CEDAR ELM	Ulmus crassifolia	3" caliper, 17'-17" H, 4'-6" spread, B&B, straight trunk
5	⊙	CHINCAPIN OAK	Quercus muhlenbergii	3" caliper, 17'-17" H, 4'-6" spread, B&B, straight trunk
5	⊙	PISTACHE	Pistacia chinensis	3" caliper, 17'-17" H, 4'-6" spread, B&B, straight trunk

ORNAMENTAL TREES				
QUANTITY	SYMBOL	COMMON NAME	SCIENTIFIC NAME	SIZE AND CONDITION
5	⊙	CHEYENNE GRAPE HYDRILE	Lagerstroemia indica 'Cayenne'	1" H, 8" spread min, 80 gallon, 3' trunk, full, bushy tree formed specimen
5	⊙	TUSCARORA GRAPE HYDRILE	Lagerstroemia indica 'Tuscarora'	1" H, 8" spread min, 80 gallon, 3' trunk, full, bushy tree formed specimen

WYLIE LANDSCAPE TABULATIONS		
SITE AREA LANDSCAPING		
25% OF THE SITE SHALL BE IN PERMANENT LANDSCAPING P2 2002-09		
TOTAL SITE AREA UNDER DEVELOPMENT	55,256.89 S.F.	
20% SITE LANDSCAPE AREA REQUIRED	10,852 S.F.	
TOTAL SITE LANDSCAPE AREA PROVIDED	10,716 S.F.	
PARKING LOT LANDSCAPING		
80 S.F. OF LANDSCAPE AREA FOR EACH PARKING SPACE		
LOT 4 PARKING SPACES PROVIDED	44 SPACES	
PARKING LANDSCAPE AREA REQUIRED (44 x 424)	18,464 S.F.	
PARKING LANDSCAPE AREA PROVIDED	12,200 S.F.	
STREET FRONTAGE LANDSCAPING		
AT LEAST 50% OF THE REQUIRED REQUIRED YARD, EXCLUDING ANY ACCESS DRIVES, MUST BE DEVELOPED AS A 10' MIN. WIDE LANDSCAPE BUFFER. TREES SHALL BE PLANTED ON 50' OR 40' CENTERS DEPENDING ON SPECIES, REQUIRED TREES SHALL BE 3" CALIPER.		
STATE HIGHWAY 78		
LOT 4 FRONTAGE L.F.	186.92 L.F.	
REQUIRED FRONTAGE TREES (187 / 50 = 6.2)	1 TREES	
FRONTAGE TREES PROVIDED	1 TREES	
FRONTAGE TREES PUSHED INTO PARKING AND 2 CANOPY TREES PUSHED INTO THE N.T.M.U.D.)		
LOT 5 FRONTAGE L.F.	124.96 L.F.	
REQUIRED FRONTAGE TREES (125 / 50 = 4)	5 TREES	
FRONTAGE TREES PROVIDED	5 TREES	
FRONTAGE TREES PUSHED INTO PARKING AND 2 ORNAMENTAL PLANTED DUE TO THE N.T.M.U.D.)		
LOT 5 FRONTAGE L.F.	161.51 L.F.	
REQUIRED FRONTAGE TREES (162 / 50 = 5.6)	6 TREES	
FRONTAGE TREES PROVIDED	6 TREES	
(3 CANOPY TREES PUSHED INTO PARKING DUE TO THE N.T.M.U.D.)		

IRRIGATION NOTE
ALL REQUIRED LANDSCAPE AREAS SHALL BE PROVIDED WITH AN AUTOMATIC UNDERGROUND IRRIGATION SYSTEM WITH RAIN AND FREEZE SENSORS, AND SAID IRRIGATION SYSTEM SHALL BE DESIGNED BY A QUALIFIED PROFESSIONAL AND INSTALLED BY A LICENSED IRRIGATOR.

NTMWD NOTE
A. NORTH TEXAS MUNICIPAL WATER DISTRICT (NTMWD) 20 INCH WATER PIPELINE IS LOCATED WITHIN LIMITS OF CONSTRUCTION.
B. OPERATION OF HEAVY EARTHMOVING EQUIPMENT, COMPACTION EQUIPMENT OR HEAVY CONSTRUCTION EQUIPMENT, SUCH AS CONCRETE TRUCKS, SHALL BE RESTRICTED TO SPECIFIC CROSSING POINTS ACROSS NTMWD EASEMENTS, AS APPROVED BY THE NTMWD. THE CROSSINGS SHALL BE DESIGNATED AND VERIFIED TO PROVIDE A MINIMUM OF FIVE FEET OF COVER.
C. TO ASSURE THAT PLACINGS OF SIGNIFICANT LOADS OVER THE NTMWD PIPELINE DOES NOT DAMAGE THE EXISTING PIPELINE, NO MATERIALS SHALL BE STOCKPILED ON THE NTMWD ESMT, WITHOUT AUTHORIZATION FROM THE NTMWD. IF THE CONTRACTOR DESIRES TO USE THE NTMWD'S EASEMENT FOR STOCKPILE OF MATERIALS, CONTACT NTMWD ENGINEERING AT (972) 442-8400 SO YOUR PLANS FOR USE OF THE NTMWD'S EASEMENT CAN BE REVIEWED.
D. A MINIMUM OF 4.5 FEET SEPARATION BETWEEN BOTTOM OF PAVEMENT AND TOP OF NTMWD PIPELINE IS REQUIRED. IN ADDITION, IF SEPARATION BETWEEN BOTTOM OF PAVEMENT AND TOP OF PIPELINE IS LESS THAN 4.5 FEET, THEN A THICKENED PAVEMENT SECTION IS REQUIRED.
E. CROSSINGS OF THE NTMWD EASEMENT WITH OTHER UTILITIES, SUCH AS TV CABLE, PHONE, GAS AND ELECTRIC, SHALL BE COORDINATED WITH THE NTMWD TO AVOID DAMAGE TO THE NTMWD FACILITIES.
F. OUTDOOR LIGHTING, LANDSCAPING, SCREENING WALLS OR OTHER FACILITIES SHALL NOT BE INSTALLED IN THE NTMWD EASEMENTS WITHOUT WRITTEN APPROVAL OF THE NTMWD.
G. UNLESS OTHERWISE SHOWN OR REQUIRED, A MINIMUM OF TWO FOOT CLEARANCE SHALL BE PROVIDED FOR ALL UTILITIES CROSSING THE NTMWD PIPELINES. DIRECTIONAL BORE CROSSINGS REQUIRE A MINIMUM OF FOUR FEET CLEARANCE.
H. THE CONTRACTOR SHALL CONTACT NTMWD LINE LOCATOR AT (469) 428-4584 AT LEAST 48 HOURS PRIOR TO PERFORMING ANY WORK IN THE VICINITY OF THE NTMWD FACILITIES.



STATE HIGHWAY NO. 78
(Variable Width Right-of-way)

0 10 20 40
SCALE: 1" = 20'-0"

Date: _____
Revisions: _____

Issued For: **CONSTRUCTION**
Job No: **22125**
Scale: **1" = 20'-0"**
Drawn By: **JDS**
Date: **04-14-2022**

Wylie Shops By Slate



Landscape Plan

Sheet Title:
Sheet Number: **L1**
of **L2** Sheets

LANDSCAPING PART I - GENERAL

1. Provide all labor, materials and equipment for complete installation of landscaping as indicated on the drawings and specified herein.
2. RELATED WORK SPECIFIED ELSEWHERE:
 - A. Irrigation System
 - B. Lawns
 - C. Earthwork
 - D. General Requirements
3. QUALITY ASSURANCE:
 - A. Provide plant materials in compliance with applicable State and Federal laws relating to inspection for diseases and insect infestation at growing site.
 - B. Plants are subject to inspection and approval by the Landscape Architect. Plants rejected for the work may be inspected and tagged at the growing site before being dug.
 - C. Observation of growing site does not preclude right of rejection at job site. Plants damaged in transit or at job site may be rejected.
 - D. Employ only qualified personnel familiar with required work.
 - E. Off-site topsoil and topsoil on-site (Testing (paid by Landscape Contractor)).
 1. Provide source of off-site soil (If Required For Job by the Owners representative for the purpose of soil investigation).
 2. Take random representative soil samples from areas to be planted.
 3. Test soil samples from both sources for pH, alkalinity, total soluble salts, porosity, nutrient content and organic matter.
 4. File Certificate of inspection of plant material by State and Federal authorities with Landscape Architect, if required by State.

4. REFERENCES STANDARDS:

- A. American Standard for Nursery Stock, approved 1986 by American National Standards Institute, Inc. - Plant materials.
- B. Hortus Third, HTB - Cornell University - Plant nomenclature.
- C. ASTM - American Standard Testing Methods - Sharp sand.

5. PRODUCT DELIVERY, STORAGE AND HANDLING:

- A. Delivery:
 1. Deliver packaged materials in sealed containers showing weight, analysis and name of manufacturer. Protect materials from deterioration during delivery and while stored at site.
 2. Do not deliver more than 100 plants that can be planted in one day unless adequate storage and handling facilities are available on job site. Storage of plants in excess of 100 plants shall be at the discretion of the Landscape Architect. The owner will not be held responsible for theft or damage.
 3. If balled plants cannot be planted within 24 hours after delivery to site, protect root balls by heaving in with saw dust or other approved material.
 4. Protect during delivery to prevent damage to root ball or deterioration of leaves.
 5. Notify Landscape Architect of delivery schedule 48 hours in advance so plant material may be observed prior to arrival at job site.
- B. Remove rejected plant material immediately from site.

6. JOB CONDITIONS:

- A. Planting Restrictions:
 1. Perform actual planting only when weather and soil conditions are suitable in accordance with locally accepted practices. In no way shall any trees, plants, ground cover or seasonal color obstruct drainage or block a 26' minimum positive slope away from building.
- B. Utilities:
 1. Determine locations of underground utilities and perform work in a manner which will avoid possible damage, repair excavations, if required, to minimize possibility of damage to underground utilities.
 2. Minimum grade stakes set by others until removal is mutually agreed upon by parties concerned.
 3. Coordinate work with irrigation contractor to prevent damage to underground irrigation system.

7. WARRANTY:

- A. Warranty for plants and trees shall be for one year after final acceptance. Replace dead materials and materials not in vigorous, thriving condition as soon as weather permits and on notification by Owner's Rep. Replace plants, including trees, which in opinion of Landscape Architect have partially died thereby damaging shape, size, or symmetry.
- B. Replace plants and trees in same kind and size as originally planted, at no cost to the Owner. Provide one-year warranty on replacement plants. These should be replaced at start of next growing season. If plants die, replace them immediately. Replace irrigation system and other piping caused by other work during replacement. Repair any damage immediately.
- C. Warranty excludes replacement of plants after final acceptance because of injury by storm, drought, drowning, frost, freeze, insects or diseases.
- D. As the end of the warranty period, staking and guying materials if required shall be removed from the site.

8. MAINTENANCE:

- A. Water: Will be available on site. Provide necessary hoses and other watering equipment required to complete work.
- B. Until final acceptance, maintain plantings and trees by watering, cultivating, weeding, weeding, spraying, clearing and repairing as necessary to keep landscape in a vigorous, healthy condition and reduce dead areas as required.
- C. A written notice requesting final inspection and acceptance should be submitted to Landscape Architect or owners representative within seven (7) days prior to completion. At that time owner and Landscape Architect will prepare a final punch list to be reviewed with the Landscape Architect.
- D. Following final acceptance, maintenance of plant material will become the Owner's responsibility. The Contractor shall provide Owner with a recommended maintenance program.

PART 2 - PRODUCTS

1. PLANTS:

- A. Quantities: The drawings and specifications are complementary. Anything called for on one and not the other is to be installed on both. Confirm all quantities on plan. The plant schedule is an aid to the estimator only. Confirm all quantities on plan.
- B. Plants shall be grown in a well-developed fibrous root system and shall be free of any diseases, insect infestation, or other defects. Plants shall be healthy and vigorous, free of disease, insect pests and their eggs, and larvae.
- C. Plants shall have a well-developed fibrous root system and shall be free of any diseases, insect infestation, or other defects.
- D. Plants shall be free of physical damage such as scapes, broken or split branches, scars, bark abrasions, sun scalds, fresh limb cuts, disfiguring knots, or other defects.
- E. Pruning of all trees and shrubs, as directed by Landscape Architect, shall be executed by Landscape Contractor at no additional cost to the Owner.
- F. Plants shall meet the sizes indicated on the Plant List. Where a size or caliper range is stated, at least 50% of the material shall be closer in size to the top of the range listed.
- G. Plants indicated "B&B" shall be balled and wrapped. Plants shall be nursery grown vines otherwise specified in plant list. Balls shall be firm, neat, slightly tapered and well wrapped. Non-degradable plastic mulch material will not be accepted. Any tree loose in the ball or with broken ball at time of planting will be rejected. Balls shall be set (107) inches in diameter for each one (77) inch of trunk diameter, measured six (6) inches above ball.
- H. Container grown plants shall be well rooted and established in the container in which they are growing. They shall have grown to the container for a sufficient length of time for roots to be well established. Plants shall be well rooted when taken from the container, but not long enough to become root bound.

2. SOIL PREPARATION MATERIALS:

- A. Peat Moss: Commercial sphagnum moss or highland peat.
- B. The mixed soils can be used as long as samples are submitted with written permission from manufacturer's data and laboratory test reports.
- C. Sandy Loam:
 1. Fertilize, fertilize, dark, loamy soil, free of clay lumps, stones, salts, and other extraneous material and reasonably free of weeds and foreign matter.
- D. Physical properties as follows:
 1. Clay - between 7-21 percent
 2. Silt - between 38-50 percent
 3. Sand - less than 52 percent
- E. Sharp Sand: Clean, washed sand, (fine aggregate) ASTM C-805.

3. COMMERCIAL FERTILIZER:

- A. Fertilizer shall be delivered in manufacturer's standard container printed with manufacturer's name, material weight, and guaranteed analysis. Fertilizers with N-P-K analysis other than that specified may be used provided that the application rates per square foot of nitrogen, phosphorus, and potassium is equal to that specified.
- B. Commercial Fertilizer for Planting Beds: Complete fertilizer 5-10-5 element ratio with minimum 5% sulfur and 4% iron plus micro-nutrients.
- C. Controlled-Release Fertilizer: Fertilizer for use in planting pits, shall be equal to Agriform 32-0-00 plantings as manufactured by Terra Chemical Co., Milpitas, California 95028 or approved equal.

4. MULCH:

- A. Bark mulch shall be hardwood mulch chips, ranging in size from 1/4-inch to 1-inch in size, medium fine texture, unadorned.

5. CONDITION OF SURFACES:

- A. New bed areas will be left within one tenth of a foot of finish grade by other trades. Contractor will be responsible for raking and smoothing of grade.
- B. Existing subgrade upon which work is to be performed. Notify the Landscape Architect or owners representative of unsatisfactory conditions.

6. SHRUB PLANTING:

- A. All shrubs to be potted planted. Discard planting hole 8" larger than the width and 12" deeper than the height. Backfill with 1/2" soil mix and/or peat moss, 1/2" native soil and 1/2" sand.
- B. Plant where located, setting plants with tops of balls even with tops of back, and compact soil carefully around each plant ball.
- C. Water each plant thoroughly with hoses to eliminate air pockets.
- D. Carefully prune plants to remove dead or broken branches, wavy tops, and bag, and remove dead leaves to smooth even surfaces, and much dead areas 1 inch deep.
- E. GROUNDCOVER PLANTING:
 1. Dig 2 inches minimum of thoroughly moist prepared soil or equal in all planting bed areas as follows:
 - a. 1 part sandy loam
 - b. 1 part peat moss
 - c. 1 part sharp sand
 2. Add 4 pounds commercial fertilizer per 100 SF of bed area and mix thoroughly.
- F. Plant where located, setting plants with tops of balls even with tops of back, and compact soil carefully around each plant ball.
- G. Water each plant thoroughly with hoses to eliminate air pockets.
- H. Carefully prune plants to remove dead or broken branches and hand-rake bed areas to smooth even surfaces, and much dead areas 1 inch deep.

7. TREE PLANTING:

- A. Stake tree locations for Owners Representative approval prior to digging.
- B. Plant arborvitae trees in pits 12-inches larger than the root ball. Plant shade trees in pits two feet greater in diameter than root ball and equal to depth of root ball.
- C. After excavation of tree pits, review water percolation. If tree pit does not drain adequately prepare hole for use with a tree stump. Plant 1/2" solid pipe and cover with gravel. After tree is installed pour water and air a daily basis.
- D. In the area near, or underground construction work or obstructions are encountered in any plant pit excavation work to be done under this section, alternate locations shall be selected by the Landscape Architect. These locations cannot be changed the excavations shall be removed to a depth of not less than six (6) inches below bottom of root ball and properly set at the required depth. The work in this section shall include the removal from the site of such rock, or underground obstructions encountered at the site of the Landscape Architect.
- E. Prepare soil for planting by thoroughly mixing two parts sandy loam and one part peat moss or other approved organic matter. If planting soil does not fall into the pit range of 5.5 to 7.0 add fertilizer or nutrient additive to bring soil into the specified pit range.
- F. Backfill tree pits with a mixture of 1/2 prepared soil and 1/2 existing site soil. Lightly tamp over 4 inches to fill all voids and pockets. Water pit 2-3 SF full, water thoroughly and allow water to soak in. Backfill planting location per manufacturer's recommendations. Complete backfilling and form a saucer around the tree.
- G. Completely fill each tree saucer with mulch to a depth of two inches.
- H. Contractor shall keep trees plants until established, during arborvitae staking to maintain that plants condition shall be the Contractor's discretion. However, if trees are not planted, the Contractor will be required to dig another stake these trees in a method acceptable to the Landscape Architect at no additional cost to the Owner.
- I. Pruning: Prune trees to preserve the natural character of the plant in a manner appropriate to its particular requirements in the landscape design as directed by the Landscape Architect. In general, remove at least one-third of need by pruning and pruning. DO NOT cut back terminal branches. The natural growth pattern should be maintained. Remove wavy tops and broken or broken or broken branches.

8. SEASONAL COLOR PLANTING:

- A. Plants shall be installed to a depth of 3 inches. Soil shall be replaced with 100% Living Earth Technology Complete Mix or equal.
- B. Plant where located, setting plants with tops of balls even with tops of back, and compact soil carefully around each plant ball.
- C. Water each plant thoroughly with hoses to eliminate air pockets.
- D. Carefully prune plants to remove dead or broken branches and hand-rake bed areas to smooth even surfaces, and much dead areas 1 inch deep.
- E. CLEANUP:
 1. During work, keep premises neat and orderly, including organization of storage areas, materials, and equipment.
 2. Remove debris, including plant material, from storage areas, preparing beds or planting profits from site daily as work progresses. Keep work area and driveway clear of debris or heaving.

END OF LANDSCAPING SECTION

LAWNS

PART I - GENERAL

1. SCOPE:
 1. Furnish all labor, tools, transportation materials, equipment, supervision, etc., required to adequately establish a dense lawn of permanent grasses, free from lumps and depressions as indicated by plans and specifications.
 2. Make any part of the area failing to show uniform cover until a dense lawn is established. The cost of miscellaneous labor and materials for topsoil, seeding, filling, pest control, fertilizing, etc., are not separate pay items and shall be included in the bid price for grading.
2. RELATED WORK SPECIFIED ELSEWHERE:
 - A. Irrigation System
 - B. Landscaping
3. MAINTENANCE OF GRASS:
 1. The contractor shall maintain the grass until final acceptance. Such maintenance shall include spraying, weeding, cultivating, fertilizing, watering, disease and insect control, top dressing, liming spots, plus any procedures consistent with horticultural practice necessary to insure normal, vigorous, and healthy grass.
4. JOB CONDITIONS:
 1. Water: Will be available on site. Provide necessary hoses and other watering equipment required to complete work.
 2. Lawn areas will be left within 1/10 of a foot of finish grade by other trades. The grading, raking and smoothing will be the responsibility of the contractor.
5. SCHEDULE:
 1. Seeding/hydroseeding - Bermudagrass: Complete only between May 1 to August 31 under favorable conditions, (warm season).
 2. Seeding/hydroseeding - Perennial Ryegrass: Complete only between September 1 to April 30, except at front of projects, as determined by owner under favorable climatic conditions.
 3. Seeding: Seed bermuda between March 15 and September 30. Between October 1 and March 14 overseed seed with Perennial ryegrass under favorable conditions. (See manual overseeding and in line of seeding after installation, if available.)
 4. Qualifications: Due to undesirable weather, the above dates may vary however, do not proceed with seeding operations beyond these dates without assuming full responsibility for a stand of grass.
6. ACCEPTANCE:
 1. The lawn will be accepted when a completed, undamaged stand of grass is achieved, as approved by the Owner's Representative.

PART 2 - MATERIALS

1. TOPSOIL:

- A. (If specified on the plans as a requirement) Fertilize, dark, loamy soil, free of clay lumps, salt-soil stones, and other extraneous material and reasonable free of weeds and foreign grasses. Topsoil containing deleterious or noxious soil shall be rejected.
- B. Physical properties as follows:
 1. Clay - between 7-21 percent
 2. Silt - between 38-50 percent
 3. Sand - less than 52 percent

2. GRASS:

- A. Bermudagrass: Doing fancy, hulled and bred, lawn type seed, delivered to site in original, unopened containers meeting requirements of Texas State Seed Law. Minimum purity germination 90 percent.
- B. "Seeding" St. Augustine grass: Solid seed, true rich, dark green in color, free of foreign grasses, weeds, noxious, cut with a full 3/4 inch of heavy clay covering roots. Deliver to site in 12 inch squares or 12 inch wide rolls. Do not stock for more than 24 hours between time of cutting and time of delivery.

3. FERTILIZER:

- A. Fertilizer shall be organic based, uniform in composition, dry and free flowing. Deliver fertilizer to site in original, unopened containers, each bearing manufacturer's guaranteed statement of analysis.
 1. First application: 12-12-12 element percentage with minimum 5% sulfur and 4% iron plus micro nutrients.
 2. Second application: 9-12-12 element ratio. Nitrogen source to be a minimum 50% slow release organic nitrogen (SCU or UFI) plus minimum 5% sulfur and 4% iron plus micro nutrients.

PART 3 - EXECUTION

1. PREPARATION:

- A. Scarify lawn areas where excessive surface material is greater than 5/8" Standard Proctor to a depth of 4-inches by discing or rototilling. Repeat cultivation as required to thoroughly loosen soil.
- B. Lay the area free of weeds and debris for final grading.
- C. Provide barricades around scarified areas to prevent compaction by construction vehicles.

2. FINAL GRADING:

- A. Remove from site and legally dispose of stones 3/4-inch and larger, sticks and other in the area.
- B. Provide final grading leaving surface uniform without depressions and obstructions, graded approximately 1/4 inch below planned.
- C. Secure approval from the Landscape Architect prior to proceeding with grassing operation.

3. HYDROSEEDING:

- A. Apply hydroseed to remove any remaining seeds. This work is to be performed by a licensed applicator following the manufacturer's recommendations.

4. FERTILIZER:

- A. First application with hydramulch at rate of 12 pounds per 1,000 square feet.
- B. Uniformly distribute second application using a rotary type fertilizer spreader 5-4 inches after first application at 12 pounds per 1,000 square feet.






5. HYDROMULCHING:

- A. At the time of hydramulch/seeding, soil shall be moist but not muddy, and wind velocity shall not exceed ten (10) miles per hour. Add water if required to maintain soil.
- B. Hydramulch seed uniformly at the rate of 2 pounds of bermudagrass seed per 1,000 square feet.
- C. Add fertilizer to hydramulch mix for slopes 5:1 or greater at the rate of 1 lb. per bag of mix.
- D. Use a 4" x 8" battler board against bed areas.
- E. MECHANICAL SEEDING:
 1. Seed uniformly at a rate of 125 pounds of Bermudagrass seed per acre, or 100 lbs. green grass, or 100 lbs. green grass, or 100 lbs. green grass.

6. SOLID SOIL:

- A. Solid Soil: Plant grass by hand, edge to edge with staggered joints. Topdress with sharp sand rolled in carefully to fill joints. Roll to eliminate ruts and provide complete soil contact.
- B. Fertilizing: Fertilize immediately after grass is planted at rate of 4 lbs per 1,000 square foot. Repeat fertilizing at the same rate 3-4 weeks later.

END OF LAWN SECTION



Date:	
Revisions:	

Issued For:	CONSTRUCTION
Job No.	22/25
Scale	N.T.S.
Drawn By:	JDS
Date	04-14-2022

Wylie Shops By Slate



Grubbs Design Group, P.L.L.C. - 403 South Tennessee Street - McKinney, Texas 75069 - Phone (972) 548-5020

Sheet Title:	Landscaping Specifications
Sheet Number:	L2
of L2 Sheets	