Layout Page Table

COVER SHEET

SITE PLAN / ROOF PLAN

ELEVATIONS / SCHEDULES

DIMENSION PLAN / ELECTRICAL PLAN

Description Comments

DRAWN BY:

SHEET:

A-1



PERSPECTIVE VIEW NTS

1. THESE DESIGN DOCUMENTS ARE INTENDED TO BE A REPRESENTATION OF THE DESIGN INTENT AND ARE SUPPLIED TO ILLUSTRATE THE GENERAL TYPE OF CONSTRUCTION DESIRED. THE DRAWINGS ARE INTENDED TO IMPLY A PREMIUM QUALITY OF WORKMANSHIP

2. DISCREPANCIES, ERRORS, OMISSIONS, AND ANY QUESTIONS REGARDING THE INTENT OF THE PLANS, SPECIFICATIONS, OR CONTRACT DOCUMENTS SHALL BE REFERRED TO THE GENERAL CONTRACTOR FOR CLARIFICATION.

- 3. CONTRACTORS OR SUBCONTRACTORS SHALL VERIFY ALL DIMENSIONS OR CLEARANCES AND SHALL BE RESPONSIBLE FOR THE VERIFICATION THEREOF TO INSURE COMPLIANCE WITH THE DRAWINGS, SPECIFICATIONS, AND PERTINENT CODES. DIMENSIONS OF ANY EXISTING CONDITIONS MUST BE VERIFIED AT THE JOB SITE AND ANY DISCREPANCIES REPORTED TO THE GENERAL CONTRACTOR.
- 4. CONTRACTORS OR SUBCONTRACTORS SHALL IMMEDIATELY NOTIFY THE GENERAL CONTRACTOR'S PROJECT MANAGERS / JOB SITE SUPERVISOR IF FOR ANY REASON THEY CANNOT COMPLY WITH ANY FACET OF THE DRAWINGS, DOCUMENTS, DESIGN INTENT, OR SCHEDULING.
- 5. ALL WORK AND MATERIAL LISTED OR IMPLIED IN THESE DRAWINGS SHALL BE SUPPLIED AND INSTALLED BY THE CONTRACTORS OR SUBCONTRACTORS RESPONSIBLE. ANY WORK ADVERSELY AFFECTING ANOTHER TRADE SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION TO THE GENERAL CONTRACTOR.
- 6. CONTRACTORS OR SUBCONTRACTORS SHALL DISPOSE OF CONSTRUCTION DEBRIS IN A TIMELY MANNER IN THE DUMPSTER PROVIDED BY THE GENERAL CONTRACTOR. EVER EFFORT SHALL BE MADE TO MAINTAIN A CLEAN JOB SITE.
- 1. CONTRACTORS OR SUBCONTRACTORS SHALL TAKE NOTE THAT ANY COST CAUSED BY INFERIOR WORKMANSHIP OR MATERIALS,
- IMPROPER SCHEDULING OR DELINQUENT ORDERING, SHALL BE BORNE BY THE PARTY RESPONSIBLE. 8. DURING CONSTRUCTION, CONTRACTORS OR SUBCONTRACTORS WILL BE RESPONSIBLE FOR REPAIRING ANY DAMAGE RESULTING FROM THEIR CONSTRUCTION ACTIVITIES. ANY CUTTING OR PATCHING OF ANY EXISTING FINISHED WORK SHALL MATCH ADJOINING
- 9. SAFETY FIRST! CONTRACTORS OR SUBCONTRACTORS SHALL FURNISH ANY EQUIPMENT OR SUPPLIES NECESSARY TO PERFORM
- 10. CONTRACTORS OR SUBCONTRACTORS SHALL PROVIDE ANY TEMPORARY BARRIERS, LIGHTING, COVERINGS, FIRE PROTECTION, AND ANY OTHER EQUIPMENT TO PROTECT THE SAFETY OF ALL PERSONS AND PROPERTY THROUGHOUT THE ENTIRE PERIOD OF THEIR PORTION OF THE CONSTRUCTION CONTRACT FOR ANY AREA PERTINENT TO THE SUBCONTRACTORS SCOPE OF WORK.
- SURFACES.
- THEIR WORK IN A MANNER THAT SHALL MEET OR EXCEED OSHA REQUIREMENTS. SUBCONTRACTORS SHALL COORDINATE WITH THE GENERAL CONTRACTOR FOR ANY EQUIPMENT, PROTECTION, ETC., THAT MUST REMAIN IN PLACE AFTER COMPLETION OF THE SUBCONTRACTORS PORTION OF WORK.

BUILDING CODE ANALYSIS:

ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, COUNTY, STATE OR FEDERAL LAW AND APPLICABLE CONSTRUCTION CODES AS CURRENT RECOGNIZED BY THE CITY OF MYLIE, COLLIN COUNTY, TEXAS.

CONTRACTOR NOTES:

1. ALL EXTERIOR WALLS SHALL BE 2 × 4 U.N.O. 2. ALL INTERIOR WALLS SHALL BE 2 × 4 U.N.O.

3. ALL FINISHED WALLS SHALL BE FIELD VERIFIED PRIOR TO ANY CUSTOM CABINETRY.

4. ALL DIMENSIONS TO BE VERIFIED AT JOBSITE.

5. SLIGHT ADJUSTMENT IN WALL LOCATIONS UP TO 1" SHALL BE MADE IN ORDER TO GET PLUMBING IN WALLS, SO LONG AS IT DOES NOT AFFECT THE FUNCTION OF FLOOR OR ROOF TRUSSES. THIS DOES NOT RELIEVE THE PLUMBER OF LIABILITY IF NOT DONE. 6. UNDER NO CIRCUMSTANCES SHALL ANY DIMENSIONS BE SCALED FROM THESE


DRAWINGS. ANY CRITICAL DIMENSIONS NOT GIVEN SHALL BE BROUGHT TO THE


ATTENTION OF THE BUILDER PRIOR TO CONSTRUCTION.
7. DOOR AND WINDOW ROUGH OPENINGS SHALL BE SUCH THAT OUTSIDE EDGES OF
ADJACENT DOOR, WINDOW, AND TRANSOM TRIM IS ALIGNED U.N.O
δ . WINDOW SIZES GIVEN ARE APPROXIMATE UNIT SIZES. VERIFY ACTUAL SIZES AND
ROUGH OPENINGS WITH MANUFACTURER.
9. FRAME ALL DOORS 3" FROM CORNERS WHERE POSSIBLE.

DRAMN BY:

SHEET:

A-2






DATE: 4/2/2023

DRAMN BY:

SCALE:


SHEET:

A-3




	MINDOM SCHEDULE									
NUMBER	LABEL	QTY	FLOOR	SIZE	MIDTH	HEIGHT	R/0	DESCRIPTION	HEADER	
11/1/1	3050 SH 6'-8" HH	18	1	3050SH	36 "	60 "	37"X61"	SINGLE HUNG	2×6×40" (2)	
11//1/1/	3030 SH 6'-8" HH	1	1	3030SH	36 "	36 "	37"X37"	SINGLE HUNG	2×6×40" (2)	
M04	2030 SH 6'-8" HH	1	1	2030SH	24 "	36 "	25"X37"	SINGLE HUNG	2×6×28" (2)	

	DOOR SCHEDULE							
NUMBER	LABEL	QTY	FLOOR	SIZE	MIDTH	HEIGHT	R/0	DESCRIPTION
D1	3068	1	1	3068 L EX	36 "	80 "	38"X83"	EXT. HINGED-DOOR E02
D2	3068	3	1	3068 R IN	36 "	80 "	38"X82 1/2"	HINGED-DOOR P10
D3	2468	1	1	2468 L IN	28 "	80 "	30"X82 1/2"	HINGED-DOOR P10
D4	2468	1	1	2468 R IN	28 "	80 "	30"X82 1/2"	HINGED-DOOR P10
D5	3068	2	1	3068 L IN	36 "	80 "	38"X82 1/2"	HINGED-DOOR P10







6:12

FRONT ELEVATION

SCALE: 1/4"=1"


4-5" HORIZONTAL SIDING


PAINTED WHITE

Hignest Klage 19'-11 1/2"

Rough Ceiling - 1st Floor 10'-1"

Top of Slab 0'






4/2/2023

SCALE:


SHEET:

A-4



1 FLOOR PLAN SCALE: 1/4"=1'

AREAS	;
TOTAL A/C AREA	974 SQ. FT.
COVERED PORCH	160 SQ. FT.
TOTAL SQ FT	1134 SQ. FT.



ELECTRICAL - DATA - AUDIO LEGEND

Ceiling Mounted Light Fixtures: Surface/Pendant, Recessed, Heat Lamp, Low Voltage

Wall Mounted Light Fixtures: Flush Mounted, Wall Sconce

SP SP Speakers: Ceiling Mounted, Wall Mounted

Smoke Detectors: Ceiling Mounted, Wall Mounted

^{c5}∑ ^{c5}TV TV | Wall Jacks: CAT5, CAT5 + TV, TV/Cable

Chandelier Light Fixture

Fluorescent Light Fixture

240V Receptacle

\$ Switches: Dimmer, Timer

☑ Intercom

Thermostat

Av Control Panel, Switch

□ □ Door Chime, Door Bell Button

Electrical Breaker Panel

MOTION SENSOR SPOTLIGHT

SYMBOL DESCRIPTION

Ceiling Fan

2 ELECTRICAL PLAN
SCALE: 1/4"=1'