

Exhibit "C"
Dominion Of Pleasant Valley
Planned Development Standards

Community Framework

Dominion of Pleasant Valley will be a multi-generational community where an emphasis on the pedestrian experience is balanced with the conveniences of a suburban lifestyle.

A variety of housing types will be provided to meet the needs of a complete life cycle. This will allow residents to move within the community as change occur in their lives.

In the Dominion of Pleasant Valley community, public and private spaces are given equal importance. Open spaces and common areas are interspersed throughout the community. Also, where possible, the natural features of the property are emphasized to provide for a balanced within the community.

Permitted Uses:

Uses shall be allowed in accordance with the "SF 10/24" column of the Use Charts established in the June, 2023 Wylie Zoning Ordinance with the following exception. A day care facility shall be allowed by right, subject to a specific use permit only.

General Standards

1. The design and development of the Dominion of Pleasant Valley community shall take place in general accordance with the attached Concept Plan (Exhibit B).
2. The maximum number of lots/homes shall be 1,123.
3. Lot Mix:
 - A. A maximum of 510 lots shall be the "Type C" lots (minimum lot width of 50')
 - B. A maximum of 464 lots shall be the "Type B" lots (minimum lot width of 60')
 - C. The remainder 149 lots shall be Type "A" lots (minimum lot width of 70')
 - D. As part of each final plat submittal, a table shall be provided which indicates the number of each Type of lot within the Dominion of Pleasant Valley community.
4. A minimum of 22% of the land within the Dominion of Pleasant Valley community shall be used as open space.

The open space shall be owned by the City and maintained by the Homeowners Association with the exception of the swimming pool area at the amenity center. A warranty deed with a legal description of each parcel of open space shall be provided to the City at the time of the ownership transferring from the Developer to the City. The swimming pool area shall be owned and maintained by the Homeowners Association. With the exception of the swimming pool area, all other open spaces within the community shall be accessible to the public.

One element of the open space shall be a community amenity center. The amenity center shall generally be located as shown on the Open Space Plan. The amenity center shall be constructed with the first phase of the community and shall be completed prior to the issuance of a Certificate of Occupancy for any residential dwelling. Components of the amenity center shall include, at a minimum, a junior Olympic swimming pool, splash pool, bathrooms, BBQ grills, picnic tables, shade structures, playground equipment, and an off-street parking lot.

Amenities to be provided in other open spaces identified on the Open Space Plan shall include, at a minimum, 2 gazebos with BBQ grills and picnic tables, and 2 sets of playground equipment.

The open space, including the community's amenity center, provided within the Dominion of Pleasant Valley community, as generally shown on the Concept Plan shall be recognized as meeting all of the City of Wylie's acreage and or parkland dedication fee requirements for public and/or private open space for the Dominion of Pleasant Valley community.

The Developer shall coordinate with the City on the selection of type, style, location, size etc. of all open space improvements including but not limited to: plants, trees, turf, mulch, irrigation, benches, tables, pavilions, gazebos, grills, playgrounds, etc. The Developer shall adhere to established Park Division equipment standards and all Open Space and Trails Master Plan recommendations.

All open spaces shall be sodded, rolled, and irrigated per the City's accepted practices.

All trees within the open spaces shall have tree wells and bubbler irrigation.

Water meters shall be furnished by the City, while backflow devices shall be furnished by the Developer.

Monthly water and electrical charges for open space maintenance shall be paid for by the Homeowners Association

A "cost of improvements" shall be provided by the Developer to the City when the open space ownership transfers from the Developer to the City.

5. Dwellings may encroach into the required rear yard by no more than 5'. Dwellings shall not encroach into the required front yard.

Residential Standards

Type A Lots

Type A lots shall be developed in accordance with the June, 2023 City of Wylie Zoning Ordinance, except as indicated below.

Dimensional Standards

1. Minimum lot area: 8,400 square feet.
2. Minimum lot width: 70'. On cul-de-sacs and/or elbows, the minimum lot width shall be 60'. The minimum street frontage for all lots at the front property line shall be 30'.
3. Minimum lot depth: 120.' On cul-de-sacs and/or elbows, the minimum lot width shall be 100'.
4. Minimum front yard: 25'. An unenclosed porch may encroach into the front setback by a maximum of 10'.
5. Minimum side yard: 5'. The minimum side yard on a corner lot adjacent to a street shall be 15'. If a garage is accessed from a side street, the minimum setback for the face of the garage shall be 25'.

6. Minimum rear yard: 20' for the primary structure. Accessory structures shall have a minimum rear yard of 3'.
7. Minimum dwelling area: No more than 50% between 2,500 and 3,000 sq. ft. and 50% must be greater than 3,000 sq. ft.
8. Maximum lot coverage: 45%
9. Maximum height: 2 1/2 stories or 40' for the main building.
10. A minimum of 2 off-street parking spaces shall be provided on each single-family lot.

Type B Lots

Type B lots shall be developed in accordance with the June, 2023 City of Wylie Zoning Ordinance, except as indicated below.

Dimensional Standards

1. Minimum lot area: 7,200 square feet.
2. Minimum lot width: 60'. On cul-de-sacs and/or elbows, the minimum lot width shall be 50'. The minimum street frontage for all lots at the front property line shall be 30'.
3. Minimum lot depth: 120'. On cul-de-sacs and/or elbows, the minimum lot depth shall be 100'.
4. Minimum front yard: 20'. An unenclosed porch may encroach into the front setback by a maximum of 10'.
5. Minimum side yard: 5'. The minimum side yard on a corner lot adjacent to a street shall be 15'. If a garage is accessed from a side street, the minimum setback for the face of the garage shall be 20'.
6. Minimum rear yard: 25' for the primary structure. Accessory structures shall have a minimum rear yard of 3'.
7. Minimum dwelling area: No more than 50% between 2,250 and 2,750 sq. ft. and 50% must be greater than 2,750 sq. ft.
8. Maximum lot coverage: 45%
9. Maximum height: 2 1/2 stories or 40' for the main building.
10. A minimum of 2 off-street parking spaces shall be provided on each single-family lot.

Type C Lots

Type C lots shall be developed in accordance with the June, 2023 City of Wylie's Zoning Ordinance as it exists or may be amended, except as indicated below.

Dimensional Standards

1. Minimum lot area: 6,000 square feet.
2. Minimum lot width: 50'. On cul-de-sacs and/or elbows, the minimum lot width shall be 40'. The minimum street frontage for all lots at the front property line shall be 30'.
3. Minimum lot depth: 120'. On cul-de-sacs and/or elbows, the minimum lot depth shall be 100'.
4. Minimum front yard: 20'. An unenclosed porch may encroach into the front setback by a maximum of 10'.
5. Minimum side yard 5'. The minimum side yard on a corner lot adjacent to a street shall be 15'. If a garage is accessed from a side street, the minimum setback for the face of the garage shall be 20'.

6. Minimum rear yard: 25' for the primary structure. Accessory structures shall have a minimum rear yard of 3'.
7. Minimum dwelling area: No more than 50% of the dwelling shall be between 2,000 sq. ft. and 2,400 sq. ft. The remaining 50% of the dwelling shall be greater than 2,400 sq. ft.
8. Maximum lot coverage: 50%.
9. Maximum height: 2 1/2 stories or 40' for the main building.
10. A minimum of 2 off-street parking spaces shall be provided on each single-family lot.

Residential Architectural Standards

1. Plate heights in houses shall be no less than 9' for the first floor and 8' for the second or higher floor.
2. The front façade of each house shall contain architectural detailing to include at least two of the following:
 - A. A front porch, as defined in No. 7 below.
 - B. Decorative gable feature. Such a feature may be delineated with complimentary building materials or differing laid pattern, or combination thereof.
 - C. Decorative door, window, and/or opening lintels. Such a feature shall be delineated with complementary building materials.
 - D. Complimentary building material wainscoting.
 - E. Attic windows or dormers.
 - F. Window shutters. The shutters shall be sized to match the window sash.

Examples of the above are shown on attachment 1.

3. A "sense of arrival" shall be created at a house's primary entrance. This can be done with but not limited to any two or number of the following:
 - A. A front porch
 - B. Oversized openings for a recessed front door.
 - C. Complimentary building materials to accent the entryway.
 - D. Decorative front door.
 - E. Enhanced primary walkway paving using earth-tone colored concrete (stain mixed in, not applied after), stamped pattern concrete, or brick pave stone.

Examples of the above are shown on Attachment 2.

4. Architectural repletion: 7 lots skipped before repeating same floor plan and elevation.
5. A minimum of 25% of the home's street façade shall be offset from the remainder of the facade by at least 2'.
6. All of the homes shall have at least one front elevation option which includes a front porch incorporated into the home's front elevation.
7. Front porches: A front porch shall have a minimum depth of 6' and a minimum width of 10' (60 square feet minimum). Front porches shall have railing and columns. The railings and columns shall be architecturally compatible with the house's front façade.
8. A hip roof which faces the street and which comprises greater than 35% of the total width of a house's façade material shall be broken up with dormer or other architecturally compatible appurtenances.
9. Lighted house number wall plaques shall be provided on the front of all homes.

10. Exterior façade material: The homes shall be constructed of 100% masonry. Masonry shall include brick, stone, masonry, stucco, and hardy plank. In no instance however shall hardy plank comprise more than 20% of any individual façade of the home.
11. Chimneys shall be enclosed with masonry matching the exterior walls. Chimneys shall not be clad in hardy plank unless it can be shown that such material is needed from a structural perspective (chimney extending through a roof) or from an architectural perspective.
12. All trim, siding, ceiling, and garage doors on the front facades shall be painted two contrasting colors to achieve an architecturally enhanced appearance. An example is, trim to be painted one color and side surfaces and garage doors to be painted a second color.
13. Roof pitches shall have a minimum 8:112 for main gables and hips. Dormer roof and roofs over porches may have a lesser pitch.
14. Roofing materials shall be either, architectural grade overlap shingles, tile, or standing seam metal. Wood shingles shall be prohibited. Vents and other roof appurtenances shall be painted to match the roof's color.
15. All of the homes shall have at least one front elevation option which includes two single-car garage doors versus one two-car garage door.
16. Garage doors: Garage doors may face a public street. Garage doors facing the street shall comprise no more than 45% of the total width of a house's façade.
17. Garage doors shall be carriage style in appearance. This shall be accomplished with the following.
 - A. Garage door panels shall be wood clad or have the appearance of wood.
 - B. Decorative hardware shall be attached to the garage doors. Such hardware shall include handles and hinges in a complimentary color.

Examples of the above are shown on Attachment 3.

18. Carports are prohibited for homes with front entry or swing garages.
19. Fencing: Fencing located in the front of a house shall have a maximum height of 4' and shall have a minimum 50% of the fence face area transparent. Fencing along the side or rear property lines of a lot, including when a side or rear property line is adjacent to a street, shall have a maximum height of 8' and be constructed of wood with metal poles and the fence's rails facing to the inside of the lot. (Pressure treated wood as a fence material shall be prohibited).
20. Board on board fence construction with the fence's rails facing to the inside of the lot, shall be done on all corner lots where the fence is adjacent to a street, shall have a maximum height of 8' and be constructed of wood with metal poles and the fence's rails facing to the inside of the lot. (Pressure treated wood as a fence material shall be prohibited.)
21. Tubular steel or wrought-iron type fencing shall be required on all single-family lots adjacent to open spaces, greenbelts, and parks referenced on the Open Space Plan (Exhibit D).
22. Landscaping: Sodded front yards with a minimum two 3" caliper trees and five shrubs shall be provided for each home. Enhanced landscaping along the home's primary walkway shall also be provided. When automated, subsurface irrigation systems are provided, rain sensors shall be installed and operational.
23. Outdoor lighting. Entrances to homes and garages shall be illuminated.
24. Conservation/Sustainability: All homes shall comply with the Energy component of the Wylie Building Code.

COMMUNITY DESIGN STANDARDS

1. Public open space easements: 30' wide buffer with a minimum 8' wide trail to the rear of houses beside the open spaces and perpendicular from a street.
2. Perimeter screen along Sachse Road and Pleasant Valley Road shall be provided as generally shown on Exhibit E (Conceptual Perimeter Treatment). More specifically, a minimum 6' tall board-on-board cedar fence shall be provided to screen the adjacent homes from the roadways. The fencing shall have metal poles and masonry columns spaced every 50'. The fence's rails shall face the inside of the lot. Additionally, the fencing shall be stained to a uniform, neutral brown color and be maintained by the Homeowner's Association. In conjunction with the fencing, shrub plantings shall be provided.
3. Perimeter buffer, trails and landscape: A minimum 40' buffer shall be provided along Sachse Road and Pleasant Valley Road. A mixture of large/shade and small ornamental trees shall be provided within the 40' buffer. The trees shall be planted in natural groupings versus being evenly spaced. A minimum of 8' wide concrete trails shall meander through the buffer as generally depicted on Exhibit E (Conceptual Perimeter Treatment).
4. Furnishings along trails: Benches with backs shall be provided and spaced appropriately when adjacent to open space. Decorative paving and cross-walks at street connectors shall also be provided.
5. Curvilinear streets: A minimum of 25% of the streets within the community shall have a curve between 3 and 23 degrees.
6. Entry features and medians: Architectural features on stone screening walls or stone monuments shall be located within a landscaped median to the first cross street. Decorative paving shall be provided in the cross-walk.
7. Signage at community entries: Community identification shall be incorporated into the screening wall or monument located at the community entrances. The sign shall be illuminated by means other than street lights.
8. Sidewalk locations: 5' sidewalks shall be provided on both sides of a street.
9. Mailboxes: Mailboxes shall be paired at the common property line of two lots. They shall be a uniform style, selected by the developer, and shall be stylistically consistent throughout the Dominion of Pleasant Valley community. A number plaque shall be provided on the mailbox.
10. Sidewalk lighting: Upgraded decorative street pole lighting shall be provided throughout the community. The poles shall have solar controls and be spaced every 250' – 350' and at intersection at mid-block.
11. Alleys: Alleys shall not be required.
12. Community buffer yards, entryway treatments, and landscaping shall be designed, developed, and maintained in accordance with the standards established in the Wylie Zoning Ordinance unless otherwise identified in these requirements.
13. A Landscape Plan shall be provided in conjunction with the preliminary plat. Such a plan shall comprehensively address edge treatments such as perimeter screening and landscaping and primary and secondary community entrances.
14. Community Streets: Streets within the Dominion of Pleasant Valley community shall dedicate right-of-way and be built to the paving widths and thicknesses as identified on Exhibit F (Paving and Right-of-Way Dimensions).

Roadway Impact Fees shall be paid for the Dominion of Pleasant Valley community's impact on Ballard Avenue and Pleasant Valley Road. No other financial obligations with respect to these roads shall be required.

TREE PRESERVATION

Surveying and mitigation of protected trees shall be in accordance with the following

1. The developer shall submit an aerial exhibit of delineating wooded areas in remaining undeveloped land. The total acreage of wooded areas shall be shown on the exhibit.
2. Within existing wooded areas to be developed in future phases, a representative one-acre area shall be identified by City staff.
3. Protected trees within the one-acre area shall be surveyed in accordance with the City's tree preservation ordinance.
4. The number of trees, total caliper inches, and required mitigation within the one-acre area shall be calculated in accordance with the City's tree preservation ordinance.
5. The mitigation requirement for wooded areas within remaining phases shall be assessed based on the mitigation required for the one-acre area.



Haynes Development Company

 **J. VOLK**
consulting
880 Central Parkway East, Suite 300
Plano, Texas 75075
972.201.1100 Texas Registration No. F-11962

DOMINION OF PLEASANT VALLEY

OVERALL TRAIL & PARK CONCEPT PLAN
CITY OF WYLIE, TEXAS

SEPTEMBER 2020





EXHIBIT "E"
(Conceptual Perimeter Treatment)




**CONCEPTUAL PERIMETER TREATMENT
EXHIBIT E**

DOMINION OF PLEASANT VALLEY
WYLIE, TEXAS

ENGINEERING, PLANNING, AND LANDSCAPE ARCHITECTURE
FOR REAL ESTATE DEVELOPMENT
16301 QUAIL DR. SUITE 200
ADDISON, TX 75001



EXHIBIT "F"
(Paving and Right-of-Way Dimensions)



PAVING AND RIGHT-OF-WAY DIMENSIONS
EXHIBIT F

JBI PARTNERS

JUNE 18, 2011
HOE154

DOMINION OF PLEASANT VALLEY
WYLIE, TEXAS

ENVIRONMENTAL, PLANNING, AND LANDSCAPE ARCHITECTURE
FOR REAL ESTATE DEVELOPMENT

1101 QUINN DR. SUITE 200 B
AUSTIN, TX 78701