



RESIDENTIAL DESIGNER
JOHNNY JACQUES, C.
214.613.7898
www.asidestudio.com

EUGENE DRIVE HOUSE
1415 EUGENE DRIVE
WYLIE, TEXAS 75098

COVER SHEET /
INDEX
A0.1


Project # 000000
Scale 1/2" = 1'-0"

VINICITY MAP



PROJECT NOTES

SITE AREA: 1.2703 AC
BUILDING FOOTPRINT: 1346 SF
TOTAL GROSS AREA: 1346 SF
LOT COVERAGE: 38%
BUILDING AREA:
ZONING: R-1
LEVEL: 1: 1346 SF
TOTAL GROSS: 1346 SF
NET SF
LEVEL: 1: 280 SF
TOTAL NET: 280 SF



NOTE:
PERSPECTIVES ARE CONCEPTUAL AND DO NOT
DEPICT FINAL PRODUCT.

EUGENE DRIVE HOUSE
1415 EUGENE DRIVE
WYLIE, TEXAS 75098

PROJECT SCOPE
THIS IS A 683 SF ADDITION TO AN EXISTING SINGLE STORY BRICK SINGLE FAMILY RESIDENCE.

#	SHEET INDEX
PS-1	CONCEPT SHEET INDEX
A0.1	SCHEDULE CODE ANALYSIS
A1.1	SITE PLAN
A2.1	ROOF PLAN
A3.1	EXISTING FLOOR PLAN
A4.1	FOUNDATION PLAN
A5.1	PLUMBING PLAN
A6.1	EXTERIOR ELEVATIONS
A7.1	WALL BUILDING SECTIONS
A8.1	INTERIOR ELEVATIONS
Grand total: 13	



1415 EUGENE DRIVE
WYLLIE, TEXAS 75098

A0.2

000000

GREEN/ ENERGY CODE

Material Description	Material Area	Material Comments
AIR BARRIER	105 SF	
AIR GAP	893 SF	
CEMENTITIOUS SIDING	481 SF	
CEMENTITIOUS SIDING	151 SF	
CLAY TILE MASONRY BRICK VENEER, TYP.	881 SF	
PLYWOOD	104 SF	
STUCCO SYSTEM	2 SF	
Uncoated Moldings	866 SF	
Uncoated Moldings	665 SF	
Uncoated Moldings	977 SF	
Grand Total:		

FLOOR MATERIAL TAKEOFF

Material: Description	Material: Area	Material: Comments
CONCRETE FLATWORK	869 SF	
Grand Total	869 SF	

ROOF MATERIAL TAKEOFF

Material: Description	Material: Area	Material: Comments
COMPOSITION SHINGLE ROOF	5121 SF	
PLYWOOD	5127 SF	
WOOD FRAMING	5174 SF	
WOOD PLANKS	713 SF	
CEILING FINISH		
Grand total	16136 SF	

WINDOW SCHEDULE

TYPE	MARK	WIDTH	HEIGHT	COUNT	COMMENTS
A		3' - 0"	6' - 0"	1	SINGLE HUNG WINDOW LOW-E - WINDOW INSTALL TO BE COMPLETED BY WINDOW SUPPLIER
B		4' - 0"	1' - 6"	4	SIMONET LOW-E 6500 AWNING WINDOW - 1 OPERATING UNIT - WINDOW INSTALL TO BE COMPLETED BY WINDOW SUPPLIER

WEST WALL : 343 SF
EAST WALL : 322 SF
HEIGHT ABOVE POOL TABLE: 14'-10"
VAULTED CEILING 713 SF

SECTION	REMARKS
WATER EFFICIENCY	1. ALL LAY FAULTS IS TO HAVE AN AVERAGE FLOW OF 3.0 GALLON MIN OR LOWER 2. ALL TOILET TO BE 1.3 GALLON PER FLUSH OR 0.4 FLUSH OR WATER SENSE 3. UTILITY ENERGY STAR LAID WASHES THAT USE 6.0 GALLONS OR LESS PER CYCLE 4. ENERGY EFFICIENCY 1. RESISTANCE TO BE EITHER JUST ABOVE 2018 REQUIRE OR SOFTWARE OR ENERGY STAR RATED 100% 3.75 2. RESISTANCE TO BE 100% WITH ALL PENETRATIONS AS INDICATED BY THE CITY WHERE THE EQUIPMENT IS LOCATED.
HEAT RADIATION TON	1. IF OR OTHER IS USED ROOFERS MUST BE ENERGY STAR QUALIFIED OR MAY USE A INSULANT BARRIER OR USE SPRAY FOAM INSULATION AT THE ROOF LEVEL OR BE A VEGEATED ROOF 2. ROOF MUST BE 1.5 INCHES MINIMUM 3. WINDOWS ARE TO BE BELOW 1.5 WITH A FACTOR .35 (RGC BARRIER .25)
INDOOR AIR QUALITY	1. ALL DUCTWORK MUST BE OUTSIDE OF THE INTIO OR GARAGE ENVELOPE 2. CONDITIONED SPACE ABOVE OR BELOW GARAGE TO GARAGE- ALL PENETRATIONS MUST BE SEALED, FLOOR AND CEILING JOIST SEALED, PAINTED 3. FLOORS AND CEILING OF CONDITIONED SPACES AND DOORS MUST BE IMPROVED
STORM WATER	1. ALL ROOF AND AREA MUST BE IMPROVED, AND PENN STATE, PENN AND S. JOIST FOR IMPROVE OF PLANTATION PLANTS 2. NO IRRIGATION SYSTEM IF IRRIGATION SYSTEM IS INSTALLED, IT MUST MEET THE CITIES ADOPTED ENERGY CODE REQUIREMENTS.

ELECTRICAL LEGEND

SWITCH	THREE-WAY SWITCH	DUPLEX	FLOOR DUPLEX	GFI DUPLEX	PHONE OUTLET	TV OUTLET	220 VOLT OUTLET	ELECTRICAL PANEL
								

RCP LEGEND

	SMOKE DETECTOR		EARTH		P.I. AM
	BATHROOM VERTICAL SCRIBE		GRAVEL/STONE		FINISHED WOOD
	BATHROOM HORIZONTAL SCRIBE		BRICK		PARTICLE BOARD
	CEILING FAN WITH LIGHT FIXTURE		STONE		CABINET
	RECESSED CAN LIGHT		SAND MORTAR		BATT INSULATION
	RECESSED CAN LIGHT FIXTURE/CHANDLIER		ALUMINUM		GYPSUM WALLBOARD
	TOILET		STEEL		RIGID INSULATION
	WALL WASHER		CONCRETE PRECAST		PLYWOOD
	SCONCE		CONCRETE CAST IN PLACE		CONCRETE MASONRY UNIT
	BATHROOM EXHAUST FAN	THE MATERIAL HATCH PATTERN KEY IS PROVIDED AS A MATERIAL NOTES AND LEGENDS FOR ACTUAL FINISHES. THIS KEY IS NOT TO BE USED FOR FINISHES, RCPs, OR ANY OTHER DRAWING OR SPECIFICATION. SEE THE ARCHITECT'S GRAPHICAL LEGEND WALL SUPPLEMENT FOR THIS KEY.			
	HAC RETURN				
	HAC SUPPLY				
	CEILING SPEAKER				

GENERAL NOTES

1. ALL WORK TO CONFORM TO APPLICABLE CITY, STATE AND FEDERAL REQUIREMENTS AND ORDINANCES WITH JURISDICTION.
2. DOES NOT SCALE DRAWINGS, ANY DIMENSIONS OR DIMENSIONS ARE TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
3. THESE DOCUMENTS ARE SUBMITTED IN CONNECTION WITH THE SUBMITTAL OF A SUBCONTRACTOR AND ARE RESPONSIBLE FOR THE DESIGN OF THE PROJECT AND THE SITE, VISITS, AND ANY VERIFICATION OF THE PROJECT AND THE PROJECT'S PERTAINING TO SCOPE OF WORK SHOWN HEREIN.
4. GENERAL INSTRUCTIONS ARE REQUIRED BY THE CITY AND OTHER GOVERNMENTAL AGENCIES.
5. THE CONTRACTOR IS SOLELY RESPONSIBLE FOR THE WARRANTY OF THE CONSTRUCTION.
6. ALL WORK SHALL BE GENERAL TO THE FACE OF THE STRUCTURE.
7. ALL WORK MUST BE DONE ACCORDING TO MANUFACTURER'S SPECIFICATIONS AND INSTRUCTIONS.
8. THE STRUCTURAL ENGINEER MUST BE CONSULTED FOR ALL CONSTRUCTION DETAILS.
9. CONSTRUCTION AND INSTALLATION OF THE STRUCTURE MUST BE IN ACCORDANCE WITH THE CITY AND STATE REQUIREMENTS.
10. VERIFY CALCULATIONS ARE REQUIRED FOR ALL EQUIPMENT.
11. BEFORE PROCEEDING WITH ANY WORK ON THE STRUCTURE, THE CONTRACTOR AND ONE SUPERVISOR MUST OBTAIN A PERMIT FROM THE CITY OF CHICAGO. THE CONTRACTOR MUST OBTAIN A PERMIT FROM THE CITY OF CHICAGO FOR THE CONSTRUCTION OF THE STRUCTURE. THE CONTRACTOR MUST OBTAIN A PERMIT FROM THE CITY OF CHICAGO FOR THE CONSTRUCTION OF THE STRUCTURE. THE CONTRACTOR MUST OBTAIN A PERMIT FROM THE CITY OF CHICAGO FOR THE CONSTRUCTION OF THE STRUCTURE.
12. CONTRACTOR AND ONE SUPERVISOR MUST OBTAIN A PERMIT FROM THE CITY OF CHICAGO FOR THE CONSTRUCTION OF THE STRUCTURE. THE CONTRACTOR MUST OBTAIN A PERMIT FROM THE CITY OF CHICAGO FOR THE CONSTRUCTION OF THE STRUCTURE. THE CONTRACTOR MUST OBTAIN A PERMIT FROM THE CITY OF CHICAGO FOR THE CONSTRUCTION OF THE STRUCTURE.
13. ALL STARTS TO BE MAXIMUM HEIGHT OF 7' 3/4" AND MIN. TREAD DEPTH OF 10"

PROJECT NOTES

SITE AREA: 9.047 SF
0.2 ACRE
BUILDING FOOTPRINT: 3,545 SF
(HOUSE AND GARAGE)
LOT COVERAGE: 39%

BUILDING AREA
GROSS SF

LEVEL 1: 3,545 SF

TOTAL GROSS: 3,545 SF

NET SE

LEVEL 1: 2,929 SF

TOTAL NET: 2,929 SF

NET AREAS			
ROOM NAME	LEVEL	AREA	
22 CAR GARAGE	T.O.C. 1ST FLOOR	141 SF	
22 CAR GARAGE	T.O.C. 1ST FLOOR	160 SF	
22 CAR GARAGE	T.O.C. 1ST FLOOR	2260 SF	
22 CAR GARAGE	T.O.C. 1ST FLOOR	104 SF	
22 CAR GARAGE	T.O.C. 1ST FLOOR	76 SF	
Grand total: 5		3556 SF	



RESIDENTIAL DESIGNER
ASIDE STUDIO, LLC
JOHNNY JACOBS
214.613.2109
johnny@asidestudio.com
www.asidestudio.com


EUGENE DRIVE HOUSE

1415 EUGENE DRIVE
WYLIE, TEXAS 75098

SITE PLAN

A1.1

Project # 000000
Scale As Indicated



PROJECT NOTES

SITE AREA: 3,947 SF
BUILDING FOOTPRINT: 2,345 SF
TOTAL GROSS AREA: 3,945 SF
LOT COVERAGE: 30%
BUILDING AREA:
GROSS SF:
LEVEL 1: 3,345 SF
TOTAL GROSS: 3,345 SF
NET USE:
LEVEL 1: 2,329 SF
TOTAL NET: 2,329 SF

GENERAL NOTES

1. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
2. DO NOT SCALE DRAWINGS. ANY DIMENSIONS SHOWN ON THE DRAWINGS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS, CERTIFICATES, INSPECTIONS, AS REQUIRED BY THE CITY AND ALL OTHERS OF ENVIRONMENTAL, HEALTH AND SAFETY, ETC., PERTAINING TO SCOPE OF WORK SHOWN HERE.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS, CERTIFICATES, INSPECTIONS, AS REQUIRED BY THE CITY AND ALL OTHERS OF ENVIRONMENTAL, HEALTH AND SAFETY, ETC., PERTAINING TO SCOPE OF WORK SHOWN HERE.
5. THE CONTRACTOR IS ULTIMATELY RESPONSIBLE FOR THE WARRANTY OF THE CONSTRUCTION.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE WARRANTY OF THE CONSTRUCTION.
7. ALL WORK MUST BE DONE ACCORDING TO THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
8. THE STRUCTURAL ENGINEER MUST BE CONSULTED FOR ALL CONSTRUCTION DETAILS.
9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS, CERTIFICATES, INSPECTIONS, AS REQUIRED BY THE CITY AND ALL OTHERS OF ENVIRONMENTAL, HEALTH AND SAFETY, ETC., PERTAINING TO SCOPE OF WORK SHOWN HERE.
10. VERIFY CLEARANCES ARE REQUIRED FOR ALL EQUIPMENT.
11. BEFORE PROCEEDING WITH ANY WORK OR CONSTRUCTION, THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS, CERTIFICATES, INSPECTIONS, AS REQUIRED BY THE CITY AND ALL OTHERS OF ENVIRONMENTAL, HEALTH AND SAFETY, ETC., PERTAINING TO SCOPE OF WORK SHOWN HERE.
12. CONTRACTOR AND/OR SUBCONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS, CERTIFICATES, INSPECTIONS, AS REQUIRED BY THE CITY AND ALL OTHERS OF ENVIRONMENTAL, HEALTH AND SAFETY, ETC., PERTAINING TO SCOPE OF WORK SHOWN HERE.
13. ALL STAIRS TO BE A MAXIMUM HEIGHT OF 7'3" AND MIN. TREAD DEPTH OF 10'



4413 EUGENE DRIVE
WYLLIE, TEXAS 75098

A2.1

Project #	000000
As indicated	

[illegible]



RESIDENTIAL DESIGNER
JOHN L. TUCKER, C.
JOHN L. TUCKER
214.613.7509
JOHN@ASIDESTUDIO.COM
WWW.ASIDESTUDIO.COM

EUGENE DRIVE HOUSE

1415 EUGENE DRIVE
WYLIE, TEXAS 75098


ROOF PLAN

A2.3

Project # 000000
Scale As Indicated

ROOF FRAMING NOTES	
ROOFS	2"x6"
HIP/VALLEY	2"x6"
RAFTERS @ 24" O.C. (BRACED)	2"x6"
RAFTERS @ 16" O.C. (UNBRACED WITH LESS THAN 16')	2"x6"
RAFTERS @ 16" O.C. (UNBRACED GREATER THAN 16')	2"x10"
CEILING JOIST @ 24" O.C.	2"x6"
HEADERS	2"x6"
UNDERSOFT LENGTH	2"x2"x6"
UNDERSOFT END	2"x4"x2"
TO STUDY PLAN, ALL DECKES TO BE 2"x2"x6" @ 1ST FLOOR OPENINGS MINIMUM.	
ALL CITY CODES AND SUBSEQUENT REVISIONS TO BE INDICATED BY THE ROOF FRAMING NOTES.	

GENERAL NOTES	
1.	IN THE EVENT OF A DISCREPANCY BETWEEN THE BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION, DO NOT SCALE DRAWINGS. ANY DISCREPANCY SHALL BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
2.	THESE DRAWINGS ARE ASSUMED TO BE THE CONTRACTOR'S RESPONSIBILITY FOR SITE VISITS, AND ANY VERIFICATION OF THE EXISTING CONDITIONS, ETC., PERTAINING TO SCOPE OF WORK SHOWN HERE.
3.	CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS, CERTIFICATES, INSPECTIONS, AS REQUIRED BY THE CITY AND OTHER GOVERNMENTAL AGENCIES HANDLING THE PROJECT.
4.	THE CONTRACTOR IS ULTIMATELY RESPONSIBLE FOR THE WARRANTY OF THE CONSTRUCTION.
5.	CONNECTIONS ARE GENERALLY TO THE FACE OF STUD.
6.	ALL WORK MUST BE DONE ACCORDING TO MANUFACTURER'S SPECIFICATIONS AND ALL WORK MUST BE DONE ACCORDING TO THE STRUCTURAL ENGINEER'S DETAILS.
7.	THE STRUCTURAL ENGINEER MUST BE CONSULTED FOR ALL CONSTRUCTION DETAILS.
8.	CONTRACTOR SHALL BE RESPONSIBLE FOR ALL WORKING CONDITIONS AND ERECTION METHODS.
9.	VERIFY CLEARANCES ARE REQUIRED FOR ALL EQUIPMENT.
10.	BEFORE PROCEEDING WITH ANY WORK OR CONSTRUCTION, THE CONTRACTOR SHALL OBTAIN THE NECESSARY PERMITS AND MAKE SURE THE LOCATION OF BUILDING COMPONENTS AND OTHER INTERRELATIONSHIP AT THE BUILDING SITE IS CORRECTLY REPRESENTED ON THEIR CORRECTNESS.
11.	CONTRACTOR AND/OR SUBCONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND MAKING ADJUSTMENTS TO ANY DISCREPANCIES BETWEEN THE PLANS AND THE BUILDING SITE.
12.	ALL STAIRS TO BE MAXIMUM HEIGHT OF 7'3" AND MIN. TREAD DEPTH OF 10"
13.	



01 ROOF PLAN
SCALE: 3/8" = 1'-0"




EXISTING/ DEMO
FLOOR PLAN

A2.4

Project #	000000
Scale	As indicated

SCALE: 3/16" = 1'-0"

1. GENERAL CONTRACTOR TO VERIFY ALL EXISTING WINDOW LOCATIONS AND HEIGHTS.
2. ALL DIMENSIONS SHOWN ARE TO HAVE A TOLERANCE OF $\pm 1/8"$ FROM FIELD MEASUREMENTS
3. GENERAL CONTRACTOR TO VERIFY ALL MEASUREMENTS AND CLEARANCES.






1415 EUGENE DRIVE
WYLLIE, TEXAS 75098

A3.1

Project #	000000
Grade	As indicated



	SMOKE / CARBON MONOXIDE DETECTOR
	BATHROOM VERTICAL SCONCE
	BATHROOM HORIZONTAL SCONCE
	CEILING FAN WITH LIGHT FIXTURE
	RECESSED CAN LIGHT
	PENDANT LIGHT FIXTURE/ CHANDIELIER
	WALL WASHER
	SCONCE
	BATHROOM EXHAUST FAN
	HVAC RETURN
	HVAC SUPPLY
	CEILING SPEAKER

MECHANICAL	ELECTRICAL
1. ALL MECHANICAL DUCTS TO BE INSULATED	1. DIMENSIONS SHOWN HERE ARE TO CENTERLINE OF RECEPTACLE AND OR PANEL OF WALL TYPE.
2. PROVIDE FILTER GRILLES AT POINT OF RETURN	2. ALL OUTLETS TO BE THE COLOR: WHITE
	3. ALL SEDIMENT OUTLETS TO BE ARC PROTECTED
	4. ALL GASHOOD AND VENTHORN OUTLETS TO BE GROUND FAULT PROTECTED.
	5. COORDINATE POWER REQUIREMENTS AND EQUIPMENT ON ALL APPLIANCES AND EQUIPMENT.
	6. PROVIDE 200/500 AMP DEDICATED CIRCUIT FOR FUTURE CHARGING STATION.

1. CONTRACTOR TO DETERMINE FINAL LOCATION OF LIGHT FIXTURES.
2. LIGHTING TO ACCOMMODATE ALL NEEDS.

	SWITCH
	THREE-WAY SWITCH
	DUPLEX
	FLOOR DUPLEX
	GFI DUPLEX
	PHONE OUTLET
	TV OUTLET
	220 VOLT OUTLET
	ELECTRICAL PANEL




RESIDENTIAL DESIGNER
JOHN W. LUCKY, LLC
JOHN W. LUCKY
214.615.2109
www.asidestudio.com

EUGENE DRIVE HOUSE
1415 EUGENE DRIVE
WYLIE, TEXAS 75098

FOUNDATION
PLAN

A4.1

Project # 000000
Scale As indicated



01 FOUNDATION EDGE OF SLAB
SCALE: 3/8" = 1'-0"



- GENERAL NOTES**
1. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
 2. DO NOT SCALE DRAWINGS. ANY DIMENSIONS SHOWN ON THE DRAWINGS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
 3. THESE DRAWINGS ARE ASSUMED TO BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR AND SUBCONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
 4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
 5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
 7. ALL WORK MUST BE DONE ACCORDING TO THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
 8. THE STRUCTURAL ENGINEER MUST BE CONSULTED FOR ALL CONSTRUCTION DETAILS.
 9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
 10. VERIFY CLEARANCES ARE REQUIRED FOR ALL EQUIPMENT.
 11. BEFORE PROCEEDING WITH ANY WORK OR CONSTRUCTION, THE CONTRACTOR SHALL OBTAIN THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
 12. CONTRACTOR AND/OR SUBCONTRACTOR IS RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.
 13. ALL STAIRS TO BE MAXIMUM HEIGHT OF 7'-3 1/4" AND MIN. TREAD DEPTH OF 10"



RESIDENTIAL DESIGNER
JOHN L. JACKSON, LLC.
JOHN L. JACKSON
214.515.2109
john@asidestudio.com
www.asidestudio.com


EUGENE DRIVE HOUSE

1415 EUGENE DRIVE
WYLIE, TEXAS 75098

PLUMBING PLAN

A5.1

Project # 000000
Scale As indicated



01 PLUMBING PLAN LEVEL 1

SCALE: 3/8" = 1'-0"

MEP PLAN NOTES

- MECHANICAL**
1. ALL MECHANICAL DUCTS TO BE INSULATED.
 2. PROVIDE FILTER GRILLS AT POINT OF RETURN.
- ELECTRICAL**
1. DIMENSIONS SHOWN HERE ARE TO CENTERLINE OF RECEPTACLE AND OR FACE OF SWITCHES.
 2. ALL OUTLETS TO BE THE COLOR WHITE.
 3. ALL MECHANICAL OUTLETS TO BE AWC PROTECTED.
 4. ALL BATHROOM AND KITCHEN OUTLETS TO BE GROUND FAULT PROTECTED.
 5. COORDINATE POWER REQUIREMENTS AND LOCATIONS FOR ALL APPLIANCES AND EQUIPMENT.
 6. PROVIDE 200 AMP DEDICATED CIRCUIT FOR POTENTIAL CHARGING STATION (OPTIONAL).
- PLUMBING**
1. SANITARY SEWER, WATER AND GAS LINE LAYOUTS ARE SCHEMATIC ONLY. ACTUAL LAYOUTS TO BE DETERMINED BY FIELD CONDITIONS.
 2. VERIFY COLD WATER LINES, SEWER LINES AND GAS LINES TO ALLOW FOR NEW CONDUITS.
 3. WASTE DRAIN CONDENSATE AND VENT PIPING TO BE SERVICE WEIGHT PVC.
 4. POTABLE WATER (HOT AND COLD) SUPPLY PIPING TO BE SERVICE WEIGHT PEX (POLYETHYLENE CROSS LINKED POLYMER).
 5. INSULATE HOT AND COLD WATER LINES WITH CONTINUOUS FOAM INSULATION.
 6. PROVIDE AIR CHAMBERS TO ALL FIXTURES.
 7. PROVIDE SECTIONAL INLET SHUT-OFF VALVE FOR ALL EXTERIOR PLUMBING FIXTURE AND EQUIPMENT OUTLET.
 8. EXTERIOR HOSE BIBS TO BE 1/2" A.F.F.
 9. UNLESS NOTED OTHERWISE, INSULATE ALL CLEAROUTS IN STORM AND SEWER LINES. EXTERIOR PIPING AS REQUIRED BY LOCAL CODES.







RESIDENTIAL DESIGNER
JOHN H. JACKSON, LLC
JOHNNY JACKSON
214.913.2199
JOHNNY@ASIDESTUDIO.COM
WWW.ASIDESTUDIO.COM

EUGENE DRIVE HOUSE
1415 EUGENE DRIVE
WYLIE, TEXAS 75098

EXTERIOR
ELEVATIONS
A6.1

Project # 000000
Scale 1/8" = 1'-0"







RESIDENTIAL DESIGNER
ASIDE STUDIO, LLC
JOHNNY JACOBS
214.615.2109
johnny@asidestudio.com
www.asidestudio.com


EUGENE DRIVE HOUSE

1415 EUGENE DRIVE
WYLIE, TEXAS 75098


WALL/ BUILDING
SECTIONS

A7.1

Project # 000000
Scale As indicated



01 TYPICAL WALL SECTION @ BRICK
SCALE: 3/4\"/>



02 BUILDING SECTION
SCALE: 1/4\"/>




RESIDENTIAL DESIGNER
JOHNNY JACOBS
214.633.2769
www.asidestudio.com

EUGENE DRIVE HOUSE
1415 EUGENE DRIVE
WYLIE, TEXAS 75098

PERSPECTIVE
VIEWS

A8.1

Project # 00000
Scale



01 3D VIEW 01
SCALE



02 3D View 4
SCALE