Keith Broussard C'est Bon Storage 461 Almonaster Road Youngsville, LA 70592

City of Youngsville 201 Iberia Street Youngsville, LA 70592

Subject: Variance for C'est Bon Storage Exterior material for January Meeting.

Ms. Nicole Guidry,

I am requesting a Waiver from the City of Youngsville, in order to place a Super Polymer Grade vinyl siding with reinforced insulation to the East and South sides of our storage facility that we are in the process of constructing at 461 Almonaster Road. We had originally thought that we wanted to use Hardie Plank siding like our restaurant, C'est Bon Crawfish, at 3301 Chemin Metairie Pkwy. After some thought we are sure that over time the Super Polymer Grade Vinyl would be a better alternative for us going forward.

The East and South walls are prime loading and unloading spots for customers bringing items into the facility. This Super Polymer vinyl will be "move forgiving" when it comes to bumps and scraps along the outside of the building's facade, causing less damage. We have areas at our restaurant that are already showing signs of having to be replaced due to normal wear and tear. The more than likely "bumps" and "dings" from furniture and furniture carts as customers store their belongings are sure to do more damage to the Hardie plank. Hardie Plank and Stucco over time will tend to crack especially if hit which is bound to happen at this facility. This Super Polymer Vinyl has the look of Hardie and is color matched to the appropriate shade that we desire for this building. It is reinforced with special insulation behind the surface to help keep its form and not allow it to sag. I understand that this is not an approved material on your list, but I ask that you look over our request.

We appreciate you taking the time to look over and discuss our request. We truly believe that this will be a better long-term solution to keeping the exterior of this facility more aesthetically pleasing for the community.

I have attached a copy of facility layout showing the east and south sides where the Super Polymer Vinyl would be placed along with the manufacturers Specs of the CedarMAX Super Polymer Insulated Siding, that we would like to use.


Thank you, Keith Broussard




Almonaster Road




East Side Elevation



Rear (South) Elevation





OUTSTANDING PERFORMANCE INSIDE AND OUT

CedarMAX[®] Super Polymer Insulated Siding is an ASTM D7793 certified thermal cladding system that is recognized as a form of "continuous insulation," or insulation installed on the outside of your home that helps reduce energy loss. Integration of ProVia's exclusive Super Polymer Formulation with rigid EPS foam insulation, topped with an authentic cedar woodgrain, and backed by a Lifetime Limited Warranty, makes CedarMAX the perfect choice of exterior insulated cladding for your home.



HIGH-TENSION STRUCTURAL RETURN & NAIL DEPTH GUIDE

- More rigid connection to the exterior wall
- Helps prevent nails from being nailed too tightly



ProVia® Siding Panel Thickness Range

CEDARMAX PANEL THICKNESS compared to all ProVia SIDING PRODUCTS

CEDARMAX PANEL THICKNESS

.050"

• Single 7" (pictured) • Double 6"

8" Board 'n Batten

.048"

.044"

.042"

.046"

SINGLE 7"

.050"
16'2¹/₂" Length
2.3 R-value

SHOWN IN PUEBLO

• Triple 4" Dutch Lap

.040'

DOUBLE-PLY NAILING HEM • Double the tear resistance

Increased high wind performance

PATENTED TWISTER LOCK AND CYCLONIC

- LOCKING SYSTEM
- Bolsters the lock
- Enhances overall rigidity of
- siding system on the wall



- Able to withstand winds of 160 (mph, ASD) 179 (mph, ASD)—8" Board 'n Batten*

 Standard Design Pressure Rating: 62.1 psf (ASD); 77.7 psf (ASD)—8" Board 'n Batten* Florida Building Code FL#1712.5

RIGID EPS FOAM INSULATION¹

- Maximum thermal R-value² performance
- Increases panel rigidity
- Greater impact resistance than non-insulated siding
- Contains PREVENTOL® TM³ termite protection

11/8" PANEL PROJECTION

- Enhanced shadow lines
- Added panel rigidity



DROP GUARD

- Prevents the panel from dropping out of the lock during installation
- Secures the patented Twister Lock and Cyclonic Locking System

TESTED AND CERTIFIED

 Meets or exceeds ASTM D7793 • Meets or exceeds VSI Product Certification

*Rating per VSI Wind Speed Calculation Guidelines 1.2.3 See back cover for reference details



Δ

WHAT'S INSIDE SUPER POLYMER?

A strong molecular chain that provides

superior color retention +

weather resistance

ProVia's Super Polymer formulation is comprised of our Tri-Pigment Reflective Technology, Weather Barrier Shield, SPX-2000 UV Protection and Color Keeper Anti-Fade Protection. Inorganic materials, anti-weathering ingredients, butyl and acrylic modifiers are melded together to create a strong molecular chain for superior color retention and weather resistance.

THINK OF IT AS SUNSCREEN... FOR YOUR HOUSE!

SUPER POLYMER MEANS PEACE OF MIND knowing your home is clad in the industry's best vinyl siding



Tri-Pigment Reflective Technology

- A precise formulation of heat resistant inorganic pigments ensuring exacting deep colors.
- Reflects heat away from exterior walls and deflects damaging infrared solar rays to reduce solar heat build-up and unsightly weathering.



SPX-2000 UV Protection

• Helps block the destructive effects of the sun's UV rays.



Weather Barrier Shield

- A concentration of precisely formulated antiweathering materials at the product surface.
- Helps ensure long-lasting color fidelity and maintenance freedom for your home's exterior.



Color Keeper Anti-Fade Protection

 Meticulously engineered with the finest mix of ingredients that build a stronger molecular chain for superior color retention.

EXCEPTIONAL PERFORMANCE



Our Super Polymer formulation is engineered with high-grade impact modifiers that act as shock absorbers. These impact modifiers add strength, toughness and durability and provide our siding with the highest impact resistance for the life of the products.

CedarMAX® Super Polymer Insulated Siding with laminated rigid EPS foam provides **five times greater impact resistance** than non-insulated siding.

Based on historical warranty analysis, ProVia's® siding products had little to no hail damage warranty claims.

THIRD PARTY ACCREDITATION AND TESTING

ProVia's Super Polymer vinyl siding is ASTM 4226 certified and tested for impact resistance that exceeds 60 lb/ft.

IMPERVIOUS TO MOISTURE



Unlike wood and fiber cement, ProVia's Super Polymer formulation is **engineered** with high-grade weathering defenses that enhance the inherent water resistance of vinyl.

This ensures moisture management for your home's exterior and provides long-lasting performance for the life of the product.

INHERENTLY Flame retardant

Our siding products are Class A fire rated based on ASTM E84, ASTM D635 and ASTM E119-88 testing and certification. ProVia's Super Polymer formulation is a PVC (vinyl) based product which does not ignite quickly and is inherently flame retardant.

Most home structure fires originate in the interior of the home. Only 4% of house fires start on the outside of the structure and fewer than 3% of house fires originate with the exterior wall surface.

- National Fire Protection Association, Home Structures Fires, April 2018



+ THE ADVANTAGES OF INSULATED SIDING



CONTINUOUS INSULATION

Tested and proven to increase the R-value² of an exterior wall, CedarMAX foam backed vinyl siding is one of the most energyefficient exterior claddings on the market. That's because unlike most wall insulation that resides only between studs, CedarMAX insulated siding covers the entire exterior wall, providing continuous insulation over studs that normally wouldn't be insulated. Wall studs comprise up to 25% of a wall's surface on an average home, and having them uninsulated equivalates to having one entire wall with no insulation at all!

SOUND REDUCTION

Sometimes you want to open your windows and listen to certain noises outside, whether it's the gentle sound of the breeze blowing through the trees or the cheerful melody of birds announcing the arrival of spring. Other times, you'd prefer to block out certain sounds, such as your neighbor's chainsaw, a passing motorcycle, or a nearby plane taking off. The added foam insulation in CedarMAX insulated vinyl siding may help reduce outside noise transmission by as much as 39%, according to a study that Progressive Foam Technologies had conducted by a third-party test laboratory.



DID YOU KNOW?

Since ProVia's vinyl siding does not require painting, staining, or caulking, no harmful solvents are released into the environment to maintain it. As a result, ProVia's vinyl siding can earn points in **leading green building certification programs.**

Save money by reducing maintenance costs.

Visit **provia.com/siding** for more information on how to clean vinyl siding.











ProVia's insulated vinyl siding products are meticulously engineered to meet or exceed ASTM standards set forth by the Vinyl Siding Institute (VSI).

As a result, contractors, installers and homeowners benefit from product durability, longevity and performance for a lifetime.

CEDARMAX® IS ENGINEERED TO PROTECT YOUR HOME



CedarMAX insulated siding performs an important function in a home's energy performance: breaking the "thermal bridge" between the home's studs and exterior cladding. Thermal bridging occurs when materials with poor insulating properties contact each other, allowing heat to flow through them.

Most wall insulation is placed between the studs. Wall studs, both wood and metal, conduct heat. And since wall studs represent up to 25% of the wall surface of an average home, that's like having one entire wall with no insulation. Insulated siding blankets the home, providing continuous insulation to help increase the total wall R-value of a home.

These thermal images show how a home's studs allow heat to pass through a wall. **Insulated siding creates a barrier over the studs,** interrupting the flow of heat.

BEFORE CEDARMAX




AFTER CEDARMAX

INSULATED SIDING TO A SUBJECT OF SIDING TO A SUBJECT OF SUBJECT

These thermal images from the NYSERDA study show how a home's studs allow heat to pass through a wall. **Insulated siding creates a barrier over the studs,** interrupting the flow of heat.

NON-INSULATED SIDING



THE ADVANTAGES OF VINYL SIDING

	CedarMAX Insulated Vinyl Siding	Fiber Cement Board
DURABILITY	 Industry-leading formulation engineered for maximum strength and stability Double-ply windload nailing hem Meets or exceeds ASTM standards 	 Susceptible to freeze/thaw conditions Absorbs moisture Potential for rot, mold and/or poor indoor air quality
BEAUTY	 Ever-evolving spectrum of colors, including traditional and trending color palettes Variety of profiles and coordinating accessories available to create unique curb appeal 	 Higher cost for pre-finished color options Limited colors available from manufacturer Periodic repainting necessary
	 Virtually maintenance free; easily cleaned with mild detergent, a brush, and a garden hose No time-consuming priming, caulking, or painting 	 Must be repainted to maintain appearance and moisture resistance Caulking and periodic re-caulking are necessary to prevent moisture damage
INSTALLATION	 Starts performing from the moment of installation No labor-intensive priming, caulking or painting 	 If not prefinished (at added cost), must be primed Must be painted Requires caulking
ENVIRONMENTAL IMPACT	 Requires no additional finish resources Can be recycled We offer CedarMAX insulated siding to reduce heat loss 	 Earns relatively low points in the ICC 700 National Green Building Standard[™]
VALUE	 Lower total installed cost (includes material and labor) Never requires painting No long-term maintenance costs Lifetime Limited Warranty 	 More than 51% higher initial purchase price (includes labor and finish costs) than vinyl siding Requires priming and 1-2 coats of paint Up to 15% upcharge for preprimed and prefinished boards

CEDAR**MAX**° COLORS



LIFESTYLE COLLECTION

White	Linen	Antique White
Cream	Alabaster	Chateau
Sandalwood	Gray	Pewter
Clay	Everest	Prairie
Premium Blue	Sade	



COMPLETE THE LOOK!

A CHUTECTOR

Coordinate CedarMAX with ProVia's extensive portfolio of exterior products!



Pine

Always refer to our color selector for accurate color representation.

